

Product Change Notice (PCN)

件名： RL78/F12, F13, F14 シリーズ、SSOP 製品の Cu ワイヤ化

発行日： 12/25/2024

出荷開始予定日： 5/16/2025

改版履歴：初版

変更内容の説明：

RL78/F12, F13, F14 シリーズ SSOP 製品を対象として、ボンディングワイヤを Cu ワイヤ化します。それに伴いワイヤ以外の組立材料を変更します。以下の変更内容をご参照ください。

組立、選別拠点：Renesas Semiconductor KL Sdn. Bhd. (KL)

[変更内容]

No	項目	変更後 [Cu ワイヤ品]	現状 [Au ワイヤ品]
1	ボンディングワイヤの材料変更	Cu 材、 ϕ 23um	Au 材、 ϕ 20um
2	リードフレーム変更	共用リードフレーム	個別リードフレーム
3	ダイアタッチ材変更	ルネサス標準材料	既存材料
4	モールド樹脂変更	Cu ワイヤ用樹脂	Au ワイヤ用樹脂
5	外装めっき材質仕様の変更	F12, F13, F14: 純 Sn	F12 : 純 Sn F13, F14 : PPF
6	パッケージ外形	F12, F13, F14 : 純 Sn 仕様図面	F12 : 純 Sn 仕様図面 F13, F14 : PPF 仕様図面

対象製品リスト：

付録欄 “対象製品リスト” をご参照ください。

変更の理由：

製品の安定供給のため。

外形、実装、機能、品質、信頼性への影響：

実装、機能、品質、信頼性：影響ありません。外形：「付録欄」をご参照ください。

製品の識別方法：

受注ボディ製品型名およびラベル、マークにて識別が可能です。

「付録欄」をご参照ください。

信頼性データについて：付録欄 “Q100 Qualification Test Results” をご参照ください。

サンプル出荷予定日： 4/21/2025

製品/材料の化学物質データ：ご要求に応じて提出可能です。

ご注意:

1. PCN をお客様にお渡しした後 30 日以内に受理の御連絡を頂けない場合は、変更内容を御承認頂いたものとみなして変更を実施させていただきます。
2. お客様が PCN を受理されて承認手続きのための条件が有る場合は、PCN をお客様にお渡しした後 90 日以内に御連絡をお願い致します。90 日以内に何の御連絡もない場合も御承認頂いたものとみなして変更を実施させていただきます。
3. 変更内容について御承認頂けない場合、最終注文数の御提示と御発注をお願い致します。

この通知に関するお問い合わせは、弊社営業、特約店までお願い致します。

付録 1

■型名仕様

Cu ワイヤ品は、Au ワイヤ品との識別を目的に Cu ワイヤを表すコード” C” が文字挿入されます
Cu ワイヤ品と、Au ワイヤ品は suffix が異なります。

製品	RL78/F12		RL78/F13, F14	
Before/After	変更後 Cu ワイヤ品	現状 Au ワイヤ品	変更後 Cu ワイヤ品	現状 Au ワイヤ品
Tray (Full Carton)	10Q	H0Q	15Q	G5Q
Tray	30Q	V0Q	35Q	U5Q
Tape&Reel	50Q	X0Q	55Q	W5Q

例) RL78/F12 シリーズ Full Carton の場合

Cu ワイヤ品 : R5F10968CJSP#10Q

Au ワイヤ品 : R5F10968JSP#H0Q


■マーク

製品型名の変更に伴い、以下の通り、一段目の製品型名部分が変更になります。

マーク例

Cu ワイヤ品


Au ワイヤ品



(一段目) 製品型名 Product name

(二段目) 製造ロット番号 Trace Code

■パッケージ外形



変更後 [Cu ワイヤ品] は、純 Sn 仕様図面となります。

“D” (リード幅), “K” (リード厚) 寸法、MIN, MAX の各寸法値は同じ、TYP 値が異なります。

付録 2

RL78/F12 series:

Before (Au wire)	After (Cu wire)	Nickname	PKG outline	Packing
R5F10968JSP#H0	R5F10968CJSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F10968JSP#H0G	R5F10968CJSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F10968JSP#H0Q	R5F10968CJSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F10968JSP#V0G	R5F10968CJSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F10968JSP#X0	R5F10968CJSP#50	F12	SSOP 20pin	Tape&Reel
R5F10968JSP#X0G	R5F10968CJSP#50G	F12	SSOP 20pin	Tape&Reel
R5F10968JSP#X0Q	R5F10968CJSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F10968J***SP#H0	R5F10968CJ***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F10968J***SP#H0G	R5F10968CJ***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F10968J***SP#H0Q	R5F10968CJ***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F10968J***SP#V0G	R5F10968CJ***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F10968J***SP#X0	R5F10968CJ***SP50	F12	SSOP 20pin	Tape&Reel
R5F10968J***SP#X0G	R5F10968CJ***SP50G	F12	SSOP 20pin	Tape&Reel
R5F10968J***SP#X0Q	R5F10968CJ***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F10968KSP#H0	R5F10968CKSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F10968KSP#H0G	R5F10968CKSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F10968KSP#H0Q	R5F10968CKSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F10968KSP#V0G	R5F10968CKSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F10968KSP#X0	R5F10968CKSP#50	F12	SSOP 20pin	Tape&Reel
R5F10968KSP#X0G	R5F10968CKSP#50G	F12	SSOP 20pin	Tape&Reel
R5F10968KSP#X0Q	R5F10968CKSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F10968K***SP#H0	R5F10968CK***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F10968K***SP#H0G	R5F10968CK***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F10968K***SP#H0Q	R5F10968CK***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F10968K***SP#V0G	R5F10968CK***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F10968K***SP#X0	R5F10968CK***SP50	F12	SSOP 20pin	Tape&Reel
R5F10968K***SP#X0G	R5F10968CK***SP50G	F12	SSOP 20pin	Tape&Reel
R5F10968K***SP#X0Q	R5F10968CK***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F1096AJSP#H0	R5F1096ACJSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AJSP#H0G	R5F1096ACJSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AJSP#H0Q	R5F1096ACJSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AJSP#V0G	R5F1096ACJSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096AJSP#X0	R5F1096ACJSP#50	F12	SSOP 20pin	Tape&Reel
R5F1096AJSP#X0G	R5F1096ACJSP#50G	F12	SSOP 20pin	Tape&Reel
R5F1096AJSP#X0Q	R5F1096ACJSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F1096AJ***SP#H0	R5F1096ACJ***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AJ***SP#H0G	R5F1096ACJ***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AJ***SP#H0Q	R5F1096ACJ***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AJ***SP#V0G	R5F1096ACJ***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096AJ***SP#X0	R5F1096ACJ***SP50	F12	SSOP 20pin	Tape&Reel
R5F1096AJ***SP#X0G	R5F1096ACJ***SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096AJ***SP#X0Q	R5F1096ACJ***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F1096AKSP#H0	R5F1096ACKSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AKSP#H0G	R5F1096ACKSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AKSP#H0Q	R5F1096ACKSP#10Q	F12	SSOP 20pin	Full Carton (Tray)

R5F1096AKSP#V0G	R5F1096ACKSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096AKSP#X0	R5F1096ACKSP#50	F12	SSOP 20pin	Tape&Reel
R5F1096AKSP#X0G	R5F1096ACKSP#50G	F12	SSOP 20pin	Tape&Reel
R5F1096AKSP#X0Q	R5F1096ACKSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F1096AK***SP#H0	R5F1096ACK***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AK***SP#H0G	R5F1096ACK***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AK***SP#H0Q	R5F1096ACK***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096AK***SP#V0G	R5F1096ACK***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096AK***SP#X0	R5F1096ACK***SP50	F12	SSOP 20pin	Tape&Reel
R5F1096AK***SP#X0G	R5F1096ACK***SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096AK***SP#X0Q	R5F1096ACK***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F1096BJSP#H0	R5F1096BCJSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BJSP#H0G	R5F1096BCJSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BJSP#H0Q	R5F1096BCJSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BJSP#V0G	R5F1096BCJSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096BJSP#X0	R5F1096BCJSP#50	F12	SSOP 20pin	Tape&Reel
R5F1096BJSP#X0G	R5F1096BCJSP#50G	F12	SSOP 20pin	Tape&Reel
R5F1096BJSP#X0Q	R5F1096BCJSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F1096BJ***SP#H0	R5F1096BCJ***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BJ***SP#H0G	R5F1096BCJ***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BJ***SP#H0Q	R5F1096BCJ***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BJ***SP#V0G	R5F1096BCJ***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096BJ***SP#X0	R5F1096BCJ***SP50	F12	SSOP 20pin	Tape&Reel
R5F1096BJ***SP#X0G	R5F1096BCJ***SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096BJ***SP#X0Q	R5F1096BCJ***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F1096BKSP#H0	R5F1096BCKSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BKSP#H0G	R5F1096BCKSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BKSP#H0Q	R5F1096BCKSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BKSP#V0G	R5F1096BCKSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096BKSP#X0	R5F1096BCKSP#50	F12	SSOP 20pin	Tape&Reel
R5F1096BKSP#X0G	R5F1096BCKSP#50G	F12	SSOP 20pin	Tape&Reel
R5F1096BKSP#X0Q	R5F1096BCKSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F1096BK***SP#H0	R5F1096BCK***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BK***SP#H0G	R5F1096BCK***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BK***SP#H0Q	R5F1096BCK***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BK***SP#V0G	R5F1096BCK***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096BK***SP#X0	R5F1096BCK***SP50	F12	SSOP 20pin	Tape&Reel
R5F1096BK***SP#X0G	R5F1096BCK***SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096BK***SP#X0Q	R5F1096BCK***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F1096CJSP#H0	R5F1096CCJSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CJSP#H0G	R5F1096CCJSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CJSP#H0Q	R5F1096CCJSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CJSP#V0G	R5F1096CCJSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096CJSP#X0	R5F1096CCJSP#50	F12	SSOP 20pin	Tape&Reel
R5F1096CJSP#X0G	R5F1096CCJSP#50G	F12	SSOP 20pin	Tape&Reel
R5F1096CJSP#X0Q	R5F1096CCJSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F1096CJ***SP#H0	R5F1096CCJ***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CJ***SP#H0G	R5F1096CCJ***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CJ***SP#H0Q	R5F1096CCJ***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CJ***SP#V0G	R5F1096CCJ***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096CJ***SP#X0	R5F1096CCJ***SP50	F12	SSOP 20pin	Tape&Reel

R5F1096CJ***SP#X0G	R5F1096CCJ***SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096CJ***SP#X0Q	R5F1096CCJ***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F1096CKSP#H0	R5F1096CCKSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CKSP#H0G	R5F1096CCKSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CKSP#H0Q	R5F1096CCKSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CKSP#V0G	R5F1096CCKSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096CKSP#X0	R5F1096CCKSP#50	F12	SSOP 20pin	Tape&Reel
R5F1096CKSP#X0G	R5F1096CCKSP#50G	F12	SSOP 20pin	Tape&Reel
R5F1096CKSP#X0Q	R5F1096CCKSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F1096CK***SP#H0	R5F1096CCK***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CK***SP#H0G	R5F1096CCK***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CK***SP#H0Q	R5F1096CCK***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CK***SP#V0G	R5F1096CCK***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096CK***SP#X0	R5F1096CCK***SP50	F12	SSOP 20pin	Tape&Reel
R5F1096CK***SP#X0G	R5F1096CCK***SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096CK***SP#X0Q	R5F1096CCK***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F1096DJSP#H0	R5F1096DCJSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DJSP#H0G	R5F1096DCJSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DJSP#H0Q	R5F1096DCJSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DJSP#V0G	R5F1096DCJSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096DJSP#X0	R5F1096DCJSP#50	F12	SSOP 20pin	Tape&Reel
R5F1096DJSP#X0G	R5F1096DCJSP#50G	F12	SSOP 20pin	Tape&Reel
R5F1096DJSP#X0Q	R5F1096DCJSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F1096DJ***SP#H0	R5F1096DCJ***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DJ***SP#H0G	R5F1096DCJ***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DJ***SP#H0Q	R5F1096DCJ***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DJ***SP#V0G	R5F1096DCJ***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096DJ***SP#X0	R5F1096DCJ***SP50	F12	SSOP 20pin	Tape&Reel
R5F1096DJ***SP#X0G	R5F1096DCJ***SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096DJ***SP#X0Q	R5F1096DCJ***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F1096DKSP#H0	R5F1096DCKSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DKSP#H0G	R5F1096DCKSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DKSP#H0Q	R5F1096DCKSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DKSP#V0G	R5F1096DCKSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096DKSP#X0	R5F1096DCKSP#50	F12	SSOP 20pin	Tape&Reel
R5F1096DKSP#X0G	R5F1096DCKSP#50G	F12	SSOP 20pin	Tape&Reel
R5F1096DKSP#X0Q	R5F1096DCKSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F1096DK***SP#H0	R5F1096DCK***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DK***SP#H0G	R5F1096DCK***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DK***SP#H0Q	R5F1096DCK***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096DK***SP#V0G	R5F1096DCK***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096DK***SP#X0	R5F1096DCK***SP50	F12	SSOP 20pin	Tape&Reel
R5F1096DK***SP#X0G	R5F1096DCK***SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096DK***SP#X0Q	R5F1096DCK***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F1096EJSP#H0	R5F1096ECJSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EJSP#H0G	R5F1096ECJSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EJSP#H0Q	R5F1096ECJSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EJSP#V0G	R5F1096ECJSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096EJSP#X0	R5F1096ECJSP#50	F12	SSOP 20pin	Tape&Reel
R5F1096EJSP#X0G	R5F1096ECJSP#50G	F12	SSOP 20pin	Tape&Reel
R5F1096EJSP#X0Q	R5F1096ECJSP#50Q	F12	SSOP 20pin	Tape&Reel

R5F1096EJ***SP#H0	R5F1096ECJ***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EJ***SP#H0G	R5F1096ECJ***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EJ***SP#H0Q	R5F1096ECJ***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EJ***SP#V0G	R5F1096ECJ***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096EJ***SP#X0	R5F1096ECJ***SP50	F12	SSOP 20pin	Tape&Reel
R5F1096EJ***SP#X0G	R5F1096ECJ***SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096EJ***SP#X0Q	R5F1096ECJ***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F1096EKSP#H0	R5F1096ECKSP#10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EKSP#H0G	R5F1096ECKSP#10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EKSP#H0Q	R5F1096ECKSP#10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EKSP#V0G	R5F1096ECKSP#30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096EKSP#X0	R5F1096ECKSP#50	F12	SSOP 20pin	Tape&Reel
R5F1096EKSP#X0G	R5F1096ECKSP#50G	F12	SSOP 20pin	Tape&Reel
R5F1096EKSP#X0Q	R5F1096ECKSP#50Q	F12	SSOP 20pin	Tape&Reel
R5F1096EK***SP#H0	R5F1096ECK***SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EK***SP#H0G	R5F1096ECK***SP10G	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EK***SP#H0Q	R5F1096ECK***SP10Q	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EK***SP#V0G	R5F1096ECK***SP30G	F12	SSOP 20pin	Bulk (Tray)
R5F1096EK***SP#X0	R5F1096ECK***SP50	F12	SSOP 20pin	Tape&Reel
R5F1096EK***SP#X0G	R5F1096ECK***SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096EK***SP#X0Q	R5F1096ECK***SP50Q	F12	SSOP 20pin	Tape&Reel
R5F109AAJSP#H0	R5F109AACJSP#10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAJSP#H0G	R5F109AACJSP#10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAJSP#H0Q	R5F109AACJSP#10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAJSP#V0G	R5F109AACJSP#30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AAJSP#X0	R5F109AACJSP#50	F12	SSOP 30pin	Tape&Reel
R5F109AAJSP#X0G	R5F109AACJSP#50G	F12	SSOP 30pin	Tape&Reel
R5F109AAJSP#X0Q	R5F109AACJSP#50Q	F12	SSOP 30pin	Tape&Reel
R5F109AAJ***SP#H0	R5F109AACJ***SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAJ***SP#H0G	R5F109AACJ***SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAJ***SP#H0Q	R5F109AACJ***SP10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAJ***SP#V0G	R5F109AACJ***SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AAJ***SP#X0	R5F109AACJ***SP50	F12	SSOP 30pin	Tape&Reel
R5F109AAJ***SP#X0G	R5F109AACJ***SP50G	F12	SSOP 30pin	Tape&Reel
R5F109AAJ***SP#X0Q	R5F109AACJ***SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109AAKSP#H0	R5F109AACKSP#10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKSP#H0G	R5F109AACKSP#10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKSP#H0Q	R5F109AACKSP#10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKSP#V0G	R5F109AACKSP#30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AAKSP#X0	R5F109AACKSP#50	F12	SSOP 30pin	Tape&Reel
R5F109AAKSP#X0G	R5F109AACKSP#50G	F12	SSOP 30pin	Tape&Reel
R5F109AAKSP#X0Q	R5F109AACKSP#50Q	F12	SSOP 30pin	Tape&Reel
R5F109AAK***SP#H0	R5F109AACK***SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAK***SP#H0G	R5F109AACK***SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAK***SP#H0Q	R5F109AACK***SP10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAK***SP#V0G	R5F109AACK***SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AAK***SP#X0	R5F109AACK***SP50	F12	SSOP 30pin	Tape&Reel
R5F109AAK***SP#X0G	R5F109AACK***SP50G	F12	SSOP 30pin	Tape&Reel
R5F109AAK***SP#X0Q	R5F109AACK***SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109ABJSP#H0	R5F109ABCJSP#10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABJSP#H0G	R5F109ABCJSP#10G	F12	SSOP 30pin	Full Carton (Tray)

R5F109ABJSP#H0Q	R5F109ABCJSP#10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABJSP#V0G	R5F109ABCJSP#30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ABJSP#X0	R5F109ABCJSP#50	F12	SSOP 30pin	Tape&Reel
R5F109ABJSP#X0G	R5F109ABCJSP#50G	F12	SSOP 30pin	Tape&Reel
R5F109ABJSP#X0Q	R5F109ABCJSP#50Q	F12	SSOP 30pin	Tape&Reel
R5F109ABJ***SP#H0	R5F109ABCJ***SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABJ***SP#H0G	R5F109ABCJ***SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABJ***SP#H0Q	R5F109ABCJ***SP10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABJ***SP#V0G	R5F109ABCJ***SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ABJ***SP#X0	R5F109ABCJ***SP50	F12	SSOP 30pin	Tape&Reel
R5F109ABJ***SP#X0G	R5F109ABCJ***SP50G	F12	SSOP 30pin	Tape&Reel
R5F109ABJ***SP#X0Q	R5F109ABCJ***SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109ABKSP#H0	R5F109ABCKSP#10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABKSP#H0G	R5F109ABCKSP#10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABKSP#H0Q	R5F109ABCKSP#10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABKSP#V0G	R5F109ABCKSP#30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ABKSP#X0	R5F109ABCKSP#50	F12	SSOP 30pin	Tape&Reel
R5F109ABKSP#X0G	R5F109ABCKSP#50G	F12	SSOP 30pin	Tape&Reel
R5F109ABKSP#X0Q	R5F109ABCKSP#50Q	F12	SSOP 30pin	Tape&Reel
R5F109ABK***SP#H0	R5F109ABCK***SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABK***SP#H0G	R5F109ABCK***SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABK***SP#H0Q	R5F109ABCK***SP10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABK***SP#V0G	R5F109ABCK***SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ABK***SP#X0	R5F109ABCK***SP50	F12	SSOP 30pin	Tape&Reel
R5F109ABK***SP#X0G	R5F109ABCK***SP50G	F12	SSOP 30pin	Tape&Reel
R5F109ABK***SP#X0Q	R5F109ABCK***SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109ACJSP#H0	R5F109ACCJSP#10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACJSP#H0G	R5F109ACCJSP#10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACJSP#H0Q	R5F109ACCJSP#10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACJSP#V0G	R5F109ACCJSP#30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ACJSP#X0	R5F109ACCJSP#50	F12	SSOP 30pin	Tape&Reel
R5F109ACJSP#X0G	R5F109ACCJSP#50G	F12	SSOP 30pin	Tape&Reel
R5F109ACJSP#X0Q	R5F109ACCJSP#50Q	F12	SSOP 30pin	Tape&Reel
R5F109ACJ***SP#H0	R5F109ACCJ***SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACJ***SP#H0G	R5F109ACCJ***SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACJ***SP#H0Q	R5F109ACCJ***SP10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACJ***SP#V0G	R5F109ACCJ***SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ACJ***SP#X0	R5F109ACCJ***SP50	F12	SSOP 30pin	Tape&Reel
R5F109ACJ***SP#X0G	R5F109ACCJ***SP50G	F12	SSOP 30pin	Tape&Reel
R5F109ACJ***SP#X0Q	R5F109ACCJ***SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109ACKSP#H0	R5F109ACCKSP#10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACKSP#H0G	R5F109ACCKSP#10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACKSP#H0Q	R5F109ACCKSP#10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACKSP#V0G	R5F109ACCKSP#30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ACKSP#X0	R5F109ACCKSP#50	F12	SSOP 30pin	Tape&Reel
R5F109ACKSP#X0G	R5F109ACCKSP#50G	F12	SSOP 30pin	Tape&Reel
R5F109ACKSP#X0Q	R5F109ACCKSP#50Q	F12	SSOP 30pin	Tape&Reel
R5F109ACK***SP#H0	R5F109ACCK***SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACK***SP#H0G	R5F109ACCK***SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACK***SP#H0Q	R5F109ACCK***SP10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACK***SP#V0G	R5F109ACCK***SP30G	F12	SSOP 30pin	Bulk (Tray)

R5F109ACK***SP#X0	R5F109ACCK***SP50	F12	SSOP 30pin	Tape&Reel
R5F109ACK***SP#X0G	R5F109ACCK***SP50G	F12	SSOP 30pin	Tape&Reel
R5F109ACK***SP#X0Q	R5F109ACCK***SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109ADJSP#H0	R5F109ADCJSP#10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADJSP#H0G	R5F109ADCJSP#10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADJSP#H0Q	R5F109ADCJSP#10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADJSP#V0G	R5F109ADCJSP#30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ADJSP#X0	R5F109ADCJSP#50	F12	SSOP 30pin	Tape&Reel
R5F109ADJSP#X0G	R5F109ADCJSP#50G	F12	SSOP 30pin	Tape&Reel
R5F109ADJSP#X0Q	R5F109ADCJSP#50Q	F12	SSOP 30pin	Tape&Reel
R5F109ADJ***SP#H0	R5F109ADCJ***SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADJ***SP#H0G	R5F109ADCJ***SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADJ***SP#H0Q	R5F109ADCJ***SP10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADJ***SP#V0G	R5F109ADCJ***SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ADJ***SP#X0	R5F109ADCJ***SP50	F12	SSOP 30pin	Tape&Reel
R5F109ADJ***SP#X0G	R5F109ADCJ***SP50G	F12	SSOP 30pin	Tape&Reel
R5F109ADJ***SP#X0Q	R5F109ADCJ***SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109ADKSP#H0	R5F109ADCKSP#10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADKSP#H0G	R5F109ADCKSP#10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADKSP#H0Q	R5F109ADCKSP#10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADKSP#V0G	R5F109ADCKSP#30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ADKSP#X0	R5F109ADCKSP#50	F12	SSOP 30pin	Tape&Reel
R5F109ADKSP#X0G	R5F109ADCKSP#50G	F12	SSOP 30pin	Tape&Reel
R5F109ADKSP#X0Q	R5F109ADCKSP#50Q	F12	SSOP 30pin	Tape&Reel
R5F109ADK***SP#H0	R5F109ADCK***SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADK***SP#H0G	R5F109ADCK***SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADK***SP#H0Q	R5F109ADCK***SP10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109ADK***SP#V0G	R5F109ADCK***SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109ADK***SP#X0	R5F109ADCK***SP50	F12	SSOP 30pin	Tape&Reel
R5F109ADK***SP#X0G	R5F109ADCK***SP50G	F12	SSOP 30pin	Tape&Reel
R5F109ADK***SP#X0Q	R5F109ADCK***SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109AEJSP#H0	R5F109AECJSP#10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEJSP#H0G	R5F109AECJSP#10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEJSP#H0Q	R5F109AECJSP#10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEJSP#V0G	R5F109AECJSP#30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AEJSP#X0	R5F109AECJSP#50	F12	SSOP 30pin	Tape&Reel
R5F109AEJSP#X0G	R5F109AECJSP#50G	F12	SSOP 30pin	Tape&Reel
R5F109AEJSP#X0Q	R5F109AECJSP#50Q	F12	SSOP 30pin	Tape&Reel
R5F109AEJ***SP#H0	R5F109AECJ***SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEJ***SP#H0G	R5F109AECJ***SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEJ***SP#H0Q	R5F109AECJ***SP10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEJ***SP#V0G	R5F109AECJ***SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AEJ***SP#X0	R5F109AECJ***SP50	F12	SSOP 30pin	Tape&Reel
R5F109AEJ***SP#X0G	R5F109AECJ***SP50G	F12	SSOP 30pin	Tape&Reel
R5F109AEJ***SP#X0Q	R5F109AECJ***SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109AEKSP#H0	R5F109AECKSP#10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEKSP#H0G	R5F109AECKSP#10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEKSP#H0Q	R5F109AECKSP#10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEKSP#V0G	R5F109AECKSP#30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AEKSP#X0	R5F109AECKSP#50	F12	SSOP 30pin	Tape&Reel
R5F109AEKSP#X0G	R5F109AECKSP#50G	F12	SSOP 30pin	Tape&Reel

R5F109AEKSP#X0Q	R5F109AECKSP#50Q	F12	SSOP 30pin	Tape&Reel
R5F109AEK***SP#H0	R5F109AECK***SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEK***SP#H0G	R5F109AECK***SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEK***SP#H0Q	R5F109AECK***SP10Q	F12	SSOP 30pin	Full Carton (Tray)
R5F109AEK***SP#V0G	R5F109AECK***SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AEK***SP#X0	R5F109AECK***SP50	F12	SSOP 30pin	Tape&Reel
R5F109AEK***SP#X0G	R5F109AECK***SP50G	F12	SSOP 30pin	Tape&Reel
R5F109AEK***SP#X0Q	R5F109AECK***SP50Q	F12	SSOP 30pin	Tape&Reel
R5F10968JJ00SP#X0Q	R5F10968CJJ00SP50Q	F12	SSOP 20pin	Tape&Reel
R5F10968JJ01SP#H0	R5F10968CJJ01SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F10968JJ02SP#H0	R5F10968CJJ02SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F10968KK00SP#V0	R5F10968CKK00SP30	F12	SSOP 20pin	Bulk (Tray)
R5F10968KK02SP#H0	R5F10968CKK02SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096BKK02SP#X0	R5F1096BCKK02SP50	F12	SSOP 20pin	Tape&Reel
R5F1096BKK03SP#X0	R5F1096BCKK03SP50	F12	SSOP 20pin	Tape&Reel
R5F1096BKK04SP#X0	R5F1096BCKK04SP50	F12	SSOP 20pin	Tape&Reel
R5F1096CKK01SP#H0	R5F1096CCKK01SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096CKK02SP#H0	R5F1096CCKK02SP10	F12	SSOP 20pin	Full Carton (Tray)
R5F1096EKK01SP#X0G	R5F1096ECKK01SP50G	F12	SSOP 20pin	Tape&Reel
R5F1096EKK02SP#X0G	R5F1096ECKK02SP50G	F12	SSOP 20pin	Tape&Reel
R5F109AAJJ01SP#X0	R5F109AACJJ01SP50	F12	SSOP 30pin	Tape&Reel
R5F109AAJJ02SP#X0Q	R5F109AACJJ02SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109AAKK00SP#X0	R5F109AACKK00SP50	F12	SSOP 30pin	Tape&Reel
R5F109AAKK01SP#H0G	R5F109AACKK01SP10G	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK01SP#V0G	R5F109AACKK01SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AAKK02SP#X0G	R5F109AACKK02SP50G	F12	SSOP 30pin	Tape&Reel
R5F109AAKK03SP#H0	R5F109AACKK03SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK03SP#V0	R5F109AACKK03SP30	F12	SSOP 30pin	Bulk (Tray)
R5F109AAKK04SP#H0	R5F109AACKK04SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK04SP#V0	R5F109AACKK04SP30	F12	SSOP 30pin	Bulk (Tray)
R5F109AAKK05SP#H0	R5F109AACKK05SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK05SP#V0	R5F109AACKK05SP30	F12	SSOP 30pin	Bulk (Tray)
R5F109AAKK07SP#H0	R5F109AACKK07SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK07SP#V0	R5F109AACKK07SP30	F12	SSOP 30pin	Bulk (Tray)
R5F109AAKK08SP#V0G	R5F109AACKK08SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AAKK09SP#V0G	R5F109AACKK09SP30G	F12	SSOP 30pin	Bulk (Tray)
R5F109AAKK10SP#H0	R5F109AACKK10SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK11SP#H0	R5F109AACKK11SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK12SP#H0	R5F109AACKK12SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK13SP#H0	R5F109AACKK13SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK14SP#H0	R5F109AACKK14SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK15SP#H0	R5F109AACKK15SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK17SP#X0Q	R5F109AACKK17SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109AAKK18SP#H0	R5F109AACKK18SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109AAKK19SP#H0	R5F109AACKK19SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABKK00SP#H0	R5F109ABCKK00SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABKK00SP#V0	R5F109ABCKK00SP30	F12	SSOP 30pin	Bulk (Tray)
R5F109ABKK01SP#H0	R5F109ABCKK01SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ABKK01SP#V0	R5F109ABCKK01SP30	F12	SSOP 30pin	Bulk (Tray)
R5F109ACKK00SP#H0	R5F109ACCKK00SP10	F12	SSOP 30pin	Full Carton (Tray)
R5F109ACKK00SP#V0	R5F109ACCKK00SP30	F12	SSOP 30pin	Bulk (Tray)

R5F109AEJJ00SP#X0Q	R5F109AECJJ00SP50Q	F12	SSOP 30pin	Tape&Reel
R5F109AEJJ01SP#X0Q	R5F109AECJJ01SP50Q	F12	SSOP 30pin	Tape&Reel

*** means ROM code

RL78/F13(LIN) series:

Before (Au wire)	After (Cu wire)	Nickname	PKG outline	Packing
R5F10A6AKK01SP#G5	R5F10A6ACKK01SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AKK02SP#W5	R5F10A6ACKK02SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6AKSP#G5	R5F10A6ACKSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AKSP#G5Q	R5F10A6ACKSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AKSP#U5	R5F10A6ACKSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6AKSP#W5	R5F10A6ACKSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6AKSP#W5Q	R5F10A6ACKSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6AK***SP#G5	R5F10A6ACK***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AK***SP#G5Q	R5F10A6ACK***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AK***SP#U5	R5F10A6ACK***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6AK***SP#W5	R5F10A6ACK***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6AK***SP#W5Q	R5F10A6ACK***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6ALSP#G5	R5F10A6ACLSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6ALSP#G5Q	R5F10A6ACLSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6ALSP#U5	R5F10A6ACLSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6ALSP#W5	R5F10A6ACLSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6ALSP#W5Q	R5F10A6ACLSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6AL***SP#G5	R5F10A6ACL***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AL***SP#G5Q	R5F10A6ACL***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AL***SP#U5	R5F10A6ACL***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6AL***SP#W5	R5F10A6ACL***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6AL***SP#W5Q	R5F10A6ACL***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6AYSP#G5	R5F10A6ACYSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AYSP#G5Q	R5F10A6ACYSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AYSP#U5	R5F10A6ACYSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6AYSP#W5	R5F10A6ACYSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6AYSP#W5Q	R5F10A6ACYSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6AY***SP#G5	R5F10A6ACY***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AY***SP#G5Q	R5F10A6ACY***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6AY***SP#U5	R5F10A6ACY***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6AY***SP#W5	R5F10A6ACY***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6AY***SP#W5Q	R5F10A6ACY***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CKSP#G5	R5F10A6CCKSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CKSP#G5Q	R5F10A6CCKSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CKSP#U5	R5F10A6CCKSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6CKSP#W5	R5F10A6CCKSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CKSP#W5Q	R5F10A6CCKSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CK***SP#G5	R5F10A6CCK***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CK***SP#G5Q	R5F10A6CCK***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CK***SP#U5	R5F10A6CCK***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6CK***SP#W5	R5F10A6CCK***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CK***SP#W5Q	R5F10A6CCK***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CLSP#G5	R5F10A6CCLSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CLSP#G5Q	R5F10A6CCLSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CLSP#U5	R5F10A6CCLSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6CLSP#W5	R5F10A6CCLSP#55	F13(LIN)	SSOP 20pin	Tape&Reel

R5F10A6CLSP#W5Q	R5F10A6CCLSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CL***SP#G5	R5F10A6CCL***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CL***SP#G5Q	R5F10A6CCL***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CL***SP#U5	R5F10A6CCL***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6CL***SP#W5	R5F10A6CCL***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CL***SP#W5Q	R5F10A6CCL***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CYS#G5	R5F10A6CCYSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CYS#G5Q	R5F10A6CCYSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CYS#U5	R5F10A6CCYSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6CYS#W5	R5F10A6CCYSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CYS#W5Q	R5F10A6CCYSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CY***SP#G5	R5F10A6CCY***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CY***SP#G5Q	R5F10A6CCY***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6CY***SP#U5	R5F10A6CCY***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6CY***SP#W5	R5F10A6CCY***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6CY***SP#W5Q	R5F10A6CCY***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DKSP#G5	R5F10A6DCKSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DKSP#G5Q	R5F10A6DCKSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DKSP#U5	R5F10A6DCKSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6DKSP#W5	R5F10A6DCKSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DKSP#W5Q	R5F10A6DCKSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DK***SP#G5	R5F10A6DCK***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DK***SP#G5Q	R5F10A6DCK***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DK***SP#U5	R5F10A6DCK***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6DK***SP#W5	R5F10A6DCK***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DK***SP#W5Q	R5F10A6DCK***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DLSP#G5	R5F10A6DCLSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DLSP#G5Q	R5F10A6DCLSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DLSP#U5	R5F10A6DCLSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6DLSP#W5	R5F10A6DCLSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DLSP#W5Q	R5F10A6DCLSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DL***SP#G5	R5F10A6DCL***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DL***SP#G5Q	R5F10A6DCL***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DL***SP#U5	R5F10A6DCL***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6DL***SP#W5	R5F10A6DCL***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DL***SP#W5Q	R5F10A6DCL***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DYSP#G5	R5F10A6DCYSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DYSP#G5Q	R5F10A6DCYSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DYSP#U5	R5F10A6DCYSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6DYSP#W5	R5F10A6DCYSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DYSP#W5Q	R5F10A6DCYSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DY***SP#G5	R5F10A6DCY***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DY***SP#G5Q	R5F10A6DCY***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6DY***SP#U5	R5F10A6DCY***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6DY***SP#W5	R5F10A6DCY***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6DY***SP#W5Q	R5F10A6DCY***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6EKSP#G5	R5F10A6ECKSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6EKSP#G5Q	R5F10A6ECKSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6EKSP#U5	R5F10A6ECKSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6EKSP#W5	R5F10A6ECKSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6EKSP#W5Q	R5F10A6ECKSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel

R5F10A6EK***SP#G5	R5F10A6ECK***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6EK***SP#G5Q	R5F10A6ECK***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6EK***SP#U5	R5F10A6ECK***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6EK***SP#W5	R5F10A6ECK***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6EK***SP#W5Q	R5F10A6ECK***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6ELSP#G5	R5F10A6ECLSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6ELSP#G5Q	R5F10A6ECLSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6ELSP#U5	R5F10A6ECLSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6ELSP#W5	R5F10A6ECLSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6ELSP#W5Q	R5F10A6ECLSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6EL***SP#G5	R5F10A6ECL***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6EL***SP#G5Q	R5F10A6ECL***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6EL***SP#U5	R5F10A6ECL***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6EL***SP#W5	R5F10A6ECL***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6EL***SP#W5Q	R5F10A6ECL***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6EYSP#G5	R5F10A6ECYSP#15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6EYSP#G5Q	R5F10A6ECYSP#15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6EYSP#U5	R5F10A6ECYSP#35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6EYSP#W5	R5F10A6ECYSP#55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6EYSP#W5Q	R5F10A6ECYSP#55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6EY***SP#G5	R5F10A6ECY***SP15	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6EY***SP#G5Q	R5F10A6ECY***SP15Q	F13(LIN)	SSOP 20pin	Full Carton (Tray)
R5F10A6EY***SP#U5	R5F10A6ECY***SP35	F13(LIN)	SSOP 20pin	Bulk (Tray)
R5F10A6EY***SP#W5	R5F10A6ECY***SP55	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10A6EY***SP#W5Q	R5F10A6ECY***SP55Q	F13(LIN)	SSOP 20pin	Tape&Reel
R5F10AAAACK01SP#G5	R5F10AAAACK01SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAACK01SP#U5	R5F10AAAACK01SP35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAAACKSP#G5	R5F10AAAACKSP#15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAACKSP#G5Q	R5F10AAAACKSP#15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAACKSP#U5	R5F10AAAACKSP#35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAAACKSP#W5	R5F10AAAACKSP#55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AAAACKSP#W5Q	R5F10AAAACKSP#55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AAAACK***SP#G5	R5F10AAAACK***SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAACK***SP#G5Q	R5F10AAAACK***SP15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAACK***SP#U5	R5F10AAAACK***SP35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAAACK***SP#W5	R5F10AAAACK***SP55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AAAACK***SP#W5Q	R5F10AAAACK***SP55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AAAALSP#G5	R5F10AAAACLSP#15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAALSP#G5Q	R5F10AAAACLSP#15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAALSP#U5	R5F10AAAACLSP#35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAAALSP#W5	R5F10AAAACLSP#55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AAAALSP#W5Q	R5F10AAAACLSP#55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AAAAL***SP#G5	R5F10AAAACL***SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAAL***SP#G5Q	R5F10AAAACL***SP15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAAL***SP#U5	R5F10AAAACL***SP35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAAAL***SP#W5	R5F10AAAACL***SP55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AAAAL***SP#W5Q	R5F10AAAACL***SP55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AAAAYSP#G5	R5F10AAAACYSP#15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAAYSP#G5Q	R5F10AAAACYSP#15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAAYSP#U5	R5F10AAAACYSP#35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAAAYSP#W5	R5F10AAAACYSP#55	F13(LIN)	SSOP 30pin	Tape&Reel

R5F10AAAYSP#W5Q	R5F10AAACYSP#55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AAAY***SP#G5	R5F10AAACY***SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAY***SP#G5Q	R5F10AAACY***SP15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAAY***SP#U5	R5F10AAACY***SP35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAAY***SP#W5	R5F10AAACY***SP55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AAAY***SP#W5Q	R5F10AAACY***SP55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACKSP#G5	R5F10AACKSP#15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACKSP#G5Q	R5F10AACKSP#15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACKSP#U5	R5F10AACKSP#35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AACKSP#W5	R5F10AACKSP#55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACKSP#W5Q	R5F10AACKSP#55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACK***SP#G5	R5F10AACK***SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACK***SP#G5Q	R5F10AACK***SP15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACK***SP#U5	R5F10AACK***SP35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AACK***SP#W5	R5F10AACK***SP55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACK***SP#W5Q	R5F10AACK***SP55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACLSP#G5	R5F10AACLSP#15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACLSP#G5Q	R5F10AACLSP#15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACLSP#U5	R5F10AACLSP#35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AACLSP#W5	R5F10AACLSP#55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACLSP#W5Q	R5F10AACLSP#55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACL***SP#G5	R5F10AACL***SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACL***SP#G5Q	R5F10AACL***SP15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACL***SP#U5	R5F10AACL***SP35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AACL***SP#W5	R5F10AACL***SP55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACL***SP#W5Q	R5F10AACL***SP55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACYSPP#G5	R5F10AACYSPP#15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACYSPP#G5Q	R5F10AACYSPP#15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACYSPP#U5	R5F10AACYSPP#35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AACYSPP#W5	R5F10AACYSPP#55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACYSPP#W5Q	R5F10AACYSPP#55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACYP***SP#G5	R5F10AACYP***SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACYP***SP#G5Q	R5F10AACYP***SP15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AACYP***SP#U5	R5F10AACYP***SP35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AACYP***SP#W5	R5F10AACYP***SP55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AACYP***SP#W5Q	R5F10AACYP***SP55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AADKSP#G5	R5F10AADKSP#15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADKSP#G5Q	R5F10AADKSP#15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADKSP#U5	R5F10AADKSP#35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AADKSP#W5	R5F10AADKSP#55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AADKSP#W5Q	R5F10AADKSP#55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AADK***SP#G5	R5F10AADK***SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADK***SP#G5Q	R5F10AADK***SP15Q	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADK***SP#U5	R5F10AADK***SP35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AADK***SP#W5	R5F10AADK***SP55	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AADK***SP#W5Q	R5F10AADK***SP55Q	F13(LIN)	SSOP 30pin	Tape&Reel
R5F10AADLL00SP#G5	R5F10AADLL00SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADLL00SP#U5	R5F10AADLL00SP35	F13(LIN)	SSOP 30pin	Bulk (Tray)
R5F10AADLL01SP#G5	R5F10AADLL01SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADLL02SP#G5	R5F10AADLL02SP15	F13(LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADLSP#G5	R5F10AADLSP#15	F13(LIN)	SSOP 30pin	Full Carton (Tray)

R5F10AADLSP#G5Q	R5F10AADCLSP#15Q	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADLSP#U5	R5F10AADCLSP#35	F13 (LIN)	SSOP 30pin	Bulk (Tray)
R5F10AADLSP#W5	R5F10AADCLSP#55	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AADLSP#W5Q	R5F10AADCLSP#55Q	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AADL***SP#G5	R5F10AADCL***SP15	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADL***SP#G5Q	R5F10AADCL***SP15Q	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADL***SP#U5	R5F10AADCL***SP35	F13 (LIN)	SSOP 30pin	Bulk (Tray)
R5F10AADL***SP#W5	R5F10AADCL***SP55	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AADL***SP#W5Q	R5F10AADCL***SP55Q	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AADYSP#G5	R5F10AADCYSP#15	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADYSP#G5Q	R5F10AADCYSP#15Q	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADYSP#U5	R5F10AADCYSP#35	F13 (LIN)	SSOP 30pin	Bulk (Tray)
R5F10AADYSP#W5	R5F10AADCYSP#55	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AADYSP#W5Q	R5F10AADCYSP#55Q	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AADY***SP#G5	R5F10AADCY***SP15	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADY***SP#G5Q	R5F10AADCY***SP15Q	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AADY***SP#U5	R5F10AADCY***SP35	F13 (LIN)	SSOP 30pin	Bulk (Tray)
R5F10AADY***SP#W5	R5F10AADCY***SP55	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AADY***SP#W5Q	R5F10AADCY***SP55Q	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAEKSP#G5	R5F10AAECKSP#15	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAEKSP#G5Q	R5F10AAECKSP#15Q	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAEKSP#U5	R5F10AAECKSP#35	F13 (LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAEKSP#W5	R5F10AAECKSP#55	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAEKSP#W5Q	R5F10AAECKSP#55Q	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAEK***SP#G5	R5F10AAECK***SP15	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAEK***SP#G5Q	R5F10AAECK***SP15Q	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAEK***SP#U5	R5F10AAECK***SP35	F13 (LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAEK***SP#W5	R5F10AAECK***SP55	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAEK***SP#W5Q	R5F10AAECK***SP55Q	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAELSP#G5	R5F10AAECLSP#15	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAELSP#G5Q	R5F10AAECLSP#15Q	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAELSP#U5	R5F10AAECLSP#35	F13 (LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAELSP#W5	R5F10AAECLSP#55	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAELSP#W5Q	R5F10AAECLSP#55Q	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAEL***SP#G5	R5F10AAECL***SP15	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAEL***SP#G5Q	R5F10AAECL***SP15Q	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAEL***SP#U5	R5F10AAECL***SP35	F13 (LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAEL***SP#W5	R5F10AAECL***SP55	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAEL***SP#W5Q	R5F10AAECL***SP55Q	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAEYSP#G5	R5F10AAECYSP#15	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAEYSP#G5Q	R5F10AAECYSP#15Q	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAEYSP#U5	R5F10AAECYSP#35	F13 (LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAEYSP#W5	R5F10AAECYSP#55	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAEYSP#W5Q	R5F10AAECYSP#55Q	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAEY***SP#G5	R5F10AAECY***SP15	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAEY***SP#G5Q	R5F10AAECY***SP15Q	F13 (LIN)	SSOP 30pin	Full Carton (Tray)
R5F10AAEY***SP#U5	R5F10AAECY***SP35	F13 (LIN)	SSOP 30pin	Bulk (Tray)
R5F10AAEY***SP#W5	R5F10AAECY***SP55	F13 (LIN)	SSOP 30pin	Tape&Reel
R5F10AAEY***SP#W5Q	R5F10AAECY***SP55Q	F13 (LIN)	SSOP 30pin	Tape&Reel

*** means ROM code

RL78/F13 (CAN&LIN) series:

Before (Au wire)	After (Cu wire)	Nickname	PKG outline	Packing
R5F10BACKK00SP#U5	R5F10BACCKK00SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BACKK01SP#U5	R5F10BACCKK01SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BACKK02SP#G5	R5F10BACCKK02SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACKSP#G5	R5F10BACCKSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACKSP#G5Q	R5F10BACCKSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACKSP#U5	R5F10BACCKSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BACKSP#W5	R5F10BACCKSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACKSP#W5Q	R5F10BACCKSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACK***SP#G5	R5F10BACCK***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACK***SP#G5Q	R5F10BACCK***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACK***SP#U5	R5F10BACCK***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BACK***SP#W5	R5F10BACCK***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACK***SP#W5Q	R5F10BACCK***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACLL00SP#W5	R5F10BACCLL00SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACLSLSP#G5	R5F10BACCLSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACLSLSP#G5Q	R5F10BACCLSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACLSLSP#U5	R5F10BACCLSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BACLSLSP#W5	R5F10BACCLSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACLSLSP#W5Q	R5F10BACCLSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACL***SP#G5	R5F10BACCL***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACL***SP#G5Q	R5F10BACCL***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACL***SP#U5	R5F10BACCL***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BACL***SP#W5	R5F10BACCL***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACL***SP#W5Q	R5F10BACCL***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACYSP#G5	R5F10BACCYSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACYSP#G5Q	R5F10BACCYSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACYSP#U5	R5F10BACCYSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BACYSP#W5	R5F10BACCYSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACYSP#W5Q	R5F10BACCYSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACY***SP#G5	R5F10BACCY***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACY***SP#G5Q	R5F10BACCY***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BACY***SP#U5	R5F10BACCY***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BACY***SP#W5	R5F10BACCY***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BACY***SP#W5Q	R5F10BACCY***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADKSP#G5	R5F10BADCKSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADKSP#G5Q	R5F10BADCKSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADKSP#U5	R5F10BADCKSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BADKSP#W5	R5F10BADCKSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADKSP#W5Q	R5F10BADCKSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADK***SP#G5	R5F10BADCK***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADK***SP#G5Q	R5F10BADCK***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADK***SP#U5	R5F10BADCK***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BADK***SP#W5	R5F10BADCK***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADK***SP#W5Q	R5F10BADCK***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADLSP#G5	R5F10BADCLSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADLSP#G5Q	R5F10BADCLSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADLSP#U5	R5F10BADCLSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)

R5F10BADLSP#W5	R5F10BADCLSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADLSP#W5Q	R5F10BADCLSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADL***SP#G5	R5F10BADCL***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADL***SP#G5Q	R5F10BADCL***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADL***SP#U5	R5F10BADCL***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BADL***SP#W5	R5F10BADCL***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADL***SP#W5Q	R5F10BADCL***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADYSP#G5	R5F10BADCYSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADYSP#G5Q	R5F10BADCYSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADYSP#U5	R5F10BADCYSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BADYSP#W5	R5F10BADCYSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADYSP#W5Q	R5F10BADCYSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADY***SP#G5	R5F10BADCY***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADY***SP#G5Q	R5F10BADCY***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BADY***SP#U5	R5F10BADCY***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BADY***SP#W5	R5F10BADCY***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BADY***SP#W5Q	R5F10BADCY***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAEKSP#G5	R5F10BAECKSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAEKSP#G5Q	R5F10BAECKSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAEKSP#U5	R5F10BAECKSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAEKSP#W5	R5F10BAECKSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAEKSP#W5Q	R5F10BAECKSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAEK***SP#G5	R5F10BAECK***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAEK***SP#G5Q	R5F10BAECK***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAEK***SP#U5	R5F10BAECK***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAEK***SP#W5	R5F10BAECK***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAEK***SP#W5Q	R5F10BAECK***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAELSP#G5	R5F10BAECLSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAELSP#G5Q	R5F10BAECLSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAELSP#U5	R5F10BAECLSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAELSP#W5	R5F10BAECLSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAELSP#W5Q	R5F10BAECLSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAEL***SP#G5	R5F10BAECL***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAEL***SP#G5Q	R5F10BAECL***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAEL***SP#U5	R5F10BAECL***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAEL***SP#W5	R5F10BAECL***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAEL***SP#W5Q	R5F10BAECL***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAEYSP#G5	R5F10BAECYSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAEYSP#G5Q	R5F10BAECYSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAEYSP#U5	R5F10BAECYSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAEYSP#W5	R5F10BAECYSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAEYSP#W5Q	R5F10BAECYSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAEY***SP#G5	R5F10BAECY***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAEY***SP#G5Q	R5F10BAECY***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAEY***SP#U5	R5F10BAECY***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAEY***SP#W5	R5F10BAECY***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAEY***SP#W5Q	R5F10BAECY***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFKSP#G5	R5F10BAFCKSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFKSP#G5Q	R5F10BAFCKSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFKSP#U5	R5F10BAFCKSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAFKSP#W5	R5F10BAFCKSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel

R5F10BAFKSP#W5Q	R5F10BAFCKSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFK***SP#G5	R5F10BAFCK***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFK***SP#G5Q	R5F10BAFCK***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFK***SP#U5	R5F10BAFCK***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAFK***SP#W5	R5F10BAFCK***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFK***SP#W5Q	R5F10BAFCK***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFLSP#G5	R5F10BAFCLSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFLSP#G5Q	R5F10BAFCLSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFLSP#U5	R5F10BAFCLSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAFLSP#W5	R5F10BAFCLSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFLSP#W5Q	R5F10BAFCLSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFL***SP#G5	R5F10BAFCL***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFL***SP#G5Q	R5F10BAFCL***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFL***SP#U5	R5F10BAFCL***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAFL***SP#W5	R5F10BAFCL***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFL***SP#W5Q	R5F10BAFCL***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFYSP#G5	R5F10BAFCYSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFYSP#G5Q	R5F10BAFCYSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFYSP#U5	R5F10BAFCYSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAFYSP#W5	R5F10BAFCYSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFYSP#W5Q	R5F10BAFCYSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFY***SP#G5	R5F10BAFCY***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFY***SP#G5Q	R5F10BAFCY***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAFY***SP#U5	R5F10BAFCY***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAFY***SP#W5	R5F10BAFCY***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAFY***SP#W5Q	R5F10BAFCY***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGKK00SP#W5Q	R5F10BAGCK00SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGKK01SP#W5Q	R5F10BAGCK01SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGKSP#G5	R5F10BAGCKSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGKSP#G5Q	R5F10BAGCKSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGKSP#U5	R5F10BAGCKSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAGKSP#W5	R5F10BAGCKSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGKSP#W5Q	R5F10BAGCKSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGK***SP#G5	R5F10BAGCK***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGK***SP#G5Q	R5F10BAGCK***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGK***SP#U5	R5F10BAGCK***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAGK***SP#W5	R5F10BAGCK***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGK***SP#W5Q	R5F10BAGCK***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGLSP#G5	R5F10BAGCLSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGLSP#G5Q	R5F10BAGCLSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGLSP#U5	R5F10BAGCLSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAGLSP#W5	R5F10BAGCLSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGLSP#W5Q	R5F10BAGCLSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGL***SP#G5	R5F10BAGCL***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGL***SP#G5Q	R5F10BAGCL***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGL***SP#U5	R5F10BAGCL***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAGL***SP#W5	R5F10BAGCL***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGL***SP#W5Q	R5F10BAGCL***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGYSP#G5	R5F10BAGCYSP#15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGYSP#G5Q	R5F10BAGCYSP#15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGYSP#U5	R5F10BAGCYSP#35	F13 (CAN)	SSOP 30pin	Bulk (Tray)

R5F10BAGYSP#W5	R5F10BAGCYSP#55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGYSP#W5Q	R5F10BAGCYSP#55Q	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGY***SP#G5	R5F10BAGCY***SP15	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGY***SP#G5Q	R5F10BAGCY***SP15Q	F13 (CAN)	SSOP 30pin	Full Carton (Tray)
R5F10BAGY***SP#U5	R5F10BAGCY***SP35	F13 (CAN)	SSOP 30pin	Bulk (Tray)
R5F10BAGY***SP#W5	R5F10BAGCY***SP55	F13 (CAN)	SSOP 30pin	Tape&Reel
R5F10BAGY***SP#W5Q	R5F10BAGCY***SP55Q	F13 (CAN)	SSOP 30pin	Tape&Reel

*** means ROM code

RL78/F14(CAN) series:

Before (Au wire)	After (Cu wire)	Nickname	PKG outline	Packing
R5F10PADKSP#G5	R5F10PADCKSP#15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADKSP#G5Q	R5F10PADCKSP#15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADKSP#U5	R5F10PADCKSP#35	F14	SSOP 30pin	Bulk (Tray)
R5F10PADKSP#W5	R5F10PADCKSP#55	F14	SSOP 30pin	Tape&Reel
R5F10PADKSP#W5Q	R5F10PADCKSP#55Q	F14	SSOP 30pin	Tape&Reel
R5F10PADK***SP#G5	R5F10PADCK***SP15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADK***SP#G5Q	R5F10PADCK***SP15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADK***SP#U5	R5F10PADCK***SP35	F14	SSOP 30pin	Bulk (Tray)
R5F10PADK***SP#W5	R5F10PADCK***SP55	F14	SSOP 30pin	Tape&Reel
R5F10PADK***SP#W5Q	R5F10PADCK***SP55Q	F14	SSOP 30pin	Tape&Reel
R5F10PADLSP#G5	R5F10PADCLSP#15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADLSP#G5Q	R5F10PADCLSP#15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADLSP#U5	R5F10PADCLSP#35	F14	SSOP 30pin	Bulk (Tray)
R5F10PADLSP#W5	R5F10PADCLSP#55	F14	SSOP 30pin	Tape&Reel
R5F10PADLSP#W5Q	R5F10PADCLSP#55Q	F14	SSOP 30pin	Tape&Reel
R5F10PADL***SP#G5	R5F10PADCL***SP15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADL***SP#G5Q	R5F10PADCL***SP15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADL***SP#U5	R5F10PADCL***SP35	F14	SSOP 30pin	Bulk (Tray)
R5F10PADL***SP#W5	R5F10PADCL***SP55	F14	SSOP 30pin	Tape&Reel
R5F10PADL***SP#W5Q	R5F10PADCL***SP55Q	F14	SSOP 30pin	Tape&Reel
R5F10PADYSP#G5	R5F10PADCYSP#15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADYSP#G5Q	R5F10PADCYSP#15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADYSP#U5	R5F10PADCYSP#35	F14	SSOP 30pin	Bulk (Tray)
R5F10PADYSP#W5	R5F10PADCYSP#55	F14	SSOP 30pin	Tape&Reel
R5F10PADYSP#W5Q	R5F10PADCYSP#55Q	F14	SSOP 30pin	Tape&Reel
R5F10PADY***SP#G5	R5F10PADCY***SP15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADY***SP#G5Q	R5F10PADCY***SP15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PADY***SP#U5	R5F10PADCY***SP35	F14	SSOP 30pin	Bulk (Tray)
R5F10PADY***SP#W5	R5F10PADCY***SP55	F14	SSOP 30pin	Tape&Reel
R5F10PADY***SP#W5Q	R5F10PADCY***SP55Q	F14	SSOP 30pin	Tape&Reel
R5F10PAEKSP#G5	R5F10PAECKSP#15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAEKSP#G5Q	R5F10PAECKSP#15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAEKSP#U5	R5F10PAECKSP#35	F14	SSOP 30pin	Bulk (Tray)
R5F10PAEKSP#W5	R5F10PAECKSP#55	F14	SSOP 30pin	Tape&Reel
R5F10PAEKSP#W5Q	R5F10PAECKSP#55Q	F14	SSOP 30pin	Tape&Reel
R5F10PAEK***SP#G5	R5F10PAECK***SP15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAEK***SP#G5Q	R5F10PAECK***SP15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAEK***SP#U5	R5F10PAECK***SP35	F14	SSOP 30pin	Bulk (Tray)
R5F10PAEK***SP#W5	R5F10PAECK***SP55	F14	SSOP 30pin	Tape&Reel
R5F10PAEK***SP#W5Q	R5F10PAECK***SP55Q	F14	SSOP 30pin	Tape&Reel
R5F10PAELSP#G5	R5F10PAECLSP#15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAELSP#G5Q	R5F10PAECLSP#15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAELSP#U5	R5F10PAECLSP#35	F14	SSOP 30pin	Bulk (Tray)
R5F10PAELSP#W5	R5F10PAECLSP#55	F14	SSOP 30pin	Tape&Reel
R5F10PAELSP#W5Q	R5F10PAECLSP#55Q	F14	SSOP 30pin	Tape&Reel
R5F10PAEL***SP#G5	R5F10PAECL***SP15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAEL***SP#G5Q	R5F10PAECL***SP15Q	F14	SSOP 30pin	Full Carton (Tray)

R5F10PAEL***SP#U5	R5F10PAECL***SP35	F14	SSOP 30pin	Bulk (Tray)
R5F10PAEL***SP#W5	R5F10PAECL***SP55	F14	SSOP 30pin	Tape&Reel
R5F10PAEL***SP#W5Q	R5F10PAECL***SP55Q	F14	SSOP 30pin	Tape&Reel
R5F10PAEYSP#G5	R5F10PAECYSP#15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAEYSP#G5Q	R5F10PAECYSP#15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAEYSP#U5	R5F10PAECYSP#35	F14	SSOP 30pin	Bulk (Tray)
R5F10PAEYSP#W5	R5F10PAECYSP#55	F14	SSOP 30pin	Tape&Reel
R5F10PAEYSP#W5Q	R5F10PAECYSP#55Q	F14	SSOP 30pin	Tape&Reel
R5F10PAEY***SP#G5	R5F10PAECY***SP15	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAEY***SP#G5Q	R5F10PAECY***SP15Q	F14	SSOP 30pin	Full Carton (Tray)
R5F10PAEY***SP#U5	R5F10PAECY***SP35	F14	SSOP 30pin	Bulk (Tray)
R5F10PAEY***SP#W5	R5F10PAECY***SP55	F14	SSOP 30pin	Tape&Reel
R5F10PAEY***SP#W5Q	R5F10PAECY***SP55Q	F14	SSOP 30pin	Tape&Reel

*** means ROM code

Report No. MCR-24-MCR-24-0391

Date: 19/Dec./2024

RENESAS SEMICONDUCTOR RELIABILITY REPORT

SERIES : RL78/F12,13,14

DEVICE : Please see [Device list]

APPLICATION : Automobile

<Wafer Fabrication>

Renesas Semiconductor Manufacturing Co., Ltd. Kawashiri Factory

<Assembly>

Renesas Semiconductor KL Sdn. Bhd.

Quality Assurance Div.

Renesas Electronics Corporation

Notice

- 1 Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation or any other use of the circuits, software, and information in the design of your product or system. Renesas Electronics disclaims any and all liability for any losses and damages incurred by you or third parties arising from the use of these circuits, software, or information.
- 2 Renesas Electronics hereby expressly disclaims any warranties against and liability for infringement or any other claims involving patents, copyrights, or other intellectual property rights of third parties, by or arising from the use of Renesas Electronics products or technical information described in this document, including but not limited to, the product data, drawings, charts, programs, algorithms, and application examples.
- 3 No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
- 4 You shall be responsible for determining what licenses are required from any third parties, and obtaining such licenses for the lawful import, export, manufacture, sales, utilization, distribution or other disposal of any products incorporating Renesas Electronics products, if required.
- 5 You shall not alter, modify, copy, or reverse engineer any Renesas Electronics product, whether in whole or in part. Renesas Electronics disclaims any and all liability for any losses or damages incurred by you or third parties arising from such alteration, modification, copying or reverse engineering.
- 6 Renesas Electronics products are classified according to the following two quality grades: "Standard" and "High Quality". The intended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below.

"Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; industrial robots; etc.

"High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control (traffic lights); large-scale communication equipment; key financial terminal systems; safety control equipment; etc.

Unless expressly designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not intended or authorized for use in products or systems that may pose a direct threat to human life or bodily injury (artificial life support devices or systems; surgical implantations; etc.), or may cause serious property damage (space system; undersea repeaters; nuclear power control systems; aircraft control systems; key plant systems; military equipment; etc.). Renesas Electronics disclaims any and all liability for any damages or losses incurred by you or any third parties arising from the use of any Renesas Electronics product that is inconsistent with any Renesas Electronics data sheet, user's manual or other Renesas Electronics document.

- 7 No semiconductor product is absolutely secure. Notwithstanding any security measures or features that may be implemented in Renesas Electronics hardware or software products, Renesas Electronics shall have absolutely no liability arising out of any vulnerability or security breach, including but not limited to any unauthorized access to or use of a Renesas Electronics product or a system that uses a Renesas Electronics product. RENESAS ELECTRONICS DOES NOT WARRANT OR GUARANTEE THAT RENESAS ELECTRONICS PRODUCTS, OR ANY SYSTEMS CREATED USING RENESAS ELECTRONICS PRODUCTS WILL BE INVULNERABLE OR FREE FROM CORRUPTION, ATTACK, VIRUSES, INTERFERENCE, HACKING, DATA LOSS OR THEFT, OR OTHER SECURITY INTRUSION ("Vulnerability Issues"). RENESAS ELECTRONICS DISCLAIMS ANY AND ALL RESPONSIBILITY OR LIABILITY ARISING FROM OR RELATED TO ANY VULNERABILITY ISSUES. FURTHERMORE, TO THE EXTENT PERMITTED BY APPLICABLE LAW, RENESAS ELECTRONICS DISCLAIMS ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT AND ANY RELATED OR ACCOMPANYING SOFTWARE OR HARDWARE, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.
- 8 When using Renesas Electronics products, refer to the latest product information (data sheets, user's manuals, application notes, "General Notes for Handling and Using Semiconductor Devices" in the reliability handbook, etc.), and ensure that usage conditions are within the ranges specified by Renesas Electronics with respect to maximum ratings, operating power supply voltage range, heat dissipation characteristics, installation, etc. Renesas Electronics disclaims any and all liability for any malfunctions, failure or accident arising out of the use of Renesas Electronics products outside of such specified ranges.
- 9 Although Renesas Electronics endeavors to improve the quality and reliability of Renesas Electronics products, semiconductor products have specific characteristics, such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Unless designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not subject to radiation resistance design. You are responsible for implementing safety measures to guard against the possibility of bodily injury, injury or damage caused by fire, and/or danger to the public in the event of a failure or malfunction of Renesas Electronics products, such as safety design for hardware and software, including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult and impractical, you are responsible for evaluating the safety of the final products or systems manufactured by you.
- 10 Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. You are responsible for carefully and sufficiently investigating applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive, and using Renesas Electronics products in compliance with all these applicable laws and regulations. Renesas Electronics disclaims any and all liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
- 11 Renesas Electronics products and technologies shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations. You shall comply with any applicable export control laws and regulations promulgated and administered by the governments of any countries asserting jurisdiction over the parties or transactions.
- 12 It is the responsibility of the buyer or distributor of Renesas Electronics products, or any other party who distributes, disposes of, or otherwise sells or transfers the product to a third party, to notify such third party in advance of the contents and conditions set forth in this document.
- 13 This document shall not be reproduced or duplicated in any form or disclosed to any third party, in whole or in part, without prior written consent of Renesas Electronics.
- 14 Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products.

(Note 1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its directly or indirectly controlled subsidiaries.

(Note 2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.

(Rev.5.0-2 October 2020)

Q100 Qualification Test Results

[Note : Basically qualification tests were performed using a representative product with the same wafer process and the same package structure .]

Test	#	Reference	Test Conditions	Lots	S.S.	Total	Results (Fail of Total)	Comments: (N/A =Not Applicable)
------	---	-----------	-----------------	------	------	-------	----------------------------	------------------------------------

TEST GROUP A – ACCELERATED ENVIRONMENT STRESS TESTS

PC	A1	JESD22 A113 J-STD-020	Preconditioning: (Test @ Rm) SMD only; Moisture Preconditioning for THB/HAST, AC/UHST, TC ; Peak Reflow Temp=260°C	Min.MSL=3			MSL=3	-
THB or HAST	A2	JESD22 A101	Temperature Humidity Bias: (Test @ Rm/Hot) Ta=85°C, RH=85%, T=1000hrs	3	77	231	0 of 231	-
AC or UHST or TH	A3	JESD22 A118	Unbiased Highly Accelerated Stress Test: (Test @ Rm) Ta=110°C, RH=85%, T=264hrs	3	77	231	0 of 231	-
TC	A4	JESD22 A104	Temperature Cycle: (Test@Hot) Ta=-55°C to 150°C, T=2000cyc Wire Bond Pull: (0 Fails after TC)	3	77	231	0 of 231	-
PTC	A5	JESD22 A105	Power Temperature Cycle: (Test @ Rm/Hot) Ta=-40°C to 125°C, T=1000cyc	-	-	-	-	N/A
HTSL	A6	JESD22 A103	High Temp Storage Life: (Test@Rm/Hot) Ta=175°C, T=1000hrs	1	45	45	0 of 45	-

TEST GROUP B – ACCELERATED LIFETIME SIMULATION TESTS

HTOL	B1	JESD22 A108	High Temp Operating Life: (Test @ Rm/Hot/Cold) Ta=150°C, T=1000h	3	77	231	0 of 231	-
ELFR	B2	AEC-Q100-008	Early Life Failure Rate: (Test@Rm/Hot) Ta=150°C, T=48hrs	3	800	2400	0 of 2400	-
EDR	B3	AEC-Q100-005	NVM Endurance & Data Retention Test: (Test @ Rm/Hot)	For HTOL	3	77	231	0 of 231
				For HTSL	1	45	45	0 of 45

Test	#	Reference	Test Conditions	Lots	S.S.	Total	Results (Fail of Total)	Comments: (N/A =Not Applicable)
------	---	-----------	-----------------	------	------	-------	----------------------------	------------------------------------

TEST GROUP C – PACKAGE ASSEMBLY INTEGRITY TESTS

WBS	C1	AEC-Q100-001 AEC-Q003	Wire Bond Shear Test: (Cpk > 1.67)	30 bonds	5 parts Min.	30 bonds	0 of 30 bonds	Ppk>1.67
WBP	C2	Mil-STD-883 Method 2011 AEC-Q003	Wire Bond Pull: (Cpk > 1.67); Each bonder used	30 bonds	5 parts Min.	30 bonds	0 of 30 bonds	Ppk>1.67
SD	C3	JESD22 B102 JSTD-002D	Solderability: (>95% coverage) 8 hr steam aging prior to testing	1	15	15	0 of 15	-
PD	C4	JESD22 B100 JESD22 B108 AEC-Q003	Physical Dimensions: (Cpk > 1.67)	3	10	30	0 of 30	Cpk>1.67
SBS	C5	AEC-Q100-010 AEC-Q003	Solder Ball Shear: (Cpk > 1.67); 5 balls from min. of 10 devices	-	-	-	-	N/A
LI	C6	JESD22 B105	Lead Integrity: (No lead cracking or breaking); Through-hole only; 10 leads from each of 5 devices	-	-	-	-	N/A

TEST GROUP D – DIE FABRICATION RELIABILITY TESTS

EM	D1	JESD61	Electromigration:	-	-	-	Pass	Confirmed by process TEG
TDDB	D2	JESD35	Time Dependent Dielectric Breakdown:	-	-	-	Pass	Confirmed by process TEG
HCI	D3	JESD60 & 28	Hot Carrier Injection:	-	-	-	Pass	Confirmed by process TEG
NBTI	D4	JESD90	Negative Bias Temperature Instability:	-	-	-	Pass	Confirmed by process TEG
SM	D5	JESD61,87 & 202	Stress Migration:	-	-	-	Pass	Confirmed by process TEG

Test	#	Reference	Test Conditions	Lots	S.S.	Total	Results (Fail of Total)	Comments: (N/A =Not Applicable)
------	---	-----------	-----------------	------	------	-------	----------------------------	------------------------------------

TEST GROUP E- ELECTRICAL VERIFICATION

TEST	E1	User/Supplier Specification	Pre and Post Stress Electrical Test:	All	All	All	0 of All	-
HBM	E2	AEC-Q100-002	Electrostatic Discharge, Human Body Model: (Test @ Rm/Hot); (2KV HBM / Class 2 or better)	1	3	3	0 of 3 ESD Level=H2	HBM>2KV
CDM	E3	AEC-Q100-011	Electrostatic Discharge, Charged Device Model: (Test @ Rm/Hot); (750V corner leads, 500V all other leads)	1	3	3	0 of 3 ESD Level=C4B	Corner leads: 750V Pass All other leads:500V Pass
LU	E4	AEC-Q100-004	Latch-Up: (Test @ Rm/Hot)	1	6	6	0 of 6	-
ED	E5	AEC-Q100-009 AEC-Q003	Electrical Distributions: (Test @ Rm/Hot/Cold) (CPk > 1.33, Ppk >1.67)	3	30	90	0 of 90	Ppk>1.67
FG	E6	AEC-Q100-007	Fault Grading:	-	-	-	98.00%	-
CHAR	E7	AEC-Q003	Characterization: (Test @ Rm/Hot/Cold)	-	-	-	-	According to Renesas standard procedure
EMC	E9	SAE J1752/3	Electromagnetic Compatibility (Radiated Emissions)	1	1	1	0 of 1	
SC	E10	AEC Q100-012	Short Circuit Characterization	-	-	-	-	N/A
SER	E11	JESD89-1 JESD89-2 JESD89-3	Soft Error Rate	-	-	-	-	N/A
LF	E12	AEC-Q005	Lead (Pb) Free: (see AEC-Q005)	-	-	-	Pass	Solderability: See SD (C3) result. Solder heat resistance: N/A (Wave Solder is Not recommended.) Whisker: Performed on product TEG with test method based on JESD201.

Test	#	Reference	Test Conditions	Lots	S.S.	Total	Results (Fail of Total)	Comments: (N/A =Not Applicable)
------	---	-----------	-----------------	------	------	-------	----------------------------	------------------------------------

TEST GROUP F – DEFECT SCREENING TESTS

PAT	F1	AEC-Q001	Process Average Testing: (see AEC-Q001)	All	All	All	Reject units outside PAT limits	Apply to mass production according to Renesas standard procedure
SBA	F2	AEC-Q002	Statistical Bin/Yield Analysis: (see AEC-Q002)	All	All	All	Reject units outside criteria	Apply to mass production according to Renesas standard procedure

TEST GROUP G – CAVITY PACKAGE INTEGRITY TESTS (for Ceramic Package testing only)

MS	G1	JESD22 B104	Mechanical Shock: (Test @ Rm)	-	-	-	-	N/A
VFV	G2	JESD22 B103	Variable Frequency Vibration: (Test @ Rm)	-	-	-	-	N/A
CA	G3	MIL-STD-883 Method 2001	Constant Acceleration: (Test @ Rm)	-	-	-	-	N/A
GFL	G4	MIL-STD-883 Method 1014	Gross and Fine Leak:	-	-	-	-	N/A
DROP	G5	-----	Drop Test: (Test @ Rm) MEMS cavity parts only. Drop part on each of 6 axes once from a height of 1.2m onto a concrete surface.	-	-	-	-	N/A
LT	G6	MIL-STD-883 Method 2004	Lid Torque:	-	-	-	-	N/A
DS	G7	MIL-STD-883 Method 2019	Die Shear:	-	-	-	-	N/A
IWV	G8	MIL-STD-883 Method 1018	Internal Water Vapor:	-	-	-	-	N/A

Calculation method of standard failure rate

Target : 0.13um CMOS process product (RL78 series Automobile)

Operating reliability is decided by inherent reliability of device and environment condition of use (See below).

Calculation method of standard failure rate (λ)

$$\lambda = \lambda_b \times \pi T \quad (\text{FIT})$$

(2)Temperature parameter

(1)Basic failure rate

(1)Basic failure rate(λ_b)

λ_b : 0.18 (FIT)

(2)Temperature parameter

$$\pi T = \exp \left\{ 11600 \times E_a \times \left(\frac{1}{273+55} - \frac{1}{273+T_a} \right) \right\}$$

E_a : Activation energy (eV)
 T_a : ambient temperature

πT Simplified chart ($E_a=0.7\text{eV}$)												
$T_a(^{\circ}\text{C})$	40	50	55	60	65	70	75	80	85	90	100	110
πT	0.31	0.68	1	1.45	2.08	2.95	4.15	5.77	7.96	10.88	19.82	34.99

-Confidence level 60% -Standard temperature $T_a=55^{\circ}\text{C}$

(3)MTTF (Mean Time To Failure)

$$\text{MTTF} = \frac{1}{\lambda}$$

Device List

[RL78/F12,13,14 series]

R5F109AACJSP	R5F10AAACLSP	R5F10BACCLSP
R5F109AACKSP	R5F10AACCLSP	R5F10BADCLSP
R5F109ABCJSP	R5F10AADCLSP	R5F10BAECLSP
R5F109ABCKSP	R5F10AAECLSP	R5F10BAFCLSP
R5F109ACCJSP	R5F10AAACKSP	R5F10BAGCLSP
R5F109ACCKSP	R5F10AACCKSP	R5F10BACCKSP
R5F109ADCJSP	R5F10AADCKSP	R5F10BADCKSP
R5F109ADCKSP	R5F10AAECKSP	R5F10BAECKSP
R5F109AECJSP	R5F10AAACYSP	R5F10BAFCKSP
R5F109AECKSP	R5F10AACCYSP	R5F10BAGCKSP
R5F10968CJSP	R5F10AADCYSP	R5F10BACCYSP
R5F10968CKSP	R5F10AAECYSP	R5F10BADCYSP
R5F1096ACJSP	R5F10A6ACLSP	R5F10BAECYSP
R5F1096ACKSP	R5F10A6CCLSP	R5F10BAFCYSP
R5F1096BCJSP	R5F10A6DCLSP	R5F10BAGCYSP
R5F1096BCKSP	R5F10A6ECLSP	R5F10PADCLSP
R5F1096DCJSP	R5F10A6ACKSP	R5F10PAECLSP
R5F1096DCKSP	R5F10A6CCKSP	R5F10PADCKSP
R5F1096ECJSP	R5F10A6ACYSP	R5F10PAECKSP
R5F1096ECKSP	R5F10A6CCYSP	R5F10PADCYSP
R5F1096CCJSP	R5F10A6DCYSP	R5F10PAECYSP
R5F1096CCKSP	R5F10A6ECYSP	
	R5F10A6DCKSP	
	R5F10A6ECKSP	