

Job Ref. C&P/2021-06-02-004

POSSEHL ELECTRONICS (MALAYSIA) SDN. BHD.

LOT 33, PHASE III, BATU BERENDAM FREE TRADE ZONE, 75350 MELAKA, MALAYSIA

The following sample(s) was/were submitted and identified by applicant as:

SAMPLE DESCRIPTION : Ag PLATING (C7025)

SAMPLE RECEIVED : 02-June-2021

TESTING PERIOD : 02-June-2021 to 14-June-2021

TEST REQUESTED : Selected test(s) as requested by customer

TEST METHOD : -PLEASE REFER TO NEXT PAGE(S)TEST RESULTS : -PLEASE REFER TO NEXT PAGE(S)-

REMARKS : 1) This report supersedes report no. CPSA/210663970-CA65577.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER

KM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0, Effective Date: 07/04/2021

Page 1 of 13

10871-1



Job Ref. C&P/2021-06-02-004

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

| Test Parameter(s): Unit | | Test Method | Result | MDL | Limit | |
|----------------------------|--------|---|--------|------|----------|--|
| Cadmium (Cd) | mg/kg | With reference to IEC 62321-5:2013, determination of Cadmium by ICP-OES. | N.D. | 2 | Max 100 | |
| Lead (Pb) | mg/kg | With reference to IEC 62321-5:2013, determination of Lead by ICP-OES. | 25 | 2 | Max 1000 | |
| Mercury (Hg) | mg/kg | With reference to IEC 62321-4:2013+A1:2017, determination of Mercury by ICP-OES. | N.D. | 2 | Max 1000 | |
| Hexavalent Chromium (CrVI) | µg/cm² | With reference to IEC 62321-7-1:2015, determination of Hexavalent Chromium by Colorimetric Method using UV-Vis. | N.D. | 0.10 | - | |
| Sum of PBBs | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | Max 1000 | |
| Monobromobiphenyl | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Dibromobiphenyl | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Tribromobiphenyl | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Tetrabromobiphenyl | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Pentabromobiphenyl | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Hexabromobiphenyl | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Heptabromobiphenyl | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Octabromobiphenyl | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Nonabromobiphenyl | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Decabromobiphenyl | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0, Effective Date: 07/04/2021

Page 2 of 13

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/210663991-CA65577 REPORTED DATE: 14-June-2021 **TEST REPORT:**

Job Ref. C&P/2021-06-02-004

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

| Test Parameter(s): U | | Test Method | Result | MDL | Limit | |
|--------------------------|-------|---|--------|-----|----------|--|
| Sum of PBDEs | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | Max 1000 | |
| Monobromodiphenyl ether | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Dibromodiphenyl ether | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Tribromodiphenyl ether | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Tetrabromodiphenyl ether | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Pentabromodiphenyl ether | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Hexabromodiphenyl ether | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Heptabromodiphenyl ether | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Octabromodiphenyl ether | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Nonabromodiphenyl ether | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |
| Decabromodiphenyl ether | mg/kg | With reference to IEC 62321-6:2015, determination of PBBs and PBDEs by GC-MS. | N.D. | 5 | - | |

Note: (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm

- (b) N.D. = Not Detected (c) MDL = Method Detection Limit
- (d) = Not regulated
- (e) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (f) IEC 62321 series is equivalent to EN 62321 series.

https://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:1258637,25

- (g) a. The sample is positive for CrVI if the CrVI concentration is greater than 0.13 μg/cm². The sample coating is considered to contain CrVI.
 - b. The sample is negative for CrVI if CrVI is N.D. (concentration less than 0.10 µg/cm²). The coating is considered a non-CrVI based coating.
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

10871 TAY SIAM PINE TECHNICAL MANAGÈR IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0. Effective Date: 07/04/2021

Page 3 of 13

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



Job Ref. C&P/2021-06-02-004

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

Optional: RoHS Directive 2011/65/EU, priority substances

| Test Parameter(s): | Unit | Test Method | Result | MDL |
|--|-------|--|--------|-----|
| Hexabromocyclododecane (HBCDD)(CAS No.: 3194-55-6,25637-99-4 | mg/kg | In-house method, SGS-TM-RSTS-O-012, with reference to IEC 62321-6:2015. Analysis was performed by GCMS | N.D. | 5 |

Note:

(a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) are considered as a priority for risk evaluation and substance restriction.

(b) N.D. = Not Detected

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER

**
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0, Effective Date: 07/04/2021

Page 4 of 13



Job Ref. C&P/2021-06-02-004

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

| Test Parameter(s): | Unit | Test Method | Result | MDL | Limit | |
|--|-------|---|--------|-----|----------|--|
| Dibutyl phthalate (DBP) (CAS No. 84-74-2) | mg/kg | With reference to IEC 62321-8:2017, determination of phthalates by GC-MS. | N.D. | 50 | Max 1000 | |
| Di(2-ethylhexyl) phthalate (DEHP) (CAS No. 117-81-7) | mg/kg | With reference to IEC 62321-8:2017, determination of phthalates by GC-MS. | N.D. | 50 | Max 1000 | |
| Benzyl butyl phthalate (BBP) (CAS No. 85-68-7) | mg/kg | With reference to IEC 62321-8:2017, determination of phthalates by GC-MS. | N.D. | 50 | Max 1000 | |
| Diisobutyl phthalate (DIBP) (CAS No. 84-69-5) | mg/kg | With reference to IEC 62321-8:2017, determination of phthalates by GC-MS. | N.D. | 50 | Max 1000 | |

Note: (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) - = Not regulated

(e) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(f) IEC 62321 series is equivalent to EN 62321 series.

https://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP_ORG_ID,FSP_LANG_ID:1258637,25

(g)The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0, Effective Date: 07/04/2021

Page 5 of 13



Job Ref. C&P/2021-06-02-004

TEST RESULTS BY CHEMICAL METHOD:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

| Test Parameter(s): | Unit | Unit Test Method | | MDL | |
|-----------------------|-------|---|---------------------------------------|-----|--|
| Antimony (Sb) | mg/kg | With reference to EPA Method 3051A, and performed by ICP-OES (Modified). | N.D. | 2 | |
| Beryllium (Be) | mg/kg | With reference to EPA Method 3051A, and performed by ICP-OES. | N.D. | 2 | |
| Halogen | - | - | - | - | |
| Halogen-Fluorine (F) | mg/kg | With reference to BS EN 14582:2016, analysis performed by IC method for Fluorine content. | | 50 | |
| Halogen-Chlorine (CI) | mg/kg | With reference to BS EN 14582:2016, analysis performed by IC method for Chlorine content. | N.D. | 50 | |
| Halogen-Bromine (Br) | mg/kg | With reference to BS EN 14582:2016, analysis performed by IC method for Bromine content. | · · · · · · · · · · · · · · · · · · · | | |
| Halogen-lodine (I) | mg/kg | With reference to BS EN 14582:2016, analysis performed by IC method for lodine content. | N.D. | 50 | |

Note: (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) Negative = Undetectable / Positive = Detectable

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER

★
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 3.0, Effective Date: 07/04/2021

Page 6 of 13



No. CPSA/210663991-CA65577 REPORTED DATE: 14-June-2021 **TEST REPORT:**

Job Ref. C&P/2021-06-02-004

TEST RESULTS BY CHEMICAL METHOD:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

| Test Parameter(s): | Unit Test Method | | Result | MDL | |
|---|------------------|---|--------|-----|--|
| Phthalates | - | - | - | - | |
| Di-n-octyl phthalate (DNOP) (CAS No. 117-84-0) | mg/kg | With reference to IEC 62321-8:2017, determination of phthalates by GC-MS. | N.D. | 50 | |
| Di-isononyl phthalate(DINP)(CAS No.:2855 | mg/kg | With reference to IEC 62321-8:2017, determination of phthalates by GC-MS. | N.D. | 100 | |
| Di-isodecyl phthalate(DIDP)(CAS No.:2676 | mg/kg | With reference to IEC 62321-8:2017, determination of phthalates by GC-MS. | N.D. | 100 | |

(a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppmNote:

(b) N.D. = Not Detected (c) MDL = Method Detection Limit

SGS (MALAYSIA) SDN BHD 10871-1

TAY SIAM PINE TECHNICAL MANAGÈR IKM No. M/3452/6047/11/12

SIGNED FOR AND ON BEHALF OF

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0, Effective Date: 07/04/2021

Page 7 of 13



Job Ref. C&P/2021-06-02-004

TEST RESULTS:

Test Part Description

Sample Description: -PLEASE REFER TO PAGE 1-

Test Method: With reference to CEN/TS 15968:2010. Analysis was performed by LC-MS

| Test Parameter(s): | Result (%) | Max. Limit (µg/m²) (Textile/Coated material) | Max.Limit(%) (Plastic) | Max. Limit(%) (Substances/ in mixtures) |
|--|------------|---|---------------------------|---|
| Perfluorooctanesulfonic acid (PFOS) | N.D. | 1 | 0.1 | 0.001 |
| Perfluorooctanoic acid (PFOA) (CAS No. 335-67-1) | N.D. | / | I | / |
| Conclusion | PASS | | | |

Note: (a) N.D. = Not Detected

(b) Detection limit = 1 μg/m² for Textile / Coated Material

= 0.001% for Plastic, substances or mixtures

(c) Recommended requirement with reference to Commission Regulation (EU) 2019/1021 on Persistent Organic Pollutant.

(d) PFOS refers to Perfluoroctanesulfonic acid and its derivatives including Perfluoroctanesulfonic acid, Perfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamide, N-Ethylperfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamidoethanol and N-Ethylperfluoroctane sulfonamidoethanol.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER

IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0, Effective Date: 07/04/2021

Page 8 of 13


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/210663991-CA65577 Job Ref. C&P/2021-06-02-004 REPORTED DATE: 14-June-2021

Test Part Description:

Sample Description: -PLEASE REFER TO PAGE 1-



SGS authenticate the photo on original report only

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

SG

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0, Effective Date: 07/04/2021

Page 9 of 13



No. CPSA/210663991-CA65577 Job Ref. C&P/2021-06-02-004

REPORTED DATE: 14-June-2021

2. <u>DETERMINATION OF LEAD CONTENT</u>
BY IEC 62321-5 2013

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.2-0.5g) into digestion vessel

Acid digestion (Hotplate)

"Totally Dissolved"

Filtration

Analyses by ICP

1. <u>DETERMINATION OF CADMIUM CONTENT</u> BY IEC 62321-52013

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.2-0.5g) into digestion vessel

Acid digestion (Hotplate)

"Totally Dissolved"

Filtration

Analyses by ICP

3. DETERMINATION OF MERCURY CONTENT BY IEC 62321-4 2013/AMD1 2017

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.1-0.5g) into digestion vessel

Acid digestion (Hotplate)

"Totally Dissolved"

Filtration

Analyses by ICP

4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321-7-1 2015

Sample Receiving and Registration

Sample Preparation

Test Report

DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321-6 2015

Sample Preparation

Weigh sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

SIGNED FOR AND ON BEHALF OF

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0, Effective Date: 07/04/2021

Page 10 of 13

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/210663991-CA65577 Job Ref. C&P/2021-06-02-004 REPORTED DATE: 14-June-2021

DETERMINATION OF HBCDD CONTENT

Sample preparation

Weigh sample (0.5 - 4.0g) into extraction thimble

Solvent extraction with Toluene

Filter through 0.45 µm membrane filter

Analysis by GC-MS (with appropriate dilution)

DETERMINATION OF PHTHALATES WITH GC-MS BY IEC 62321-8:2017

Sample Cutting / Preparation

 \downarrow

Sample Measurement



Solvent Extraction



Concentrate / Dilute extracted solution



GC-MS analysis



DATA

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 3.0, Effective Date: 07/04/2021

Page 11 of 13

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.



No. CPSA/210663991-CA65577 Job Ref. C&P/2021-06-02-004 REPORTED DATE: 14-June-2021

MICROWAVE ASSISTED ACID DIGESTION OF ORGANICALLY BASED METRICES BY US EPA 3051A Sample Preparation Weight sample (0.2-0.5g) into digestion vessel Acid digestion "Totally Dissolved" Filtration Analyses by ICP

DETERMINATION OF HALOGEN CONTENT Sample pre-treatment Weighting and putting sample in cell Combustion / Absorption Dilution to fixed volume Analyses by IC

IKM No. M/3452/6047/11/12


SIGNED FOR AND ON BEHALF OF

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0, Effective Date: 07/04/2021

Page 12 of 13



No. CPSA/210663991-CA65577 Job Ref. C&P/2021-06-02-004 REPORTED DATE: 14-June-2021



SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver. 3.0, Effective Date: 07/04/2021

*** End of test report ***

Page 13 of 13

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/terms-and-conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document tis advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document os not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 7 days (for perishable samples) or 30 days only from date of report.