

RENESAS TOOL NEWS on September 16, 2012: 120916/tn2

Note on Using Renesas Peripheral Driver Libraries and Peripheral Driver Generator

--Problem with Setting Programmable Pulse Generators (PPGs)--

When using Renesas Peripheral Driver Libraries and Peripheral Driver Generator, take note of the following problem:

• With setting programmable pulse generators (PPGs)

1. Products and Versions Concerned

- RX62N Group Renesas Peripheral Driver Library V.1.02
- RX630 Group Renesas Peripheral Driver Library V.1.00
- RX63N Group Renesas Peripheral Driver Library V.1.01
- Peripheral Driver Generator V.2.01 and later

2. Description

If you make the settings of the programmable pulse generators (PPGs) in order of even groups and odd groups by using the R_PPG_Create function, incorrect values are set to the Next Data register H (NDRH), and incorrect states may be detected on pins of PPGs.

This is a limitation imposed on Renesas Peripheral Driver Libraries, but has not been explained in their user's manuals.

3. Conditions

This problem arises under the following conditions:

(1) In Renesas Peripheral Driver Libraries

The settings of the PPGs are made in order of even groups and odd groups by using the R_PPG_Create function.

Exam	ple:					

```
R_PPG_Create(
      PDL_PPG_PO0_PIN_P20, /* Group 0 set */
      PDL_PPG_TRIGGER_MTU0 | PDL_PPG_NORMAL | PDL_PPG_DIRECT, 0x00);
     R PPG Create(
      PDL_PPG_PO4_PIN_P24, /* Group 1 set */
      PDL_PPG_TRIGGER_MTU0 | PDL_PPG_NORMAL | PDL_PPG_DIRECT, 0x10);
 (2) In Peripheral Driver Generator
   Any MCU of the RX62N, RX630, RX63N, or RX631 group is used, and
   the settings of the PPGs are made in order of even groups and odd
   groups by using the R_PG_PPG_StartOutput_Um_G* function.
   Example:
     R_PG_PPG_StartOutput_U1_G0();
     R PG_PPG_StartOutput_U1_G1();
4. Workarounds
 To make the settings of the PPGs in Renesas Peripheral Driver Libraries
 and Peripheral Driver Generator, start the settings from an odd group.
 (1) In Renesas Peripheral Driver Libraries
   Example:
     R PPG Create(
      PDL_PPG_PO4_PIN_P24, /* Group 1 set */
      PDL PPG TRIGGER MTU0 | PDL PPG NORMAL | PDL PPG DIRECT, 0x10);
     R_PPG_Create(
      PDL_PPG_PO0_PIN_P20, /* Group 0 set */
      PDL_PPG_TRIGGER_MTU0 | PDL_PPG_NORMAL | PDL_PPG_DIRECT, 0x00);
 (2) In Peripheral Driver Generator
   Example:
    R PG PPG_StartOutput_U1_G1();
    R PG PPG StartOutput U1 G0();
```

5. Schedule of Fixing Problem

We are describing this limitation in the user's manuals included in the

newly published versions of the above products.

[Disclaimer]

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included. The URLs in the Tool News also may be subject to change or become invalid without prior notice.

 $\ @\ 2010\mbox{-}2016$ Renesas Electronics Corporation. All rights reserved.