# Old Company Name in Catalogs and Other Documents

On April 1<sup>st</sup>, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: <a href="http://www.renesas.com">http://www.renesas.com</a>

April 1<sup>st</sup>, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (<a href="http://www.renesas.com">http://www.renesas.com</a>)

Send any inquiries to http://www.renesas.com/inquiry.



Mask ROM number	
-----------------	--

# 7700 FAMILY MASK ROM CONFIRMATION FORM SINGLE-CHIP MICROCOMPUTER M3776AMCH-XXXGP RENESAS TECHNOLOGY

	Date:			
eipt	Section head signature	Supervisor signature		
Receipt				

Note: Please fill in all items marked \*.

		Company		TEL		ФФ	Submitted by	Supervisor
* Customer	Customer	namė		(	)	uance		
	Date issued	Date:			Issi Sigi			

#### \* 1. Confirmation

Specify the name of the product being ordered.

Three EPROMs are required for each pattern when ordering by EPROM.

One floppy disk is required for each pattern when ordering by floppy disk.

☐ Ordering by EPROMs


Specify the type of EPROMs submitted.

If at least two of the three sets of EPROMs submitted contain identical data, we will produce masks based on this data. We shall assume the responsibility for errors only if the mask ROM data on the products we produce differs from this data. Thus, extreme care must be taken to verify the data in the submitted EPROMs.

Checksum code for entire EPROM (hexadecimal notation)

Note: When ordering by floppy disk, do not enter any data in the product name area indicated at left(EPROM Type figure).

## EPROM type



### "M3776AMCH-" ASCII Codes

(Addresses and data are in hexadecimal notation.)

Address		Address	
000016	'M' = 4D16	000816	'H' = 4816
000116	'3' = <b>33</b> 16	000916	' - ' = 2D16
000216	'7' = <b>37</b> 16	<b>000A</b> 16	FF16
000316	'7' = <b>37</b> 16	000B16	FF16
000416	'6' = 3616	000C16	FF16
000516	'A' = 4116	000D16	FF16
000616	'M' = 4D16	000E16	FF16
000716	'C' = 4316	000F16	FF16

- (1) Set the data in the unused area (the shaded area of the diagram) to "FF16".
- (2) The ASCII codes of the product name "M3776AMCA-" must be entered in addresses 000016 to 000916. And set the data "FF16" in addresses 000A16 to 000F16.

The ASCII codes and addresses are listed to the right

in hexadecimal notation. We recommend the use of the following pseudo-command to set the start address of the assembler source program because product name ASCII codes are written to addresses 000016 to 000916 of EPROM.

EPROM type	27C201		
Pseudo-command	Δ.SECTIONΔ CPUNAME Δ.ORGΔ 0H Δ.BYTEΔ 'M3776AMCH-'		

Note: If the name of the product written to the EPROMs does not match the name of the mask confirmation form, the ROM will not be processed.

|--|

responsibility for errors only if treme care must be taken to v	the mask ROM da erify the mask file in	ata on the products n the submitted flo	e mask file generating utility. We shall assume the s we produce differs from this mask file. Thus, exppy disk.  V format. Only one mask file should be stored on		
File code			(hexadecimal notation)		
Mask file name			.MSK (equal or less than eight characters)		
Note: When ordering by floppy disk, do not include the product name.  Do not enter any data into any area other then the following ROM data area.  ROM data area: address 00200016 to 01FFFF16,  address 02000016 to 022FFF16.					
* 2. Marking specifications The marking specifications must be submitted using the appropriate 100P6P marking specification form and attaching it to the mask ROM confirmation form.					
☐ Standard Form (includes	ROM data, choos block diagram, p	se either the sta product description ard form as well	andard form or the comprehensive form. on and electrical characteristics) as full explanations of CPU and peripheral		
<ul> <li>(2) ROM Specifications</li> <li>Choose shipping specifications with or without a ROM code list for each ROM.</li> <li>ROM code list required (standard)</li> <li>ROM code list not required.</li> <li>Please note that both selections come with the same operational guarantee, therefore we suggest the standard ROM shipping specification.</li> </ul>					
<ul> <li>* 4. I₂C-BUS</li> <li>Will you be using the I₂C-BUS function of the M3776AMCH-XXXGP?</li> <li>☐ Yes</li> <li>☐ No</li> </ul>					
<ul><li></li></ul>	use the M3776AM0	CH-XXXGP with ?			
* 6. Comments					