µPD78F9200/78F9201/78F9202

IDD VS VDD(25°C/8MHz[Internal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

μPD78F9200/78F9201/78F9202

IDD VS VDD(25°C/2MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(25°C/4MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(25°C/5MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(25°C/6MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

μPD78F9200/78F9201/78F9202

IDD VS VDD(25°C/8MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(25°C/10MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(-40°C/8MHz[Internal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(-40°C/2MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(-40°C/4MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(-40°C/5MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(-40°C/6MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(-40°C/8MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(-40°C/10MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(85°C/8MHz[Internal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(85°C/2MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

IDD VS VDD(85°C/4MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(85°C/5MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(85°C/6MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(85°C/8MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

µPD78F9200/78F9201/78F9202

IDD VS VDD(85°C/10MHz[X'tal-OSC]/AD=ON)

Prepared on July. 11th, 2008



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.