

R5F100/R5F101 IOL VS VOL(-40°C/P00)







R5F100/R5F101 IOL VS VOL(-40°C/P02)




R5F100/R5F101 IOL VS VOL(-40°C/P03)






R5F100/R5F101 IOL VS VOL(-40°C/P04)







R5F100/R5F101 IOL VS VOL(-40°C/P130)



R5F100/R5F101 IOL VS VOL(-40°C/P60)




R5F100/R5F101 IOL VS VOL(-40°C/P20)




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.


VOL[V]

R5F100/R5F101 IOL VS VOL(-40°C/P22)




R5F100/R5F101 IOL VS VOL(25°C/P00)






R5F100/R5F101 IOL VS VOL(25°C/P02)




R5F100/R5F101 IOL VS VOL(25°C/P03)



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

VOL[V]

R5F100/R5F101 IOL VS VOL(25°C/P04)



Prepared on Dec. 20th, 2013


1.1 1.2 1.3


The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9


VOL[V]

R5F100/R5F101 IOL VS VOL(25°C/P130)







R5F100/R5F101 IOL VS VOL(25°C/P60)



R5F100/R5F101 IOL VS VOL(25°C/P20)




R5F100/R5F101 IOL VS VOL(25°C/P22)




R5F100/R5F101 IOL VS VOL(85°C/P00)






R5F100/R5F101 IOL VS VOL(85°C/P02)





R5F100/R5F101 IOL VS VOL(85°C/P03)







R5F100/R5F101 IOL VS VOL(85°C/P04)




Prepared on Dec. 20th, 2013




R5F100/R5F101 IOL VS VOL(85°C/P130)





R5F100/R5F101 IOL VS VOL(85°C/P60)






R5F100/R5F101 IOL VS VOL(85°C/P20)

0

0.05

0.1



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

0.15

VOL[V]


0.25

0.3


0.35

0.4


R5F100/R5F101 IOL VS VOL(85°C/P22)




R5F100/R5F101 IOL VS VOL(105°C/P00)




R5F100/R5F101 IOL VS VOL(105°C/P02)






R5F100/R5F101 IOL VS VOL(105°C/P03)






R5F100/R5F101 IOL VS VOL(105°C/P04)






R5F100/R5F101 IOL VS VOL(105°C/P130)






R5F100/R5F101 IOL VS VOL(105°C/P60)





R5F100/R5F101 IOL VS VOL(105°C/P20)





R5F100/R5F101 IOL VS VOL(105°C/P22)

