Old Company Name in Catalogs and Other Documents

On April 1st, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: http://www.renesas.com

April 1st, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (http://www.renesas.com)

Send any inquiries to http://www.renesas.com/inquiry.



REJ19B0106-0101

RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30627MWP-XXXGP MASK ROM CONFIRMATION FORM

	Date:	
	Section head	Supervisor
₽	signature	signature
Receipt		
e		
$\mathbf{\alpha}$		

Note: Please complete all items marked'

.MSK (alpha-numeric 8-digit)

		Company								. L		gy g	ע ב	
*	Customer	name							()	anc	alu	
Customer	Date issued	Date:									Issuance	Signature		
*	1. Check she													
Renesas processes the mask files generated by the mask file generation utilities out of those held on the floppy														
disks you give in to us, and forms them into masks. Hence, we assume liability provided that there is any														
discrepancy between the contents of these mask files and the ROM data to be burned into products we produce														
Check thoroughly the contents of the mask files you give in.														
Prepare 3.5 inches 2HD (IBM format) floppy disks. And store only one mask file in a floppy disk.														
	Microco	mputer type N	lo.:	□ M3	0627N	/WP-	XXX	GP						
						1		ı	1					
	File code	e:									(hex)			

TEI

*2. Mark specification

Mask file name:

The mark specification differs according to the type of package. After entering the mark specification on the separate mark specification sheet (for each package), attach that sheet to this masking check sheet for submission to Renesas.

For the M30627MWP-XXXGP, submit the 128P6Q mark specification sheet of M16C/62P only.

*3. Usage Conditions

For our reference when of testing our products, please reply to the following questions about the usage of the products you ordered.

out	icis you	ordered.							
(1)	1) Which kind of XIN-XOUT oscillation circuit is used?								
		Ceramic resonator		Quartz-crystal oscillator					
		External clock input		Other ()				
What frequency do you use?									
	f	(XIN) =	MHz						
			_						

RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30627MWP-XXXGP MASK ROM CONFIRMATION FORM

(2) Which kind of XCIN-XCOL	JT oscillation circu	it is us	ed?						
☐ Ceramic resonator			Quart	tz-crys	tal os	cillator			
☐ External clock in		Other	· ()			
What frequency do you ι	ıse?								
f(Xcin) =	kH	łz							
(3) Which operation mode d	o you use?								
☐ Single-chip mode	е		Memo	ory ex	pansic	n mod	le		
☐ Microprocessor r	node								
(4) Which operating supply (Circle the operating volt									
	3.5 3.8 4.0	1.2	4.5	4.7	0.0	5.3	5.5	5.7	
								(V)	
(5) Which operating ambient (Circle the operating tem			e?						
	10 0 10	20	30	40	50	60	70	80 90	0
				+				+	(℃)
(6) Do you use I ² C (Inter IC)	bus function?								
☐ Not use	□ Use								
(7) Do you use IE (Inter Equ	ipment) bus funct	tion?							
□ Not use	□ Use								
(8) Which Voltage Detection	function do you ι	use?							
□ Not use	☐ Use VDI	ET4							
☐ Use VDET3									
Thank you cooperation.									

*4. Special item (Indicate none if there is not specified item)