

Integrated Device Technology, Inc. 6024 Silver Creek Valley Road, San Jose, CA - 95138

PRODUCT/PROCESS CHANGE NOTICE (PCN)

	TRODUC	1/1 N O	CESS CI	IANGE NO		14)
Product Affected	4DB0124KB1AV0 4DB0124KB1AV0	G8	4-Nov-2014	MEANS OF DISTI ☐ Product Mark ☐ Back Mark ☐ Date Code ■ Other	Traceability to	HANGED DEVICES: the test location is IDT and available on
Date Effective:	4-Feb-2015					
Contact: E-mail:	IDT PCN DESK pcndesk@idt.com			Attachment: Samples: Please co sample r		☐ No sales representative for
DESCRIPTION	AND PURPOSE OF (CHANGE:				
□ Die Technology □ Wafer Fabrication Process □ Assembly Process □ Equipment □ Material □ Manufacturing Site □ Data Sheet □ Other □ This notification is to advise our customers that IDT is adding ASEK, Taiwan as an alternate facility for Test process for the selective products that are presently tested at IDC Penang, Malaysia facility. Products tested in ASEK will also complete the Backend process in this same facility. Attachment I details the change. □ Other					are presently tested at IDT	
RELIABILITY/	QUALIFICATION SU	IMMARV	·•			
	ected change to the production			erformance. Please re	fer to Attachmen	t I for Electrical
IDT records indito grant approvation it will be assume IDT reserves the	CKNOWLEDGMENT cate that you require wrall or request additional independent of that this change is according to ship either verses in has been depleted.	itten notification.	cation of this ch If IDT does no	t receive acknowledg	ement within 30	days of this notice
Customer:			[] Approval for	shipments pr	ior to effective date.
Name/Date:			E	-Mail Address:		
Title:			P	hone# /Fax# :		
CUSTOMER C	OMMENTS:					
IDT ACKNOW	LEDGMENT OF REC	EIPT:				
RECD. BY:			_	DATE:		

Integrated Device Technology, Inc. 6024 Silver Creek Valley Road, San Jose, CA - 95138

PRODUCT/PROCESS CHANGE NOTICE (PCN)

ATTACHMENT I - PCN # : TB1410-02

PCN Type: Manufacturing Site - Alternate Test & Backend Location

Data Sheet Change: None

Detail Of Change:

This notification is to advise our customers that IDT is adding ASEK, Taiwan as an alternate facility for Test process for the selective products that are presently tested at IDT Penang, Malaysia facility. Products tested in ASEK will also complete the Backend process in this same facility.

This change will allow IDT the flexibility to ship from either facility and will provide the increased capacity, flexibility and shorter lead time to meet market demand.

There is no change in the Test processing flows. Tester configuration used at IDT Penang is the same as ASEK. IDT has completed the electrical test correlation and based on the test results we do not anticipate any impact on device performance. The testing is fully compatible and transferrable between the test facilities with no change to the test coverage. The Backend process is standardized between the two sites. The carrier tape and plastic reel used in ASEK are with the same dimensions as used in IDT Penang. There is no change to form, fit and functions. Refer to Table 1 and Table 2 for the comparisons.

There is no change in the moisture sensitivity level (MSL).

If you require samples to conduct evaluations, please contact your local sales representative to acknowledge this PCN and request samples.

PRODUCT/PROCESS CHANGE NOTICE (PCN)

ATTACHMENT I - PCN #: TB1410-02

Qualification Information and Qualification Data: Electrical Test Correlation Results

Vehicle: 4DB0124KB1AVG

Sample size: 1000 electrically good units and 40 reject units

Description	Existing Test (IDT, Penang)	Alternate Test (ASEK, Taiwan)	
Tester Platform	V93000	V93000	
Loadboard	SN#1	SN#1	
Test Program	CK_SQB1_TF	CK_SQB1_TF	
Test Site	8	8	
Test Temperature	105°C	105°C	
Test Correlation Results	100%	100%	
Number of Good Units Correlated @ ambient	1000 pcs	1000 pcs	
1000 units Bin 1 handler run (good units)	Passed	Passed	
Number of Reject Units Correlated @ ambient	40 pcs	40 pcs	
40 units rejects handler run	Passed	Passed	
1000 units Bin 1 datalog correlation (good units)	Passed	Passed	
40 units rejects datalog correlation	Passed	Passed	



PRODUCT/PROCESS CHANGE NOTICE (PCN)

ATTACHMENT I - PCN #: TB1410-02

Carrier Tape and Plastic Reel comparisons:

Table 1: Carrier Tape Comparisons

Parameter	IDT Penang Carrier Tape		ASEK Carrier Tape		
	PCT BGA3x7.5GP-22B3-305C-SD		Advantek CCA112-A		
Ao	3.4	± 0.1 mm	3.4	± 0.1 mm	
Во	7.9	± 0.1 mm	7.9	± 0.1 mm	
Ko	1.7	± 0.1 mm	1.7	± 0.1 mm	
Ki	0.9	± 0.1 mm	0.9	± 0.1 mm	
P	4	± 0.1 mm	4	± 0.1 mm	
w	16	± 0.3 mm	16	± 0.3 mm	
Photo				3	

Table 2: Plastic Reel Comparisons

Parameter	IDT Penang Plastic Reel	ASEK Plastic Reel	
	P9-056-000 / TAIPEX 3.3C161304(BLK)	Advantek RD33008DBK + RD33008DBK	
Reel Size	13"	13"	
Hub Size	4"	4"	
Photo			