# Old Company Name in Catalogs and Other Documents

On April 1<sup>st</sup>, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: http://www.renesas.com

April 1<sup>st</sup>, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (http://www.renesas.com)

Send any inquiries to http://www.renesas.com/inquiry.

# Notice

- 1. All information included in this document is current as of the date this document is issued. Such information, however, is subject to change without any prior notice. Before purchasing or using any Renesas Electronics products listed herein, please confirm the latest product information with a Renesas Electronics sales office. Also, please pay regular and careful attention to additional and different information to be disclosed by Renesas Electronics such as that disclosed through our website.
- Renesas Electronics does not assume any liability for infringement of patents, copyrights, or other intellectual property rights of third parties by or arising from the use of Renesas Electronics products or technical information described in this document. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
- 3. You should not alter, modify, copy, or otherwise misappropriate any Renesas Electronics product, whether in whole or in part.
- 4. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation of these circuits, software, and information in the design of your equipment. Renesas Electronics assumes no responsibility for any losses incurred by you or third parties arising from the use of these circuits, software, or information.
- 5. When exporting the products or technology described in this document, you should comply with the applicable export control laws and regulations and follow the procedures required by such laws and regulations. You should not use Renesas Electronics products or the technology described in this document for any purpose relating to military applications or use by the military, including but not limited to the development of weapons of mass destruction. Renesas Electronics products and technology may not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations.
- 6. Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.
- 7. Renesas Electronics products are classified according to the following three quality grades: "Standard", "High Quality", and "Specific". The recommended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below. You must check the quality grade of each Renesas Electronics product before using it in a particular application. You may not use any Renesas Electronics product for any application categorized as "Specific" without the prior written consent of Renesas Electronics. Further, you may not use any Renesas Electronics. Renesas Electronics shall not be in any way liable for any damages or losses incurred by you or third parties arising from the use of any Renesas Electronics product for an application categorized as "Specific" or for which the product is not intended where you have failed to obtain the prior written consent of Renesas Electronics. The quality grade of each Renesas Electronics product is "Standard" unless otherwise expressly specified in a Renesas Electronics data sheets or data books, etc.
  - "Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; and industrial robots.
  - "High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control systems; anti-disaster systems; anticrime systems; safety equipment; and medical equipment not specifically designed for life support.
  - "Specific": Aircraft; aerospace equipment; submersible repeaters; nuclear reactor control systems; medical equipment or systems for life support (e.g. artificial life support devices or systems), surgical implantations, or healthcare intervention (e.g. excision, etc.), and any other applications or purposes that pose a direct threat to human life.
- 8. You should use the Renesas Electronics products described in this document within the range specified by Renesas Electronics, especially with respect to the maximum rating, operating supply voltage range, movement power voltage range, heat radiation characteristics, installation and other product characteristics. Renesas Electronics shall have no liability for malfunctions or damages arising out of the use of Renesas Electronics products beyond such specified ranges.
- 9. Although Renesas Electronics endeavors to improve the quality and reliability of its products, semiconductor products have specific characteristics such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Further, Renesas Electronics products are not subject to radiation resistance design. Please be sure to implement safety measures to guard them against the possibility of physical injury, and injury or damage caused by fire in the event of the failure of a Renesas Electronics product, such as safety design for hardware and software including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult, please evaluate the safety of the final products or system manufactured by you.
- 10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. Please use Renesas Electronics products in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. Renesas Electronics assumes no liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
- 11. This document may not be reproduced or duplicated, in any form, in whole or in part, without prior written consent of Renesas Electronics.
- 12. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products, or if you have any other inquiries.
- (Note 1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its majorityowned subsidiaries.
- (Note 2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.



**User's Manual** 

# QB-78K0DX1

**In-Circuit Emulator** 

Target Devices 78K0/DF1

Document No. U19704EJ1V0UM00 (1st edition) Date Published September 2009 NS

© NEC Electronics Corporation 2009 Printed in Japan [MEMO]

IECUBE is a registered trademark of NEC Electronics Corporation in Japan and Germany. PC/AT is a trademark of International Business Machines Corporation.

- The information in this document is current as of September, 2009. The information is subject to change without notice. For actual design-in, refer to the latest publications of NEC Electronics data sheets, etc., for the most up-to-date specifications of NEC Electronics products. Not all products and/or types are available in every country. Please check with an NEC Electronics sales representative for availability and additional information.
- No part of this document may be copied or reproduced in any form or by any means without the prior written consent of NEC Electronics. NEC Electronics assumes no responsibility for any errors that may appear in this document.
- NEC Electronics does not assume any liability for infringement of patents, copyrights or other intellectual property rights of third parties by or arising from the use of NEC Electronics products listed in this document or any other liability arising from the use of such products. No license, express, implied or otherwise, is granted under any patents, copyrights or other intellectual property rights of NEC Electronics or others.
- Descriptions of circuits, software and other related information in this document are provided for illustrative purposes in semiconductor product operation and application examples. The incorporation of these circuits, software and information in the design of a customer's equipment shall be done under the full responsibility of the customer. NEC Electronics assumes no responsibility for any losses incurred by customers or third parties arising from the use of these circuits, software and information.
- While NEC Electronics endeavors to enhance the quality and safety of NEC Electronics products, customers
  agree and acknowledge that the possibility of defects thereof cannot be eliminated entirely. In addition, NEC
  Electronics products are not taken measures to prevent radioactive rays in the product design. When customers
  use NEC Electronics products with their products, customers shall, on their own responsibility, incorporate
  sufficient safety measures such as redundancy, fire-containment and anti-failure features to their products in
  order to avoid risks of the damages to property (including public or social property) or injury (including death) to
  persons, as the result of defects of NEC Electronics products.
- NEC Electronics products are classified into the following three quality grades: "Standard", "Special" and "Specific".

The "Specific" quality grade applies only to NEC Electronics products developed based on a customerdesignated "quality assurance program" for a specific application. The recommended applications of an NEC Electronics product depend on its quality grade, as indicated below. Customers must check the quality grade of each NEC Electronics product before using it in a particular application.

- "Standard": Computers, office equipment, communications equipment, test and measurement equipment, audio and visual equipment, home electronic appliances, machine tools, personal electronic equipment and industrial robots.
- "Special": Transportation equipment (automobiles, trains, ships, etc.), traffic control systems, anti-disaster systems, anti-crime systems, safety equipment and medical equipment (not specifically designed for life support).
- "Specific": Aircraft, aerospace equipment, submersible repeaters, nuclear reactor control systems, life support systems and medical equipment for life support, etc.

The quality grade of NEC Electronics products is "Standard" unless otherwise expressly specified in NEC Electronics data sheets or data books, etc. If customers wish to use NEC Electronics products in applications not intended by NEC Electronics, they must contact an NEC Electronics sales representative in advance to determine NEC Electronics' willingness to support a given application.

(Note)

- (1) "NEC Electronics" as used in this statement means NEC Electronics Corporation and also includes its majority-owned subsidiaries.
- (2) "NEC Electronics products" means any product developed or manufactured by or for NEC Electronics (as defined above).

# **General Precautions for Handling This Product**

#### 1. Circumstances not covered by product guarantee

- If the product was disassembled, altered, or repaired by the customer
- If it was dropped, broken, or given another strong shock
- Use at overvoltage, use outside guaranteed temperature range, storing outside guaranteed temperature range
- If power was turned on while connection to the AC adapter, USB interface cable, or target system was in an unsatisfactory state
- If the cable of the AC adapter, the USB interface cable, the emulation probe, or the like was bent or pulled excessively
- If an AC adapter other than the supplied product was used
- If the product got wet
- If this product is connected to the target system when there is a potential difference between the GND of this product and GND of the target system.
- If the connectors or cables are plugged/unplugged while this product is in the power-on state.
- If excessive load is applied to the connectors or sockets (As for handling, please see 2.5 Mounting and Connecting Connectors).
- If the product is used or stored in an environment where an electrostatic or electrical noise is likely to occur

#### 2. Safety precautions

- If used for a long time, the product may become hot (50°C to 60°C). Be careful of low temperature burns and other dangers due to the product becoming hot.
- Be careful of electrical shock. There is a danger of electrical shock if the product is used as described above in **1 Circumstances not covered by product guarantee**.

# INTRODUCTION

Readers	This manual is intended for users who wish to perform debugging using the QB-78K0DX1. The readers of this manual are assumed to be familiar with the device functions and usage, and to have knowledge of debuggers.	
Purpose	This manual is intended to give correct usage of the QB-78K0	e users an understanding of the basic specifications and DX1.
Organization	This manual is divided into the	following sections.
	General	
	<ul> <li>Setup procedure</li> </ul>	
	<ul> <li>Settings at product shipment</li> </ul>	t
	<ul><li>Differences between target i</li><li>Notes</li></ul>	nterface circuit and target device
How to Read This Manual	It is assumed that the readers of this manual have general knowledge in the fields of electrical engineering, logic circuits, and microcontrollers.	
		sic setup procedures and how to set switches.
	To understand the overall functions and usages of the QB-78K0DX1 $\rightarrow$ Read this manual according to the <b>CONTENTS</b> .	
	To know the manipulations, command functions, and other software-related settings of the QB-78K0DX1	
	$\rightarrow$ See the user's manual of the	e debugger (supplied with the QB-78K0DX1) to be used.
Conventions	Note:	Footnote for item marked with Note in the text
	Caution:	Information requiring particular attention
	Remark:	Supplementary information
	Numeric representation:	Binary xxxx or xxxxB
		Decimal xxxx
		Hexadecimal xxxxH
	Prefix indicating power of 2	
	(address space, memory	
	capacity):	K (kilo): 2 <sup>10</sup> = 1,024 M (mega): 2 <sup>20</sup> = 1,024 <sup>2</sup>
		101 (110 ga). 2 = 1.024

## Terminology

The meanings of the terms used in this manual are described in the table below.

Term	Meaning
Target device	This is the device to be emulated.
Target system	This is the system to be debugged. This includes the target program and the hardware provided by the user.
78K0/Dx1	Generic name indicating 78K0/DF1
IECUBE®	Generic name for NEC Electronics' high-performance/compact in-circuit emulator.

 Related Documents
 Please use the following documents in conjunction with this manual.

 The related documents listed below may include preliminary versions. However, preliminary versions are not marked as such.

#### Documents related to devices (User's Manuals)

Document Name	Document Number
78K0/Dx1	U19323E
78K0 Series Instructions	U12326E

#### Documents related to development tools (User's manuals)

Document Name		Document Number
QB-78K0DX1 In-Circuit Emulator		This manual
RA78K0 Assembler Package Ver. 3.80	Operation	U17199E
	Language	U17198E
	Structured Assembly Language	U17197E
CC78K0 C Compiler Ver. 3.70	Operation	U17201E
	Language	U17200E
ID78K0-QB Ver. 3.10 Integrated Debugger	Operation	U19611E
SM+ System Simulator	Operation	U18601E
	User Open Interface	U18212E
PM+		U17178E

### Documents related to Flash Memory Programming (User's Manuals)

Document Name	Document Number
PG-FP5 Flash Memory Programmer	U18865E
PG-FP4 Flash Memory Programmer	U15260E

Caution The related documents listed above are subject to change without notice. Be sure to use the latest version of each document for designing, etc.

# CONTENTS

CHAP	TER 1	1 GENERAL	8
1.1	Hardw	vare Specifications	9
1.2	Syste	m Specifications	10
1.3	Syste	m Configuration	11
1.4	Packa	age Contents	13
CHAF	TER 2	2 SETUP PROCEDURE	14
2.1	Name	s and Functions of Hardware	15
2.2	Remo	val of Acrylic Board	17
2.3	Clock	Settings	17
	2.3.1	Overview of clock settings	17
	2.3.2	Clock setting methods	
	2.3.3	Main system clock	
2.4	Softwa	are Settings	20
2.5	Mount	ting and Connecting Connectors	20
	2.5.1	Mounting NQ in target system	20
	2.5.2	Mounting YQ on NQ	21
	2.5.3	Plugging EA into YQ	
	2.5.4	Notes on handling NQ, YQ, and YS	
	2.5.5	Notes on mounting NQ and IC	23
2.6	Conne	ecting QB-78K0DX1 to Target System	23
2.7	Notes	on Power Supply and GND Pin Connection	27
2.8	Conne	ecting USB Interface Cable and AC Adapter	27
2.9	Switcl	hing Power On and Off	27
CHAF	TER 3	3 SETTINGS AT PRODUCT SHIPMENT	28
CHAF	TER 4	4 DIFFERENCES BETWEEN TARGET INTERFACE CIRCUIT	
			29
CHAF	TER 5	5 NOTES	

#### **CHAPTER 1 GENERAL**


The QB-78K0DX1 is an in-circuit emulator for emulating the 78K0/Dx1.

Hardware and software can be debugged efficiently in the development of systems in which the 78K0/Dx1 is used. This manual descries basic setup procedures, hardware specifications, system specifications, and how to set switches.

# 1.1 Hardware Specifications

Parameter		Specification	
Target device		78K0/DF1	
Operating voltage	ge	4.0 to 5.5 V	
Operating frequency		Main system clock	0.25 μs/ 0.5 μs/ 1 μs/ 2 μs/ 4 μs V <sub>DD</sub> = 4.0 to 5.5 V: 8.38 MHz
Operating temp	erature range	0 to 40°C (No condensation)	
Storage temperature range		-15 to 60°C (No condensation)	
External dimensions		See figure below	
Power	AC adapter for QB-78K0DX1	15 V, 1 A	
consumption Target system power supply		Voltage: 4.0 to 5.5 V Current: target device's current consumption + 10 mA (approx.)	
Weight		300 g	
Host interface		USB interface (1.1, 2.0)	

Table 1-1. QB-78K0DX1 Hardware Specifications





- 2. Includes projection of screw that fixes rear space adapter
- 3. Dimension when rear space adapter is made shortest (88 mm when longest)
- 4. Front space adapter can vary from 20 mm (longest) to 5 mm (shortest)

# 1.2 System Specifications

This section shows the QB-78K0DX1 system specifications.

Pa	arameter	Specification
Emulation memory capacity	Internal ROM	60 KB (MAX.)
	Internal high-speed RAM	1 KB (MAX.)
	Internal expansion RAM	2 KB (MAX.)
Program execution functions	Real-time execution function	Go, Start from Here, Go & Go, Come Here, Restart, Return Out, Ignore break points and Go
	Non-real-time execution function	Step execution
Break functions	Event break	Execution: 8 points Access: Byte 8 points, word 2 points
	Software break	2000 points
	Pre-execution break	16 points
	Fail-safe break	Exists
	Other	Forcible break, trace full break, trace delay break, timeout break, timer overflow break
Trace functions	Trace data types	Program address, program data, access address, access data, status
	Trace modes	Full trace, section trace, qualify trace
	Trace functions	Delay function, full stop function
	Memory capacity	128K frames
Real-time RAM monitoring fu	inction	All spaces
Time measurement	Measurement clock	50 MHz or CPU clock
functions	Measurement objects	Beginning through end of program execution Start event through end event
	Maximum measurement time	Approximately 48 hours and 50 minutes (Resolution 41 $\mu$ s)
	Minimum resolution	20 ns (Measuring time: 85 seconds)
	Number of timers for measurement	Start through end of program execution: 1 Start event through end event: 2
	Measurement results	Maximum, minimum, average, cumulative, number of passes (between events)
	Other	Timer overflow break function, timeout break function
Other functions		Mapping function, event function, coverage function, snapshot function, DMM function, stub function, power-off emulation function, pin mask function

Table 1-2.	QB-78K0DX1	System Specifications
------------	------------	-----------------------

# 1.3 System Configuration

This section shows the system configuration when using the QB-78K0DX1 connected to a PC (PC-9821 series,  $PC/AT^{TM}$  compatible). Connection is possible even without optional products.


Device Name	Package	Device Name
(Common Name)		Flash Memory Version
78K0/DF1 CANless	80-pin plastic QFP (GC)	μPD780800(A), μPD780801(A), μPD780802(A), μPD780803(A)
2-ch Meter Controller/Driver	(14 x 14 mm)	μPD78F0803(A)
78K0/DF1 CANless	80-pin plastic QFP (GC)	μPD780804(A), μPD780806(A)
4-ch Meter Controller/Driver	(14 x 14 mm)	μPD78F0806(A)
78K0/DF1 CAN	80-pin plastic QFP (GC)	μPD780810(A), μPD780811(A), μPD780812(A), μPD780813(A)
2-ch Meter Controller/Driver	(14 x 14 mm)	μPD78F0813(A)
78K0/DF1 CAN	80-pin plastic QFP (GC)	μPD780807(A), μPD780809(A)
4-ch Meter Controller/Driver	(14 x 14 mm)	μPD78F0809(A)

#### Table 1-3. Devices Subject to Emulation by 78K0/Dx1

#### Remark (A): Special quality grade products

Please refer to "Quality Grades on NEC Semiconductor Devices" (Document No. C11531E) published by NEC Corporation to know the specification of quality grade on the devices and its recommended applications.





<1> Host machine:	PC-9821 series, PC/AT compatible can be used
<2> ID78K0-QB Disk/Accessory Disk <sup>Note1</sup> :	Debugger, USB drivers, manual, etc.
<3> USB interface cable:	Cable connecting QB-78K0DX1 to host machine
<4> AC adapter:	Can support 100 to 240 V by replacing AC plug
<5> QB-78K0DX1:	This product
<6> Check pin adapter <sup>Note2</sup> :	Adapter used when observing waveforms on oscilloscope
<7> Emulation probe:	Flexible type of emulation probe
<8> Exchange adapter <sup>Note3</sup> :	Adapter that performs pin conversion
<9> Space adapter <sup>Note3</sup> :	Adapter for height regulation
<10> YQ connector <sup>Note3</sup> :	Connector that connects exchange adapter to target connector
<11> Target connector Note3:	Connector soldered to target system
<12> Mount adapter <sup>Note3</sup> :	Adapter for socket mounting target device
<13> Device	Target device

Refer to **1.4 Package Contents** for the purchase forms of the above products.

Notes 1. Obtain device files from the NEC Electronics website.

http://www.necel.com/micro/ods/eng/index.html

2. Please refer to [Related Content] on the following URL about attachment method for pin header cover.

http://www.necel.com/micro/en/development/asia/Emulator/IE/iecube.html

3. As for handling of connectors, refer to 2.5 Mounting and Connecting Connectors.

Item	Part Number
Check Pin Adapter	QB-144-CA-01
Exchange Adapter	QB-80GC-EA-01T
Emulation Probe	QB-80-EP-01T
YQ Connector	QB-80GC-YQ-01T
Space Adapter	QB-80GC-YS-01T
Target Connector	QB-80GC-NQ-01T
Mount Adapter	QB-80GC-HQ-01T

Table 1-4. System Configuration

**Remark** For notes on target system design and package drawings, refer to [Related Content] on the following URL.

http://www.necel.com/micro/en/development/asia/Emulator/IE/iecube.html

#### 1.4 Package Contents

The following items have been placed in the QB-78K0DX1 packing box. Please check the contents.

Products supplied with QB-78K0DX1-T80GC

- 1: QB-78K0DX1
- 2: AC adapter
- 3: USB interface cable (2 meters)
- 4: User registration
- 5: Simplified flash programmer (QB-MINI2)
- 6: ID78K0-QB Disk (CD-ROM)
- 7: Accessory Disk (CD-ROM)
- 8: IECUBE Setup Manual
- 9: Emulation probe QB-80-EP-01T
- 10: Exchange adapter QB-80GC-EA-01T
- 11: YQ connector QB-80GC-YQ-01T
- 12: Target connector QB-80GC-NQ-01T

## CHAPTER 2 SETUP PROCEDURE

This chapter explains the QB-78K0DX1 setup procedure.

Setup can be completed by performing installation setup in the order in which it appears in this chapter.

Perform setup along the lines of the following procedure.

# See 2.1 Names and Functions of Hardware for clock board positions.

Clock settings				
If using the internal clock, hardware settings are not required.				
If mounting an oscillator is required, see 2.2 Removal of Acrylic Board and 2.3 Clock Settings.				
Software settings				
See 2.4 Software Settings.				
₩				
Mounting and connecting connectors				
See 2.5 Mounting and Connecting Connectors.				
Connecting QB-78K0DX1 to target system				
See 2.6 Connecting QB-78K0DX1 to Target System.				
Connecting USB interface cable and AC adapter				
See 2.8 Connecting USB Interface Cable and AC Adapter.				
<b>↓</b>				
Switching power on and off				
See 2.9 Switching Power On and Off.				

# 2.1 Names and Functions of Hardware




Figure 2-1. Names of Parts of QB-78K0DX1

# (1) TCN1, TCN2

These are connectors for connecting a check pin adapter or emulation probe.

# (2) OSC1

This is a socket for mounting the oscillator.

# (3) CN4<sup>Note</sup>

This is a connector for the shipment inspection.

**Note** It is not necessary for user to use CN4.

#### (4) POWER (Red LED)

This is an LED that shows whether or not the power supply of the QB-78K0DX1 is switched on.

LED State	QB-78K0DX1 State	
Lit	Power switch ON	
Not lit	Power switch OFF or AC adapter not connected to QB-78K0DX1	
Blinking	Internal error occurred (Contact an NEC Electronics sales representative or distributor)	

# (5) TARGET (Green LED)

This is an LED that shows whether or not the power supply of the target system is switched on.

LED State	Target System State	
Lit	Target system power supply ON	
Not lit	Target system power supply OFF or target system not connected	


#### (6) Power switch

This is the power switch of the QB-78K0DX1. It is OFF at shipment.

# 2.2 Removal of Acrylic Board

To modify the clock setting, the acrylic board on the bottom of the QB-78K0DX1 must be removed. The acrylic board can be removed by lifting it up.





# 2.3 Clock Settings

# 2.3.1 Overview of clock settings

The following 3 types of clock settings are available.

For details, see 2.3.2 Clock setting methods.

Main system clock:

- (1) Using the clock generated in the emulator (with high-speed internal oscillator used)
- (2) Suppling a clock (square wave) from the target system
- (3) Using the oscillator (OSC1) mounted in the emulator

#### 2.3.2 Clock setting methods

This section shows the clock settings.

Table 2-1.	Main Sys	stem Clock Setting
------------	----------	--------------------

Type of Clock to Be Used	OSC1	Debugger Setting
<ol> <li>Using the clock generated in the emulator (with high-speed internal oscillator used)</li> </ol>	_	System
(2) Suppling a clock (square wave) from the target system <sup>Note</sup>	-	External
(3) Using the oscillator (OSC1) mounted in the emulator	Mount oscillator	Clock Board

Note Do not select this setting when the TARGET LED is not lit.

**Remarks 1.** Settings other than those above are prohibited.

2. Selection of (1) or (2) is possible regardless of whether or not the oscillator is mounted onto OSC1.

#### 2.3.3 Main system clock

(1) Using the clock generated in the emulater (with high-speed internal oscillator used)

Select "System" in the configuration dialog box of the debugger and select the desired frequency from the dialog menu.


#### (2) Suppling a clock (square wave) from the target system


Select "External" in the configuration dialog box of the debugger to use the clock input from the target system. To input the clock from the target system, input to the clock pin (X1) the square wave<sup>Note</sup> with the same potential as the target device (inputting the inverted waveform to the X2 pin is unnecessary).

Note Square waves from oscillators using a resonator are not supported.

#### (3) Using the oscillator (OSC1) mounted in the emulator

- Things to prepare
  - Oscillator Note (with pins as shown in Figure 2-3 and a 5 V power supply)








Note Oscillation circuits using resonators cannot be used.

<Procedure>

<1> Mount the prepared oscillator onto OSC1. When mounting the oscillator onto OSC1, be sure to insert it in the direction of pin 1.





<2> Set the "Clock Board" in the configuration dialog box of the debugger.

For the frequency at this time, the clock of the oscillator mounted onto OSC1 is used.

#### 2.4 Software Settings

For details, see the ID78K0-QB Ver. 3.10 Integrated Debugger Operation User's Manual (U19611E).

#### 2.5 Mounting and Connecting Connectors

This section describes the methods of connecting the QB-78K0DX1 and target system. Make connections with both the QB-78K0DX1 and target system powered OFF. The following abbreviations are used in this section.

- NQ: Target connector
- YQ: YQ connector
- EA: Exchange adapter
- HQ: Mount adapter
- CA: Check pin adapter
- YS: Space adapter

#### 2.5.1 Mounting NQ in target system

- (1) Thinly apply a two-component epoxy adhesive (hardening time at least 30 minutes) to the ends of the four projections on the base of the NQ and adhere the NQ to the user board (clean the surface of the user board using alcohol or the like). If alignment of user board pads to NQ leads is difficult, align them as in (2).
- (2) Align by inserting the guide pins for alignment for the NQ (NQ-Guide) through the pin holes on the top of the NQ. Accessory holes are φ1.0 mm non-through holes in 2 or 3 places.
   (For hole positions, see the particular NO drawing )

(For hole positions, see the particular NQ drawing.)

- (3) Solder after fitting the HQ to the NQ. This is to prevent troubles such as flux or solder splatter and adhering to the NQ contact pins when soldering.
  - Soldering conditions Solder reflow (FC package)
    - Solder reflow (except for FC package) Manual soldering

At 260°C for a maximum of 10 seconds At 240°C for a maximum of 20 seconds At 240°C for a maximum of 10 seconds (1 pin)

#### Caution Do not perform washing by flux immersion or vapor.

(4) Take away the guide pins.

#### 2.5.2 Mounting YQ on NQ

- (1) After confirming that there are no broken or bent YQ contact pins, fit the YQ in the NQ and fasten the screw. If repeatedly inserting and removing, be sure to inspect the YQ pins before fitting. If pins are bent, correct them using something thin and flat such as the edge of a knife.
- (2) Accessory holes are needed in prescribed positions in 4 places in the board for connecting the YQ. Fasten the YQ to the NQ on the user board using the supplied M2 × 10 mm screws. The thickness of a board corresponding to these screws is 1.0 to 2.0 mm. Fasten the screws equally in the four corners using a No. 1 or No. 0 precision (+) driver or torque driver. The tightening torque of the screws is 0.054 Nm (MAX.). Too great tightening causes bad connections.

Screws for fitting to the NQ (M2  $\times$  10 mm/4) are included with the YQ.

#### 2.5.3 Plugging EA into YQ

Match the No. 1 pin position of the YQ or YS (C cuts match in both) to the No. 1 pin position of the EA and plug in.

• When plugging or unplugging, press on the NQ, YQ, and YS with a finger so that there is no force on the NQ.

• When plugging or unplugging, be careful of the direction of rocking.

As a tool when unplugging, insert some kind of thin non-conductive material such as a wooden stick between the YQ (YS) and EA and rock while slowly unplugging. Be careful since the connector will be damaged if this is done in the wrong direction.

#### 2.5.4 Notes on handling NQ, YQ, and YS

- (1) When taking the NQ from the box, press down on the body and take out the sponge first.
- (2) Since the pins of the YQ are thin and easily bent, be careful. When inserting it in the NQ, confirm that there are no bent pins.
- (3) When screwing a YQ soldered to a board to the NQ, fasten the screws in four places in turn using a No. 0 or No. 1 Phillips precision driver or torque driver after tentatively tightening them. Fix the torque at 0.054 Nm (MAX.). If just one place is overtightened, it may cause poor contact. Moreover, a board being connected to the YQ must have accessory holes in prescribed positions (4 places: \$\nother 2.3 mm or \$\nother 3.3 mm\$). The \$\nother 3.8 mm or \$\nother 4.3 mm that is the screw head size is an area where wiring is prohibited.
- (4) In YQ and YS removal, since there is a danger of YQ pins being bent or broken when prying and rocking, remove them gradually using a screwdriver from four directions. Moreover, to connect and use the YQ and YS, screw the YQ to the NQ according to the YQGUIDE (sold separately) using a 2.3 mm screwdriver and then connect it to the YS. Fix the torque at 0.054 Nm (MAX.). If even one place is overtightened, it may cause poor contact.
- (5) For the NQ, YQ, and YS, since there is a danger that washing fluid on the structure will remain in the connector, do not perform washing.
- (6) NQ, IC, and YQ cannot be used in combination.
- (7) An NQ/YQ system cannot be used in an environment of vibrations or shocks.
- (8) It is assumed that this product will be used in system development and evaluation. Moreover, when used in Japan, Electrical Appliance and Material Control Law and electromagnetic disturbance countermeasures have not been applied.
- (9) Since there are rare cases of shape change if the box is left for a long time in a place where it is 50°C or higher, for safekeeping, store it in a place where it is no higher than 40°C and direct sunlight does not hit it.
- (10) For details about handling the NQ, YQ, and YS, see the NQPACK series technical materials at the website of Tokyo Eletech Corporation.

Tokyo Eletech Corporation website: http://www.tetc.co.jp/

#### 2.5.5 Notes on mounting NQ and IC

- (1) Confirm that there is no weld flash in the resin (sealant part) of the IC. If there is weld flash, remove it using a knife or the like.
- (2) Confirm that there is no weld flash breaking or bending of IC leads. In particular, confirm the planarity of IC leads. If there is abnormality in the planarity, correct that portion.
- (3) Viewing the NQ contact pins from the top, if there are foreign bodies on them, remove them using a brush or the like.

After confirming (1) to (3), fit the IC to the NQ. Also fit the HQ.


- (4) Put the supplied M2×6 mm screws in the 4 accessory holes of the HQ and fasten the screws in opposite corners. At that time, use either the dedicated screw driver that is supplied or a torque driver to fasten them equally in turn with a tightening torque of 0.054 Nm (MAX.). Since the contact is poor if tightening is too great, once you have lightly fastened the HQ screws, tighten them again.
- (5) Depending on the use environment, when starting up a device that has been left for a long time, starting it may be difficult. In this case, loosen the screws slightly and then retighten them.
- (6) If startup still is difficult after (5) above, check (1) to (3) again.
- (7) Tightening the screws of the HQ too much may give rise to cracks in the molded part of the HQ (plastic part) and bend the mold into a bowed shape, making contact poor.
- (8) After soldering the NQ, do not perform washing by flux immersion or vapor.

#### 2.6 Connecting QB-78K0DX1 to Target System

If connecting the emulation probe (QB-80-EP-01T), connect it to the QB-78K0DX1 and the target system by the following procedure.

#### (a) Connection of emulation probe

Connect the emulation probe to the QB-78K0DX1.




#### Figure 2-5. Emulation Probe Connection Method


Insert CN1 and CN2 of the probe into TCN1 and TCN2 of the QB-78K0DX1.

#### (b) Connection of emulation probe GND wire

There are 2 GND wires in the emulation probe. Connect them to the QB-78K0DX1 and target system.

- <1> Fasten the GND wire on the QB-78K0DX1 side of the emulation probe to the nut on the bottom of the QB-78K0DX1 using a #0 or #1 Phillips precision driver (connection of B to A in Figure 2-6).
- <2> Next plug the connector on top of the emulation probe into the connector at the opening on the bottom of the QB-78K0DX1 from below being careful of the insertion direction.






Target system

- <3> Connect the exchange adapter and emulation probe to the target connector.
- <4> Connect the GND wire on the target system side of the emulation probe to the target system GND. If a pin or screw is fastened to the target system GND, remove the transparent terminal cover on the end of the GND wire and fasten the Y terminal of the GND wire to the target system (C in Figure 2-6). If the GND on the target system is an exposed pad, likewise fasten the Y terminal to the pad on the target system by soldering (recommended soldering iron temperature setting: 300°C).

<5> Since the length of the GND wire below the head (insulated part) is approximately 60 mm, there must be a GND to which it can be connected to within the range of an approximately 60 mm radius section of the target system for connecting the emulation probe, as shown in Figure 2-7.





#### (c) Ensuring isolation

When connecting the target system to the QB-78K0DX1 using an emulation probe, adjust the height using the front space adapter or rear space adapter of the QB-78K0DX1 and ensure isolation from the target system.




Figure 2-8. Connection Using Emulation Probe

#### (d) Precautions related to emulation probe

The following precautions pertain to using the emulation probe.

- <1> Be careful that stress of the emulation probe is not placed on the target connector. Moreover, when removing the emulation probe, remove it slowly while pressing down on the exchange adapter with a finger so that there is no stress on the target connector.
- <2> Be sure to connect the GND wire of the emulation probe to the QB-78K0DX1 and the target system. If not, the impedance of the cable becomes unstable, resulting in the lowering of signal transmission characteristics or distortion of the output waveform for an input waveform.

## 2.7 Notes on Power Supply and GND Pin Connection


For power supplies and GND pins of the target device, be sure to connect all pins to each power supply or GND.


#### 2.8 Connecting USB Interface Cable and AC Adapter

Plug the USB interface cable supplied with the QB-78K0DX1 into the USB connector of the host machine, and plug the other side into the USB connector on the rear of the QB-78K0DX1.

Plug the AC adapter supplied with the QB-78K0DX1 into a receptacle and plug the other side into the power supply connector on the rear of the QB-78K0DX1.

For QB-78K0DX1 connector positions, see Figure 2-9. There are three types of AC adapter plug. Use the one that has a suitable shape.





### 2.9 Switching Power On and Off

Be sure to switch the power on and off according to the following procedures.

<ul> <li>Switching power on</li> </ul>	<ul> <li>Switching power off</li> </ul>
<1> QB-78K0DX1 power on	<1> Debugger termination
<2> Target system power on <sup>Note</sup>	<2> Target system power off <sup>Note</sup>
<3> Debugger startup	<3> QB-78K0DX1 power off

Note In the procedures, <2> is unnecessary if the target system is not connected.

Caution If the wrong sequence was used for the operation, the target system or QB-78K0DX1 may fail.

# CHAPTER 3 SETTINGS AT PRODUCT SHIPMENT

Item	Setting	Remarks
OSC1	Not mounted	Oscillator can be mounted <sup>Note</sup> .
Power switch	ON OFF	Set to OFF at shipment.

Table 3-1. Settings at Shipment

**Note** The oscillation circuit using an oscillation cannot be used.

# CHAPTER 4 DIFFERENCES BETWEEN TARGET INTERFACE CIRCUIT AND TARGET DEVICE

This chapter explains the differences between the signal lines of a target interface circuit of the QB-78K0DX1 and the signal lines of a target device

Although the target device is a CMOS circuit, the target interface circuit of the QB-78K0DX1 consists of an emulation circuit that depends on the emulation CPU, TTL, CMOS-IC, or other.

When the target system is debugged by connecting it to the QB-78K0DX1, the QB-78K0DX1 emulates just as if the actual target device were operating on the target system.

However, small differences arise because the QB-78K0DX1 actually is emulating.

- (1) Signals input and output by emulation peripheral (FPGA,  $\mu$  PD78F0822) and CPU
- (2) Other signals

The circuits of the QB-78K0DX1 for the signals in (1) and (2) above are shown below.


For the signals in (1) and (2) below, see Figure 4-1 Emulation Circuit Equivalent Circuit.

#### (1) Signals input and output by emulation peripheral (FPGA, $\mu$ PD78F0822) and CPU


- ANI0 to ANI4
- COM0 to COM3
- CRXD, CTXD
- EACONNECT
- FLMD0
- INTP0 to INTP2
- P00 to P03, P10 to P14, P20 to P27, P34 to P37, P40 to P47, P50 to P57, P60 to P63
   P80 to P87, P90 to P97
- RCL
- RESET
- RXD0, TXD0
- S0 to S7, S8 to S15, S16 to S23, S24 to S27
- SCK30, SCK31
- SGO, SGOA, SGOF
- SIO30, SIO31
- SO30, SO31
- SM11 to SM14, SM21 to SM24, SM31 to SM34, SM41 to SM44
- TI20, TI21, TI50, TI51
- TO50, TO51
- X1

#### (2) Other signals

- AVREF
- AVss
- F-GND
- IC
- SMVDD0, SMVDD1
- VDD0, VDD1
- VLCD
- Vpp
- VSS0, VSS1







#### Figure 4-1. Emulation Circuit Equivalent Circuit (2/2)

# **CHAPTER 5 NOTES**

Observe the following notes.

- 1. Do not turn off the target power supply during a break (power supply can be turned off only during RUN).
- 2. When inputting the external clock, input the square waveform with the same potential as the target device to the clock pins (X1).
- 3. Even when using the product without connecting a target system, connect and use the emulation probe and exchange adapter.

If the product is used without connecting the emulation adapter and exchange adapter, a warning window is displayed but use is possible.

4. A WDT reset is not generated when an area which are not set with the IMS and IXS registers is illegally accessed. Emulation is performed with a fail-safe break.

5. The QB-78K0DX1 may be damaged if AVREF is applied before the target powers VDD is applied.

[MEMO]

#### User's Manual U19704EJ1V0UM

[MEMO]

For further information, please contact:

**NEC Electronics Corporation** 

1753, Shimonumabe, Nakahara-ku, Kawasaki, Kanagawa 211-8668, Japan Tel: 044-435-5111 http://www.necel.com/

#### [America]

#### NEC Electronics America, Inc.

2880 Scott Blvd. Santa Clara, CA 95050-2554, U.S.A. Tel: 408-588-6000 800-366-9782 http://www.am.necel.com/

#### [Europe]

#### NEC Electronics (Europe) GmbH Arcadiastrasse 10

40472 Düsseldorf, Germany Tel: 0211-65030 http://www.eu.necel.com/

#### Hanover Office

Podbielskistrasse 166 B 30177 Hannover Tel: 0 511 33 40 2-0

Munich Office Werner-Eckert-Strasse 9 81829 München Tel: 0 89 92 10 03-0

#### Stuttgart Office

Industriestrasse 3 70565 Stuttgart Tel: 0 711 99 01 0-0

#### United Kingdom Branch

Cygnus House, Sunrise Parkway Linford Wood, Milton Keynes MK14 6NP, U.K. Tel: 01908-691-133

#### **Succursale Française** 9, rue Paul Dautier, B.P. 52

9, rue Paul Dautier, B.P. 52 78142 Velizy-Villacoublay Cédex France Tel: 01-3067-5800

Sucursal en España Juan Esplandiu, 15 28007 Madrid, Spain Tel: 091-504-2787

#### Tyskland Filial

Täby Centrum Entrance S (7th floor) 18322 Täby, Sweden Tel: 08 638 72 00

#### Filiale Italiana Via Fabio Filzi, 25/A

20124 Milano, Italy Tel: 02-667541

#### **Branch The Netherlands**

Steijgerweg 6 5616 HS Eindhoven The Netherlands Tel: 040 265 40 10

#### [Asia & Oceania]

NEC Electronics (China) Co., Ltd 7th Floor, Quantum Plaza, No. 27 ZhiChunLu Haidian District, Beijing 100083, P.R.China Tel: 010-8235-1155 http://www.cn.necel.com/

#### Shanghai Branch

Room 2509-2510, Bank of China Tower, 200 Yincheng Road Central, Pudong New Area, Shanghai, P.R.China P.C:200120 Tel:021-5888-5400 http://www.cn.necel.com/

#### Shenzhen Branch

Unit 01, 39/F, Excellence Times Square Building, No. 4068 Yi Tian Road, Futian District, Shenzhen, P.R.China P.C:518048 Tel:0755-8282-9800 http://www.cn.necel.com/

#### NEC Electronics Hong Kong Ltd.

Unit 1601-1613, 16/F, Tower 2, Grand Century Place, 193 Prince Edward Road West, Mongkok, Kowloon, Hong Kong Tel: 2886-9318 http://www.hk.necel.com/

#### NEC Electronics Taiwan Ltd.

7F, No. 363 Fu Shing North Road Taipei, Taiwan, R. O. C. Tel: 02-8175-9600 http://www.tw.necel.com/

#### NEC Electronics Singapore Pte. Ltd.

238A Thomson Road, #12-08 Novena Square, Singapore 307684 Tel: 6253-8311 http://www.sg.necel.com/

#### NEC Electronics Korea Ltd.

11F., Samik Lavied'or Bldg., 720-2, Yeoksam-Dong, Kangnam-Ku, Seoul, 135-080, Korea Tel: 02-558-3737 http://www.kr.necel.com/

G0706