

CS+ V6.00.00

Integrated Development Environment

User's Manual: Installer

Target Device

RL78 Family

RX Family

RH850 Family

All information contained in these materials, including products and product specifications, represents information on the product at the time of publication and is subject to change by Renesas Electronics Corp. without notice. Please review the latest information published by Renesas Electronics Corp. through various means, including the Renesas Electronics Corp. website (<http://www.renesas.com>).

Notice

1. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation or any other use of the circuits, software, and information in the design of your product or system. Renesas Electronics disclaims any and all liability for any losses and damages incurred by you or third parties arising from the use of these circuits, software, or information.
2. Renesas Electronics hereby expressly disclaims any warranties against and liability for infringement or any other disputes involving patents, copyrights, or other intellectual property rights of third parties, by or arising from the use of Renesas Electronics products or technical information described in this document, including but not limited to, the product data, drawing, chart, program, algorithm, application examples.
3. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
4. You shall not alter, modify, copy, or otherwise misappropriate any Renesas Electronics product, whether in whole or in part. Renesas Electronics disclaims any and all liability for any losses or damages incurred by you or third parties arising from such alteration, modification, copy or otherwise misappropriation of Renesas Electronics products.
5. Renesas Electronics products are classified according to the following two quality grades: "Standard" and "High Quality". The intended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below.

"Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; and industrial robots etc.

"High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control (traffic lights); large-scale communication equipment; key financial terminal systems; safety control equipment; etc.

Renesas Electronics products are neither intended nor authorized for use in products or systems that may pose a direct threat to human life or bodily injury (artificial life support devices or systems, surgical implantations etc.), or may cause serious property damages (space and undersea repeaters; nuclear power control systems; aircraft control systems; key plant systems; military equipment; etc.). Renesas Electronics disclaims any and all liability for any damages or losses incurred by you or third parties arising from the use of any Renesas Electronics product for which the product is not intended by Renesas Electronics.
6. When using the Renesas Electronics products, refer to the latest product information (data sheets, user's manuals, application notes, "General Notes for Handling and Using Semiconductor Devices" in the reliability handbook, etc.), and ensure that usage conditions are within the ranges specified by Renesas Electronics with respect to maximum ratings, operating power supply voltage range, heat radiation characteristics, installation, etc. Renesas Electronics disclaims any and all liability for any malfunctions or failure or accident arising out of the use of Renesas Electronics products beyond such specified ranges.
7. Although Renesas Electronics endeavors to improve the quality and reliability of Renesas Electronics products, semiconductor products have specific characteristics such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Further, Renesas Electronics products are not subject to radiation resistance design. Please ensure to implement safety measures to guard them against the possibility of bodily injury, injury or damage caused by fire, and social damage in the event of failure or malfunction of Renesas Electronics products, such as safety design for hardware and software including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures by your own responsibility as warranty for your products/system. Because the evaluation of microcomputer software alone is very difficult and not practical, please evaluate the safety of the final products or systems manufactured by you.
8. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. Please investigate applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive carefully and sufficiently and use Renesas Electronics products in compliance with all these applicable laws and regulations. Renesas Electronics disclaims any and all liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
9. Renesas Electronics products and technologies shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations. You shall not use Renesas Electronics products or technologies for (1) any purpose relating to the development, design, manufacture, use, stockpiling, etc., of weapons of mass destruction, such as nuclear weapons, chemical weapons, or biological weapons, or missiles (including unmanned aerial vehicles (UAVs)) for delivering such weapons, (2) any purpose relating to the development, design, manufacture, or use of conventional weapons, or (3) any other purpose of disturbing international peace and security, and you shall not sell, export, lease, transfer, or release Renesas Electronics products or technologies to any third party whether directly or indirectly with knowledge or reason to know that the third party or any other party will engage in the activities described above. When exporting, selling, transferring, etc., Renesas Electronics products or technologies, you shall comply with any applicable export control laws and regulations promulgated and administered by the governments of the countries asserting jurisdiction over the parties or transactions.
10. Please acknowledge and agree that you shall bear all the losses and damages which are incurred from the misuse or violation of the terms and conditions described in this document, including this notice, and hold Renesas Electronics harmless, if such misuse or violation results from your resale or making Renesas Electronics products available any third party.
11. This document shall not be reprinted, reproduced or duplicated in any form, in whole or in part, without prior written consent of Renesas Electronics.
12. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products.

(Note 1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its majority-owned subsidiaries.

(Note 2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.

How to Use This Manual

This manual describes the role of the CS+ integrated development environment for developing applications and systems for RH850 family, RX family, and RL78 family, and provides an outline of its features.

CS+ is an integrated development environment (IDE) for RH850 family, RX family, and RL78 family, integrating the necessary tools for the development phase of software (e.g. design, implementation, and debugging) into a single platform.

By providing an integrated environment, it is possible to perform all development using just this product, without the need to use many different tools separately.

Readers	This manual is intended for users who wish to understand the functions of the CS+ and design software and hardware application systems.
Purpose	This manual is intended to give users an understanding of the functions of the CS+ to use for reference in developing the hardware or software of systems using these devices.
Organization	This manual can be broadly divided into the following units. 1.GENERAL 2.FUNCTIONS
How to Read This Manual	It is assumed that the readers of this manual have general knowledge of electricity, logic circuits, and microcontrollers.
Conventions	Data significance: <u>Higher</u> digits on the left and lower digits on the right Active low representation: XXX (overscore over pin or signal name) Note: Footnote for item marked with Note in the text Caution: Information requiring particular attention Remarks: Supplementary information Numeric representation: Decimal ... XXXX Hexadecimal ... 0xXXXX

TABLE OF CONTENTS

1.	GENERAL	5
1.1	Introduction	5
1.2	Features	5
2.	FUNCTIONS	6
2.1	Installing CS+	6
2.2	Uninstalling CS+	12
	Revision Record	C - 1

1. GENERAL

CS+ is an integrated development environment for use with microcontrollers. CS+ has multiple installers. The integrated installer is used to automatically install these installers in order. The integrated uninstaller is used to uninstall individual installers in a single process.

This manual describes how to use the integrated installer and integrated uninstaller.

1.1 Introduction

This manual covers the installation of CS+, including the environment required to use CS+. It also covers uninstallation.

1.2 Features

The features of the integrated installer and integrated uninstaller are shown below.

- Integrated installer

The integrated installer detects whether the .NET Framework and the runtime libraries that are required for use by CS+ have been installed. If not, the integrated installer installs the .NET framework and the runtime libraries. When a microcontroller is selected, the required installers are installed consecutively.

- Integrated uninstaller

The integrated uninstaller can be used to uninstall multiple CS+-related installers in a single process. Note, however, that it does not uninstall the .NET Framework and the runtime libraries.

2. FUNCTIONS


This section describes how to install and uninstall CS+.

2.1 Installing CS+

This section describes how to install CS+.

- (1) Insert the DVD into the drive.
The Preparing to Install page appears automatically.

Figure 2.1 Preparing to Install Page



Click the [Begin CS+ Setup] button, the integrated installer appears. Follow the instructions on the screen to set CS+ up.


Caution CS+ setup must be conducted with administrator privileges.

Remark If the page does not appear automatically, double-click "Setup.exe" in the DVD.

- (2) Check the environment required for installation.
The following must be installed to allow operation of this product; the window shows any that are not yet installed.
- Microsoft .NET Framework 4.5.2
 - Microsoft Visual C++ 2010 SP1 runtime libraries

Remark If all of the above are installed, this window does not appear.

Figure 2.2 Integrated Installer: Preparation (Confirm Settings)




Check the information, then click the [Next] button.

- (3) Check the progress of installation of required software.
Follow the installation wizard to install the software.
The installation progress appear in the [Install Status] area.

Remark If the required software is already all installed, this window does not appear.

Figure 2.3 Integrated Installer: Preparation (Install)




After all required software is installed, click the [Next] button.
Check the information, then click the [Next] button.

Remark If this software installation fails, or a restart is required, a message to this effect appears, and the installation cannot be continued (the [Next] button is disabled).

If a restart is required, restart Windows, then begin the setup again from the [Begin CS+ Setup] button in the Preparing to Install page of step (1) above.

- (4) Confirm the product information, etc.
Product information, etc. appears.

Figure 2.4 Integrated Installer (Starting to Set CS+ up)



Check the information, then click the [Next] button.

- (5) Confirm the software license agreement.
The installer asks if you agree to the SOFTWARE LICENSE AGREEMENT.

Figure 2.5 Integrated Installer (Software License Agreement)




Check the information, and if you agree it, select "Accept", then click the [Next] button.

Caution If you select "Do not accept", you cannot continue with the installation.

- (6) Select the install target and the installation location.
 Select the check boxes of the install target.
 If you wish to change the installation location, edit it in the [Install location] area.

Figure 2.6 Integrated Installer (Development Tools Selection)




After you select the install target and installation location, click the [Next] button.

Caution You cannot change the install location on a host machine where CS+-related tools or CubeSuite+-related tools have been installed. If you wish to change the installation location, uninstall all of CS+-related tools and CubeSuite+-related tools, then perform the installation.

Remark If you wish to specify the install target in detail, click the [Details] button. The Select Components window appears. The [Component Selection] area shows the details of the install target you selected in the Development Tools Selection window. After select the check boxes of the tools in the [Component Selection] area, click the [Next] button.


Figure 2.7 Integrated Installer (Select Components)



Caution The check boxes of products that must be installed cannot be cleared.

- (7) Check the installation targets and installation.
The settings made in (6) are appeared.

Figure 2.8 Integrated Installer (Installation Settings Confirmation)




Check the information, and click the [Next] button.

Caution If an emulator USB driver is installed, the confirmation dialog box may appear.

- (8) Confirm the installation progress.
A progress bar displays the progress of the installation.
The installation progress of each tool appear in the [Install Status] area.

Figure 2.9 Integrated Installer (Installation Execution)




When all installations of the install targets are finished, the [Next] button becomes enabled. Check the information, and click the [Next] button.

Remark If you click the [Abort Installations] button, a message stating that the user chose to cancel the installation appears in the [Install Status] area. The installation will halt when the installation of the tool currently being installed finishes.

- (9) Confirm the results of the installation.
When all setup-related tasks are finished, the results of the installation appear.

Figure 2.10 Integrated Installer (Setup Completion)



Click the [Finish] button to complete the installation.

- Remark 1. When having a check in a [Launch Update Manager.] check box, the CS+ Update Manager window is launched after completing the installation.
See "CS+ Integrated Development Environment User's Manual: Updater" for the update method.
- Remark 2. If required software was installed in steps (2) and (3) above, a message appears, suggesting you update to the latest version. If a restart is required, a message to this effect also appears.


2.2 Uninstalling CS+

The integrated uninstaller is useful if you wish to uninstall CS+-related tools. CubeSuite+-related tools can also be uninstalled by using the integrated uninstaller.

- (1) Launch the integrated uninstaller.
From the Windows the [Start] menu, select [Programs] >> [Renesas Electronics CS+] >> [Uninstaller]. The integrated uninstaller window is launched.

Remark In Windows 8.1, Select [Uninstaller] on the start screen.
 In Windows 10, select Windows [Start] menu >> [All apps] >> [Renesas Electronics CS+] >> [Uninstaller].


Figure 2.11 Integrated Uninstaller Window



Click the [Select all] button to select all the check boxes.
Click the [Unselect all] button to clear all the check boxes.
Select tools that you wish to uninstall and click on the [Uninstall] button.

- (2) Confirm the uninstallation progress.
A progress bar displays the progress of the uninstallation.
The uninstallation progress of each tool appear in the progress details area.


Figure 2.12 Integrated Uninstaller Window (Progress)



Remark If you click the [Abort Uninstallations] button, a message stating that the user chose to cancel the uninstallation appears in the progress details area. The uninstallation will halt when the uninstallation of the tool currently being uninstalled finishes.

- (3) Confirm the results of the uninstallation.
When all setup-related tasks are finished, the results of the uninstallation appear.

Figure 2.13 Integrated Uninstaller Window (Result)



Click the [Exit] button to complete the uninstallation.

Caution If all products are uninstalled, the integrated uninstaller will be also uninstalled automatically.

Revision Record

Rev.	Date	Description	
		Page	Summary
1.00	Jun 01, 2017	-	First Edition issued

CS+ V6.00.00 User's Manual:
Installer

Publication Date: Rev.1.00 Jun 01, 2017
Published by: Renesas Electronics Corporation

**SALES OFFICES**

Renesas Electronics Corporation

<http://www.renesas.com>Refer to "<http://www.renesas.com/>" for the latest and detailed information.**Renesas Electronics America Inc.**2801 Scott Boulevard Santa Clara, CA 95050-2549, U.S.A.
Tel: +1-408-588-6000, Fax: +1-408-588-6130**Renesas Electronics Canada Limited**9251 Yonge Street, Suite 8309 Richmond Hill, Ontario Canada L4C 9T3
Tel: +1-905-237-2004**Renesas Electronics Europe Limited**Dukes Meadow, Millboard Road, Bourne End, Buckinghamshire, SL8 5FH, U.K.
Tel: +44-1628-585-100, Fax: +44-1628-585-900**Renesas Electronics Europe GmbH**Arcadiastrasse 10, 40472 Düsseldorf, Germany
Tel: +49-211-6503-0, Fax: +49-211-6503-1327**Renesas Electronics (China) Co., Ltd.**Room 1709, Quantum Plaza, No.27 ZhiChunLu Haidian District, Beijing 100191, P.R.China
Tel: +86-10-8235-1155, Fax: +86-10-8235-7679**Renesas Electronics (Shanghai) Co., Ltd.**Unit 301, Tower A, Central Towers, 555 Langao Road, Putuo District, Shanghai, P. R. China 200333
Tel: +86-21-2226-0888, Fax: +86-21-2226-0999**Renesas Electronics Hong Kong Limited**Unit 1601-1611, 16/F., Tower 2, Grand Century Place, 193 Prince Edward Road West, Mongkok, Kowloon, Hong Kong
Tel: +852-2265-6688, Fax: +852 2886-9022**Renesas Electronics Taiwan Co., Ltd.**13F, No. 363, Fu Shing North Road, Taipei 10543, Taiwan
Tel: +886-2-8175-9600, Fax: +886 2-8175-9670**Renesas Electronics Singapore Pte. Ltd.**80 Bendemeer Road, Unit #06-02 Hyflux Innovation Centre, Singapore 339949
Tel: +65-6213-0200, Fax: +65-6213-0300**Renesas Electronics Malaysia Sdn.Bhd.**Unit 1207, Block B, Menara Amcorp, Amcorp Trade Centre, No. 18, Jln Persiaran Barat, 46050 Petaling Jaya, Selangor Darul Ehsan, Malaysia
Tel: +60-3-7955-9390, Fax: +60-3-7955-9510**Renesas Electronics India Pvt. Ltd.**No.777C, 100 Feet Road, HAL II Stage, Indiranagar, Bangalore, India
Tel: +91-80-67208700, Fax: +91-80-67208777**Renesas Electronics Korea Co., Ltd.**12F., 234 Teheran-ro, Gangnam-Gu, Seoul, 135-080, Korea
Tel: +82-2-558-3737, Fax: +82-2-558-5141

CS+ V6.00.00