

To our customers,

---

## Old Company Name in Catalogs and Other Documents

---

On April 1<sup>st</sup>, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: <http://www.renesas.com>

April 1<sup>st</sup>, 2010  
Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (<http://www.renesas.com>)

Send any inquiries to <http://www.renesas.com/inquiry>.

## Notice

1. All information included in this document is current as of the date this document is issued. Such information, however, is subject to change without any prior notice. Before purchasing or using any Renesas Electronics products listed herein, please confirm the latest product information with a Renesas Electronics sales office. Also, please pay regular and careful attention to additional and different information to be disclosed by Renesas Electronics such as that disclosed through our website.
2. Renesas Electronics does not assume any liability for infringement of patents, copyrights, or other intellectual property rights of third parties by or arising from the use of Renesas Electronics products or technical information described in this document. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
3. You should not alter, modify, copy, or otherwise misappropriate any Renesas Electronics product, whether in whole or in part.
4. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation of these circuits, software, and information in the design of your equipment. Renesas Electronics assumes no responsibility for any losses incurred by you or third parties arising from the use of these circuits, software, or information.
5. When exporting the products or technology described in this document, you should comply with the applicable export control laws and regulations and follow the procedures required by such laws and regulations. You should not use Renesas Electronics products or the technology described in this document for any purpose relating to military applications or use by the military, including but not limited to the development of weapons of mass destruction. Renesas Electronics products and technology may not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations.
6. Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.
7. Renesas Electronics products are classified according to the following three quality grades: “Standard”, “High Quality”, and “Specific”. The recommended applications for each Renesas Electronics product depends on the product’s quality grade, as indicated below. You must check the quality grade of each Renesas Electronics product before using it in a particular application. You may not use any Renesas Electronics product for any application categorized as “Specific” without the prior written consent of Renesas Electronics. Further, you may not use any Renesas Electronics product for any application for which it is not intended without the prior written consent of Renesas Electronics. Renesas Electronics shall not be in any way liable for any damages or losses incurred by you or third parties arising from the use of any Renesas Electronics product for an application categorized as “Specific” or for which the product is not intended where you have failed to obtain the prior written consent of Renesas Electronics. The quality grade of each Renesas Electronics product is “Standard” unless otherwise expressly specified in a Renesas Electronics data sheets or data books, etc.
  - “Standard”: Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; and industrial robots.
  - “High Quality”: Transportation equipment (automobiles, trains, ships, etc.); traffic control systems; anti-disaster systems; anti-crime systems; safety equipment; and medical equipment not specifically designed for life support.
  - “Specific”: Aircraft; aerospace equipment; submersible repeaters; nuclear reactor control systems; medical equipment or systems for life support (e.g. artificial life support devices or systems), surgical implantations, or healthcare intervention (e.g. excision, etc.), and any other applications or purposes that pose a direct threat to human life.
8. You should use the Renesas Electronics products described in this document within the range specified by Renesas Electronics, especially with respect to the maximum rating, operating supply voltage range, movement power voltage range, heat radiation characteristics, installation and other product characteristics. Renesas Electronics shall have no liability for malfunctions or damages arising out of the use of Renesas Electronics products beyond such specified ranges.
9. Although Renesas Electronics endeavors to improve the quality and reliability of its products, semiconductor products have specific characteristics such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Further, Renesas Electronics products are not subject to radiation resistance design. Please be sure to implement safety measures to guard them against the possibility of physical injury, and injury or damage caused by fire in the event of the failure of a Renesas Electronics product, such as safety design for hardware and software including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult, please evaluate the safety of the final products or system manufactured by you.
10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. Please use Renesas Electronics products in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. Renesas Electronics assumes no liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
11. This document may not be reproduced or duplicated, in any form, in whole or in part, without prior written consent of Renesas Electronics.
12. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products, or if you have any other inquiries.

(Note 1) “Renesas Electronics” as used in this document means Renesas Electronics Corporation and also includes its majority-owned subsidiaries.

(Note 2) “Renesas Electronics product(s)” means any product developed or manufactured by or for Renesas Electronics.

# List of the files upgraded by Device Updater V.1.06(H8SX,H8S,H8/300)

2005.08.05

CPU Core	Series	CPU Name	H8CV5.0.06(HEW3)		H8CV6.0.03(HEW3)		DeviceUpdater (V.1.06)		Other	
			FileName	Ver.	FileName	Ver.	FileName	Ver.		
H8SX	H8SX/1650	1657F	---	---	---	---	1657g.h	2.3	Updated by DU V.1.02	
		1650	(H8SX is supported from H8CV.6)		1650g.h	2.0	1650g.h	2.3		
	H8SX/1520	1527	---	---	---	---	1520g.h	2.2		
H8S	H8S/2600	2677F	2678s.h	2.1	2678s.h	2.2	2678s.h	2.2	Updated by DU V.1.00	
		2677	2678s.h	2.1	2678s.h	2.2	2678s.h	2.2		
		2676F	2678s.h	2.1	2678s.h	2.2	2678s.h	2.2		
		2676	2678s.h	2.1	2678s.h	2.2	2678s.h	2.2		
		2675	2678s.h	2.1	2678s.h	2.2	2678s.h	2.2		
		2674R	---	---	---	---	2678s.h	2.2	Updated by DU V.1.03	
		2673	2678s.h	2.1	2678s.h	2.2	2678s.h	2.2	Updated by DU V.1.00	
		2670	2678s.h	2.1	2678s.h	2.2	2678s.h	2.2		
		2655	2655s.h	1.3	2655s.h	1.3	2655s.h	2.0		
		2653	2655s.h	1.3	2655s.h	1.3	2655s.h	2.0		
		2648	---	---	---	---	2648s.h	2.3		Updated by DU V.1.03
		2646	---	---	---	---	2646s.h	2.4		
		2643	2643s.h	1.0	2643s.h	1.0	2643s.h	2.0	Updated by DU V.1.00	
		2642	2643s.h	1.0	2643s.h	1.0	2643s.h	2.0		
		2641	2643s.h	1.0	2643s.h	1.0	2643s.h	2.0	Updated by DU V.1.03	
		2639	---	---	---	---	2639s.h	2.1		
		2638	2636s.h	1.0a	2636s.h	1.0a	2638s.h	2.1	Updated by DU V.1.00	
		2636	2636s.h	1.0a	2636s.h	1.0a	2636s.h	2.1		
		2635	---	---	---	---	2635s.h	2.0	Updated by DU V.1.05	
		2634	---	---	---	---	2635s.h	2.0		
	2633F	2633s.h	1.1	2633s.h	1.1	2633s.h	2.0	Updated by DU V.1.00		
	2633	2633s.h	1.1	2633s.h	1.1	2633s.h	2.0			
	2632	2633s.h	1.1	2633s.h	1.1	2633s.h	2.0			
	2631	2633s.h	1.1	2633s.h	1.1	2633s.h	2.0			
	2630	---	---	---	---	2630s.h	2.0		Updated by DU V.1.03	
	2628F	2628h	1.0	2628h	1.0	2628h	2.0	Updated by DU V.1.02		
	2623F	2623s.h	1.3	2623s.h	1.3	2623s.h	2.1	Updated by DU V.1.00		
	2623	2623s.h	1.3	2623s.h	1.3	2623s.h	2.1			
	2622	2623s.h	1.3	2623s.h	1.3	2623s.h	2.1			
	2621	2623s.h	1.3	2623s.h	1.3	2623s.h	2.1			
	2615	---	---	---	---	2615s.h	2.0		Updated by DU V.1.03	
	2612	2612.h	2.0	2612.h	2.0	2612s.h	2.1	Updated by DU V.1.00		
	2437	---	---	---	---	2437s.h	2.1	Updated by DU V.1.03		
	2500		2556	---	---	---	---	2556s.h	2.5	I/O register file is updated to V.2.5
			2552	---	---	---	---	2556s.h	2.5	I/O register file is updated to V.2.5
			2551	---	---	---	---	2556s.h	2.5	I/O register file is updated to V.2.5
			2506	---	---	---	---	2556s.h	2.5	I/O register file is updated to V.2.5
			2505	---	---	---	---	2556s.h	2.5	I/O register file is updated to V.2.5
	2300		2378R	---	---	---	---	2378s.h	2.2	I/O register file is updated to V.2.2
			2377R	---	---	2378s.h	2.1	2378s.h	2.2	I/O register file is updated to V.2.2
2375R			2378s.h	2.0	2378s.h	2.1	2378s.h	2.2	I/O register file is updated to V.2.2	
2368F		---	---	---	---	2368s.h	2.2	Updated by DU V.1.03		
2367F		2368s.h	2.0	2368s.h	2.2	2368s.h	2.2	Updated by DU V.1.00		
2357F		2357s.h	1.4	2357s.h	2.2	2357s.h	2.2			
2357		2357s.h	1.4	2357s.h	2.2	2357s.h	2.2			
2355		2355s.h	1.3	2355s.h	2.1	2355s.h	2.1			
2353		2355s.h	1.3	2355s.h	2.1	2355s.h	2.1			
2352		2357s.h	1.4	2357s.h	2.2	2357s.h	2.2			
2351		2350s.h	1.2	2350s.h	1.2	2350s.h	2.0			
2350		2350s.h	1.2	2350s.h	1.2	2350s.h	2.0			
2345		2345s.h	1.3	2345s.h	1.3	2345s.h	2.1			
2343		2345s.h	1.3	2345s.h	1.3	2345s.h	2.1			
2341		2345s.h	1.3	2345s.h	1.3	2345s.h	2.1			
2340		2345s.h	1.3	2345s.h	1.3	2345s.h	2.1			
2339		---	---	---	---	2338s.h	2.1		Updated by DU V.1.04	
2338F		2338s.h	1.1a	2338s.h	1.1a	2338s.h	2.1	Updated by DU V.1.00		
2338		2338s.h	1.1a	2338s.h	1.1a	2338s.h	2.1			
2337		2338s.h	1.1a	2338s.h	1.1a	2338s.h	2.1			
2332		2338s.h	1.1a	2338s.h	1.1a	2338s.h	2.1			
2329F		--	---	---	---	2328s.h	2.1			
2328F		2328s.h	1.2a	2328s.h	1.2a	2328s.h	2.1			
2328	2328s.h	1.2a	2328s.h	1.2a	2328s.h	2.1				
2327	2328s.h	1.2a	2328s.h	1.2a	2328s.h	2.1				
		2324S	--	---	---	---	2328s.h	2.1	NEW CPU Support	

		2323	2328s.h	1.2a	2328s.h	1.2a	2328s.h	2.1	
		2322	2328s.h	1.2a	2328s.h	1.2a	2328s.h	2.1	
		2318F	2318s.h	1.1	2318s.h	1.1	2318s.h	2.1	
		2318	2318s.h	1.1	2318s.h	1.1	2318s.h	2.1	
		2317	2318s.h	1.1	2318s.h	1.1	2318s.h	2.1	
		2312	2318s.h	1.1	2318s.h	1.1	2318s.h	2.1	
		2311	2318s.h	1.1	2318s.h	1.1	2318s.h	2.1	
		2310	2318s.h	1.1	2318s.h	1.1	2318s.h	2.1	
	2200	2268	2268s.h	1.0	2268s.h	1.0	2268s.h	2.1	
		2266	2268s.h	1.0	2268s.h	1.0	2268s.h	2.1	
		2265	2268s.h	1.0	2268s.h	1.0	2268s.h	2.1	
		2264	---	---	---	---	2264s.h	2.0	
		2262	---	---	---	---	2264s.h	2.0	
		2246	2245s.h	1.2	2245s.h	1.2	2245s.h	2.1	
		2245	2245s.h	1.2	2245s.h	1.2	2245s.h	2.1	
		2244	2245s.h	1.2	2245s.h	1.2	2245s.h	2.1	
		2243	2245s.h	1.2	2245s.h	1.2	2245s.h	2.1	
		2242	2245s.h	1.2	2245s.h	1.2	2245s.h	2.1	
		2241	2245s.h	1.2	2245s.h	1.2	2245s.h	2.1	
		2240	2245s.h	1.2	2245s.h	1.2	2245s.h	2.1	
		2239	---	---	---	---	2239s.h	2.2	
		2238F	2238s.h	1.0	2238s.h	1.0	2238s.h	2.1	
		2238	2238s.h	1.0	2238s.h	1.0	2238s.h	2.1	
		2237	2237s.h	1.3	2237s.h	1.3	2237s.h	2.1	
		2235	2237s.h	1.3	2237s.h	1.3	2237s.h	2.1	
		2233	2237s.h	1.3	2237s.h	1.3	2237s.h	2.1	
		2227	2227s.h	1.3	2227s.h	1.3	2227s.h	2.2	
		2225	2227s.h	1.3	2227s.h	1.3	2227s.h	2.2	
		2223	2227s.h	1.3	2227s.h	1.3	2227s.h	2.2	
		2218	---	---	---	---	2218s.h	2.3	
		2215	2215.h	1.0	2215.h	1.0	2215s.h	2.3	
		2214	2214.h	1.0	2214.h	1.0	2214s.h	2.2	
		2212	---	---	---	---	2212s.h	2.2	
	2100	2189	---	---	---	---	2189.h	2.0	
		2170	---	---	---	---	2172.h	2.0	<b>NEW CPU Support</b>
		2169	2169s.h	1.2	2169s.h	1.2	2169.h	2.3	
		2168F	2168.h	2.0	2168.h	2.0	2168.h	2.1	<b>I/O register file is updated to V.2.1</b>
		2158F	2158.h	1.0	2158.h	2.0	2158.h	2.1	
		2148F	2148s.h	1.5	2148s.h	1.5	2148s.h	2.0	
		2148	2148s.h	1.5	2148s.h	1.5	2148s.h	2.0	
		2147	2148s.h	1.5	2148s.h	1.5	2148s.h	2.0	
		2144F	2144s.h	1.3	2144s.h	1.3	2144s.h	2.0	
		2144	2144s.h	1.3	2144s.h	1.3	2144s.h	2.0	
		2143	2144s.h	1.3	2144s.h	1.3	2144s.h	2.0	
		2142F	2144s.h	1.3	2144s.h	1.3	2144s.h	2.0	
		2142	2144s.h	1.3	2144s.h	1.3	2144s.h	2.0	
		2138F	2138s.h	1.4	2138s.h	1.4	2138s.h	2.0	
		2138	2138s.h	1.4	2138s.h	1.4	2138s.h	2.0	
		2137	2138s.h	1.4	2138s.h	1.4	2138s.h	2.0	
		2134F	2134s.h	1.3	2134s.h	1.3	2134s.h	2.0	
		2134	2134s.h	1.3	2134s.h	1.3	2134s.h	2.0	
		2133	2134s.h	1.3	2134s.h	1.3	2134s.h	2.0	
		2132F	2134s.h	1.3	2134s.h	1.3	2134s.h	2.0	
		2132	2134s.h	1.3	2134s.h	1.3	2134s.h	2.0	
		2130	2134s.h	1.3	2134s.h	1.3	2134s.h	2.0	
		2128F	2128s.h	1.5	2128s.h	1.5	2128s.h	2.0	
		2128	2128s.h	1.5	2128s.h	1.5	2128s.h	2.0	
		2127	2128s.h	1.5	2128s.h	1.5	2128s.h	2.0	
		2126	2128s.h	1.5	2128s.h	1.5	2128s.h	2.0	
		2124	2124s.h	1.4	2124s.h	1.4	2124s.h	2.0	
		2123	2124s.h	1.4	2124s.h	1.4	2124s.h	2.0	
		2122	2124s.h	1.4	2124s.h	1.4	2124s.h	2.0	
		2120	2124s.h	1.4	2124s.h	1.4	2124s.h	2.0	
		2114	---	---	---	---	2114s.h	2.0	
		2110B	---	---	---	---	2110Bs.h	2.0	
	H8/300H	3069R	---	---	---	---	3069s.h	2.1	<b>I/O register file is updated to V.2.1</b>
		3068F	---	---	---	---	3068s.h	2.1	<b>I/O register file is updated to V.2.1</b>
		3067	3067s.h	1.1	3067s.h	1.1	3067s.h	2.1	<b>I/O register file is updated to V.2.1</b>
		3066	3067s.h	1.1	3067s.h	1.1	3067s.h	2.1	<b>I/O register file is updated to V.2.1</b>
		3065	3067s.h	1.1	3067s.h	1.1	3067s.h	2.1	<b>I/O register file is updated to V.2.1</b>
		3064F	3062f.h	1.1a	3062f.h	1.1a	3064s.h	2.2	<b>I/O register file is updated to V.2.2</b>
		3062	3062s.h	1.1a	3062s.h	1.1a	3062s.h	2.1	<b>I/O register file is updated to V.2.1</b>

	3061	3062s.h	1.1a	3062s.h	1.1a	3062s.h	2.1	I/O register file is updated to V.2.1	
	3060	3062s.h	1.1a	3062s.h	1.1a	3062s.h	2.1	I/O register file is updated to V.2.1	
	3052F	---	---	---	---	3052f.h	2.2	Updated by DU V.1.03	
	3048	3048s.h	1.1	3048s.h	2.2	3048s.h	2.2	Updated by DU V.1.00	
	3047	3048s.h	1.1	3048s.h	2.2	3048s.h	2.2		
	3045	3048s.h	1.1	3048s.h	2.2	3048s.h	2.2		
	3044	3048s.h	1.1	3048s.h	2.2	3048s.h	2.2		
	3042	3042s.h	1.1	3042s.h	1.1	3042s.h	2.1		
	3041	3042s.h	1.1	3042s.h	1.1	3042s.h	2.1		
	3040	3042s.h	1.1	3042s.h	1.1	3042s.h	2.1		
	3039F	3039s.h	1.2	3039s.h	1.2	3039s.h	2.0		
	3039	3039s.h	1.2	3039s.h	1.2	3039s.h	2.0		
	3038	3039s.h	1.2	3039s.h	1.2	3039s.h	2.0		
	3037	3039s.h	1.2	3039s.h	1.2	3039s.h	2.0		
	3036	3039s.h	1.2	3039s.h	1.2	3039s.h	2.0		
	3035	3035s.h	1.1	3035s.h	1.1	3035s.h	2.0		
	3034	3035s.h	1.1	3035s.h	1.1	3035s.h	2.0		
	3033	3035s.h	1.1	3035s.h	1.1	3035s.h	2.0		
	3032	3032s.h	1.1	3032s.h	1.1	3032s.h	2.0		
	3031	3032s.h	1.1	3032s.h	1.1	3032s.h	2.0		
	3030	3032s.h	1.1	3032s.h	1.1	3032s.h	2.0		
	3029F	---	---	---	---	3029s.h	2.1		I/O register file is updated to V.2.1
	3028F	---	---	---	---	3028s.h	2.0		Updated by DU V.1.03
	3026F	---	---	---	---	3024s.h	2.1	Updated by DU V.1.02	
	3024F	---	---	---	---	3024s.h	2.1		
	3007	3007.h	1.1	3007.h	1.1	3007.h	2.0	Updated by DU V.1.00	
	3006	3006.h	1.1	3006.h	1.1	3006.h	2.0		
	3005	3005.h	1.1	3005.h	1.1	3005.h	2.0	Updated by DU V.1.00	
	3004	3004.h	1.1	3004.h	1.1	3004.h	2.0		
	3003	3003.h	1.1	3003.h	1.1	3003.h	2.0		
	3002	3002.h	1.1	3002.h	1.1	3002.h	2.1		
	3001	3001.h	1.1	3001.h	1.1	3001.h	2.0		
300H TINY	3694F	---	---	3694s.h	2.1	3672s.h	2.1	Updated by DU V.1.00	
	3687	3687s.h	2.0	3687s.h	2.0	3687s.h	2.1		
	3686	---	---	---	---	3687s.h	2.1	Updated by DU V.1.03	
	3685	---	---	---	---	3687s.h	2.1		
	3684	---	---	---	---	3687s.h	2.1		
	3683	---	---	---	---	3687s.h	2.1		
	3682	---	---	---	---	3687s.h	2.1		
	3672F	3672.h	1.0	3672.h	1.0	3672s.h	2.0	Updated by DU V.1.00	
	3664F	3664s.h	1.1	3664s.h	1.1	3664s.h	2.0		
	3664	3664s.h	1.1	3664s.h	1.1	3664s.h	2.0		
	3663	3664s.h	1.1	3664s.h	1.1	3664s.h	2.0		
	3662	3664s.h	1.1	3664s.h	1.1	3664s.h	2.0		
	3661	3664s.h	1.1	3664s.h	1.1	3664s.h	2.0		
	3660	3664s.h	1.1	3664s.h	1.1	3664s.h	2.0		
	36912	---	---	---	---	36912s.h	2.0	Updated by DU V.1.04	
	36902	---	---	---	---	36902s.h	2.0		
	36087	---	---	---	---	3687s.h	2.1		
	36064	---	---	---	---	36064s.h	2.0		
	36057F	---	---	36057s.h	2.0	36057s.h	2.1		Updated by DU V.1.02
	36049F	---	---	---	---	36049s.h	2.0	Updated by DU V.1.01	
	36037F	---	---	36037s.h	2.0	36037s.h	2.1	Updated by DU V.1.02	
	36024F	---	---	36024s.h	2.0	36024s.h	2.0	Updated by DU V.1.00	
	36014F	---	---	36014s.h	2.0	36014s.h	2.0		
300H SLP	38602	---	---	---	---	38602s.h	2.0	Updated by DU V.1.02	
	38086R	---	---	---	---	38086s.h	2.1	Updated by DU V.1.03	
	38076R	---	---	---	---	38076s.h	2.1		
300L SLP	3887	3887s.h	1.2	3887s.h	1.2	3887s.h	2.1	Updated by DU V.1.00	
	3886	3887s.h	1.2	3887s.h	1.2	3887s.h	2.1		
	3885	3887s.h	1.2	3887s.h	1.2	3887s.h	2.1		
	3884	3887s.h	1.2	3887s.h	1.2	3887s.h	2.1		
	3883	3887s.h	1.2	3887s.h	1.2	3887s.h	2.1		
	3882	3887s.h	1.2	3887s.h	1.2	3887s.h	2.1		
	3867	3867s.h	1.2	3867s.h	1.2	3867s.h	2.1		
	3866	3867s.h	1.2	3867s.h	1.2	3867s.h	2.1		
	3865	3867s.h	1.2	3867s.h	1.2	3867s.h	2.1		
	3864	3867s.h	1.2	3867s.h	1.2	3867s.h	2.1		
	3863	3867s.h	1.2	3867s.h	1.2	3867s.h	2.1		
	3862	3867s.h	1.2	3867s.h	1.2	3867s.h	2.1		
	3847	3847s.h	1.2a	3847s.h	1.2a	3847s.h	2.1		

	3846	3847s.h	1.2a	3847s.h	1.2a	3847s.h	2.1	
	3845	3847s.h	1.2a	3847s.h	1.2a	3847s.h	2.1	
	3844	3847s.h	1.2a	3847s.h	1.2a	3847s.h	2.1	
	3843	3847s.h	1.2a	3847s.h	1.2a	3847s.h	2.1	
	3842	3847s.h	1.2a	3847s.h	1.2a	3847s.h	2.1	
	3827	3827s.h	1.2	3827s.h	1.2	3827s.h	2.1	
	3826	3827s.h	1.2	3827s.h	1.2	3827s.h	2.1	
	3825	3827s.h	1.2	3827s.h	1.2	3827s.h	2.1	
	3824	3827s.h	1.2	3827s.h	1.2	3827s.h	2.1	
	3823	3827s.h	1.2	3827s.h	1.2	3827s.h	2.1	
	3822	3827s.h	1.2	3827s.h	1.2	3827s.h	2.1	
	38124F	---	---	---	---	38124s.h	2.0	Updated by DU V.1.01
	38024F	38024.h	1.0	38024.h	1.0	38024s.h	2.1	
	3802	3802s.h	1.0a	3802s.h	1.0a	3802s.h	2.1	Updated by DU V.1.00
	3801	3802s.h	1.0a	3802s.h	1.0a	3802s.h	2.1	
	3800	3802s.h	1.0a	3802s.h	1.0a	3802s.h	2.1	
	38104F	---	---	---	---	38104s.h	2.0	Updated by DU V.1.01
	38004F	---	---	38004s.h	2.0	38004s.h	2.1	
	38002F	---	---	38004s.h	2.0	38004s.h	2.1	Updated by DU V.1.00
	38001	---	---	38004s.h	2.0	38004s.h	2.1	
	38000	---	---	38004s.h	2.0	38004s.h	2.1	
H8/300L	3947	3947s.h	1.2	3947s.h	1.2	3947s.h	2.0	
	3946	3947s.h	1.2	3947s.h	1.2	3947s.h	2.0	
	3945	3947s.h	1.2	3947s.h	1.2	3947s.h	2.0	
	3927	3927s.h	1.2	3927s.h	1.2	3927s.h	2.0	
	3926	3927s.h	1.2	3927s.h	1.2	3927s.h	2.0	
	3925	3927s.h	1.2	3927s.h	1.2	3927s.h	2.0	
	3924	3927s.h	1.2	3927s.h	1.2	3927s.h	2.0	
	3877N	3877ns.h	1.1	3877ns.h	1.1	3877ns.h	2.0	
	3877	3877s.h	1.2	3877s.h	1.2	3877s.h	2.0	
	3876N	3877ns.h	1.1	3877ns.h	1.1	3877ns.h	2.0	
	3876	3877s.h	1.2	3877s.h	1.2	3877s.h	2.0	
	3875N	3877ns.h	1.1	3877ns.h	1.1	3877ns.h	2.0	
	3875	3877s.h	1.2	3877s.h	1.2	3877s.h	2.0	
	3857	3857s.h	1.1	3857s.h	1.1	3857s.h	2.0	
	3856	3857s.h	1.1	3857s.h	1.1	3857s.h	2.0	
	3855	3857s.h	1.1	3857s.h	1.1	3857s.h	2.0	
	3837	3834s.h	1.2	3834s.h	1.2	3834s.h	2.0	
	3836	3834s.h	1.2	3834s.h	1.2	3834s.h	2.0	
	3835	3834s.h	1.2	3834s.h	1.2	3834s.h	2.0	
	3834	3834s.h	1.2	3834s.h	1.2	3834s.h	2.0	
	3833	3834s.h	1.2	3834s.h	1.2	3834s.h	2.0	
	3832S	3834s.h	1.2	3834s.h	1.2	3834s.h	2.0	
	3814	3814s.h	1.2	3814s.h	1.2	3814s.h	2.0	
	3813	3814s.h	1.2	3814s.h	1.2	3814s.h	2.0	
	3812	3814s.h	1.2	3814s.h	1.2	3814s.h	2.0	
	3754	3754s.h	1.1	3754s.h	1.1	3754s.h	2.0	
	3753	3754s.h	1.1	3754s.h	1.1	3754s.h	2.0	
	3726	3724s.h	1.1	3724s.h	1.1	3724s.h	2.0	
	3725	3724s.h	1.1	3724s.h	1.1	3724s.h	2.0	
	3724	3724s.h	1.1	3724s.h	1.1	3724s.h	2.0	Updated by DU V.1.00
	3723	3724s.h	1.1	3724s.h	1.1	3724s.h	2.0	
	3714	3714s.h	1.1	3714s.h	1.1	3714s.h	2.0	
	3713	3714s.h	1.1	3714s.h	1.1	3714s.h	2.0	
	3712	3714s.h	1.1	3714s.h	1.1	3714s.h	2.0	
	3657	3657s.h	1.2	3657s.h	1.2	3657s.h	2.0	
	3656	3657s.h	1.2	3657s.h	1.2	3657s.h	2.0	
	3655	3657s.h	1.2	3657s.h	1.2	3657s.h	2.0	
	3654	3657s.h	1.2	3657s.h	1.2	3657s.h	2.0	
	3653	3657s.h	1.2	3657s.h	1.2	3657s.h	2.0	
	3652	3657s.h	1.2	3657s.h	1.2	3657s.h	2.0	
	3644R	3644s.h	1.2	3644s.h	1.2	3644s.h	2.0	
	3644	3644s.h	1.2	3644s.h	1.2	3644s.h	2.0	
	3643R	3644s.h	1.2	3644s.h	1.2	3644s.h	2.0	
	3642R	3644s.h	1.2	3644s.h	1.2	3644s.h	2.0	
	3641R	3644s.h	1.2	3644s.h	1.2	3644s.h	2.0	
	3640R	3644s.h	1.2	3644s.h	1.2	3644s.h	2.0	
	3637	3637s.h	1.2	3637s.h	1.2	3637s.h	2.1	
	3636	3637s.h	1.2	3637s.h	1.2	3637s.h	2.1	
	3635	3637s.h	1.2	3637s.h	1.2	3637s.h	2.1	
	3627	3627s.h	1.1	3627s.h	1.1	3627s.h	2.0	
	3626	3627s.h	1.1	3627s.h	1.1	3627s.h	2.0	

		3625	3627s.h	1.1	3627s.h	1.1	3627s.h	2.0	
		3624S	3627s.h	1.1	3627s.h	1.1	3627s.h	2.0	
		3623S	3627s.h	1.1	3627s.h	1.1	3627s.h	2.0	
		3622S	3627s.h	1.1	3627s.h	1.1	3627s.h	2.0	
		3614	3614s.h	1.1	3614s.h	1.1	3614s.h	2.0	
		3613	3614s.h	1.1	3614s.h	1.1	3614s.h	2.0	
		3612	3614s.h	1.1	3614s.h	1.1	3614s.h	2.0	
H8/300		3534	3534.h	1.3	3534.h	1.3	3534.h	2.0	
		3522	3522.h	1.3	3522.h	1.3	3522s.h	2.0	
		3502	3502.h	1.3	3502.h	1.3	3502.h	2.0	
		3437SF	3437s.h	1.3	3437s.h	1.3	3437sf.h	2.0	
		3437F	3437s.h	1.3	3437s.h	1.3	3437s.h	2.0	
		3437	3437s.h	1.3	3437s.h	1.3	3437s.h	2.0	
		3436	3437s.h	1.3	3437s.h	1.3	3437s.h	2.0	
		3434	3437s.h	1.3	3437s.h	1.3	3437s.h	2.0	
		3397	3397s.h	1.3	3397s.h	1.3	3397s.h	2.0	
		3396	3397s.h	1.3	3397s.h	1.3	3397s.h	2.0	
		3394	3397s.h	1.3	3397s.h	1.3	3397s.h	2.0	
		3337YF	3337s.h	1.3	3337s.h	1.3	3337s.h	2.0	
		3337Y	3337s.h	1.3	3337s.h	1.3	3337s.h	2.0	
		3337SF	3337s.h	1.3	3337s.h	1.3	3337sf.h	2.0	
		3336Y	3337s.h	1.3	3337s.h	1.3	3337s.h	2.0	
		3332	3332.h	1.3	3332.h	1.3	3332.h	2.0	
		3318	3318.h	1.2	3318.h	1.2	3318.h	2.0	
		3297	3297s.h	1.3	3297s.h	1.3	3297s.h	2.0	
		3296	3297s.h	1.3	3297s.h	1.3	3297s.h	2.0	
		3294	3297s.h	1.3	3297s.h	1.3	3297s.h	2.0	
		3292	3297s.h	1.3	3297s.h	1.3	3297s.h	2.0	
		3257	325s.h	1.2	325s.h	1.2	325s.h	2.0	
		3256	325s.h	1.2	325s.h	1.2	325s.h	2.0	
		3217	3217s.h	1.3	3217s.h	1.3	3217s.h	2.0	
		3216	3217s.h	1.3	3217s.h	1.3	3217s.h	2.0	
		3214	3217s.h	1.3	3217s.h	1.3	3217s.h	2.0	
		3212	3217s.h	1.3	3217s.h	1.3	3217s.h	2.0	
		3202	3217s.h	1.3	3217s.h	1.3	3217s.h	2.0	
		350	350.h	1.2	350.h	1.2	350.h	2.0	
		338	338s.h	1.3	338s.h	1.3	338s.h	2.0	
		337	338s.h	1.3	338s.h	1.3	338s.h	2.0	
		336	338s.h	1.3	338s.h	1.3	338s.h	2.0	
		330	330.h	1.2	330.h	1.2	330.h	2.0	
		329	329s.h	1.3	329s.h	1.3	329s.h	2.0	
		328	329s.h	1.3	329s.h	1.3	329s.h	2.0	
		327	329s.h	1.3	329s.h	1.3	329s.h	2.0	
		326	329s.h	1.3	329s.h	1.3	329s.h	2.0	
		325	325s.h	1.2	325s.h	1.2	325s.h	2.0	
		324	325s.h	1.2	325s.h	1.2	325s.h	2.0	
		323	325s.h	1.2	325s.h	1.2	325s.h	2.0	
		322	325s.h	1.2	325s.h	1.2	325s.h	2.0	

Updated by DU V.1.00

\*Colored part means that the project will be supported, or files of the project will be upgraded in this Updater.

I/O register file Upgrade
NEW CPU Support
--- (Not Supported)