

## R8C/3JT Group OCVREF characteristics

Page

Prepared on Jun. 30, 2010

- 1 [A-D accuracy 10bit \(Avcc=Vref = 5V Topr = 25 degrees C\)](#)
- 2 [A-D accuracy 10bit \(Avcc=Vref = 5V Topr = 85 degrees C\)](#)
- 3 [A-D accuracy 10bit \(Avcc=Vref = 5V Topr = -40 degrees C\)](#)
- 4 [A-D accuracy 10bit \(Avcc=Vref = 3.3V Topr = 25 degrees C\)](#)
- 5 [A-D accuracy 10bit \(Avcc=Vref = 3.3V Topr = 85 degrees C\)](#)
- 6 [A-D accuracy 10bit \(Avcc=Vref = 3.3V Topr = -40 degrees C\)](#)
- 7 [A-D accuracy 10bit \(Avcc=Vref = 3V Topr = 25 degrees C\)](#)
- 8 [A-D accuracy 10bit \(Avcc=Vref = 3V Topr = 85 degrees C\)](#)
- 9 [A-D accuracy 10bit \(Avcc=Vref = 3V Topr = -40 degrees C\)](#)
- 10 [A-D accuracy 10bit \(Avcc=Vref = 2.2V Topr = 25 degrees C\)](#)
- 11 [A-D accuracy 10bit \(Avcc=Vref = 2.2V Topr = 85 degrees C\)](#)
- 12 [A-D accuracy 10bit \(Avcc=Vref = 2.2V Topr = -40 degrees C\)](#)

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=25 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=5.0V

Xin=20MHz  $\phi$ AD=20MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=85 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=5.0V

Xin=20MHz φAD=20MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=-40 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=5.0V

Xin=20MHz φAD=20MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=25 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.3V

Xin=16MHz φAD=16MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=85 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.3V

Xin=16MHz φAD=16MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=-40 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.3V

Xin=16MHz φAD=16MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=25 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.0V

Xin=10MHz  $\phi_{AD}$ =10MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.



# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=85 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.0V

Xin=10MHz  $\phi$ AD=10MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=-40 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=3.0V

Xin=10MHz  $\phi$ AD=10MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=25 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=2.0V

Xin=5MHz φAD=5MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=85 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=2.0V

Xin=5MHz  $\phi$ AD=5MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.

# A-D accuracy 10bit

Type: R8C/3JT Group




Topr=-40 degrees C

AVcc-Vss: 0.1uF Vref-Vss: 0.1uF ANIN-Vss: 0.1uF

AVcc=Vref=2.0V

Xin=5MHz φAD=5MHz Repeat mode

Prepared on Jun. 30, 2010



The mentioned value is only for your reference. The value is for the arbitrary samples and does not guarantee the product's characteristics.