

PRODUCT/PROCESS CHANGE NOTICE (PCN)

PCN #: TB0605-05 Product Affected: CVBGA 52L & shipped in tray Date Effective: 7/31/2006 Contact: Geoffrey Cortes Title: Product Quality	DATE: 7/01/06 56L Products	MEANS OF DISTIN Product Mark Back Mark Date Code Other Attachment:	GUISHING CHANG New tray quantity - 3 Shipment starting from	64 units/tray	
Phone #: (408) 284-8321 Fax #: (408) 284-1450 E-mail: Geoffrey.Cortes@idt.com	<u>m</u>	Samples: N/A			
DESCRIPTION AND PURPOSE OF CHANGE: Die Technology This notification is to advise our customer that IDT has qualified new shipping trays for Wafer Fabrication Process CVBGA 52L and 56L products. The new trays provide better protection during product Assembly Process shipment. Equipment Please note that there will be a change in number of units per tray from Testing 325 to 364 units/tray. There is no change in the tray dimensions. Manufacturing Site Attachment I details the change. Other - Packing Material Attachment II provides a list of affected products.					
RELIABILITY/QUALIFICATION The new trays have passed IDT qualifi		ent I for the qualificat	ion results.		
CUSTOMER ACKNOWLEDGMENT OF RECEIPT: IDT records indicate that you require written notification of this change. Please use the acknowledgement below or E-Mail to grant approval or request additional information. If IDT does not receive acknowledgement within 30 days of this notice it will be assumed that this change is acceptable. IDT reserves the right to ship either version manufactured after the process change effective date until the inventory on the earlier version has been depleted.					
Customer:	□	Approval for s	hipments prior to	effective date.	
Name/Date:	E-N	Mail Address:			
Title:	Pho	one # /Fax #:			
CUSTOMER COMMENTS:					
IDT ACKNOWLEDGMENT OF RECEIPT:					
RECD. BY:		DATE:		_	



PRODUCT/PROCESS CHANGE NOTICE (PCN)

ATTACHMENT I - PCN #: TB0605-05

PCN Type:	Packing
Data Sheet Change:	None
Detail of Change:	This notification is to advise our customer that IDT has qualified new shipping trays for CVBGA 52L and 56L products. The new trays provide better protection during product shipment.
	Please note that there will be a change in number of units per tray from 325 to 364 units/tray. There is no change in the tray dimensions.
	The new shipping trays have passed IDT's internal qualification requirements.

Description	Existing Shipping Tray	New Shipping Tray	
Part Number	12C-4570-E19	1QG-4570-F19	
Tray Matrix	13x25	14x26	
Qty per Tray	325 units	364 units	
Pocket Size (WxL)	4.67x7.17 +/- 0.08mm	4.64x7.14 +/- 0.08mm	



PRODUCT/PROCESS CHANGE NOTICE (PCN)

ATTACHMENT I - PCN #: TB0605-05



Existing Shipping Tray



New Shipping Tray



PRODUCT/PROCESS CHANGE NOTICE (PCN)

ATTACHMENT I - PCN #: TB0605-05

Qualification Plan #:BC05-09-01Qualification Test Plan and Result:

Qualification Test and Conditions	Reject / Sample Size	Result
6 Feet Drop Test (6 drops, 1 drop per side @ standard packing)	0/4 trays (1456 units)	Pass
Manufacturability (IC Fitting, Trim & Form Machine, Vision System, Test Handler)	0/5 trays	Pass
Visual/Mechanical (Chip, crack, pit, incomplete fill, contamination, burr on tray pocket)	0/5 trays	Pass
Static Electricity Test (100 volts max)	0/5 trays	Pass
Surface Resistivity Test $(1x10^5 \text{ to } 1x10^{11} \text{ ohms per sq})$	0/5 trays	Pass
Dimensional (critical dimensions based on drawing)	0/5 trays	Pass
Bake Test (135°C@24 hours, bundled and singulated method)	0/8 trays	Pass



PRODUCT/PROCESS CHANGE NOTICE (PCN)

ATTACHMENT II - PCN #: TB0605-05

IDT Part Number	IDT Part Number	IDT Part Number	IDT Part Number
IDT98ULPA877AHLF	IDT97U2A877AHLF	IDT97ULP877AH	IDT97ULP878BHLF
IDT95V2F857AAH	IDT97U870AH	IDT97ULP877AHLF	IDT97ULPA877AH
IDT95V2F857AAHLF	IDT97U877AAH	IDT97ULP877BH	IDT97ULPA877AHLF
IDT95V857AH	IDT97U877AAHLF	IDT97ULP877BHLF	
IDT95V857AHLF	IDT97U877BH	IDT97ULP878AH	
IDT95VLP857ADH	IDT97UA877AH	IDT97ULP878AHLF	
IDT95VLP857ADHLF	IDT97UA877AHLF	IDT97ULP878BH	

Affected Part Number