



PCN / EOL Notification

Product Change Notification Number: PDF006

Notification Date: June 20, 2013

Title: 16-Mbit DataFlash® (AT45DB161E) Wafer Manufacturing Plant Addition

Product Identification:

All wafer and package options of the Industrial Temperature grade (-40°C to +85°C) AT45DB161E

Reason for Change:

<input type="checkbox"/> Material / Composition	<input type="checkbox"/> Design / Firmware	<input checked="" type="checkbox"/> Manufacturing Location
<input type="checkbox"/> Processing / Manufacturing	<input type="checkbox"/> Logistics	<input type="checkbox"/> Quality/Reliability

Change Description:

Adesto has added UMC (Taiwan) as a wafer fabrication facility for the 16Mbit Data Flash AT45DB161E family of devices as shown in Table 1. The UMC facility will manufacture the parts to the same datasheet specification as the current LFoundry manufacturing facility. No datasheet changes are being implemented as a result of this manufacturing location update. UMC parts will be compatible in form, fit, and function to the LFoundry material.

Ordering codes will remain unchanged as shown in Table 1.

Table 1

Ordering Codes

Ordering Code	Package	Lead Finish	Operating Voltage	f _{sck}	Device Grade
AT45DB161E-SSHD-B ⁽¹⁾	8S1	NiPdAu	2.5V to 3.6V	85MHz	Industrial (-40°C to 85°C)
AT45DB161E-SSHD-T ⁽¹⁾					
AT45DB161E-SHD-B ⁽¹⁾⁽²⁾	8S2				
AT45DB161E-SHD-T ⁽¹⁾⁽²⁾					
AT45DB161E-MHD-Y ⁽¹⁾	8MA1				
AT45DB161E-MHD-T ⁽¹⁾					
AT45DB161E-CCUD-T ⁽¹⁾	9CC1	SnAgCu			
<hr/>					
AT45DB161E-SSHF-B ⁽¹⁾	8S1	NiPdAu	2.3V to 3.6V	85MHz	Industrial (-40°C to 85°C)
AT45DB161E-SSHF-T ⁽¹⁾					
AT45DB161E-SHF-B ⁽¹⁾					
AT45DB161E-SHF-T ⁽¹⁾					
AT45DB161E-MHF-Y ⁽¹⁾	8MA1				
AT45DB161E-MHF-T ⁽¹⁾					
AT45DB161E-CCUF-T ⁽¹⁾	9CC1	SnAgCu			

- Notes: 1. The shipping carrier suffix is not marked on the device.
2. Not recommended for new design. Use the 8S1 package option.

Ordering Codes (Binary Page Mode)

Ordering Code	Package	Lead Finish	Operating Voltage	f _{sck}	Device Grade
AT45DB161E-SSHD2B-T ⁽¹⁾⁽³⁾	8S1	NiPdAu	2.5V to 3.6V	85MHz	Industrial (-40°C to 85°C)
AT45DB161E-SHD2B-T ⁽¹⁾⁽²⁾⁽³⁾	8S2				
AT45DB161E-MHD2B-T ⁽¹⁾⁽³⁾	8MA1				
<hr/>					
AT45DB161E-SSHF2B-T ⁽¹⁾⁽³⁾	8S1	NiPdAu	2.3V to 3.6V	85MHz	Industrial (-40°C to 85°C)
AT45DB161E-SHF2B-T ⁽¹⁾⁽³⁾	8S2				
AT45DB161E-MHF2B-T ⁽¹⁾⁽³⁾	8MA1				

- Notes: 1. The shipping carrier suffix is not marked on the device.
2. Not recommended for new design. Use the 8S1 package option.
3. Parts ordered with suffix code '2B' are shipped in tape and reel (T&R) with the page size set to 512 bytes. This option is only available for shipping in T&R (-T).

Qualification Data:	<input checked="" type="checkbox"/> Available	<input type="checkbox"/> Will be available (mm/dd/yr):	<input type="checkbox"/> Not Applicable
Samples:	<input checked="" type="checkbox"/> Available	<input type="checkbox"/> Will be available (mm/dd/yr):	<input type="checkbox"/> Not Applicable
Quantifiable Impact on Quality& Reliability:			
None			
Forecasted Availability Date (AT45DB161E UMC Silicon): Now			
Last Time Buy Date : N/A			
Last Ship Date : N/A			
Adesto Contact: PCNsupport@adestotech.com			

Information provided here in is in connection with Adesto products and this information is provided "AS IS". Adesto assumes no responsibility for any errors that may appear in this document. No license, express or implied, by estoppels or otherwise, to any intellectual property rights is granted by this document. Except as provided in Adesto's Terms and Conditions of Sale for such products, Adesto assumes no liability whatsoever, and Adesto disclaims any express or implied warranty, including liability or warranties relating to fitness for a particular purpose, merchantability, or non-infringement of any patent, copyright or other intellectual property right. Adesto products are not intended for use in a product or system intended to support or sustain life which, if it fails, can be reasonably expected to result in significant personal injury. Adesto may make changes to specifications and product descriptions at any time, without notice.

CUSTOMER ACKNOWLEDGEMENT OF RECEIPT: Adesto requests you acknowledge receipt of this PCN / EOL. Please complete and email to the Adesto Contact listed above. In your acknowledgement, you can grant approval or request additional information. **Adesto will deem this change accepted unless specific conditions of acceptance are provided in writing within 30 days from the date of this notice.**

Company:	
Name:	
Title:	
Date:	
Email Address:	
Location:	
Comments:	

©2013 Adesto Technologies Corporation. All rights reserved.

Adesto®, the Adesto logo, CBRAM®, and Data Flash® are registered trademarks or trademarks of Adesto Technologies. All other marks are the property of their respective owners.