

Product Advisory (PA)

Subject: Change of the standard outer label of Renesas Electronics

Publication Date: September 1, 2023

Effective Date: Refer to Appendix A to D

Revision Description:

Initial Release

Description of Change:

Renesas Electronics will update and streamline the standard outer labels in shipments for all products in conjunction with our systems integration plan.

Kindly refer to Appendix A to D for comparison on the current and new standard labels.

There is no change in barcode specifications (EAN-128 (GS1-128)) and saved data.

Affected Product List:

All products, including legacy Intersil, IDT, Dialog and Renesas except custom-labeled products.

Reason for Change:

To integrate company-wide outer labels through the integration of SCM systems, including logistic systems.

Impact on Fit, Form, Function, Quality & Reliability:

This change will have no impact on the form, fit, function, quality, reliability and environmental compliance of the devices.

Qualification Status: Not applicable

Sample Availability Date: Not applicable

Device Material Declaration: Not applicable

Note:

The effective date of Renesas Standard Interior Label will change to align with the Renesas Standard Outer Label as shown below.

Customers have been notified on the interior label change through PA220009, which was issued on December 1, 2022.

	Change From	Change To
Legacy INTERSIL, IDT, DIALOG	August 1, 2023	2nd quarter in 2024 (from April to June)
Legacy RENESAS	April 1, 2024	4th quarter in 2024 (from October to December)

Questions or requests pertaining to this change notice, including additional data, must be sent to Renesas within 30 days of the publication date.

APPENDIX A: REN-Power (LEGACY INTERSIL) PRODUCTS

Effective Date: 2nd quarter in 2024 (from April to June)

Product Identification:

The new standard outer label after the change is as follows.

RENESAS		① Pb ② e3 C/N: 9685 ③
④ From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		⑤ To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain
(3S) PKG ID JP0215261995859685		
⑥		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
⑦		
(1P) PART# R7FA4M2AD3CFL#AA0		
⑧		
(K) PO# MIB116		
⑨		
(Q) QTY 617	(4L) Country of Origin JAPAN ⑪	
⑩		
Delivery 1526199585	(4L) Country of Origin UNITED STATES	
⑫		
PKG COUNT 1 of 4	WEIGHT 3.3 KG ⑬	7.3 LBS
⑭ LHR Europe	ZYL29868525	
⑮ UPS NRT	6518400030	

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for REN-Power (legacy INTERSIL) products

GAP POINTS CURRENT AND NEW / REN-POWER (LEGACY INTERSIL)

FROM SCHENKER LOGISTICS NEW BRD Lot 5, Persiaran Pauh Damai, Seksyen 10A, 40100 Shah Alam, Selangor Malaysia.	TO
(3S) PKG ID: 0RENESAS+MYWR5734	
(K) TRANS ID: 4506741992	
(1P) RENESAS PIN: ISL95866CHRZ-T	
(P) CUSTOMER PROD ID: J&W	
(Q) QUANTITY: 4000	MSL 3 PBT 260 Dwg C RoHS Compliant: Y
PRODUCT OF: (4L) COUNTRY CODE: MALAYSIA	
CHIPS FROM: (4L) COUNTRY CODE: TAIWAN	
PACKAGE COUNT: 001 OF 001	PACKAGE WEIGHT: 0002769358 1.70 KGS 2758AQ

Barcode coding: EAN-128



Approx.
130mm

RENESAS		N: 9685	
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	
(3S) PKG ID: JPD215261995859685			
(P) CUST. PART#: R7FA4M2AD3CFL#AA0			
(1P) PART#: R7FA4M2AD3CFL#AA0			
(K) POF: MIB116			
(Q) QTY: 617	(4L) Country of Origin: JAPAN		
Delivery: 1526199585	(4L) Country of Origin: UNITED STATES		
PKG COUNT: 1 of 4	WEIGHT: 3.3 KG 7.3 LBS		
LHR Europe		ZYL29868525 6518400030	

Approx.
104mm
Barcode coding: EAN-128

Gap Points

- ☐ Added Items
Renesas Logo Mark
- ☐ Design Change Items
Pb-Free's Logo Mark
(RoHS Compliant)
- ☐ Delete Items
MSL and reflow spec.
(Move to inner label.)
CHIPS FROM

For additional information regarding this notice, please contact your regional change coordinator (below)

Americas: PCN-US@Renesas.COM

Europe: PCN-EU@Renesas.COM

Japan: PCN-JP@Renesas.COM

Asia Pac: PCN-APAC@Renesas.COM

APPENDIX B: REN-Analog (LEGACY IDT) PRODUCTS

Effective Date: 2nd quarter in 2024 (from April to June)

Product Identification:

The new standard outer label after the change is as follows.

RENESAS		<div>①</div> <div>②</div> <div>③</div>
<div>④</div> <div>From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan</div>		<div>⑤</div> <div>To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain</div>
<div>⑥</div> <div>(3S) PKG ID JP0215261995859685</div>		
<div>⑦</div> <div>(P) CUST. PART# R7FA4M2AD3CFL#AA0</div>		
<div>⑧</div> <div>(1P) PART# R7FA4M2AD3CFL#AA0</div>		
<div>⑨</div> <div>(K) PO# MIB116</div>		
<div>⑩</div> <div>(Q) QTY 617</div>	<div>⑪</div> <div>(4L) Country of Origin JAPAN</div>	
<div>⑫</div> <div>Delivery 1526199585</div>	<div>⑬</div> <div>(4L) Country of Origin UNITEDSTATES</div>	
<div>⑭</div> <div>PKG COUNT 1 of 4</div>	<div>⑮</div> <div>WEIGHT 3.3 KG 7.3 LBS</div>	
<div>⑯</div> <div>LHR Europe ZYL29868525 UPS NRT 6518400030</div>		

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for REN-Analog (legacy IDT) products

GAP POINTS CURRENT AND NEW / REN-ANALOG (LEGACY IDT)

FROM: RENESAS ELECTRONICS (PENANG) SDN BHD PHASE 3, SAKAULEPAS FZ PENANG, 11800 MALAYSIA		SHIP TO:	
(3S) PKG ID: 706+008288411			
(1P) PART NO: 90BL0252BKILFT			
(P) CUST PROD ID: WISTRON(SERVER)ODM			
(R) TRANS ID: 4307388514			
(Q) CTN QTY: 5000		(R) DC: 22522252	
ORDER: 0001554317-000100-0001			
COUNTRY OF ORIGIN: TAIWAN		QTY REEL: 2500	
PACKAGE COUNT: 1 OF 1		PACKAGE WEIGHT: 4.068 LB 1.845 KG	
RoHS Compliant Green			

PPGI: 02/05/2023		PPGI: 02/05/2023	
Ship To: Renesas Malaysia		Ship To: Renesas Malaysia	
WT: RENESAS ELECTRONICS SDN BHD		WT: RENESAS ELECTRONICS SDN BHD	
C/O: FELUDA LOGISTICS (KUALA LUMPUR)		C/O: FELUDA LOGISTICS (KUALA LUMPUR)	
NO. 11, JALAN MELAKA, TIKUEN ROAD,		NO. 11, JALAN MELAKA, TIKUEN ROAD,	
TIN SHIP WARE, KIT		TIN SHIP WARE, KIT	
HONG KONG		HONG KONG	

Barcode coding: EAN-128



Approx.
130mm

RENESAS		Pb e3		P/N: 9685	
From: Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan			To: Renesas Electronics Europe GmbH, Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain		
(3S) PKG ID: JP0215261995859685					
(P) CUST. PART#: R7FA4M2AD3CFL#AA0					
(1P) PART#: R7FA4M2AD3CFL#AA0					
(K) POF: MIB116					
(Q) QTY: 617		(4L) Country of Origin: JAPAN			
Delivery: 1526199585		(4L) Country of Origin: UNITED STATES			
PKG COUNT: 1 of 4		WEIGHT: 3.3 KG 7.3 LBS			
LHR: Europe		ZYL29868525			
UPS NRT		6518400030			

Approx.
104mm
Barcode coding: EAN-128

Gap Points

Added Items

Renesas Logo Mark
Pb-Free's Logo Mark

Design Change Items

Pb-Free's Logo Mark
(RoHS Compliant)

Deleted Items

D/C
(Move to inner label.)

For additional information regarding this notice, please contact Idt-pcn@lm.renesas.com.

APPENDIX C: REN-Power&Connectivity (LEGACY DIALOG) PRODUCTS

Effective Date: 2nd quarter in 2024 (from April to June)

Product Identification:

The new standard outer label after the change is as follows.

		C/N: 9685
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan	To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	0000044284
(3S) PKG ID JP0215261995859685		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
(1P) PART# R7FA4M2AD3CFL#AA0		
(K) PO# MIB116		
(Q) QTY 617	(4L) Country of Origin JAPAN	
Delivery 1526199585	(4L) Country of Origin UNITED STATES	
PKG COUNT 1 of 4	WEIGHT 3.3 KG	
	7.3 LBS	
LHR Europe		ZYL29868525
UPS NRT		6518400030

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for REN-Power&Connectivity (legacy DIALOG) products


GAP POINTS CURRENT AND NEW / REN-POWER & CONNECTIVITY (LEGACY DIALOG)

From: Renesas Representative (or Subcontractor) Address of the Subcontractor 2-1-1, Toyosu, Koto-ku, Tokyo 135-0061 Japan	Ship To: Customer's M/B Address of the Subcontractor 2-1-1, Toyosu, Koto-ku, Tokyo 135-0061 Japan
Part No.: R7FA4M2AD3CFL#AA0 Lot No.: 1526199585 Box No.: 1 of 4	Part No.: R7FA4M2AD3CFL#AA0 Lot No.: 1526199585 Box No.: 1 of 4
Weight: 3.3 kg Volume: 14.4 m³	Weight: 3.3 kg Volume: 14.4 m³

From: Renesas Representative (or Subcontractor) Address of the Subcontractor 2-1-1, Toyosu, Koto-ku, Tokyo 135-0061 Japan	Ship To: Customer's M/B Address of the Subcontractor 2-1-1, Toyosu, Koto-ku, Tokyo 135-0061 Japan
Part No.: R7FA4M2AD3CFL#AA0 Lot No.: 1526199585 Box No.: 1 of 4	Part No.: R7FA4M2AD3CFL#AA0 Lot No.: 1526199585 Box No.: 1 of 4
Weight: 3.3 kg Volume: 14.4 m³	Weight: 3.3 kg Volume: 14.4 m³

From: Renesas Representative (or Subcontractor) Address of the Subcontractor 2-1-1, Toyosu, Koto-ku, Tokyo 135-0061 Japan	Ship To: Customer's M/B Address of the Subcontractor 2-1-1, Toyosu, Koto-ku, Tokyo 135-0061 Japan
Part No.: R7FA4M2AD3CFL#AA0 Lot No.: 1526199585 Box No.: 1 of 4	Part No.: R7FA4M2AD3CFL#AA0 Lot No.: 1526199585 Box No.: 1 of 4
Weight: 3.3 kg Volume: 14.4 m³	Weight: 3.3 kg Volume: 14.4 m³

Barcode coding: EAN-128



Approx.
130mm

RENESAS From: Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan	RENESAS To: Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain
(3S) PKG ID JP0215261995859685	(Pb) (e3) ZN: 9685
(P) CUST. PART# R7FA4M2AD3CFL#AA0	(1P) PART# R7FA4M2AD3CFL#AA0
(K) PO# MIB116	(Q) QTY 617
(4L) Country of Origin JAPAN	(4L) Country of Origin UNITED STATES
Delivery 1526199585	Weight 3.3 KG 7.3 LBS
PKG COUNT 1 of 4	LHR Europe
UPS NRT	ZYL29868525 6518400030

Approx.
104mm
Barcode coding: EAN-128

Gap Points

- ☐ Added Items
Renesas Logo Mark
- ☐ Design Change Items
Pb-Free's Logo Mark
- ☐ Deleted Items
Supplier
Vender Code
INV NO.

For additional information regarding this notice, please contact your Renesas sales representative.

APPENDIX D: REN-Core (LEGACY RENESAS) PRODUCTS

Effective Date: 4th quarter in 2024 (from October to December)

Product Identification:

The new standard outer label after the change is as follows.

RENESAS		① Pb ② e3 C/N: 9685	③
④ From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		⑤ To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	
(3S) PKG ID JP0215261995859685			
⑥			
(P) CUST. PART# R7FA4M2AD3CFL#AA0			
⑦			
(1P) PART# R7FA4M2AD3CFL#AA0			
⑧			
(K) PO# MIB116			
⑨			
(Q) QTY 617		(4L) Country of Origin JAPAN	
⑩		⑪	
Delivery 1526199585		(4L) Country of Origin UNITED STATES	
⑫		⑬	
PKG COUNT 1 of 4		WEIGHT 3.3 KG 7.3 LBS	
⑭ LHR Europe		⑮ ZYL29868525	
⑮ UPS NRT		6518400030	

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for REN-Core (legacy RENESAS) products

GAP POINTS CURRENT AND NEW / REN-CORE (LEGACY RENESAS)

RENESAS
C/N: 80190
Renesas Electronics Corp.
3-2-24 Toyosu, Koto-ku, Tokyo
135-0061 Japan

1521203753
近鉄成田

CONTROL# 10100 1521203753 89199

JSF P/N# DF36109FV

P/N# 222834

CUSTOMER PART#

PARTE DF36109FV

REORDER PART#

QTY 1182

BOX COUNT 1 OF 3

WEIGHT 6.4 KG

ZYL299 24844

DELIVERY# : 1509452985 C/N: 78216

RENESAS Pb-Free (RoHS)

C/N: 88395

RENESAS Electronics Europe GmbH
c/o JST Technology (SMT, Renesas/Infineon/ST)
3402 Lane, Bremen

10 Electronics International Kft.
+ 475
Buda L. 25
1051 Budapest
Hungary

CUSTOMER PART# 1878_830401430

PARTE R0F562140DF8011

QTY 5120

DELIVERY# 1521728224

P/N# 475924649

MADE IN JAPAN


BOX COUNT 1 OF 1

WEIGHT 8.5 KG

CONTROL# 1000M 1521728224 77026

ZYL299 88395

Barcode coding: EAN-128



RENESAS

From
Renesas Electronics Corp.
3-2-24 Toyosu, Koto-ku, Tokyo
135-0061 Japan

To
Renesas Electronics Europe GmbH
Dukes Meadow, Millboard Road,
Bourne End SL8 5FH
Great Britain

0000044284

JSF P/N# 9685

(3S) PKG ID JP0215261995859685

(P) CUST. PART# R7FA4M2AD3CFL#AA0

(1P) PART# R7FA4M2AD3CFL#AA0

(K) POW MIB116

(Q) QTY 617

(4L) Country of Origin JAPAN

Delivery 1526199585

(4L) Country of Origin UNITED STATES

PKG COUNT 1 of 4

WEIGHT 3.3 KG
7.3 LBS

LHR Europe ZYL29868525

UPS NRT 6518400030

Approx. 104mm

Barcode coding: EAN-128

Gap Points

Design Change Items

Pb-Free's Logo Mark

Deleted Items

JSF P/N#

For additional information regarding this notice, please contact your Renesas sales representative.