

---

# **PRODUCT ADVISORY**

## **Data Sheet Specification Change for Intersil Products ISL8200MMREP and ISL8200MMREP-T**

**Refer to:  
PA13028**

**Date: March 15, 2013**

March 15, 2013

To: Our Valued Intersil Customer

Subject: **Data Sheet Specification Change for Intersil Products ISL8200MMREP and ISL8200MMREP-T**

This advisory is to inform you that Intersil has updated the data sheet specification for the ISL8200MMREP and ISL8200MMREP-T products. The update includes changes to the reflow profile only. The changes include differences in the dwell time at peak temperature; peak temperature and the slow ramp soak duration. The old and new reflow profiles are contained on the following pages. There have been no changes to the electrical specifications table in the data sheet. There have been no changes made to the die/silicon or device itself. There will be no change in external marking of the packaged parts.

The updated data sheet is available on the Intersil web site at:

<http://www.intersil.com/content/dam/Intersil/documents/fn76/fn7690.pdf>

Intersil will take all necessary actions to conform to agreed upon customer requirements and to ensure the continued high quality and reliability of Intersil products being supplied. Customers may expect to continue receiving product processed to the same established conditions and systems used for manufacturing of material supplied today.

If you have concerns with this advisory, Intersil must hear from you promptly. Please contact the nearest Intersil Sales Office or call the Intersil Corporate line at 1-888-468-3774, in the United States, or 1-321-724-7143 outside of the United States.

Regards,




Jeff Touvell  
Intersil Corporation

PCN13028


CC: J. Brewster G. Liang T. Linder

# Old Reflow Profile – PA13028



**FIGURE 33. TYPICAL REFLOW PROFILE**

## New Reflow Profile - PA13028



**FIGURE 33. TYPICAL REFLOW PROFILE**