

Product Advisory (PA)

Subject: Correction to the Renesas Product ISL71840* Datasheet and DLA SMD

Publication Date: 11/11/2022

Effective Date: 11/11/2022

Revision Description:

Initial Release

Description of Change:

This notice is to inform you of datasheet and DLA SMD corrections to the Electrical Specifications for the ISL71840* as below;

1. Update the Metallization Mask Layout diagram, correct label for pad number 18, from A4 to VREF. (Applies to both Datasheet and SMD)
2. Update "Table 3. ISL71840SEH Die Layout X-Y Coordinates". (Applies to Datasheet ONLY)
 - a. Row 2, Column 2: change from "V+" to "V-".
 - b. Row 4, Column 2: change from "V-" to "V+".

Corrections are reflected in Appendix A of the notice. The SMD is also revised as below;

- SMD 5962-15219
 - Rev B = OLD revision
 - Rev C = NEW revision

Products Impacted by the change;

Renesas Part Number	Ordering Number
ISL71840SEHVF	5962R1521901VXC
ISL71840SEHVX	5962R1521901V9A
ISL71840SEHF/PROTO	N/A
ISL71840SEHX/SAMPLE	N/A
ISL71840SEHEV1Z	N/A

Reason for Change:

Change corrects the datasheet and DLA SMD to reflect the actual product die layout designations. Details regarding the change are contained within Appendix A, for an updated datasheet please contact your local sales or marketing representative.

Impact on fit, form, function, quality & reliability:

The change will have no impact on the form, fit, function, quality, reliability and environmental compliance of the devices.

Product Identification:

There have been no changes to the product, this is a documentation correction only. There will be no change in the external marking of the packaged products.

Qualification status: Not Applicable, correction only

Sample availability: 11/11/2022

Device material declaration: Available upon request

Questions or requests pertaining to this change notice, including additional data or samples, must be sent to Intersil within 30 days of the publication date.

For additional information regarding this notice, please contact your regional change coordinator (below)

Americas: PCN-US@Renesas.COM

Europe: PCN-EU@Renesas.COM

Japan: PCN-JP@Renesas.COM


Asia Pac: PCN-APAC@Renesas.COM

Appendix A:

Change to ISL71840* Datasheet

FROM:

Metalization Mask Layout



FN8734 Rev 5.00
Feb 23, 2018

intersil™

Page 24 of 28


ISL71840SEH

TABLE 3. ISL71840SEH DIE LAYOUT X-Y COORDINATES

PAD NUMBER	PAD NAME	PACKAGING PIN	ΔX (μm)	ΔY (μm)	X (μm)	Y (μm)
1	IN8	P26	127	127	979.5	1768.5
3	V+	P27	125	125	417.5	1754.5
4	OUT	P28	125	125	-79.5	1774.5
5	V-	P1	125	125	-474.5	1756.5
7	IN16	P4	127	127	-947.5	1752.5

TO:

Metalization Mask Layout



FN8734 Rev.5.01
Oct 24, 2022

intersil

Page 24 of 27

ISL71840SEH

TABLE 3. ISL71840SEH DIE LAYOUT X-Y COORDINATES

PAD NUMBER	PAD NAME	PACKAGING PIN	ΔX (μm)	ΔY (μm)	X (μm)	Y (μm)
1	IN8	P26	127	127	979.5	1768.5
3	V-	P27	125	125	417.5	1754.5
4	OUT	P28	125	125	-79.5	1774.5
5	V+	P1	125	125	-474.5	1756.5
-	-	-	-	-	-	-