

Product Advisory (PA)

Subject: Change of the standard outer label of Renesas Electronics

Publication Date: September 1, 2023

Effective Date: Refer to Appendix A to D

Revision Description:

Initial Release

Description of Change:

Renesas Electronics will update and streamline the standard outer labels in shipments for all products in conjunction with our systems integration plan.

Kindly refer to Appendix A to D for comparison on the current and new standard labels.

There is no change in barcode specifications (EAN-128 (GS1-128)) and saved data.

Affected Product List:

All products, including legacy Intersil, IDT, Dialog and Renesas except custom-labeled products.

Reason for Change:

To integrate company-wide outer labels through the integration of SCM systems, including logistic systems.

Impact on Fit, Form, Function, Quality & Reliability:

This change will have no impact on the form, fit, function, quality, reliability and environmental compliance of the devices.

Qualification Status: Not applicable

Sample Availability Date: Not applicable

Device Material Declaration: Not applicable

Note:

The effective date of Renesas Standard Interior Label will change to align with the Renesas Standard Outer Label as shown below.

Customers have been notified on the interior label change through PA220009, which was issued on December 1, 2022.

	Change From	Change To
Legacy INTERSIL, IDT, DIALOG	August 1, 2023	2nd quarter in 2024 (from April to June)
Legacy RENESAS	April 1, 2024	4th quarter in 2024 (from October to December)

Questions or requests pertaining to this change notice, including additional data, must be sent to Renesas within 30 days of the publication date.

APPENDIX A: REN-Power (LEGACY INTERSIL) PRODUCTS

Effective Date: 2nd quarter in 2024 (from April to June)

Product Identification:

The new standard outer label after the change is as follows.

RENESAS		① Pb	② e3	③ C/N: 9685
④ From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		⑤ To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain		
(3S) PKG ID JP0215261995859685				
⑥				
(P) CUST. PART# R7FA4M2AD3CFL#AA0				
⑦				
(1P) PART# R7FA4M2AD3CFL#AA0				
⑧				
(K) PO# MIB116				
⑨				
(Q) QTY 617	(4L) Country of Origin JAPAN		⑩	
⑩	⑪			
Delivery 1526199585	(4L) Country of Origin UNITEDSTATES		⑫	
⑫	⑬			
PKG COUNT 1 of 4	WEIGHT 3.3 KG		⑭	
	7.3 LBS			
LHR Europe	ZYL29868525			
⑮	UPS NRT		6518400030	

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for REN-Power (legacy INTERSIL) products

GAP POINTS CURRENT AND NEW / REN-POWER (LEGACY INTERSIL)

FROM SCHWEIBER LOGISTIK S&W BHD Lot 5, Perindustrian Pasak 5thm, Dutak Jalilong Industrial Park, Selayang 10, 40100 Shah Alam, Selangor Malaysia.	TO
(3S) PKG ID: 0RENESAS+MYWR5734	
(K) TRANS ID: 4506741992	
(1P) RENESAS P/N: ISL95866CHRZ-T	
(P) CUSTOMER PROD ID: J&W	
(Q) QUANTITY: 4000	
MSL 3 PBT 260 Deg C ROHS Compliant Y	
PRODUCT OF: (4L) COUNTRY CODE: MALAYSIA	(4L) COUNTRY CODE:
CHIPS FROM: (4L) COUNTRY CODE: TAIWAN	
PACKAGE COUNT: 001 OF 001	PACKAGE WEIGHT: 1.70 KGS 27S8AQ

Barcode coding: EAN-128



Approx.
130mm

RENESAS		Pb e3 P/N: 9685	
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	
(3S) PKG ID JP0215261995859685			
(P) CUST. PART# R7FA4M2AD3CFL#AA0			
(1P) PART# R7FA4M2AD3CFL#AA0			
(K) P/N# MIB116			
(Q) QTY 617		(4L) Country of Origin JAPAN	
Delivery 1526199585		(4L) Country of Origin UNITED STATES	
PKG COUNT 1 of 4		WEIGHT 3.3 KG 7.3 LBS	
LHR Europe		ZYL29868525	
UPS NRT		6518400030	

Approx.
104mm
Barcode coding: EAN-128

Gap Points

- Added Items
Renesas Logo Mark
- Design Change Items
Pb-Free's Logo Mark (RoHS Compliant)
- Delete Items
MSL and reflow spec. (Move to inner label.)
CHIPS FROM

For additional information regarding this notice, please contact your regional change coordinator (below)			
Americas: PCN-US@Renesas.COM	Europe: PCN-EU@Renesas.COM	Japan: PCN-JP@Renesas.COM	Asia Pac: PCN-APAC@Renesas.COM

APPENDIX B: REN-Analog (LEGACY IDT) PRODUCTS

Effective Date: 2nd quarter in 2024 (from April to June)

Product Identification:

The new standard outer label after the change is as follows.

		  C/N: 9685
④ From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan	To Renesas Electronics Europe GmbH.	⑤ 0000044284 Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain
(3S) PKG ID JP0215261995859685		
⑥ 		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
⑦ 		
(1P) PART# R7FA4M2AD3CFL#AA0		
⑧ 		
(K) PO# MIB116		
⑨ 		
(Q) QTY 617 ⑩ 	(4L) Country of Origin JAPAN ⑪ 	
Delivery 1526199585 ⑫ 	(4L) Country of Origin UNITEDSTATES ⑬ 	
PKG COUNT 1 of 4 ⑭	WEIGHT 3.3 KG 7.3 LBS ⑬	
LHR Europe ⑮  UPS NRT		ZYL29868525 6518400030

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for REN-Analog (legacy IDT) products

GAP POINTS CURRENT AND NEW / REN-ANALOG (LEGACY IDT)

FROM RENESAS ELECTRONICS (RENAME) SDN BHD PHASE 3, BAYAN LEPAS FZ PENANG, 11900 MALAYSIA		SHIP TO:
(3S) PKG ID: 706+0082885411		
		
(1P) PART NO: 9DBL0252BKILFT		
		
(P) CUST PROD ID: WISTRON(SERVER)ODM		
		
(K) TRANS ID: 4507388514		
		
(Q) CTN QTY: 5000	(9D) D/C: 2252/2252	
		
ORDER: 0001554317-000100-0001		
		
COUNTRY OF ORIGIN: TAIWAN	QTY/REEL: 2500	
PACKAGE COUNT: 1 OF 1	PACKAGE WEIGHT: 4.068 LB 1.845 KG	RoHS Compliant /Green



Approx.
130mm

RENESAS		  P/N: 9685
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain
(3S) PKG ID: JP0215261995859685		
		
(P) CUST. PART#: R7FA4M2AD3CFL#AA0		
		
(1P) PART#: R7FA4M2AD3CFL#AA0		
		
(K) POF#: MIB116		
		
(Q) QTY: 617	(4L) Country of Origin: JAPAN	
		
Delivery: 1526199585	(4L) Country of Origin: UNITED STATES	
		
PKG COUNT: 1 of 4	WEIGHT: 3.3 KG	
		7.3 LBS
LHR: Europe	ZYL29868525	
UPS NRT	6518400030	

Approx.
104mm
Barcode coding: EAN-128

Gap Points

- Added Items
 - Renesas Logo Mark
 - Pb-Free's Logo Mark
- Design Change Items
 - Pb-Free's Logo Mark (RoHS Compliant)
- Deleted Items
 - D/C (Move to inner label.)

PPGI: 02/05/2023		Ship To: 000114148	
RPPGI: 02/05/2023			
			
Ship To: Hong Kong WT MICROELECTRONICS CO. LIMITED G20 FLOOR, COSMOS JARVIS CENTER NO. 57 AIA MEI SAN TSIEN ROAD, TSN SHAR HUI, NT HONG KONG			
Carton ID: 0022564568	1 OF 1	Qty: 5000	

Barcode coding: EAN-128

For additional information regarding this notice, please contact Idt-pcn@lm.renesas.com.

APPENDIX C: REN-Power&Connectivity (LEGACY DIALOG) PRODUCTS
Effective Date: 2nd quarter in 2024 (from April to June)
Product Identification:

The new standard outer label after the change is as follows.


RENEASAS		Pb e3 C/N: 9685
④ From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan	To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	③ ⑤
(3S) PKG ID JP0215261995859685		
⑥		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
⑦		
(1P) PART# R7FA4M2AD3CFL#AA0		
⑧		
(K) PO# MIB116		
⑨		
(Q) QTY 617 ⑩	(4L) Country of Origin JAPAN ⑪	
Delivery 1526199585 ⑫	(4L) Country of Origin UNITEDSTATES ⑬	
PKG COUNT 1 of 4 ⑭		WEIGHT 3.3 KG 7.3 LBS ⑬
LHR Europe ⑮ UPS NRT		ZYL29868525 6518400030

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for REN-Power&Connectivity (legacy DIALOG) products

GAP POINTS CURRENT AND NEW / REN-POWER & CONNECTIVITY (LEGACY DIALOG)

Barcode coding: EAN-128



Approx. 104mm
Barcode coding: EAN-128

Gap Points

- Added Items
Renesas Logo Mark
- Design Change Items
Pb-Free's Logo Mark
- Deleted Items
Supplier
Vender Code
INV NO.

For additional information regarding this notice, please contact your Renesas sales representative.

APPENDIX D: REN-Core (LEGACY RENESAS) PRODUCTS
Effective Date: 4th quarter in 2024 (from October to December)
Product Identification:

The new standard outer label after the change is as follows.

RENEASAS		Pb e3 C/N: 9685
④ From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan	To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	⑤
(3S) PKG ID JP0215261995859685		
⑥		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
⑦		
(1P) PART# R7FA4M2AD3CFL#AA0		
⑧		
(K) PO# MIB116		
⑨		
(Q) QTY 617	(4L) Country of Origin JAPAN	⑩
Delivery 1526199585	(4L) Country of Origin UNITEDSTATES	⑪
PKG COUNT 1 of 4	WEIGHT 3.3 KG 7.3 LBS	⑫
LHR Europe		⑬
UPS NRT		⑭
		⑮

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

Comparison before and after change for REN-Core (legacy RENESAS) products

GAP POINTS CURRENT AND NEW / REN-CORE (LEGACY RENESAS)

RODSTER C/N: 88395 Pb-Free 1 (Jant)	1521203753 PSM
30 Buchen Street Portsmouth, BH 129JL 近鉄成田	
CONTROL# 10100 1521203753 89199	
JSF P/N# DF36109FW	
P.O.# 222234	
CUSTOMER PART#	
PART# DF36109FW	
DESCRIPTION CODE JPCN	FORM DF36109FW
QTY 1182	BOX COUNT 1 OF 3
	WEIGHT 6.4 KG
	ZYL298 24944

RENESAS			S/N: 9685
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL6 5FH Great Britain	
(3S) PKG ID JP0215261995859685			
(P) CUST. PART# R7FA4M2AD3CFL#AA0			
(1P) PART# R7FA4M2AD3CFL#AA0			
(K) POW MIB116			
(Q) QTY 617	(4L) Country of Origin JAPAN		
Delivery 1526199585	(4L) Country of Origin UNITED STATES		
PKG COUNT 1 of 4	WEIGHT 3.3 KG		
	7.3 LBS		
LHR Europe	ZYL29868525		
UPS NRT	651840030		

Gap Points

Design Change Items

Pb-Free's Logo Mark

Deleted Items

JSF P/N#



Approx.
130mm

DELIVERY# : 1509452985	C/N: 78216	RENESAS Pb-Free 1 (Jant)	C/N: 88395
30 Electronics International Kft. - 4TS - Budaörs, 22 Tel: 0036 Hungary			
CUSTOMER PART# WFL-W10461438			
PART# R5F562TADDF8V1			
QTY 5120	DELIVERY # 1521728224		
P.O.# 475924649			
MADE IN JAPAN		BOX COUNT 1 OF 1	
CONTROL# 100N 1521728224 77026		WEIGHT 8.5 KG	
ZYL298 88395			

Barcode coding: EAN-128

Approx.
104mm
Barcode coding: EAN-128

For additional information regarding this notice, please contact your Renesas sales representative.