

## Product Advisory (PA)

**Subject:** Change of the standard outer label of Renesas Electronics

**Publication Date:** September 1, 2023

**Effective Date:** Refer to Appendix A to D

### Revision Description:

Initial Release

### Description of Change:

Renesas Electronics will update and streamline the standard outer labels in shipments for all products in conjunction with our systems integration plan.

Kindly refer to Appendix A to D for comparison on the current and new standard labels.

There is no change in barcode specifications (EAN-128 (GS1-128)) and saved data.

### Affected Product List:

All products, including legacy Intersil, IDT, Dialog and Renesas except custom-labeled products.

### Reason for Change:

To integrate company-wide outer labels through the integration of SCM systems, including logistic systems.

### Impact on Fit, Form, Function, Quality & Reliability:

This change will have no impact on the form, fit, function, quality, reliability and environmental compliance of the devices.

**Qualification Status:** Not applicable

**Sample Availability Date:** Not applicable

**Device Material Declaration:** Not applicable

### Note:

The effective date of Renesas Standard Interior Label will change to align with the Renesas Standard Outer Label as shown below.

Customers have been notified on the interior label change through PA220009, which was issued on December 1, 2022.

	Change From	Change To
Legacy INTERSIL, IDT, DIALOG	August 1, 2023	2nd quarter in 2024 (from April to June)
Legacy RENESAS	April 1, 2024	4th quarter in 2024 (from October to December)

Questions or requests pertaining to this change notice, including additional data, must be sent to Renesas within 30 days of the publication date.

# APPENDIX A: REN-Power (LEGACY INTERSIL) PRODUCTS

Effective Date: 2nd quarter in 2024 (from April to June)

## Product Identification:

The new standard outer label after the change is as follows.

<b>RENESAS</b>		①  ② e3 ③ C/N: 9685
④ From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		⑤ To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain
(3S) PKG ID JP0215261995859685		
⑥		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
⑦		
(1P) PART# R7FA4M2AD3CFL#AA0		
⑧		
(K) PO# MIB116		
⑨		
(Q) QTY 617	(4L) Country of Origin JAPAN ⑪	
⑩		
Delivery 1526199585	(4L) Country of Origin UNITED STATES	
⑫		
PKG COUNT 1 of 4	WEIGHT 3.3 KG ⑬	
⑭	7.3 LBS	
LHR Europe	ZYL29868525	
⑮  UPS NRT	6518400030	

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

# Comparison before and after change for REN-Power (legacy INTERSIL) products

## GAP POINTS CURRENT AND NEW / REN-POWER (LEGACY INTERSIL)

FROM SCHNEIDER LOGISTICS SDN BHD Lot 5, Persiaran Pasak Barat, Bukit Jelutong Industrial Park, Selayor US, 40100 Shah Alam, Selangor Malaysia.	TO
(3S) PKG ID: 0RENESAS+MYWR5734	
(K) TRANS ID: 4506741992	
(1P) RENESAS P/N: ISL95866CHRZ-T	
(P) CUSTOMER PROD ID: J&W	
(Q) QUANTITY: 4000	
MSL 3 PBT: 260 Deg C ROHS Compliant Y	
PRODUCT OF: MALAYSIA	
(4L) COUNTRY CODE: TAIWAN	
PACKAGE COUNT: 001 OF 001	PACKAGE WEIGHT: 1.70 KGS
27S8AQ	

Barcode coding: EAN-128



Approx.  
130mm

RENESAS		Pb e3		I/N: 9685	
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan			To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain		
(3S) PKG ID: JP0215261995859685					
(P) CUST. PART#: R7FA4M2AD3CFL#AA0					
(1P) PART#: R7FA4M2AD3CFL#AA0					
(K) P/N: MIB116					
(Q) QTY: 617			(4L) Country of Origin: JAPAN		
Delivery: 1526199585			(4L) Country of Origin: UNITED STATES		
PKG COUNT: 1 of 4			WEIGHT: 3.3 KG		
			7.3 LBS		
LHR Europe			ZYL29868525		
UPS NRT			6518400030		

Approx.  
104mm  
Barcode coding: EAN-128

### Gap Points

- ☐ Added Items  
Renesas Logo Mark
- ☐ Design Change Items  
Pb-Free's Logo Mark  
(RoHS Compliant)
- ☐ Delete Items  
MSL and reflow spec.  
(Move to inner label.)  
CHIPS FROM

For additional information regarding this notice, please contact your regional change coordinator (below)

Americas: <a href="mailto:PCN-US@Renesas.COM">PCN-US@Renesas.COM</a>	Europe: <a href="mailto:PCN-EU@Renesas.COM">PCN-EU@Renesas.COM</a>	Japan: <a href="mailto:PCN-JP@Renesas.COM">PCN-JP@Renesas.COM</a>	Asia Pac: <a href="mailto:PCN-APAC@Renesas.COM">PCN-APAC@Renesas.COM</a>
--	--	---	--

## APPENDIX B: REN-Analog (LEGACY IDT) PRODUCTS

Effective Date: 2nd quarter in 2024 (from April to June)

### Product Identification:

The new standard outer label after the change is as follows.

		C/N: 9685
<b>From</b> Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		<b>To</b> Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain
(3S) PKG ID JP0215261995859685		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
(1P) PART# R7FA4M2AD3CFL#AA0		
(K) PO# MIB116		
(Q) QTY 617	(4L) Country of Origin JAPAN	
Delivery 1526199585	(4L) Country of Origin UNITED STATES	
PKG COUNT 1 of 4	WEIGHT 3.3 KG 7.3 LBS	
LHR Europe		ZYL29868525
UPS NRT		6518400030

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

# Comparison before and after change for REN-Analog (legacy IDT) products

## GAP POINTS CURRENT AND NEW / REN-ANALOG (LEGACY IDT)

FROM RENESAS ELECTRONICS (PENANG) SDN. BHD. PHASE 3, BAYAN LEPAS FZ PENANG, 11900 MALAYSIA		SHIP TO:	
(3S) PKG ID: 766+008288411			
(1P) PART NO: 9DBL0252BKILFT			
(P) CUST PROD ID: WISTRON(SERVER)OOM			
(K) TRANS ID: 4507388514			
(Q) CTN QTY 5000		(90) D/C: 2252/2252	
ORDER: 0001554317-000100-0001			
COUNTRY OF ORIGIN: TAIWAN		QTY/REEL: 2500	
PACKAGE COUNT: 1 OF 1		PACKAGE WEIGHT: 4.066 LB 1.845 KG	
RoHS Compliant /Green			

PPGI: 02/05/2023		RPPGI: 02/05/2023	
Ship To: Shipping Bldg.		Ship To: 0000114148	
WISTRON ELECTRONICS CO., LIMITED 600 FULFORD LANE, SUITE 100, WILSON ROAD, SINGAPORE 121167			
CartonID: 0002564568		Qty: 5000	

Barcode coding: EAN-128



Approx.  
130mm

RENESAS		Pb e3 R/N: 9685	
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	
(3S) PKG ID: JP0215261995859685			
(P) CUST PART#: R7FA4M2AD3CFL#AA0			
(1P) PART#: R7FA4M2AD3CFL#AA0			
(K) PC#: MIB116			
(Q) QTY: 617		(4L) Country of Origin: JAPAN	
Delivery: 1526199585		(4L) Country of Origin: UNITED STATES	
PKG COUNT: 1 of 4		WEIGHT: 3.3 KG 7.3 LBS	
LHR Europe		ZYL29868525	
UPS NRT		6518400030	

Approx.  
104mm  
Barcode coding: EAN-128

### Gap Points

- ☐ Added Items
  - Renesas Logo Mark
  - Pb-Free's Logo Mark
- ☐ Design Change Items
  - Pb-Free's Logo Mark (RoHS Compliant)
- ☐ Deleted Items
  - D/C (Move to inner label.)

For additional information regarding this notice, please contact [Idt-pcn@lm.renesas.com](mailto:Idt-pcn@lm.renesas.com).

# APPENDIX C: REN-Power&Connectivity (LEGACY DIALOG) PRODUCTS

Effective Date: 2nd quarter in 2024 (from April to June)

## Product Identification:

The new standard outer label after the change is as follows.

		C/N: 9685
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan	To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	
(3S) PKG ID JP0215261995859685		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
(1P) PART# R7FA4M2AD3CFL#AA0		
(K) PO# MIB116		
(Q) QTY 617	(4L) Country of Origin JAPAN	
Delivery 1526199585	(4L) Country of Origin UNITEDSTATES	
PKG COUNT 1 of 4	WEIGHT 3.3 KG 7.3 LBS	
LHR Europe	ZYL29868525	
UPS NRT	6518400030	

- ① Pb-Free's Logo Mark
- ② Pb-Free Detail Spec Rank
- ③ Case Number
- ④ From address
- ⑤ To address
- ⑥ Package ID
- ⑦ Customer Parts Number
- ⑧ Renesas Parts Number
- ⑨ Purchase Order Number
- ⑩ Quantity
- ⑪ Country Of Origin
- ⑫ Delivery Order Number
- ⑬ Gross Weight
- ⑭ Package Count
- ⑮ Renesas internal use area

### Comparison before and after change for REN-Power&Connectivity (legacy DIALOG) products

## GAP POINTS CURRENT AND NEW / REN-POWER & CONNECTIVITY (LEGACY DIALOG)

[illegible]

Barcode coding: EAN-128



Approx.  
130mm

			S/N: 9685
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH.  Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	
(3S) PKG ID JP0215261995859685 			
(P) CUST. PART# R7FA4M2AD3CFL#AA0 			
(1P) PART# R7FA4M2AD3CFL#AA0 			
(K) PQ# MIB116 			
(Q) QTY 617 	(4L) Country of Origin JAPAN 		
Delivery 1526199585 	(4L) Country of Origin UNITED STATES 		
PKG COUNT  1 of 4	WEIGHT 3.3 KG 7.3 LBS		
LHR Europe UPS NRT	ZYL29868525 651840030		

Approx.  
104mm  
Barcode coding: EAN-128

## Gap Points

- ☐ Added Items  
Renesas Logo Mark
- ☐ Design Change Items  
Pb-Free's Logo Mark
- ☐ Deleted Items  
Supplier  
Vender Code  
INV NO.

For additional information regarding this notice, please contact your Renesas sales representative.

# APPENDIX D: REN-Core (LEGACY RENESAS) PRODUCTS

Effective Date: 4th quarter in 2024 (from October to December)

## Product Identification:

The new standard outer label after the change is as follows.

		C/N: 9685
<b>④</b> From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan	<b>⑤</b> To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	
(3S) PKG ID JP0215261995859685		
<b>⑥</b>		
(P) CUST. PART# R7FA4M2AD3CFL#AA0		
<b>⑦</b>		
(1P) PART# R7FA4M2AD3CFL#AA0		
<b>⑧</b>		
(K) PO# MIB116		
<b>⑨</b>		
(Q) QTY 617	(4L) Country of Origin JAPAN	
<b>⑩</b>	<b>⑪</b>	
Delivery 1526199585	(4L) Country of Origin UNITED STATES	
<b>⑫</b>	<b>⑬</b>	
PKG COUNT 1 of 4	WEIGHT 3.3 KG 7.3 LBS	
<b>⑭</b> LHR Europe ZYL29868525 <b>⑮</b> UPS NRT 6518400030		

① Pb-Free's Logo Mark

② Pb-Free Detail Spec Rank

③ Case Number

④ From address

⑤ To address

⑥ Package ID

⑦ Customer Parts Number

⑧ Renesas Parts Number

⑨ Purchase Order Number

⑩ Quantity

⑪ Country Of Origin

⑫ Delivery Order Number

⑬ Gross Weight

⑭ Package Count

⑮ Renesas internal use area

Comparison before and after change for REN-Core (legacy RENESAS) products


## GAP POINTS CURRENT AND NEW / REN-CORE (LEGACY RENESAS)

RODHESTER S/N: 80198 Pb-Free 1 (Junk) 1521203753 PSM	
20 Rodhester Direct Portsmouth, NH 03801 近鉄成田	
CONTROL# 10100 1521203753 80198	
P/N # 222234	
CUSTOMER PART#	
PART# DF36109FW	
DESCRIPTION CODE: SPON	
QTY 1182	BOX COUNT 1 OF 3
WEIGHT 6.4 KG	ZYL298 24944

DELIVERY# : 1509452985   C/N : 78216	
RENESAS Pb-Free 1 (Junk) G/N: 88395	
To Renesas Electronics Europe GmbH c/o Ite Technology 985, Rue de l'Industrie 12 98403 Saint-Denis, France	
TO Electronics International Kft. + 475 + Renesas Kft. Tör. 1000 Hungary	
CUSTOMER PART# 10FL-W10401438	
PART# RSF562ADDF0V1	
QTY 5120	DELIVERY # 1521728224
P.O. # 475924649	
MADE IN JAPAN	
BOX COUNT 1 OF 1	WEIGHT 8.5 KG
CONTROL# 10001 1521728224 77028	
ZYL298 88395	

Barcode coding: EAN-128



Approx.  
130mm

RENESAS		Pb e3 S/N: 9685	
From Renesas Electronics Corp. 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan		To Renesas Electronics Europe GmbH. Dukes Meadow, Millboard Road, Bourne End SL8 5FH Great Britain	
(3S) PKG ID JP0215261995859685			
(P) CUST. PART# R7FA4M2AD3CFL#AA0			
(1P) PART# R7FA4M2AD3CFL#AA0			
(K) POW MIB116			
(Q) QTY 617		(4L) Country of Origin JAPAN	
Delivery 1526199585		(4L) Country of Origin UNITED STATES	
PKG COUNT 1 of 4		WEIGHT 3.3 KG 7.3 LBS	
LHR Europe		ZYL29868525 6518400030	
UPS NRT			

Approx.  
104mm  
Barcode coding: EAN-128

### Gap Points

☐ Design Change Items

Pb-Free's Logo Mark

☐ Deleted Items

JSF P/N#

For additional information regarding this notice, please contact your Renesas sales representative.