

[Upgrade to Version] e² studio Integrated Development Environment 2025-01

R20TS1089EJ0100
Rev.1.00
Jan. 20, 2025

Outline

We have updated the e² studio integrated development environment from 2024-10 to 2025-01.

Major functional improvements and changes are as follows.

- Upgraded eclipse/CDT versions
- Reality AI Utilities Plug-in support
- New devices support: DA148xx
- Improvements of Smart Configurator
- Improvements of Builder and Debugger features

For an overview of the product, refer to the following URL:

<https://www.renesas.com/e2studio>

1. Products to Be Updated

- e² studio versions from 2020-04 to 2024-10

To check the version of e² studio, click the [Help] menu of e² studio > [About e² studio] to open the dialog box.

2. Description

The main contents of the upgrade are described below. Refer to the release note below for details.

The release note is available in the [Documentation] list on the e² studio product page. It will be available from Jan. 20th.

<https://www.renesas.com/search?keywords=R20UT5600>

2.1 New Features, Improved Functionality

We have improved and changed the following.

For details about the improvements, refer to “What is new in 2025-01?” in the release note listed above.

2.1.1 New eclipse platform support

Updated eclipse platform and the version of CDT (C/C++ Development Tooling).

Please refer to the following documents for details.

e ² studio version	2024-10	2025-01	
eclipse	4.32(2024-06)	4.33(2024-09)	New and Noteworthy
JRE(JustJ)	21.0.3	21.0.4	JustJ JREs
OpenJFX	21.0.2	21.0.2	OpenJFX
CDT	11.6.1	11.6.1	CDT New & Noteworthy

2.1.2 Reality AI Utilities Plug-in support

- Reality AI Utilities Plug-in V2.1.0 (for RA, RX, RL78 Families released on Dec. 4, 2024), a Reality AI development-support tool, is available on the e² studio 2024-10 and later versions. See the plug-in [Release Note](#) for an overview of the features and how to install them.

2.1.3 New devices support

- The following device groups are supported. Refer to e² studio Release Note for supported devices.
 - ✧ DA14850 and DA14870

2.1.4 Improvements of Smart Configurator

- The following new versions of Smart Configurator are supported. Smart Configurator version is displayed in Overview tab of Configurator view. Refer to Release note of the versions for details.
 - ✧ Smart Configurator for RX V2.24.0
 - ✧ Smart Configurator for RL78 V1.12
 - ✧ Smart Configurator for RH850 V1.13.0
 - ✧ Smart Configurator for RISC-V MCU V1.3.0

2.1.5 Improvements of Builder Features

The following improvements have been implemented.

- Added exporting feature of size listing file in Memory Usage view. The list is used for comparison of object size between projects or other build configurations.
- Added CMake project generation of FSP supported devices.

2.1.6 Improvements of Debugger Features

The following improvements have been implemented.

- Improved Registers view to enable display and edit each bitfield in CPU registers.

3. Updating Your Product

Download the installer from the e² studio product page (the following URL) and install the program.
(2025-01 will be available from January 20th.)

<https://www.renesas.com/e2studio>

The installer is available in the [Downloads] section in the [Documentation & Downloads] list.

Note 1: You cannot use "Upgrade" installation for e² studio 2024-07 and older (older than Java 17) versions. Newer e² studio versions should be installed to new location instead of using "Upgrade" installation.

The destination folder path should not include any multi-byte characters, extended ASCII (half byte character greater than 0x7f) characters or symbol characters other than "_" (underscore).

Note 2: Windows version of this product supports 64-bit Windows. This product does not work on 32-bit Windows.

Note 3: For FSP/SSP supported device families and groups (RA, RZ/T2x, RZ/N2x, RZ/A2x, RZ/A3x, RZ/G2x, RZ/G3x, RZ/V2x and Renesas Synergy™), installers are available which include the software packages.

Please refer to the following page for software packages and the installers :

Software - Middleware, Drivers, OS:

<https://www.renesas.com/design-support/software>

Revision History

Rev.	Date	Description	
		Page	Summary
1.00	Jan. 20.25	-	First edition issued

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included.

The URLs in the Tool News also may be subject to change or become invalid without prior notice.

Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu,
Koto-ku, Tokyo 135-0061, Japan
www.renesas.com

Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

Contact information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit:
www.renesas.com/contact/