

[Upgrade to Version] e² studio Integrated Development Environment 2024-01

R20TS0980EJ0100
Rev.1.00
Jan. 16, 2024

Outline

We have updated the e² studio integrated development environment from 2023-10 to 2024-01.

Major functional improvements and changes are as follows.

- macOS support for RA, DA Devices
- New device support : DA1458x group
- Improvements of Smart Configurator
- Improvements of Builder features

For an overview of the product, refer to the following URL:

<https://www.renesas.com/e2studio>

1. Products to Be Updated

- e² studio versions from 2020-04 to 2023-10

To check the version of e² studio, click the [Help] menu of e² studio > [About e² studio] to open the dialog box.

2. Description

The main contents of the upgrade are described below. Refer to the release note below for details.

The release note is available in the [Documentation] list on the e² studio product page. It will be available from Jan 22nd.

<https://www.renesas.com/search?keywords=R20UT5406>

2.1 New Features, Improved Functionality

We have improved and changed the following.

For details about the improvements, refer to “What is new in 2024-01?” in the release note listed above.

2.1.1 macOS (Apple Silicon) support for RA and DA Device Families

Started macOS support in e² studio 2024-01.

e² studio can be installed and used in Apple Silicon based macOS PCs (verified in macOS 13(Ventura)).

Please refer to e² studio Release Note for details.

2.1.2 New devices support

Devices of DA1458x group has been supported in e² studio 2024-01.

Debug support is provided in e² studio. Use SDK of the device group for build environment of the devices for build operations. Please refer to [DA1453x, DA14585/6 SDK Release Notes v.6.0.20.1138](#) for details.

2.1.3 Improvements of FSP Configurator and Smart Configurator

The following new versions of Smart Configurator are supported. Started to support RH850 in e² studio 2024-01.

- ✧ Smart Configurator for RX V2.20.0
- ✧ Smart Configurator for RL78 V1.9.0
- ✧ Smart Configurator for RH850 V1.10.0

Please refer to each of Smart Configurator Release Note for details.

2.1.4 Improvements of Builder

The following improvements are implemented in e² studio 2024-01.

- Supported new versions of Renesas compilers
 - ✧ CC-RX V3.06.00
 - ✧ CC-RL V1.13.00
 - Library Generator is available with CC-RL V1.13.00 and later versions.
 - ✧ CC-RH V2.06.00
- Added support of -Oz optimization option in Arm GNU toolchain (12.1 and later versions) projects. -Oz behaves similarly to -Os (size optimization) including enabling most -O2 optimizations.

3. Updating Your Product

Download the installer from the e² studio product page (the following URL) and install the program.
(2024-01 will be available from Jan 22nd.)

<https://www.renesas.com/e2studio>

The installer is available in the [Downloads] section in the [Documentation & Downloads] list.

Note 1: When you have e² studio 2022-10 and older (older than Java 11) versions, newer e² studio versions should be installed to new location instead of using "Upgrade" installation.
The destination folder path should not include any multi-byte characters, extended ASCII (half byte character greater than 0x7f) characters or symbol characters other than "_" (underscore).

Note 2: Windows version of this product supports 64-bit Windows.
This product does not work on a 32-bit Windows.

Note 3: For FSP/SSP supported device families and groups (RA, RZ/T2x, RZ/N2x, RZ/A2x, RZ/A3x, RZ/G2x, RZ/V2x and Renesas Synergy™), use the installer that includes the software packages.

Please refer to the following page for software packages and the installers :

Software - Middleware, Drivers, OS:

<https://www.renesas.com/design-support/software>

Revision History

Rev.	Date	Description	
		Page	Summary
1.00	Jan. 16.24	-	First edition issued

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included.

The URLs in the Tool News also may be subject to change or become invalid without prior notice.

Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu,
Koto-ku, Tokyo 135-0061, Japan
www.renesas.com

Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

Contact information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit:
www.renesas.com/contact/