
PRODUCT ADVISORY

**Data Sheet Specification Change for
Intersil Product ISL9444***

**Refer to:
PA11067**

Date: July 19, 2011

July 19, 2011

To: Our Valued Intersil Customer

Subject: **Data Sheet Specification Change for Intersil Product ISL9444***

This advisory is to inform you that Intersil has changed the data sheet specification for the listed ISL9444* products. The change in the input supply voltage range from a maximum of 28V to 26V aligns the data sheet with the product characteristics. The updated data sheet is available on the Intersil web site at <http://www.intersil.com/data/fn/fn7665.pdf>.

Products affected: **ISL9444IRZ ISL9444IRZ-T ISL9444IRZ-T7A**

The data sheet specification changes are as follows:

Recommended Operating Conditions	Current	New
Supply Voltage	4.5V to 28V	4.5V to 26V

Electrical Specifications - Common Conditions	Current	New
V_{IN}	5.0V to 28V	5.0V to 26V

Electrical Specifications - V_{IN} Supply	Maximum Limit	
	Current	New
Input Voltage Range (V_{IN})	28V	26V

There will be no change in external marking of the packaged parts. There have been no changes made to the silicon or device itself.

Intersil will take all necessary actions to conform to agreed upon customer requirements and to ensure the continued high quality and reliability of Intersil products being supplied. Customers may expect to receive product electrically screened to the revised data sheet conditions beginning immediately.

If you have concerns with this advisory, Intersil must hear from you promptly. Please contact the nearest Intersil Sales Office or call the Intersil Corporate line at 1-888-468-3774, in the United States, or 1-321-724-7143 outside of the United States.

Regards,



Jon Brewster
Intersil Corporation

PA11067

CC: J. Touvell L. Van De Perre V. Toussaint