R20TS0360EJ0100

Rev.1.00

Nov. 27, 2018

# [Upgrade to revision]

e<sup>2</sup> studio Smart Configurator Plug-in,

Smart Configurator for RX V1.5.0,

## CS+ Smart Configurator for RX Communication Plug-in V1.02.01

#### Outline

The products in the title have been updated to revisions as listed below.

- (1) e<sup>2</sup> studio Smart Configurator Plug-in: from V1.4.0 to V1.5.0
- (2) Smart Configurator for RX: from V1.4.0 to V1.5.0
- (3) CS+ Smart Configurator for RX Communication Plug-in: from V1.02.00 to V1.02.01

### 1. Products and Versions to Be Updated

- ▶ e² studio V7.1.0 (Smart Configurator Plug-in V1.4.0) and earlier versions
- ➤ Smart Configurator for RX V1.4.0 and earlier versions
- > CS+ Smart Configurator for RX Communication Plug-in V1.02.00 and earlier versions

#### 2. Description of Update

The main features of the update are listed in section 2.1. Refer to the following release notes for details.

- e<sup>2</sup> studio Smart Configurator Plug-in
  - e<sup>2</sup> studio V7.2.0 Release Note (Scheduled to be released on November 27.)

https://www.renesas.com/search/keyword-search.html#genre=document&q=r20ut4434

Smart Configurator for RX

Smart Configurator for RX V1.5.0 Release Note (Scheduled to be released on November 27.)

https://www.renesas.com/search/keyword-search.html#genre=document&q=r20ut4417

#### 2.1 Addition of Supported MCUs

The following device group has been added to the supported MCUs.

RX Family: RX66T group

For the list of supported MUCs, refer to the URL below.

https://www.renesas.com/smart-configurator

#### 2.2 Items Revised


The issue listed in the following note has been corrected in this update.

- (1) RENESAS TOOL NEWS, Document No. R20TS0351EJ0100
  - 1. Setting TPU0 Channel of PWM Mode Timer PWM

Applicable MCUs: RX64M and RX651/RX65N groups

For details on this problem, refer to the following URL.

https://www.renesas.com/search/keyword-search.html#genre=document&q=r20ts0351





### 3. Updating Your Product

Updating method varies depending on the product you are using.

Refer to the following for details. The update is available free of charge using either method.

### 3.1 How to Update e<sup>2</sup> studio Smart Configurator Plug-in

For how to update the e² studio, refer to RENESAS TOOL NEWS Document No. R20TS0369EJ0100 "3. Updating Your Product." (Scheduled to be released on November 27.) https://www.renesas.com/search/keyword-search.html#genre=document&q=r20ts0369

Note that the Smart Configurator Plug-in cannot be updated alone.

### 3.2 How to Update Smart Configurator for RX

Download the Smart Configurator for RX (installer) from the following URL and start the installation. If you are using CS+, also download CS+ Smart Configuration Communications Plug-in for RX, which is required to use the RX Smart Configurator with CS+.

The installer will be available on November 27.

https://www.renesas.com/smart-configurator#downloads

Smart Configurator for RX V1.5.0

CS+ Smart Configurator for RX Communication Plug-in V1.02.01(Note)

Note: Install the plug-in only if you are using the CS+.

### **Revision History**

		Description	
Rev.	Date	Page	Summary
1.00	Nov. 27, 2018	ı	First edition issued

TOYOSU FORESIA, 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan Renesas Electronics Corporation

### ■Inquiry

https://www.renesas.com/contact/

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included.

The URLs in the Tool News also may be subject to change or become invalid without prior notice.

All trademarks and registered trademarks are the property of their respective owners.

© 2018 Renesas Electronics Corporation. All rights reserved.

TS Colophon 2.1