## Old Company Name in Catalogs and Other Documents

On April 1<sup>st</sup>, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: <a href="http://www.renesas.com">http://www.renesas.com</a>

April 1<sup>st</sup>, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (<a href="http://www.renesas.com">http://www.renesas.com</a>)

Send any inquiries to http://www.renesas.com/inquiry.



REJ19B0214-0100

Mask ROM number	
-----------------	--

## RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30280MAT-XXXHP MASK ROM CONFIRMATION FORM

	Date:	
	Section head	Supervisor
pt	signature	signature
Receipt		
Ş		
ш		

Note: Please complete all items marked\* Submitted by Supervisor **TEL** Company Issuance signature name ) ( Customer Date Date: issued \*1. Check sheet Renesas processes the mask files generated by the mask file generation utilities out of those held on the floppy disks you give in to us, and forms them into masks. Hence, we assume liability provided that there is any discrepancy between the contents of these mask files and the ROM data to be burned into products we produce. Check thoroughly the contents of the mask files you give in. Prepare 3.5 inches 2HD (IBM format) floppy disks. And store only one mask file in a floppy disk. Microcomputer type No.: ☐ M30280MAT-XXXHP File code: (hex) Mask file name: .MSK (alpha-numeric 8-digit) \*2. Mark specification The mark specification differs according to the type of package. After entering the mark specification on the separate mark specification sheet (for each package), attach that sheet to this masking check sheet for submission to Renesas. For the M30280MAT-XXXHP, submit the 80P6Q mark specification sheet. \*3. Usage Conditions For our reference when of testing our products, please reply to the following questions about the usage of the products you ordered. (1) Which kind of oscillation circuit is used? ☐ XIN-XOUT oscillator ☐ Xcin-Xcout oscillator On chip oscillator PLL frequency synthesizer (2) Which kind of XIN-XOUT oscillation circuit is used? Ceramic resonator Quartz-crystal oscillator External clock input Other ( ) What frequency do you use?

MHz

 $f(X_{IN}) =$ 

Mask ROM number

## RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30280MAT-XXXHP MASK ROM CONFIRMATION FORM

\*4. Special item (Indicate none if there is not specified item)

(3) Which	kind of	XCIN-XC	OUT osc	illatic	n circ	uit is us	sed?					
	Ceramic resonator					Quartz-crystal oscillator						
	External clock input					Other (				)		
What	frequen	cy do yo	use?									
	f(Xcin)	=			kl	Hz						
(4) Which (Circle		ng suppl erating v										
•	.0 3.3		0.0	4.2								
	-						_		(v	<b>'</b> )		
ļ	1	I	I	ı	l		ı		1 -			
(5) Which (Circle		ng ambio erating to					e?					
-40 -3			0	10	20	30	40	50	60	70	80	85
												(°C
(6) Do yo	u use l²(	C (Inter I	C) bus f	functi	on?							
	Not u	se		□ U	lse							
(7) Do yo	u use IE	(Inter E	quipme	nt) bu	ıs func	ction?						
	Not u	se		□ U	lse							
(8) Which	ı Voltage	e Detecti	on func	tion d	lo you	use?						
	Not u	se		□ U	lse Vd	et4						
	Use \	/det3										
Thank you coo	operatio	n.										