

RZ/Five Verified Linux Package

Version 3.0.2

Component list

R01US0609EJ0100

Rev. 1.00

Dec. 27, 2022

The components listed below are installed to the rootfs when building the RZ/Five Verified Linux Package according to the Release Note. The GPLv3 packages are not installed by default.

Please refer to file:

\$WORK/build/tmp/deploy/images/smarc-rzfive/core-image-minimal-smarc-rzfive.manifest

and file:

\$WORK/build/tmp/deploy/images/smarc-rzfive/core-image-bsp-smarc-rzfive.manifest

Note) "\$WORK" means the working directory used to build the RZ/Five Board Support Package.

| | minimal | bsp | Version |
|-----------------------|---------|-----|---------|
| attr | ✓ | ✓ | 2.4.48 |
| base-files | ✓ | ✓ | 3.0.14 |
| base-passwd | ✓ | ✓ | 3.5.29 |
| bash | ✓ | ✓ | 3.2.57 |
| busybox | ✓ | ✓ | 1.30.1 |
| busybox-hwclock | ✓ | ✓ | 1.30.1 |
| busybox-syslog | ✓ | ✓ | 1.30.1 |
| busybox-udhcpc | ✓ | ✓ | 1.30.1 |
| coreutils | ✓ | ✓ | 6.9 |
| dbus-1 | ✓ | ✓ | 1.12.20 |
| e2fsprogs-e2fsck | ✓ | ✓ | 1.45.7 |
| i2c-tools | ✓ | ✓ | 4.1 |
| init-ifupdown | ✓ | ✓ | 1.0 |
| initscripts | ✓ | ✓ | 1.0 |
| initscripts-functions | ✓ | ✓ | 1.0 |
| kbd | ✓ | ✓ | 2.0.4 |
| kbd-consolefonts | ✓ | ✓ | 2.0.4 |
| kbd-keymaps | ✓ | ✓ | 2.0.4 |
| kmod | ✓ | ✓ | 26 |
| ldconfig | ✓ | ✓ | 2.28 |
| libacl1 | ✓ | ✓ | 2.2.53 |
| libblkid1 | ✓ | ✓ | 2.35.1 |

| | minimal | bsp | Version |
|------------------------|----------------|------------|----------------|
| libc6 | ✓ | ✓ | 2.28 |
| libcap2 | ✓ | ✓ | 2.32 |
| libcom-err2 | ✓ | ✓ | 1.45.7 |
| libdbus-1-3 | ✓ | ✓ | 1.12.20 |
| libe2p2 | ✓ | ✓ | 1.45.7 |
| libexpat1 | ✓ | ✓ | 2.2.9 |
| libext2fs2 | ✓ | ✓ | 1.45.7 |
| libgcc1 | ✓ | ✓ | 8.3.0 |
| libjpeg62 | ✓ | ✓ | 2.0.4 |
| libkmod2 | ✓ | ✓ | 26 |
| liblzma5 | ✓ | ✓ | 5.2.4 |
| libmount1 | ✓ | ✓ | 2.35.1 |
| libnss-myhostname2 | ✓ | ✓ | 244.5 |
| libpam | ✓ | ✓ | 1.3.1 |
| libpam-runtime | ✓ | ✓ | 1.3.1 |
| libstdc++6 | ✓ | ✓ | 8.3.0 |
| libsystemd0 | ✓ | ✓ | 244.5 |
| libtinfo5 | ✓ | ✓ | 6.2 |
| libudev1 | ✓ | ✓ | 244.5 |
| libuuid1 | ✓ | ✓ | 2.35.1 |
| libv4l | ✓ | ✓ | 1.18.1 |
| libx11-6 | ✓ | ✓ | 1.6.9 |
| libxau6 | ✓ | ✓ | 1.0.9 |
| libxcb1 | ✓ | ✓ | 1.13.1 |
| libxdmcp6 | ✓ | ✓ | 1.1.3 |
| libz1 | ✓ | ✓ | 1.2.11 |
| media-ctl | ✓ | ✓ | 1.18.1 |
| modutils-initscripts | ✓ | ✓ | 1.0 |
| ncurses-terminfo-base | ✓ | ✓ | 6.2 |
| netbase | ✓ | ✓ | 6.1 |
| os-release | ✓ | ✓ | 1.0 |
| packagegroup-core-boot | ✓ | ✓ | 1.0 |
| pam-plugin-deny | ✓ | ✓ | 1.3.1 |
| pam-plugin-env | ✓ | ✓ | 1.3.1 |
| pam-plugin-faildelay | ✓ | ✓ | 1.3.1 |

| | minimal | bsp | Version |
|--------------------------|----------------|------------|----------------|
| pam-plugin-group | ✓ | ✓ | 1.3.1 |
| pam-plugin-keyinit | ✓ | ✓ | 1.3.1 |
| pam-plugin-lastlog | ✓ | ✓ | 1.3.1 |
| pam-plugin-limits | ✓ | ✓ | 1.3.1 |
| pam-plugin-loginuid | ✓ | ✓ | 1.3.1 |
| pam-plugin-mail | ✓ | ✓ | 1.3.1 |
| pam-plugin-motd | ✓ | ✓ | 1.3.1 |
| pam-plugin-nologin | ✓ | ✓ | 1.3.1 |
| pam-plugin-permit | ✓ | ✓ | 1.3.1 |
| pam-plugin-rootok | ✓ | ✓ | 1.3.1 |
| pam-plugin-securetty | ✓ | ✓ | 1.3.1 |
| pam-plugin-shells | ✓ | ✓ | 1.3.1 |
| pam-plugin-unix | ✓ | ✓ | 1.3.1 |
| pam-plugin-warn | ✓ | ✓ | 1.3.1 |
| run-postinsts | ✓ | ✓ | 1.0 |
| shadow | ✓ | ✓ | 4.8.1 |
| shadow-base | ✓ | ✓ | 4.8.1 |
| shadow-securetty | ✓ | ✓ | 4.6 |
| systemd | ✓ | ✓ | 244.5 |
| systemd-compat-units | ✓ | ✓ | 1.0 |
| systemd-conf | ✓ | ✓ | 244.3 |
| systemd-extra-utils | ✓ | ✓ | 244.5 |
| systemd-serialgetty | ✓ | ✓ | 1.0 |
| systemd-vconsole-setup | ✓ | ✓ | 244.5 |
| udev | ✓ | ✓ | 244.5 |
| udev-hwdb | ✓ | ✓ | 244.5 |
| update-alternatives-opkg | ✓ | ✓ | 0.4.2 |
| update-rc.d | ✓ | ✓ | 0.8 |
| util-linux-agetty | ✓ | ✓ | 2.35.1 |
| util-linux-fsck | ✓ | ✓ | 2.35.1 |
| util-linux-mount | ✓ | ✓ | 2.35.1 |
| util-linux-sulogin | ✓ | ✓ | 2.35.1 |
| util-linux-umount | ✓ | ✓ | 2.35.1 |
| v4l-utils | ✓ | ✓ | 1.18.1 |
| volatile-binds | ✓ | ✓ | 1.0 |

| | minimal | bsp | Version |
|------------------------|----------------|------------|----------------|
| alsa-conf | | ✓ | 1.2.1.2 |
| alsa-states | | ✓ | 0.2.0 |
| alsa-topology-conf | | ✓ | 1.2.1 |
| alsa-ucm-conf | | ✓ | 1.2.1.2 |
| alsa-utils | | ✓ | 1.2.1 |
| alsa-utils-aconnect | | ✓ | 1.2.1 |
| alsa-utils-alsactl | | ✓ | 1.2.1 |
| alsa-utils-alsaloop | | ✓ | 1.2.1 |
| alsa-utils-alsamixer | | ✓ | 1.2.1 |
| alsa-utils-alsatplg | | ✓ | 1.2.1 |
| alsa-utils-alsaucm | | ✓ | 1.2.1 |
| alsa-utils-amixer | | ✓ | 1.2.1 |
| alsa-utils-aplay | | ✓ | 1.2.1 |
| alsa-utils-aseqdump | | ✓ | 1.2.1 |
| alsa-utils-aseqnet | | ✓ | 1.2.1 |
| alsa-utils-iecset | | ✓ | 1.2.1 |
| alsa-utils-midi | | ✓ | 1.2.1 |
| alsa-utils-speakertest | | ✓ | 1.2.1 |
| bluez5 | | ✓ | 5.55 |
| bonnie++ | | ✓ | 1.04 |
| can-utils | | ✓ | 2020.02.04 |
| ckermit | | ✓ | 302 |
| connman | | ✓ | 1.37 |
| connman-client | | ✓ | 1.37 |
| connman-tests | | ✓ | 1.37 |
| connman-tools | | ✓ | 1.37 |
| connman-wait-online | | ✓ | 1.37 |
| dosfstools | | ✓ | 2.11 |
| e2fsprogs-badblocks | | ✓ | 1.45.7 |
| e2fsprogs-dumpe2fs | | ✓ | 1.45.7 |
| e2fsprogs-e2scrub | | ✓ | 1.45.7 |
| e2fsprogs-mke2fs | | ✓ | 1.45.7 |
| e2fsprogs-resize2fs | | ✓ | 1.45.7 |
| e2fsprogs-tune2fs | | ✓ | 1.45.7 |
| ethtool | | ✓ | 5.4 |

| | minimal | bsp | Version |
|---------------------------------|----------------|------------|----------------|
| iperf3 | | ✓ | 3.7 |
| iproute2 | | ✓ | 5.5.0 |
| iptables | | ✓ | 1.8.4 |
| iptables-module-ip6t-ah | | ✓ | 1.8.4 |
| iptables-module-ip6t-dnat | | ✓ | 1.8.4 |
| iptables-module-ip6t-dnpt | | ✓ | 1.8.4 |
| iptables-module-ip6t-dst | | ✓ | 1.8.4 |
| iptables-module-ip6t-eui64 | | ✓ | 1.8.4 |
| iptables-module-ip6t-frag | | ✓ | 1.8.4 |
| iptables-module-ip6t-hbh | | ✓ | 1.8.4 |
| iptables-module-ip6t-hl | | ✓ | 1.8.4 |
| iptables-module-ip6t-icmp6 | | ✓ | 1.8.4 |
| iptables-module-ip6t-ipv6header | | ✓ | 1.8.4 |
| iptables-module-ip6t-log | | ✓ | 1.8.4 |
| iptables-module-ip6t-masquerade | | ✓ | 1.8.4 |
| iptables-module-ip6t-mh | | ✓ | 1.8.4 |
| iptables-module-ip6t-netmap | | ✓ | 1.8.4 |
| iptables-module-ip6t-redirect | | ✓ | 1.8.4 |
| iptables-module-ip6t-reject | | ✓ | 1.8.4 |
| iptables-module-ip6t-rt | | ✓ | 1.8.4 |
| iptables-module-ip6t-snat | | ✓ | 1.8.4 |
| iptables-module-ip6t-snpt | | ✓ | 1.8.4 |
| iptables-module-ip6t-srh | | ✓ | 1.8.4 |
| iptables-module-ipt-ah | | ✓ | 1.8.4 |
| iptables-module-ipt-clusterip | | ✓ | 1.8.4 |
| iptables-module-ipt-dnat | | ✓ | 1.8.4 |
| iptables-module-ipt-ecn | | ✓ | 1.8.4 |
| iptables-module-ipt-icmp | | ✓ | 1.8.4 |
| iptables-module-ipt-log | | ✓ | 1.8.4 |
| iptables-module-ipt-masquerade | | ✓ | 1.8.4 |
| iptables-module-ipt-netmap | | ✓ | 1.8.4 |
| iptables-module-ipt-realm | | ✓ | 1.8.4 |
| iptables-module-ipt-redirect | | ✓ | 1.8.4 |
| iptables-module-ipt-reject | | ✓ | 1.8.4 |
| iptables-module-ipt-snat | | ✓ | 1.8.4 |

| | minimal | bsp | Version |
|--------------------------------|----------------|------------|----------------|
| iptables-module-ipt-ttl | | ✓ | 1.8.4 |
| iptables-module-ipt-ulog | | ✓ | 1.8.4 |
| iptables-module-xt-addrttype | | ✓ | 1.8.4 |
| iptables-module-xt-audit | | ✓ | 1.8.4 |
| iptables-module-xt-bpf | | ✓ | 1.8.4 |
| iptables-module-xt-cgroup | | ✓ | 1.8.4 |
| iptables-module-xt-checksum | | ✓ | 1.8.4 |
| iptables-module-xt-classify | | ✓ | 1.8.4 |
| iptables-module-xt-cluster | | ✓ | 1.8.4 |
| iptables-module-xt-comment | | ✓ | 1.8.4 |
| iptables-module-xt-connbytes | | ✓ | 1.8.4 |
| iptables-module-xt-connlimit | | ✓ | 1.8.4 |
| iptables-module-xt-connmark | | ✓ | 1.8.4 |
| iptables-module-xt-connsecmark | | ✓ | 1.8.4 |
| iptables-module-xt-contrack | | ✓ | 1.8.4 |
| iptables-module-xt-cpu | | ✓ | 1.8.4 |
| iptables-module-xt-ct | | ✓ | 1.8.4 |
| iptables-module-xt-dccp | | ✓ | 1.8.4 |
| iptables-module-xt-devgroup | | ✓ | 1.8.4 |
| iptables-module-xt-dscp | | ✓ | 1.8.4 |
| iptables-module-xt-ecn | | ✓ | 1.8.4 |
| iptables-module-xt-esp | | ✓ | 1.8.4 |
| iptables-module-xt-hashlimit | | ✓ | 1.8.4 |
| iptables-module-xt-helper | | ✓ | 1.8.4 |
| iptables-module-xt-hmark | | ✓ | 1.8.4 |
| iptables-module-xt-idletimer | | ✓ | 1.8.4 |
| iptables-module-xt-ipcomp | | ✓ | 1.8.4 |
| iptables-module-xt-iprange | | ✓ | 1.8.4 |
| iptables-module-xt-ipvs | | ✓ | 1.8.4 |
| iptables-module-xt-led | | ✓ | 1.8.4 |
| iptables-module-xt-length | | ✓ | 1.8.4 |
| iptables-module-xt-limit | | ✓ | 1.8.4 |
| iptables-module-xt-mac | | ✓ | 1.8.4 |
| iptables-module-xt-mark | | ✓ | 1.8.4 |
| iptables-module-xt-multiport | | ✓ | 1.8.4 |

| | minimal | bsp | Version |
|--|----------------|------------|--------------------------------|
| iptables-module-xt-nfacct | | ✓ | 1.8.4 |
| iptables-module-xt-nflog | | ✓ | 1.8.4 |
| iptables-module-xt-nfqueue | | ✓ | 1.8.4 |
| iptables-module-xt-osf | | ✓ | 1.8.4 |
| iptables-module-xt-owner | | ✓ | 1.8.4 |
| iptables-module-xt-physdev | | ✓ | 1.8.4 |
| iptables-module-xt-pkttype | | ✓ | 1.8.4 |
| iptables-module-xt-policy | | ✓ | 1.8.4 |
| iptables-module-xt-quota | | ✓ | 1.8.4 |
| iptables-module-xt-rateest | | ✓ | 1.8.4 |
| iptables-module-xt-recent | | ✓ | 1.8.4 |
| iptables-module-xt-rpfilter | | ✓ | 1.8.4 |
| iptables-module-xt-sctp | | ✓ | 1.8.4 |
| iptables-module-xt-secmark | | ✓ | 1.8.4 |
| iptables-module-xt-set | | ✓ | 1.8.4 |
| iptables-module-xt-socket | | ✓ | 1.8.4 |
| iptables-module-xt-standard | | ✓ | 1.8.4 |
| iptables-module-xt-statistic | | ✓ | 1.8.4 |
| iptables-module-xt-string | | ✓ | 1.8.4 |
| iptables-module-xt-synproxy | | ✓ | 1.8.4 |
| iptables-module-xt-tcp | | ✓ | 1.8.4 |
| iptables-module-xt-tcpmss | | ✓ | 1.8.4 |
| iptables-module-xt-tcptoptstrip | | ✓ | 1.8.4 |
| iptables-module-xt-tee | | ✓ | 1.8.4 |
| iptables-module-xt-time | | ✓ | 1.8.4 |
| iptables-module-xt-tos | | ✓ | 1.8.4 |
| iptables-module-xt-tproxy | | ✓ | 1.8.4 |
| iptables-module-xt-trace | | ✓ | 1.8.4 |
| iptables-module-xt-u32 | | ✓ | 1.8.4 |
| iptables-module-xt-udp | | ✓ | 1.8.4 |
| iptables-modules | | ✓ | 1.8.4 |
| kernel-5.10.145-cip17-yocto-standard | | ✓ | 5.10.145+cip17+git0+13dea4598e |
| kernel-image-5.10.145-cip17-yocto-standard | | ✓ | 5.10.145+cip17+git0+13dea4598e |

| | minimal | bsp | Version |
|--|----------------|------------|--------------------------------|
| kernel-image-image-5.10.145-cip17-yocto-standard | | ✓ | 5.10.145+cip17+git0+13dea4598e |
| kernel-module-uvcvideo-5.10.145-cip17-yocto-standard | | ✓ | 5.10.145+cip17+git0+13dea4598e |
| kernel-module-videobuf2-common-5.10.145-cip17-yocto-standard | | ✓ | 5.10.145+cip17+git0+13dea4598e |
| kernel-module-videobuf2-dma-contig-5.10.145-cip17-yocto-standard | | ✓ | 5.10.145+cip17+git0+13dea4598e |
| kernel-module-videobuf2-memops-5.10.145-cip17-yocto-standard | | ✓ | 5.10.145+cip17+git0+13dea4598e |
| kernel-module-videobuf2-v4l2-5.10.145-cip17-yocto-standard | | ✓ | 5.10.145+cip17+git0+13dea4598e |
| kernel-module-videobuf2-vmalloc-5.10.145-cip17-yocto-standard | | ✓ | 5.10.145+cip17+git0+13dea4598e |
| libasound2 | | ✓ | 1.2.1.2 |
| libatopology2 | | ✓ | 1.2.1.2 |
| libcap-ng0 | | ✓ | 0.7.10 |
| libcrypto1.1 | | ✓ | 1.1.1n |
| libdrm-etcnaviv1 | | ✓ | 2.4.101 |
| libdrm-tests | | ✓ | 2.4.101 |
| libdrm2 | | ✓ | 2.4.101 |
| libelf1 | | ✓ | 0.178 |
| libell0 | | ✓ | 0.33 |
| libfdisk1 | | ✓ | 2.35.1 |
| libffi7 | | ✓ | 3.3 |
| libflac8 | | ✓ | 1.3.3 |
| libformw5 | | ✓ | 6.2 |
| libgcrypt | | ✓ | 1.8.4 |
| libglib-2.0-0 | | ✓ | 2.58.3 |
| libgmp10 | | ✓ | 6.2.0 |
| libgnutls30 | | ✓ | 3.6.14 |
| libgpg-error | | ✓ | 1.37 |
| libidn2-0 | | ✓ | 2.3.0 |
| libkms1 | | ✓ | 2.4.101 |
| libmenuw5 | | ✓ | 6.2 |

| | minimal | bsp | Version |
|--------------------------------|----------------|------------|-----------------------|
| libmnl0 | | ✓ | 1.0.4 |
| libncursesw5 | | ✓ | 6.2 |
| libnl-3-200 | | ✓ | 3.5.0 |
| libnl-genl-3-200 | | ✓ | 3.5.0 |
| libogg0 | | ✓ | 1.3.4 |
| libpanelw5 | | ✓ | 6.2 |
| libpci3 | | ✓ | 3.6.4 |
| libpcre1 | | ✓ | 8.44 |
| libpopt0 | | ✓ | 1.16 |
| libreadline5 | | ✓ | 5.2 |
| libsamplerate0 | | ✓ | 0.1.9 |
| libsmartcols1 | | ✓ | 2.35.1 |
| libsndfile1 | | ✓ | 1.0.28 |
| libssl1.1 | | ✓ | 1.1.1n |
| libunistring2 | | ✓ | 0.9.10 |
| liburcu | | ✓ | 0.11.1 |
| libusb-1.0-0 | | ✓ | 1.0.22 |
| libvorbis | | ✓ | 1.3.6 |
| libxml2 | | ✓ | 2.9.10 |
| lrzsz | | ✓ | 0.12.20 |
| lttng-modules | | ✓ | 2.11.6 |
| lttng-tools | | ✓ | 2.11.5 |
| lttng-ust | | ✓ | 2.11.2 |
| memtester | | ✓ | 4.3.0 |
| minicom | | ✓ | 2.7.1 |
| mobile-broadband-provider-info | | ✓ | 20220511 |
| mtd-utils | | ✓ | 2.1.3 |
| nettle | | ✓ | 3.5.1 |
| ofono | | ✓ | 1.31 |
| openssl-conf | | ✓ | 1.1.1n |
| pciutils | | ✓ | 3.6.4 |
| pciutils-ids | | ✓ | 3.6.4 |
| shared-mime-info | | ✓ | 1.1 |
| tcf-agent | | ✓ | 1.7.0+git0+a022ef2f1a |
| usbutils | | ✓ | 12 |

| | minimal | bsp | Version |
|------------------------|----------------|------------|----------------|
| util-linux | | ✓ | 2.35.1 |
| util-linux-addpart | | ✓ | 2.35.1 |
| util-linux-blkdiscard | | ✓ | 2.35.1 |
| util-linux-blkid | | ✓ | 2.35.1 |
| util-linux-blkzone | | ✓ | 2.35.1 |
| util-linux-blockdev | | ✓ | 2.35.1 |
| util-linux-cal | | ✓ | 2.35.1 |
| util-linux-cfdisk | | ✓ | 2.35.1 |
| util-linux-chcpu | | ✓ | 2.35.1 |
| util-linux-chmem | | ✓ | 2.35.1 |
| util-linux-choom | | ✓ | 2.35.1 |
| util-linux-chrt | | ✓ | 2.35.1 |
| util-linux-col | | ✓ | 2.35.1 |
| util-linux-colcrt | | ✓ | 2.35.1 |
| util-linux-colrm | | ✓ | 2.35.1 |
| util-linux-column | | ✓ | 2.35.1 |
| util-linux-ctrlaltdel | | ✓ | 2.35.1 |
| util-linux-delpart | | ✓ | 2.35.1 |
| util-linux-dmesg | | ✓ | 2.35.1 |
| util-linux-eject | | ✓ | 2.35.1 |
| util-linux-fallocate | | ✓ | 2.35.1 |
| util-linux-fdformat | | ✓ | 2.35.1 |
| util-linux-fdisk | | ✓ | 2.35.1 |
| util-linux-fincore | | ✓ | 2.35.1 |
| util-linux-findfs | | ✓ | 2.35.1 |
| util-linux-findmnt | | ✓ | 2.35.1 |
| util-linux-flock | | ✓ | 2.35.1 |
| util-linux-fsck.cramfs | | ✓ | 2.35.1 |
| util-linux-fsfreeze | | ✓ | 2.35.1 |
| util-linux-fstrim | | ✓ | 2.35.1 |
| util-linux getopt | | ✓ | 2.35.1 |
| util-linux-hardlink | | ✓ | 2.35.1 |
| util-linux-hexdump | | ✓ | 2.35.1 |
| util-linux-hwclock | | ✓ | 2.35.1 |
| util-linux-ionice | | ✓ | 2.35.1 |

| | minimal | bsp | Version |
|------------------------|----------------|------------|----------------|
| util-linux-ipcmk | | ✓ | 2.35.1 |
| util-linux-ipcrm | | ✓ | 2.35.1 |
| util-linux-ipcs | | ✓ | 2.35.1 |
| util-linux-isosize | | ✓ | 2.35.1 |
| util-linux-kill | | ✓ | 2.35.1 |
| util-linux-last | | ✓ | 2.35.1 |
| util-linux-ldattach | | ✓ | 2.35.1 |
| util-linux-logger | | ✓ | 2.35.1 |
| util-linux-look | | ✓ | 2.35.1 |
| util-linux-losetup | | ✓ | 2.35.1 |
| util-linux-lsblk | | ✓ | 2.35.1 |
| util-linux-lscpu | | ✓ | 2.35.1 |
| util-linux-lsipc | | ✓ | 2.35.1 |
| util-linux-lslocks | | ✓ | 2.35.1 |
| util-linux-lslogins | | ✓ | 2.35.1 |
| util-linux-lsmem | | ✓ | 2.35.1 |
| util-linux-lsns | | ✓ | 2.35.1 |
| util-linux-mcookie | | ✓ | 2.35.1 |
| util-linux-mesg | | ✓ | 2.35.1 |
| util-linux-mkfs | | ✓ | 2.35.1 |
| util-linux-mkfs.cramfs | | ✓ | 2.35.1 |
| util-linux-mkswap | | ✓ | 2.35.1 |
| util-linux-more | | ✓ | 2.35.1 |
| util-linux-mountpoint | | ✓ | 2.35.1 |
| util-linux-namei | | ✓ | 2.35.1 |
| util-linux-nologin | | ✓ | 2.35.1 |
| util-linux-nsenter | | ✓ | 2.35.1 |
| util-linux-partx | | ✓ | 2.35.1 |
| util-linux-pivot-root | | ✓ | 2.35.1 |
| util-linux-prlimit | | ✓ | 2.35.1 |
| util-linux-readprofile | | ✓ | 2.35.1 |
| util-linux-rename | | ✓ | 2.35.1 |
| util-linux-renice | | ✓ | 2.35.1 |
| util-linux-resizepart | | ✓ | 2.35.1 |
| util-linux-rev | | ✓ | 2.35.1 |

| | minimal | bsp | Version |
|---------------------------|----------------|------------|----------------|
| util-linux-rfkill | | ✓ | 2.35.1 |
| util-linux-rtcwake | | ✓ | 2.35.1 |
| util-linux-runuser | | ✓ | 2.35.1 |
| util-linux-script | | ✓ | 2.35.1 |
| util-linux-scriptlive | | ✓ | 2.35.1 |
| util-linux-scriptreplay | | ✓ | 2.35.1 |
| util-linux-setarch | | ✓ | 2.35.1 |
| util-linux-setpriv | | ✓ | 2.35.1 |
| util-linux-setsid | | ✓ | 2.35.1 |
| util-linux-setterm | | ✓ | 2.35.1 |
| util-linux-sfdisk | | ✓ | 2.35.1 |
| util-linux-su | | ✓ | 2.35.1 |
| util-linux-swablabel | | ✓ | 2.35.1 |
| util-linux-swapoff | | ✓ | 2.35.1 |
| util-linux-swapon | | ✓ | 2.35.1 |
| util-linux-switch-root | | ✓ | 2.35.1 |
| util-linux-taskset | | ✓ | 2.35.1 |
| util-linux-ul | | ✓ | 2.35.1 |
| util-linux-unshare | | ✓ | 2.35.1 |
| util-linux-utmpdump | | ✓ | 2.35.1 |
| util-linux-uuidd | | ✓ | 2.35.1 |
| util-linux-uuidgen | | ✓ | 2.35.1 |
| util-linux-uuidparse | | ✓ | 2.35.1 |
| util-linux-wall | | ✓ | 2.35.1 |
| util-linux-wdctl | | ✓ | 2.35.1 |
| util-linux-whereis | | ✓ | 2.35.1 |
| util-linux-wipefs | | ✓ | 2.35.1 |
| util-linux-write | | ✓ | 2.35.1 |
| util-linux-zramctl | | ✓ | 2.35.1 |
| watchdog | | ✓ | 1.0 |
| wpa-supplicant | | ✓ | 2.9 |
| wpa-supplicant-cli | | ✓ | 2.9 |
| wpa-supplicant-passphrase | | ✓ | 2.9 |
| yavta | | ✓ | 0.0 |

Website and Support

Renesas Electronics Website

<http://www.renesas.com/>

Inquiries

<http://www.renesas.com/contact/>

All trademarks and registered trademarks are the property of their respective owner.