


R5F11Z

Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD

(Ta=-40°C,HOCO_32/16/8/4/2/1MHz,HS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(Ta=-40°C,HOCO_24/12/6/3MHz,HS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(Ta=-40°C,X'TAL,HS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(Ta=-40°C,HOCO_8/6/4/3/2/1MHz,LS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(Ta=-40°C,X'TAL,LS MODE)

Prepared on Feb. 10th, 2020



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.


R5F11Z

Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD

(Ta=25°C,HOCO_32/16/8/4/2/1MHz,HS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(Ta=25°C,HOCO_24/12/6/3MHz,HS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(Ta=25°C,X'TAL,HS MODE)

Prepared on Feb. 10th, 2020



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.


R5F11Z

Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD

(Ta=25°C,HOCO_8/6/4/3/2/1MHz,LS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(Ta=25°C,X'TAL,LS MODE)

Prepared on Feb. 10th, 2020



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.


R5F11Z

Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD

(Ta=85°C,HOCO_32/16/8/4/2/1MHz,HS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(Ta=85°C,HOCO_24/12/6/3MHz,HS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(Ta=85°C,X'TAL,HS MODE)

Prepared on Feb. 10th, 2020



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.


R5F11Z

Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD

(Ta=85°C,HOCO_8/6/4/3/2/1MHz,LS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(Ta=85°C,X'TAL,LS MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS VDD
(STOP MODE)

Prepared on Feb. 10th, 2020




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F11Z
Flash ROM: 16 KB of 24- to 32-pin products

IDD VS Ta
(STOP MODE)

Prepared on Feb. 10th, 2020



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.