


R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(-40°C/HOCO_32Hz/HS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(-40°C/HOCO_16/8/4/2/1MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(-40°C/HOCO_24/12/6/3MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(-40°C/MOCO_4/2/1MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(-40°C/X'TAL/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(-40°C/HOCO_2/1MHz/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(-40°C/MOCO_2/1MHz/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(-40°C/X'TAL/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(-40°C/LOCO/32.768KHz)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(-40°C/sub_clock/32.768KHz)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(25°C/HOCO_32MHz/HS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(25°C/HOCO_16/8/4/2/1MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(25°C/HOCO_24/12/6/3MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(25°C/MOCO_4/2/1MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(25°C/X'TAL/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(25°C/HOCO_2/1MHz/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(25°C/MOCO_2/1MHz/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(25°C/X'TAL/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(25°C/LOCO/32.768KHz)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(25°C/sub_clock/32.768KHz)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(85°C/HOCO_32MHz/HS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(85°C/HOCO_16/8/4/2/1MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(85°C/HOCO_24/12/6/3MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(85°C/MOCO_4/2/1MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G
Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(85°C/X'TAL/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(85°C/HOCO_2/1MHz/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(85°C/MOCO_2/1MHz/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(85°C/X'TAL/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(85°C/LOCO/32.768KHz)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(85°C/sub_clock/32.768KHz)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(105°C/HOCO_32MHz/HS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(105°C/HOCO_16/8/4/2/1MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(105°C/HOCO_24/12/6/3MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(105°C/MOCO_4/2/1MHz/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(105°C/X'TAL/LS MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(105°C/HOCO_2/1MHz/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(105°C/MOCO_2/1MHz/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(105°C/X'TAL/LP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(105°C/sub_clock/32.768KHz)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(105°C/LOCO/32.768KHz)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G

Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS VDD(STOP MODE)

Prepared on Apr. 13th, 2021




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R7F100G
Flash ROM: 96 to 128 KB of 30- to 64-pin products

IDD VS Ta(STOP MODE)

Prepared on Apr. 13th, 2021



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.