## Old Company Name in Catalogs and Other Documents

On April 1<sup>st</sup>, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: <a href="http://www.renesas.com">http://www.renesas.com</a>

April 1<sup>st</sup>, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (<a href="http://www.renesas.com">http://www.renesas.com</a>)

Send any inquiries to http://www.renesas.com/inquiry.



REJ19B0221-0100

## RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30281M8V-XXXHP MASK ROM CONFIRMATION FORM

	Date:	
	Section head	Supervisor
pt	signature	signature
Receipt		
Re		

Note: Please complete all items marked\* Submitted by Supervisor **TEL** Company Issuance signature name ) ( Customer Date Date: issued \*1. Check sheet Renesas processes the mask files generated by the mask file generation utilities out of those held on the floppy disks you give in to us, and forms them into masks. Hence, we assume liability provided that there is any discrepancy between the contents of these mask files and the ROM data to be burned into products we produce. Check thoroughly the contents of the mask files you give in. Prepare 3.5 inches 2HD (IBM format) floppy disks. And store only one mask file in a floppy disk. Microcomputer type No.: ☐ M30281M8V-XXXHP File code: (hex) Mask file name: .MSK (alpha-numeric 8-digit) \*2. Mark specification The mark specification differs according to the type of package. After entering the mark specification on the separate mark specification sheet (for each package), attach that sheet to this masking check sheet for submission to Renesas. For the M30281M8V-XXXHP, submit the 64P6Q mark specification sheet. \*3. Usage Conditions For our reference when of testing our products, please reply to the following questions about the usage of the products you ordered. (1) Which kind of oscillation circuit is used? ☐ XIN-XOUT oscillator ☐ Xcin-Xcout oscillator On chip oscillator PLL frequency synthesizer (2) Which kind of XIN-XOUT oscillation circuit is used? Ceramic resonator Quartz-crystal oscillator External clock input Other ( ) What frequency do you use?

MHz

 $f(X_{IN}) =$ 

Mask ROM number

## RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30281M8V-XXXHP MASK ROM CONFIRMATION FORM

\*4. Special item (Indicate none if there is not specified item)

(3)	Which	kind of Xo	CIN-XCC	OUT oscill	ation ci	rcuit is	use	ed?								
		Ceramic	resona	ator				Quartz-	crysta	al osci	llator					
		External	clock i	nput				Other (				)				
	What f	requency	do you	use?												
		f(Xcin) =				kHz										
(4)	Which operating supply voltage do you use? (Circle the operating voltage range of use)															
	4.2		4.5					5.0					5.5	5		
		+ +				+	-		+		+			(V)		
(5)	Which operating ambient temperature do you use? (Circle the operating temperature range of use)															
	-40 -	-30 -20		0 10		30	40		60	70	80	90	100	110	120	125 (°C)
(6)	Do you use I <sup>2</sup> C (Inter IC) bus function?															
, ,		Not use			Use											
(7)	Do you	use IE (Ir	nter Eq	uipment	) bus fu	ınction?	?									
		Not use			Use											
(8)	Which	Voltage D	etectio	n functio	n do yo	ou use?	)									
		Not use			Use \	√det4										
		Use Vde	et3													
Thank	you coc	peration.														