


R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(-40°C/HOCO_32/16/8/4/2/1MHz/HS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(-40°C/HOCO_24/12/6/3MHz/HS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(-40°C/X'TAL/HS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(-40°C/HOCO_8/4/2/1MHz/LS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(-40°C/X'TAL/LS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(-40°C/HOCO_4/2/1MHz/LV MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(-40°C/X'TAL/LV MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(-40°C/sub_clock/32.768KHz)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(25°C/HOCO_32/16/8/4/2/1MHz/HS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(25°C/HOCO_24/12/6/3MHz/HS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(25°C/X'TAL/HS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(25°C/HOCO_8/4/2/1MHz/LS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(25°C/X'TAL/LS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(25°C/HOCO_4/2/1MHz/LV MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(25°C/X'TAL/LV MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(25°C/sub_clock/32.768KHz)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(85°C/HOCO_32/16/8/4/2/1MHz/HS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(85°C/HOCO_24/12/6/3MHz/HS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(85°C/X'TAL/HS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(85°C/HOCO_8/4/2/1MHz/LS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(85°C/X'TAL/LS MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(85°C/HOCO_4/2/1MHz/LV MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(85°C/X'TAL/LV MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(85°C/sub_clock/32.768KHz)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS VDD(STOP MODE)

Prepared on Sep. 26th, 2012




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F104

Flash ROM: 96 to 256 KB of 30- to 100-pin products

IDD VS Ta(STOP MODE)

Prepared on Sep. 26th, 2012



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.