


## IDD VS VDD(-40°C/1MHz[X'tal-OSC])


Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic

## IDD VS VDD(-40°C/2MHz[X'tal-OSC])


Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic

## IDD VS VDD(-40°C/4MHz[X'tal-OSC])


Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic

## IDD VS VDD(-40°C/5MHz[X'tal-OSC])


Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic

## IDD VS VDD(25°C/1MHz[X'tal-OSC])


Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristic

## IDD VS VDD(25°C/2MHz[X'tal-OSC])


Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic

## IDD VS VDD(25°C/4MHz[X'tal-OSC])


Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic

## IDD VS VDD(25°C/5MHz[X'tal-OSC])

Prepared on Dec. 8th, 2005




The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic



## IDD VS VDD(85°C/1MHz[X'tal-OSC])


Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic

## IDD VS VDD(85°C/2MHz[X'tal-OSC])


Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic

## IDD VS VDD(85°C/4MHz[X'tal-OSC])


Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic

## IDD VS VDD(-85°C/5MHz[X'tal-OSC])

Prepared on Dec. 8th, 2005



The above mentioned value is only for your reference. The value was measured und certain conditions and does not guarantee the product's characteristic