

Product Change Notice (PCN)

Subject: Assembly factory addition and assembly materials change for RL78/L1A, L1C LQFP package products

Publication Date: 1/21/2022

Effective Date: 4/1/2022

Revision Description:

Initial release.

Description of Change:

PKG type		Products Group	
		L1A	L1C
LFQFP	14x14mm 100pin	√	√

Greatek Electronics Inc., (Greatek), King Yuan ELECTRONICS CO., LTD (KYECC) addition and T&R consolidation.

Renesas Semiconductor (Beijing) Co.,Ltd (RSB) lead frame and T&R consolidation.

“Note: Greatek/KYECC products are only full carton products and T&R products.”

“Refer to the difference specification for details.”

MCP-AB-22-0014_RL78_L1AL1C_LQFP_Difference specification1

MCP-AB-22-0015_RL78_L1AL1C_LQFP_Difference specification2_LF

MCP-AB-21-0086_RL78_L1AL1C_LQFP_Difference specification3_TR

Description of change point case

Before change			After change		
WP&WT	ASSY	FT	WP&WT	ASSY	FT
Kawashiri	RSB	RSB	Kawashiri	RSB** Greatek*	RSB** KYECC*

Note: Description for change point.

“Bold: Factory addition”

*: Some products add Greatek/KYECC and some do not.

**: Consolidate the lead frame and T&R.

Affected Product List:

Refer to attached file “PN_list_RL78 _L1AL1C_LQFP”.

Reason for Change:

Stable supply for RL78 series LQFP products.

Impact on specifications, characteristics, quality & reliability:

No impact.

Product Identification:

Possible to confirm the production history data from the packing label or trace code.

Qualification Status: We will prepare by 2/28/2022.

Sample Availability Date: 4/1/2022

Device Material Declaration: Contact Renesas sales, distributor, or agency.

Note:

1. Acknowledgement must be received by Renesas within 30 days or Renesas will consider the change as approved.
2. If timely acknowledgement is provided by Customer, then Customer shall have 90 days from the date of receipt of this PCN to make any objections to this PCN. If Customer fails to make objections to this PCN within 90 days of the receipt of the PCN then Renesas will consider the PCN changes as approved.
3. If customer cannot accept the PCN then customer must provide Renesas with a last time buy demand and purchase order.

For additional information regarding this notice, please contact your Renesas sales representative.

[illegible]

Difference of specification 1 (RL78 family LQFP products) 14x14mm 0.5mm pitch 100pin

Target products: RL78/L1A, RL78/L1C

January 11. 2022

MCU PRODUCT MARKETING DEPARTMENT
MCU DEVICE SOLUTION BUSINESS DIVISION
IoT AND INFRASTRUCTURE BUSINESS UNIT
RENESAS ELECTRONICS CO., LTD.

Ver.1.0

Do not provide this document to others without our permission.

MCP-AB-22-0014

1. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation or any other use of the circuits, software, and information in the design of your product or system. Renesas Electronics disclaims any and all liability for any losses and damages incurred by you or third parties arising from the use of these circuits, software, or information.
 2. Renesas Electronics hereby expressly disclaims any warranties against and liability for infringement or any other claims involving patents, copyrights, or other intellectual property rights of third parties, by or arising from the use of Renesas Electronics products or technical information described in this document, including but not limited to, the product data, drawings, charts, programs, algorithms, and application examples.
 3. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
 4. You shall be responsible for determining what licenses are required from any third parties, and obtaining such licenses for the lawful import, export, manufacture, sales, utilization, distribution or other disposal of any products incorporating Renesas Electronics products, if required.
 5. You shall not alter, modify, copy, or reverse engineer any Renesas Electronics product, whether in whole or in part. Renesas Electronics disclaims any and all liability for any losses or damages incurred by you or third parties arising from such alteration, modification, copying or reverse engineering.
 6. Renesas Electronics products are classified according to the following two quality grades: "Standard" and "High Quality". The intended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below.
 - "Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; industrial robots; etc.
 - "High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control (traffic lights); large-scale communication equipment; key financial terminal systems; safety control equipment; etc.

Unless expressly designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not intended or authorized for use in products or systems that may pose a direct threat to human life or bodily injury (artificial life support devices or systems; surgical implantations; etc.), or may cause serious property damage (space system; undersea repeaters; nuclear power control systems; aircraft control systems; key plant systems; military equipment; etc.). Renesas Electronics disclaims any and all liability for any damages or losses incurred by you or any third parties arising from the use of any Renesas Electronics product that is inconsistent with any Renesas Electronics data sheet, user's manual or other Renesas Electronics document.
 7. No semiconductor product is absolutely secure. Notwithstanding any security measures or features that may be implemented in Renesas Electronics hardware or software products, Renesas Electronics shall have absolutely no liability arising out of any vulnerability or security breach, including but not limited to any unauthorized access to or use of a Renesas Electronics product or a system that uses a Renesas Electronics product. RENESAS ELECTRONICS DOES NOT WARRANT OR GUARANTEE THAT RENESAS ELECTRONICS PRODUCTS, OR ANY SYSTEMS CREATED USING RENESAS ELECTRONICS PRODUCTS WILL BE INVULNERABLE OR FREE FROM CORRUPTION, ATTACK, VIRUSES, INTERFERENCE, HACKING, DATA LOSS OR THEFT, OR OTHER SECURITY INTRUSION ("Vulnerability Issues"). RENESAS ELECTRONICS DISCLAIMS ANY AND ALL RESPONSIBILITY OR LIABILITY ARISING FROM OR RELATED TO ANY VULNERABILITY ISSUES. FURTHERMORE, TO THE EXTENT PERMITTED BY APPLICABLE LAW, RENESAS ELECTRONICS DISCLAIMS ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT AND ANY RELATED OR ACCOMPANYING SOFTWARE OR HARDWARE, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.
 8. When using Renesas Electronics products, refer to the latest product information (data sheets, user's manuals, application notes, "General Notes for Handling and Using Semiconductor Devices" in the reliability handbook, etc.), and ensure that usage conditions are within the ranges specified by Renesas Electronics with respect to maximum ratings, operating power supply voltage range, heat dissipation characteristics, installation, etc. Renesas Electronics disclaims any and all liability for any malfunctions, failure or accident arising out of the use of Renesas Electronics products outside of such specified ranges.
 9. Although Renesas Electronics endeavors to improve the quality and reliability of Renesas Electronics products, semiconductor products have specific characteristics, such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Unless designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not subject to radiation resistance design. You are responsible for implementing safety measures to guard against the possibility of bodily injury, injury or damage caused by fire, and/or danger to the public in the event of a failure or malfunction of Renesas Electronics products, such as safety design for hardware and software, including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult and impractical, you are responsible for evaluating the safety of the final products or systems manufactured by you.
 10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. You are responsible for carefully and sufficiently investigating applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive, and using Renesas Electronics products in compliance with all these applicable laws and regulations. Renesas Electronics disclaims any and all liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
 11. Renesas Electronics products and technologies shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations. You shall comply with any applicable export control laws and regulations promulgated and administered by the governments of any countries asserting jurisdiction over the parties or transactions.
 12. It is the responsibility of the buyer or distributor of Renesas Electronics products, or any other party who distributes, disposes of, or otherwise sells or transfers the product to a third party, to notify such third party in advance of the contents and conditions set forth in this document.
 13. This document shall not be reprinted, reproduced or duplicated in any form, in whole or in part, without prior written consent of Renesas Electronics.
 14. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products.
- (Note 1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its directly or indirectly controlled subsidiaries.
 (Note 2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.

(Rev. 5.0-1 October 2020)

DIFFERENCE OUTLINE

1. Targets:

Products : RL78/L1A, RL78/L1C
Assembly factory : Renesas Semiconductor (Beijing) Co.,Ltd (RSB)
Sorting factory : Renesas Semiconductor (Beijing) Co.,Ltd (RSB)
Package : 14x14mm 0.5mm pitch 100pin LFQFP

2. Additional assembly and sorting factory

Assembly factory : Greatek Electronics Inc. (Greatek)
Sorting factory : King Yuan ELECTRONICS CO., LTD (KYEC)

3. Assembly material:

Lead frame, Die mount paste and Mold resin are used certificated materials.

4. Package outline

There is no change in footprint for additional factory products.

Please refer to the package outline drawing and dimension comparison for the external dimensions.

DIFFERENCE OUTLINE

5. Storage conditions after opening the moisture proof packaging:

The storage conditions for Greatek products after opening the moisture-proof bag comply with JEDEC standards.

Existing products(RSB) : 30°C/70%RH/ within 168hr

Additional products(Greatek/KYEC) : 30°C/60%RH/ within 168hr (Confirming to the JEDEC standard)

■ Specification and characteristics of product:

No change

■ Quality and reliability:

No change

Difference of specification


Item		Additional factory	Existing factory
Assembly factory		Greatek	RSB
Sorting factory		KYEC	RSB
Package	Outline	There are differences(Refer to pages 6 to 8)	
Lead frame	Material	No difference	
	Inner pattern	There are differences(Refer to page 9)	
Die mount	Material	Ag epoxy paste D *	Ag epoxy paste A *
Bonding wire	Material	No difference; Cu (Pd coating)	
Resin	Material	Epoxy resin D * (halogen-free)	Epoxy resin A * (halogen-free)
Plating	Material	No difference	
Marking	Font	There are differences(Refer to page 10)	
	Digit number	No difference	
Packing	Tray/ Emboss tape	No difference	
Storage conditions	after opening	30°C/60%RH/ within168hr	30°C/70%RH/ within 168hr

* Factory certified materials.

There are differences in materials, but there is no change in reliability or characteristics.

14mm x 14mm 0.5mm pitch 100pin LFQFP Package outline (Greatek)



RENESAS Code : PLQP0100KP-A



Reference Symbol	Dimension in Millimeters		
	Min.	Nom.	Max.
A	—	—	1.60
A ₁	0.05	—	0.15
A ₂	1.35	1.40	1.45
D	—	16.00	—
D ₁	—	14.00	—
E	—	16.00	—
E ₁	—	14.00	—
N	—	100	—
e	—	0.50	—
b	0.17	0.22	0.27
c	0.09	—	0.20
θ	0°	3.5°	7°
L	0.45	0.60	0.75
L ₁	—	1.00	—
aaa	—	—	0.20
bbb	—	—	0.20
ccc	—	—	0.08
ddd	—	—	0.08

14mm x 14mm 0.5mm pitch 100pin LFQFP Package outline (RSB)

RENESAS Code : PLQP0100KB-B



Reference Symbol	Dimension in Millimeters		
	Min	Nom	Max
D	13.9	14.0	14.1
E	13.9	14.0	14.1
A2	—	1.4	—
HD	15.8	16.0	16.2
HE	15.8	16.0	16.2
A	—	—	1.7
A1	0.05	—	0.15
bp	0.15	0.20	0.27
c	0.09	—	0.20
e	0*	3.5*	8*
e	—	0.5	—
x	—	—	0.08
y	—	—	0.08
Lp	0.45	0.6	0.75
L1	—	1.0	—



Dimension comparison: 14mm x 14mm 0.5mm pitch 100pin LFQFP

Greatek package symbols complied JEDEC standard.

Greatek Symbol	14x14mm 100pin LQFP PLQP0100KP-A			RSB Symbol	14x14mm 100pin LQFP PLQP0100KB-B		
	Dimension in Millimeters				Dimension in Millimeters		
	Min	Nom	Max		Min	Nom	Max
A	-	-	1.60	A	-	-	1.70
A1	0.05	-	0.15	A1	0.05	-	0.15
A2	1.35	1.40	1.45	A2	-	1.40	-
D	-	16.00	-	HD	15.80	16.00	16.20
D1	-	14.00	-	D	13.90	14.00	14.10
E	-	16.00	-	HE	15.80	16.00	16.20
E1	-	14.00	-	E	13.90	14.00	14.10
N	-	100	-	-	-	-	-
e	-	0.50	-	e	-	0.50	-
b	0.17	0.22	0.27	bp	0.15	0.20	0.27
c	0.09	-	0.20	c	0.09	-	0.20
θ	0°	3.5°	7°	θ	0°	3.5°	8°
L	0.45	0.60	0.75	Lp	0.45	0.60	0.75
L1	-	1.00	-	L1	-	1.000	-
aaa	-	-	0.20	-	-	-	-
bbb	-	-	0.20	-	-	-	-
ccc	-	-	0.08	y	-	-	0.08
ddd	-	-	0.08	x	-	-	0.08

Package structure image

* Package Section and die pad shape is a reference example.

Assembly Line	PKG cross section	Die pad shape
Additional factory		 Greatek
Existing factory		 RSB

✂ There is no impact on the reliability by die pad shape

Marking visibility

※Character is reference example

Assembly Line	Greatek (Additional factory)	RSB (Existing factory)
Overall photo		
Enlarged photo		

4M changing points

(Addition of assembly and sorting factory , Change of material)

Item	Check Result	Judgement
Machine	Changing at assembly and sorting. The machines are equivalent to present machines. There are production of similar products and we have already checked the additional products have no risk on the production.	No risk
Method	The same as current products.	No risk
Man	Using operator certification system. Only certificated operator can work for the production.	No risk
Material	Only use certificated materials. The products has been certificated by reliability test same as existing products and have no risk.	No risk

[Renesas.com](https://www.renesas.com)

Difference of specification 2 (RL78 family LQFP products) 14x14mm 0.5mm pitch 100pin

Target products: RL78/L1A, RL78/L1C

January 11. 2022

MCU PRODUCT MARKETING DEPARTMENT
MCU DEVICE SOLUTION BUSINESS DIVISION
IoT AND INFRASTRUCTURE BUSINESS UNIT
RENESAS ELECTRONICS CO., LTD.

Ver.1.0

Do not provide this document to others without our permission.

MCP-AB-22-0015

1. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation or any other use of the circuits, software, and information in the design of your product or system. Renesas Electronics disclaims any and all liability for any losses and damages incurred by you or third parties arising from the use of these circuits, software, or information.
 2. Renesas Electronics hereby expressly disclaims any warranties against and liability for infringement or any other claims involving patents, copyrights, or other intellectual property rights of third parties, by or arising from the use of Renesas Electronics products or technical information described in this document, including but not limited to, the product data, drawings, charts, programs, algorithms, and application examples.
 3. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
 4. You shall be responsible for determining what licenses are required from any third parties, and obtaining such licenses for the lawful import, export, manufacture, sales, utilization, distribution or other disposal of any products incorporating Renesas Electronics products, if required.
 5. You shall not alter, modify, copy, or reverse engineer any Renesas Electronics product, whether in whole or in part. Renesas Electronics disclaims any and all liability for any losses or damages incurred by you or third parties arising from such alteration, modification, copying or reverse engineering.
 6. Renesas Electronics products are classified according to the following two quality grades: "Standard" and "High Quality". The intended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below.
 - "Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; industrial robots; etc.
 - "High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control (traffic lights); large-scale communication equipment; key financial terminal systems; safety control equipment; etc.

Unless expressly designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not intended or authorized for use in products or systems that may pose a direct threat to human life or bodily injury (artificial life support devices or systems; surgical implantations; etc.), or may cause serious property damage (space system; undersea repeaters; nuclear power control systems; aircraft control systems; key plant systems; military equipment; etc.). Renesas Electronics disclaims any and all liability for any damages or losses incurred by you or any third parties arising from the use of any Renesas Electronics product that is inconsistent with any Renesas Electronics data sheet, user's manual or other Renesas Electronics document.
 7. No semiconductor product is absolutely secure. Notwithstanding any security measures or features that may be implemented in Renesas Electronics hardware or software products, Renesas Electronics shall have absolutely no liability arising out of any vulnerability or security breach, including but not limited to any unauthorized access to or use of a Renesas Electronics product or a system that uses a Renesas Electronics product. RENESAS ELECTRONICS DOES NOT WARRANT OR GUARANTEE THAT RENESAS ELECTRONICS PRODUCTS, OR ANY SYSTEMS CREATED USING RENESAS ELECTRONICS PRODUCTS WILL BE INVULNERABLE OR FREE FROM CORRUPTION, ATTACK, VIRUSES, INTERFERENCE, HACKING, DATA LOSS OR THEFT, OR OTHER SECURITY INTRUSION ("Vulnerability Issues"). RENESAS ELECTRONICS DISCLAIMS ANY AND ALL RESPONSIBILITY OR LIABILITY ARISING FROM OR RELATED TO ANY VULNERABILITY ISSUES. FURTHERMORE, TO THE EXTENT PERMITTED BY APPLICABLE LAW, RENESAS ELECTRONICS DISCLAIMS ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT AND ANY RELATED OR ACCOMPANYING SOFTWARE OR HARDWARE, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.
 8. When using Renesas Electronics products, refer to the latest product information (data sheets, user's manuals, application notes, "General Notes for Handling and Using Semiconductor Devices" in the reliability handbook, etc.), and ensure that usage conditions are within the ranges specified by Renesas Electronics with respect to maximum ratings, operating power supply voltage range, heat dissipation characteristics, installation, etc. Renesas Electronics disclaims any and all liability for any malfunctions, failure or accident arising out of the use of Renesas Electronics products outside of such specified ranges.
 9. Although Renesas Electronics endeavors to improve the quality and reliability of Renesas Electronics products, semiconductor products have specific characteristics, such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Unless designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not subject to radiation resistance design. You are responsible for implementing safety measures to guard against the possibility of bodily injury, injury or damage caused by fire, and/or danger to the public in the event of a failure or malfunction of Renesas Electronics products, such as safety design for hardware and software, including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult and impractical, you are responsible for evaluating the safety of the final products or systems manufactured by you.
 10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. You are responsible for carefully and sufficiently investigating applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive, and using Renesas Electronics products in compliance with all these applicable laws and regulations. Renesas Electronics disclaims any and all liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
 11. Renesas Electronics products and technologies shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations. You shall comply with any applicable export control laws and regulations promulgated and administered by the governments of any countries asserting jurisdiction over the parties or transactions.
 12. It is the responsibility of the buyer or distributor of Renesas Electronics products, or any other party who distributes, disposes of, or otherwise sells or transfers the product to a third party, to notify such third party in advance of the contents and conditions set forth in this document.
 13. This document shall not be reprinted, reproduced or duplicated in any form, in whole or in part, without prior written consent of Renesas Electronics.
 14. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products.
- (Note 1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its directly or indirectly controlled subsidiaries.
 (Note 2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.

(Rev. 5.0-1 October 2020)

Difference outline

1. Targets:

Products : RL78/L1A, RL78/L1C
Assembly factory : Renesas Semiconductor (Beijing) Co.,Ltd (RSB)
Sorting factory : Renesas Semiconductor (Beijing) Co.,Ltd (RSB)
Package : 14x14mm 0.5mm pitch 100pin LFQFP

2. Difference point

Assembly material consolidation: Lead frame (Stabilize supply through consolidation)

- Specification and characteristics of product:
No change
- Quality and reliability
No change

Difference of specification

Item		After consolidated	Current
Target assembly factory		RSB	
Target sorting factory		RSB	
Package	Outline	No difference	
Lead frame	Material	No difference	
	Inner pattern	There are differences (Refer to page 5)	
Die mount	Material	No difference	
Bonding wire	Material	No difference	
Resin	Material	No difference	
Plating	Material	No difference	
Marking	Font	No difference	
	Digit number	No difference	

14×14mm 0.5mm pitch 100pin LFQFP lead frame

Consolidate into certified and proven lead frames.

Frame A


RL78/G13

RL78/G14 other than the following

RL78/I1B

RL78/L1A

RL78/L1C



Frame B


RL78/G13A

RL78/G14 :

R5F104PK**FB


R5F104PL**FB

RL78/I1C




Frame C

Used in other product groups
such as RX family



Consolidated

After consolidated “Frame C”



 : Frame A

 : Frame C

 : Frame B

Efforts for changing lead frames

The change points are verified and there is no problem.

Change point	Failure mode	Cause	Response at startup	Judgement
Lead frame change	Assembly failure	Positional deviation	Mass productivity has been evaluated for similar products with the same PKG outline.	No problem
	Impact on reliability	Delamination after reflow	Mass productivity has been evaluated for similar products with the same PKG outline.	No problem

4M change points (Assembly material change)

Item	Check Result	Judgement
Machine	The same as existing products.	No risk
Method	The same as existing products.	No risk
Operator	Adopt operator certification system. Only certificated operator can work for the production.	No risk
Material	Only use certificated materials. The products has been certificated by reliability test same as existing products and have no risk.	No risk

[Renesas.com](https://www.renesas.com)

Difference of specification 3 (RL78 family LQFP products) 14x14mm 0.5mm pitch 100pin

Target products: RL78/L1A, RL78/L1C

January 11. 2022

MCU PRODUCT MARKETING DEPARTMENT
MCU DEVICE SOLUTION BUSINESS DIVISION
IoT AND INFRASTRUCTURE BUSINESS UNIT
RENESAS ELECTRONICS CO., LTD.

Ver.1.0

Do not provide this document to others without our permission.

MCP-AB-21-0086

1. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation or any other use of the circuits, software, and information in the design of your product or system. Renesas Electronics disclaims any and all liability for any losses and damages incurred by you or third parties arising from the use of these circuits, software, or information.
 2. Renesas Electronics hereby expressly disclaims any warranties against and liability for infringement or any other claims involving patents, copyrights, or other intellectual property rights of third parties, by or arising from the use of Renesas Electronics products or technical information described in this document, including but not limited to, the product data, drawings, charts, programs, algorithms, and application examples.
 3. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
 4. You shall be responsible for determining what licenses are required from any third parties, and obtaining such licenses for the lawful import, export, manufacture, sales, utilization, distribution or other disposal of any products incorporating Renesas Electronics products, if required.
 5. You shall not alter, modify, copy, or reverse engineer any Renesas Electronics product, whether in whole or in part. Renesas Electronics disclaims any and all liability for any losses or damages incurred by you or third parties arising from such alteration, modification, copying or reverse engineering.
 6. Renesas Electronics products are classified according to the following two quality grades: "Standard" and "High Quality". The intended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below.
 - "Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; industrial robots; etc.
 - "High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control (traffic lights); large-scale communication equipment; key financial terminal systems; safety control equipment; etc.

Unless expressly designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not intended or authorized for use in products or systems that may pose a direct threat to human life or bodily injury (artificial life support devices or systems; surgical implantations; etc.), or may cause serious property damage (space system; undersea repeaters; nuclear power control systems; aircraft control systems; key plant systems; military equipment; etc.). Renesas Electronics disclaims any and all liability for any damages or losses incurred by you or any third parties arising from the use of any Renesas Electronics product that is inconsistent with any Renesas Electronics data sheet, user's manual or other Renesas Electronics document.
 7. No semiconductor product is absolutely secure. Notwithstanding any security measures or features that may be implemented in Renesas Electronics hardware or software products, Renesas Electronics shall have absolutely no liability arising out of any vulnerability or security breach, including but not limited to any unauthorized access to or use of a Renesas Electronics product or a system that uses a Renesas Electronics product. RENESAS ELECTRONICS DOES NOT WARRANT OR GUARANTEE THAT RENESAS ELECTRONICS PRODUCTS, OR ANY SYSTEMS CREATED USING RENESAS ELECTRONICS PRODUCTS WILL BE INVULNERABLE OR FREE FROM CORRUPTION, ATTACK, VIRUSES, INTERFERENCE, HACKING, DATA LOSS OR THEFT, OR OTHER SECURITY INTRUSION ("Vulnerability Issues"). RENESAS ELECTRONICS DISCLAIMS ANY AND ALL RESPONSIBILITY OR LIABILITY ARISING FROM OR RELATED TO ANY VULNERABILITY ISSUES. FURTHERMORE, TO THE EXTENT PERMITTED BY APPLICABLE LAW, RENESAS ELECTRONICS DISCLAIMS ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT AND ANY RELATED OR ACCOMPANYING SOFTWARE OR HARDWARE, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.
 8. When using Renesas Electronics products, refer to the latest product information (data sheets, user's manuals, application notes, "General Notes for Handling and Using Semiconductor Devices" in the reliability handbook, etc.), and ensure that usage conditions are within the ranges specified by Renesas Electronics with respect to maximum ratings, operating power supply voltage range, heat dissipation characteristics, installation, etc. Renesas Electronics disclaims any and all liability for any malfunctions, failure or accident arising out of the use of Renesas Electronics products outside of such specified ranges.
 9. Although Renesas Electronics endeavors to improve the quality and reliability of Renesas Electronics products, semiconductor products have specific characteristics, such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Unless designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not subject to radiation resistance design. You are responsible for implementing safety measures to guard against the possibility of bodily injury, injury or damage caused by fire, and/or danger to the public in the event of a failure or malfunction of Renesas Electronics products, such as safety design for hardware and software, including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult and impractical, you are responsible for evaluating the safety of the final products or systems manufactured by you.
 10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. You are responsible for carefully and sufficiently investigating applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive, and using Renesas Electronics products in compliance with all these applicable laws and regulations. Renesas Electronics disclaims any and all liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
 11. Renesas Electronics products and technologies shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations. You shall comply with any applicable export control laws and regulations promulgated and administered by the governments of any countries asserting jurisdiction over the parties or transactions.
 12. It is the responsibility of the buyer or distributor of Renesas Electronics products, or any other party who distributes, disposes of, or otherwise sells or transfers the product to a third party, to notify such third party in advance of the contents and conditions set forth in this document.
 13. This document shall not be reprinted, reproduced or duplicated in any form, in whole or in part, without prior written consent of Renesas Electronics.
 14. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products.
- (Note 1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its directly or indirectly controlled subsidiaries.
 (Note 2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.

(Rev. 5.0-1 October 2020)

Difference outline

- Target products:
RL78/L1A, RL78/L1C
 - Assembly factory
Renesas Semiconductor (Beijing) Co.,Ltd (RSB)
Greatek Electronics Inc. (Greatek)
 - Sorting factory
Renesas Semiconductor (Beijing) Co.,Ltd (RSB)
King Yuan Electronics Co., Ltd. (KYTEC)
 - Target package
14x14mm 0.5mm pitch 100pin LFQFP
 - Difference point
Packing material: We will change the embossed carrier tape width from 32mm width to 24mm width and consolidate it into the 24mm width packaging form.
-
- Specification and characteristics of product:
No change
 - Quality and reliability
No change

Difference outline

1. Targets:

Products : RL78/L1A, RL78/L1C
Assembly factory : Renesas Semiconductor (Beijing) Co.,Ltd (RSB)
Greatek Electronics Inc. (Greatek)
Sorting factory : Renesas Semiconductor (Beijing) Co.,Ltd (RSB)
King Yuan Electronics Co., Ltd. (KYEC)
Package : 14x14mm 0.5mm pitch 100pin LFQFP

2. Difference point

Packing material : Change the emboss carrier tape width from 32mm width to 24mm width and consolidate to the 24mm width packing form.

- Specification and characteristics of product:
No change
- Quality and reliability
No change

DIFFERENCES IN PACKING SPECIFICATIONS

Material	Item	New	Current
Carrier tape	Tape name	E2424Q14RA	MTE3224H-100P6Q-A
	Feed hole	Single side hole	Both sides hole
	Tape width	24mm	32mm
	Tape thickness	0.3mm	0.3mm
	Pocket size	16.5x16.5	17.3x17.3
	Pitch between pockets	24mm	24mm
	Material	PS	PS
Reel	Reel diameter	330mm	330mm
	Core diameter	100mm	100mm
	Reel width	24mm	32mm
Cover tape	Tape width	21.3mm	25.5mm

* RL78/L1A and RL78/L1C 14x14mm 100pin products are target products.
Other RL78 14x14mm products are using the carrier tape after consolidation.

© 2022 Renesas Electronics Corporation. All rights reserved.

Page 6



BIG IDEAS FOR EVERY SPACE **RENESAS**



4M changing points (Packing material change)

Item	Check Result	Judgement
Machine	The same as existing products.	No risk
Method	The same as existing products.	No risk
Operator	Adopt operator certification system. Only certificated operator can work for the production.	No risk
Material	Only use certificated materials. The products has been certificated by reliability test same as existing products and have no risk.	No risk

Renesas.com