

[Released on the Web]

R20TS0711EJ0100

Rev.1.00

RZ Family RZ/A2M Software Package for GR-MANGO V2.00

Jun. 01, 2021

Overview

As a derivative package of the RZ/A2M Software Package, a software development kit for the RZ/A2M group, the RZ/A2M Software Package for GR-MANGO V2.00 that supports GR-MANGO boards developed by CORE CORPORATION is now available for download.

This product is available free of charge.

1. Features

(1) What is an RZ/A2M Software Package for GR-MANGO?

The RZ/A2M Software Package for GR-MANGO is a software development kit for the RZ/A2M group that consistently supports camera input, display output, and image adjustment.




Figure 1. Structure of the RZ/A2M Software Package for GR-MANGO

*: By combining this RZ/A2M Software Package for GR-MANGO with Guiliani EvalKits, a GUI framework kit developed by TES Electronic Solutions, you can easily develop GUIs for HMI applications, leveraging the RZ/A2M group functions.

TES Guiliani 2.3 EvalKits is available from the following URL:

<https://www.guiliani.de/mediawiki/index.php?title=Downloads:EvalKits>

(2) Details of the update

The details of the update by RZ/A2M Software Package for GR-MANGO V2.00 are as follows.

- The following applications have been added to the Simple Applications Package.
 - RS-CANFD sample program
 - SCIFA Using DMAC sample program
 - Ethernet sample program
 - Firmware Update sample program
 - GPT-PWM sample program
 - JPEG Codec Unit (JCU) sample program
 - Low power consumption mode sample program
 - RTC counter sample program
 - Sprite Engine sample program
 - USB function CDC class sample program
 - USB host MSC class sample program
- The following application packages have been added.
 - RZ/A2M 2D Barcode Package for GR-MANGO
 - RZ/A2M IRIS Package for GR-MANGO
 - RZ/A2M Graphics RGA Package for GR-MANGO

2. GR-MANGO

A GR-MANGO is a Gadget Renesas (GR) board made by CORE CORPORATION for the RZ family RZ/A2M group.

Pin-compatible with Raspberry Pi and designed for use in the Mbed™ development environment provided by Arm®, it enables you to develop programs through your Web browser utilizing a rich set of libraries. In addition to the previous development environment for GR-MANGO, this package provides a development environment that utilizes FreeRTOS™.

A GR-MANGO includes a 4MB on-chip RAM and computing capability of ARM® Cortex®-A9, making it suitable for rapid prototyping of IoT devices utilizing HMI including graphics, a touch panel, camera input, and audio. In addition, by including a dynamically reconfigurable processor (DRP) which processes input images at high speed, the RZ/A2M group can process images more than ten times faster^(Note) than CPU-based software processing and can be applied to image recognition applications for a wide variety of systems from home appliances to industrial equipment.

In this board, since you can just drag and drop to download a program, you can easily try out an RZ/A2M group MPU without an in-circuit emulator.

Note: As an example, in an image edge detection algorithm called Canny Edge Detection, it is observed that a DRP can process 13.5 times faster per frame than a CPU.

- Software processing by a CPU: 110.6 ms/frame
- Hardware processing by a DRP: 8.17 ms/frame

See Gadget Renesas: <https://www.renesas.com/products/gadget-renesas.html>




Figure 2. GR-MANGO Image

3. Supported Devices

RZ/A2M group

4. Operating Environment

The following shows the main operating environment.

- Integrated development environment: e² studio 2021- 04

<https://www.renesas.com/e2studio>

- Compiler: GNU Arm Embedded Toolchain (6-2017-q2)

<https://developer.arm.com/tools-and-software/open-source-software/developer-tools/gnu-toolchain/gnu-rm/downloads>

- Supported board: GR-MANGO

<https://www.renesas.com/products/gadget-renesas/boards/gr-mango.html>

5. Obtaining the Package

Obtain the package from the URL below.

<https://www.renesas.com/rza2-software-development-kit-free-rtos>

6. Using the Package

Download the package from the URL shown in section 5. Decompress the zip file, then start building your project in e² studio.

Revision History

Rev.	Date	Description	
		Page	Summary
1.00	Jun.01.21	-	First edition issued

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included.

The URL in the Tool News also may be subject to change or become invalid without prior notice.

Corporate Headquarters

TOYOSU FORESIA, 3- 2- 24 Toyosu,
Koto-ku, Tokyo 135- 0061, Japan

www.renesas.com

Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

Contact information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit:

www.renesas.com/contact/