


# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/1MHz[Internal-OSC],RMC=00H,FLPC=1,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/20MHz[Internal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/8MHz[Internal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/2MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0,AMPI

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/4MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/5MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/6MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/8MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/10MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/12MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=1)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/16MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=1)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/20MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=1)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/1MHz[Internal-OSC],RMC=5AH,FLPC=1,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/2MHz[X'tal-OSC],RMC=5AH,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/4MHz[X'tal-OSC],RMC=5AH,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/5MHz[X'tal-OSC],RMC=5AH,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(-40°C/32.768KHz[X'tal-OSC],RMC=5AH,AMPHS1=1,AMPHS0=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

## IDD VS VDD(-40°C/STOP)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/1MHz[Internal-OSC],RMC=00H,FLPC=1,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/20MHz[Internal-OSC],RMC=00H,FLPC=0,FSEL=1)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/8MHz[Internal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/2MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/4MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/5MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/6MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/8MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/10MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/12MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=1)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/16MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=1)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/20MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=1)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/1MHz[Internal-OSC],RMC=5AH,FLPC=1,FSEL=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/2MHz[X'tal-OSC],RMC=5AH,FLPC=0,FSEL=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/4MHz[X'tal-OSC],RMC=5AH,FLPC=0,FSEL=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/5MHz[X'tal-OSC],RMC=5AH,FLPC=0,FSEL=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(25°C/32.768KHz[X'tal-OSC],RMC=5AH,AMPHS1=1,AMPHS0=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

## ID<sub>D</sub> VS VDD(25°C/STOP)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/1MHz[Internal-OSC],RMC=00H,FLPC=1,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/20MHz[Internal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/8MHz[Internal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/2MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/4MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/5MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/6MHz[X'tal-OSC],RMC=00H,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/8MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/10MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/12MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=1)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/16MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=1)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/20MHz[X'tal-OSC],RMC=00H,FLPC=0,FSEL=1,AMPH=1)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/1MHz[Internal-OSC],RMC=5AH,FLPC=1,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/2MHz[X'tal-OSC],RMC=5AH,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/4MHz[X'tal-OSC],RMC=5AH,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/5MHz[X'tal-OSC],RMC=5AH,FLPC=0,FSEL=0,AMPH=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

IDD VS VDD(85°C/32.768KHz[X'tal-OSC],RMC=5AH,AMPHS1=1,AMPHS0=0)

Prepared on Jun. 10th, 2009




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

# μPD78F1000/78F1001/78F1002/78F1003

## IDD VS VDD(85°C/STOP)

Prepared on Jun. 10th, 2009



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.