

## **Customer Notification**

# **QB-780731**

**In-Circuit Emulator**

**Document Errata**

---

**Target Devices**  
**78F0731**

## **DISCLAIMER**

The related documents in this customer notification may include preliminary versions. However, preliminary versions may not have been marked as such.

The information in this customer notification is current as of its date of publication. The information is subject to change without notice. For actual design-in, refer to the latest publications of NEC's data sheets or data books, etc., for the most up-to-date specifications of PRODUCT(S). Not all PRODUCT(S) and/or types are available in every country. Please check with an NEC sales representative for availability and additional information.

No part of this customer notification may be copied or reproduced in any form or by any means without prior written consent of NEC. NEC assumes no responsibility for any errors that may appear in this customer notification. NEC does not assume any liability for infringement of patents, copyrights or other intellectual property rights of third parties by or arising from the use of PRODUCT(S) listed in this customer notification or any other liability arising from the use of such PRODUCT(S).

No license, express, implied or otherwise, is granted under any patents, copyrights or other intellectual property rights of NEC or others. Descriptions of circuits, software and other related information in this customer notification are provided for illustrative purposes of PRODUCT(S) operation and/or application examples only. The incorporation of these circuits, software and information in the design of customer's equipment shall be done under the full responsibility of customer. NEC assumes no responsibility for any losses incurred by customers or third parties arising from the use of these circuits, software and information.

While wherever feasible, NEC endeavors to enhance the quality, reliability and safe operation of PRODUCT(S) the customer agrees and acknowledges that the possibility of defects and/or erroneous thereof cannot be eliminated entirely. To minimize risks of damage to property or injury (including death) to persons arising from defects and/or errors in PRODUCT(S) the customer must incorporate sufficient safety measures in their design, such as redundancy, fire-containment and anti-failure features.

The customer agrees to indemnify NEC against and hold NEC harmless from any and all consequences of any and all claims, suits, actions or demands asserted against NEC made by a third party for damages caused by one or more of the items listed in the enclosed table of content of this customer notification for PRODUCT(S) supplied after the date of publication.

PRODUCT(S) are classified into the following three quality grades: "Standard", "Special" and "Specific". The "Specific" quality grade applies only to PRODUCT(S) developed based on a customer-designated "quality assurance program" for a specific application. The recommended applications of PRODUCT(S) depend on its quality grade, as indicated below. Customers must check the quality grade of each PRODUCT(S) before using it in a particular application.

- "Standard": Computers, office equipment, communications equipment, test and measurement equipment, audio and visual equipment, home electronic appliances, machine tools, personal electronic equipment and industrial robots
- "Special": Transportation equipment (automobiles, trains, ships, etc.), traffic control systems, anti-disaster systems, anti-crime systems, safety equipment and medical equipment (not specifically designed for life support).
- "Specific": Aircraft, aerospace equipment, submersible repeaters, nuclear reactor control systems, life support systems and medical equipment for life support etc.

The quality grade of PRODUCT(S) is "Standard" unless otherwise expressly specified in NEC data sheets or data books, etc. If customers wish to use PRODUCT(S) in applications not intended by NEC, they must contact NEC sales representative in advance to determine NEC's willingness to support a given application.

If the supplied goods/information are subject to Japanese, German, European and/or North American export controls, the customer shall comply with the relevant export control regulations in the event that the goods are exported and/or re-exported. If deliveries are exported without payment of duty at the request of the customer, the customer accepts liability for any subsequent customs administration claims with respect to NEC.

- Notes:**
- (1) "**NEC**" as used in this statement means NEC Electronics Corporation and also includes its direct or indirect owned or controlled subsidiaries.
  - (2) "**PRODUCT(S)**" means any product developed or manufactured by or for NEC (as defined above).

## Table of Contents

|     |                                       |   |
|-----|---------------------------------------|---|
| (A) | Table of Document Changes .....       | 4 |
| (B) | Description of Document Changes ..... | 5 |
| (C) | Valid Specification.....              | 6 |
| (D) | Revision History .....                | 7 |

**(A) Table of Document Changes**

| No. | Outline   |
|-----|---|
| 1   | <p.4> Add caution to section “ <b>2. Safety Precautions</b> ” |
|     |   |
|     |   |
|     |   |
|     |   |
|     |   |
|     |   |

## (B) Description of Document Changes

|       |   |
|-------|---|
| No. 1 | <p data-bbox="320 302 959 331">&lt;p.4&gt; Add caution to section "<b>2. Safety Precautions</b>"</p> <p data-bbox="320 336 427 360"><u>Previous</u></p> <p data-bbox="320 365 592 394"><b>2. Safety precautions</b></p> <ul data-bbox="432 398 1460 521" style="list-style-type: none"> <li data-bbox="432 398 1460 456">• If used for a long time, the product may become hot (50°C to 60°C). Be careful of low temperature burns and other dangers due to the product becoming hot.</li> <li data-bbox="432 461 1460 521">• Be careful of electrical shock. There is a danger of electrical shock if the product is used as described above in 1. Circumstances not covered by product guarantee.</li> </ul> <p data-bbox="320 555 379 580"><u>New</u></p> <p data-bbox="320 584 592 613"><b>2. Safety precautions</b></p> <ul data-bbox="432 618 1460 801" style="list-style-type: none"> <li data-bbox="432 618 1460 676">• If used for a long time, the product may become hot (50°C to 60°C). Be careful of low temperature burns and other dangers due to the product becoming hot.</li> <li data-bbox="432 680 1460 739">• Be careful of electrical shock. There is a danger of electrical shock if the product is used as described above in 1. Circumstances not covered by product guarantee.</li> <li data-bbox="432 743 1460 801">• <b><i>The AC adapter supplied with the product is exclusively for this product, so do not use it with other products.</i></b></li> </ul> |
|-------|---|

**(C) Valid Specification**

| Item | Date published | Document No.    | Document Title |
|------|----------------|-----------------|----------------|
| 1    | September 2006 | U17804EJ2V0X100 | User's Manual  |
|      |                |                 |                |
|      |                |                 |                |
|      |                |                 |                |

**(D) Revision History**

| Item | Date published | Document No.    | Comment                 |
|------|----------------|-----------------|-------------------------|
| 1    | July 2007      | U17804EJ2V0X100 | 1 <sup>st</sup> Release |
|      |                |                 |                         |
|      |                |                 |                         |