Old Company Name in Catalogs and Other Documents

On April 1st, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: http://www.renesas.com

April 1st, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (http://www.renesas.com)

Send any inquiries to http://www.renesas.com/inquiry.

REJ19B0750-0100

RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30621MCM-XXXGP MASK ROM CONFIRMATION FORM

Mask ROM number						
	Date :					
	Section head signature	Supervisor signature				
Receipt						

Note : Please complete all items marked * .

*		Company name		TEL ()	nce	ture	Submitted by	Supervisor	
	Customer	Date issued	Date :	()	Issuar	signatı			

*1. Check sheet

Renesas processes the mask files generated by the mask file generation utilities out of those held on the floppy disks you give in to us, and forms them into masks. Hence, we assume liability provided that there is any discrepancy between the contents of these mask files and the ROM data to be burned into products we produce. Check thoroughly the contents of the mask files you give in.

Prepare 3.5 inches 2HD (IBM format) floppy disks. And store only one mask file in a floppy disk.

Microcomputer type No. :	M30621MCM-XXXGP	
File code :		(hex)
Mask file name :		.MSK (alpha-numeric 8-digit)

%2. Mark specification

The mark specification differs according to the type of package. After entering the mark specification on the separate mark specification sheet (for each package), attach that sheet to this masking check sheet for submission to Renesas.

For the M30621MCM-XXXGP, submit the 80P6S mark specification sheet.

*3. Usage Conditions

For our reference when of testing our products, please reply to the following questions about the usage of the products you ordered.

(1)	Which	kind of	XIN-XOUT	oscillation	circuit i	s used?
-----	-------	---------	----------	-------------	-----------	---------

Ceramic reso	nator	Quartz-crystal oscillator		
External cloc	k input	Other ()	
What frequency do				
f(XIN) =	MHz			



REJ19B0750-0100	Mask ROM number		
RENESAS TECHNOLOGY-CHIP 16-BIT MICROCOMPUTER M30621MCM-XXXGP			
MASK ROM CONFIRMATION FORM			
(2) Which kind of XCIN-XCOUT oscillation circuit is used?			
Ceramic resonator			
External clock input Other ()			
What frequency do you use?			
f(XCIN) = kHz			
 (3) Which operating supply voltage do you use? (Circle the operating voltage range of use) 2.2 2.4 2.6 2.7 2.8 2.9 3.0 3.1 3.2 3.3 3.4 3.5 (4) Which operating ambient temperature do you use? (Circle the operating temperature range of use) 	3.6 3.7 3.8		
-50 -40 -30 -20 -10 0 10 20 30 40 50 60	70 80 90		
 (5) Do you use I²C (Inter IC) bus function? □ Not use □ Use (6) Do you use IE (Inter Equipment) bus function? □ Not use □ Use 			
Thank you cooperation.			

#4. Special item (Indicate none if there is not specified item)

