


uPD70F3741

IOL VS VOL (25°C/P02)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3741

IOL VS VOL (25°C/P05)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3741

IOL VS VOL (25°C/P10)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3741

IOL VS VOL (25°C/P30)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3741

IOL VS VOL (25°C/P70)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3741

IOL VS VOL (25°C/P90)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3741

IOL VS VOL (25°C/PCT0)

Prepared on August 6, 2008




The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

uPD70F3741

IOL VS VOL (25°C/PDH4)

Prepared on August 6, 2008



The value mentioned above is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.