Old Company Name in Catalogs and Other Documents

On April 1st, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: http://www.renesas.com

April 1st, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (http://www.renesas.com)

Send any inquiries to http://www.renesas.com/inquiry.



Notice

- 1. All information included in this document is current as of the date this document is issued. Such information, however, is subject to change without any prior notice. Before purchasing or using any Renesas Electronics products listed herein, please confirm the latest product information with a Renesas Electronics sales office. Also, please pay regular and careful attention to additional and different information to be disclosed by Renesas Electronics such as that disclosed through our website.
- Renesas Electronics does not assume any liability for infringement of patents, copyrights, or other intellectual property rights
 of third parties by or arising from the use of Renesas Electronics products or technical information described in this document.
 No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights
 of Renesas Electronics or others.
- 3. You should not alter, modify, copy, or otherwise misappropriate any Renesas Electronics product, whether in whole or in part.
- 4. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation of these circuits, software, and information in the design of your equipment. Renesas Electronics assumes no responsibility for any losses incurred by you or third parties arising from the use of these circuits, software, or information.
- 5. When exporting the products or technology described in this document, you should comply with the applicable export control laws and regulations and follow the procedures required by such laws and regulations. You should not use Renesas Electronics products or the technology described in this document for any purpose relating to military applications or use by the military, including but not limited to the development of weapons of mass destruction. Renesas Electronics products and technology may not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations.
- 6. Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.
- 7. Renesas Electronics products are classified according to the following three quality grades: "Standard", "High Quality", and "Specific". The recommended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below. You must check the quality grade of each Renesas Electronics product before using it in a particular application. You may not use any Renesas Electronics product for any application categorized as "Specific" without the prior written consent of Renesas Electronics. Further, you may not use any Renesas Electronics product for any application for which it is not intended without the prior written consent of Renesas Electronics. Renesas Electronics shall not be in any way liable for any damages or losses incurred by you or third parties arising from the use of any Renesas Electronics product for an application categorized as "Specific" or for which the product is not intended where you have failed to obtain the prior written consent of Renesas Electronics. The quality grade of each Renesas Electronics product is "Standard" unless otherwise expressly specified in a Renesas Electronics data sheets or data books, etc.
 - "Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; and industrial robots.
 - "High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control systems; anti-disaster systems; anti-crime systems; safety equipment; and medical equipment not specifically designed for life support.
 - "Specific": Aircraft; aerospace equipment; submersible repeaters; nuclear reactor control systems; medical equipment or systems for life support (e.g. artificial life support devices or systems), surgical implantations, or healthcare intervention (e.g. excision, etc.), and any other applications or purposes that pose a direct threat to human life.
- 8. You should use the Renesas Electronics products described in this document within the range specified by Renesas Electronics, especially with respect to the maximum rating, operating supply voltage range, movement power voltage range, heat radiation characteristics, installation and other product characteristics. Renesas Electronics shall have no liability for malfunctions or damages arising out of the use of Renesas Electronics products beyond such specified ranges.
- 9. Although Renesas Electronics endeavors to improve the quality and reliability of its products, semiconductor products have specific characteristics such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Further, Renesas Electronics products are not subject to radiation resistance design. Please be sure to implement safety measures to guard them against the possibility of physical injury, and injury or damage caused by fire in the event of the failure of a Renesas Electronics product, such as safety design for hardware and software including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult, please evaluate the safety of the final products or system manufactured by you.
- 10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. Please use Renesas Electronics products in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. Renesas Electronics assumes no liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
- 11. This document may not be reproduced or duplicated, in any form, in whole or in part, without prior written consent of Renesas Electronics
- 12. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products, or if you have any other inquiries.
- (Note 1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its majority-owned subsidiaries.
- (Note 2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.



H8S Family

A/D Conversion in the Scan Mode

Introduction

Stores A/D conversion results of input voltages of four channels in RAM. A/D conversion is started up by an external trigger.

Target Device

H8S/2339

Contents

| 1. | Specifications | 2 |
|----|--------------------------|---|
| | | |
| | Description of Functions | |
| 3. | Principles of Operation | 3 |
| 4. | Description of Software | 4 |
| 5. | PAD | 5 |



1. Specifications

- As shown in figure 1, this sample task inputs voltages of four channels to the H8S/2339 and stores A/D
 conversion results in RAM.
- 2. The A/D converter is started up by an external trigger.




Figure 1 Voltage Measurement by H8S/2339

2. Description of Functions

- 1. The block diagram of 4-channel A/D conversion is shown in figure 2. This sample task uses the following functions of the A/D converter:
 - A. Function that performs A/D conversion of four channels (voltages on four channels AN0 to AN3) automatically without using software (scan mode)
 - B. Function that transfers conversion results to another ADDR after conversion of the channels terminates (buffer operation)
 - C. Function that starts A/D conversion by the external trigger pin (ADTRG)
 - D. Function that generates an interrupt upon completion of A/D conversion




Figure 2 A/D Converter Block Diagram



3. Principles of Operation

The principles of operations used are shown in figure 3. As shown in figure 3, the A/D converter is started up by external trigger ADTRG and A/D conversion of four channels AN0 to AN3 is repeated. The ADST bit retains 1 until software clears it to 0. During this period of time, A/D conversion of the selected channels is repeated. The A/D conversion results stored in ADDRA to ADDRD are stored in 128-byte RAM SCN0 to SCN3.




Figure 3 Principles of Operations Used for A/D Conversion in the Scan Mode



4. Description of Software

1. Description of Modules

| Module Name | Label Name | Function |
|-----------------------|------------|--|
| Main routine | ADSCNMN | Sets the A/D converter and startup of the A/D converter by an external trigger. |
| A/D interrupt routine | SCNEND | Starts up by an ADI, stores A/D conversion results in RAM, and stops A/D conversion. |

2. Description of Arguments

| Label Name | Function | | | | | | | | | Data Length | Used in | I/O |
|---------------|---|-------|-----|------------|-----|-------------------|-----------------------------|--------|-------|----------------|---------|-----|
| scn | Sets the AD/conversion results of four channels. The 10-bit conversion results are set as follows: | | | | | unsigned short | A/D interrupt routine | Output | | | | |
| | | Bit 7 | | | | | | | Bit 0 | | | |
| | Upper bytes of SCN_RE0 to SCN_RE6 | AD9 | AD8 | AD7 | AD6 | AD5 | AD4 | AD3 | AD2 | | | |
| | Lower bytes of SCN_RE0 to SCN_RE6 | ADT | AD0 | coto the h | | | | | | | | |

AD0 to AD9 indicate the bit numbers of the A/D conversion

| scn_endf | Flag indicating all of the A/D conversion of four channels indicating that are terminated. 1: A/D conversion ended 0: A/D conversion in progress | unsigned char | A/D interrupt routine | Output |
|----------|---|------------------|-----------------------------|--------|
| | | | Main routine | Input |

3. Description of Internal Registers Used

| Register Name | Function | Used in |
|----------------|--|--|
| ADCSR | Selects the A/D conversion time, analog input channels, A/D interrupt enabled/disabled at termination of A/D conversion. | Main routine A/D interrupt routine |
| ADCR | Enables or disables the start of the A/D conversion operations triggered by ADTRG (external trigger). Set the scan mode. | A/D interrupt routine |
| ADDRA to ADDRD | Stores A/D conversion results. | A/D interrupt routine |
| MSTPCR | Cancels the A/D converter from module stop mode. | Main routine |

4. RAM Usage


Table below describes RAM usage in this sample task.

| Used in Label Name | | Function | | | | |
|-----------------------|---------|--|--|--|--|--|
| A/D interrupt routine | adicnt | Counts the A/D interrupt generation times. | | | | |
| A/D interrupt routine | scn_cnt | Counter used for storing data in RAM from the start address. | | | | |




5. PAD

1. Main Routine



2. A/D Interrupt





Revision Record

| | Descript | | |
|-----------|----------|----------------------|-----------------|
| Date | Page | Summary | |
| Feb.17.05 | _ | First edition issued | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | 190 | 1 190 0 1 1 190 |



Keep safety first in your circuit designs!

1. Renesas Technology Corp. puts the maximum effort into making semiconductor products better and more reliable, but there is always the possibility that trouble may occur with them. Trouble with semiconductors may lead to personal injury, fire or property damage.
Remember to give due consideration to safety when making your circuit designs, with appropriate measures such as (i) placement of substitutive, auxiliary circuits, (ii) use of nonflammable material or (iii) prevention against any malfunction or mishap.

Notes regarding these materials

- These materials are intended as a reference to assist our customers in the selection of the Renesas Technology Corp. product best suited to the customer's application; they do not convey any license under any intellectual property rights, or any other rights, belonging to Renesas Technology Corp. or a third party.
- 2. Renesas Technology Corp. assumes no responsibility for any damage, or infringement of any third-party's rights, originating in the use of any product data, diagrams, charts, programs, algorithms, or circuit application examples contained in these materials.
- 3. All information contained in these materials, including product data, diagrams, charts, programs and algorithms represents information on products at the time of publication of these materials, and are subject to change by Renesas Technology Corp. without notice due to product improvements or other reasons. It is therefore recommended that customers contact Renesas Technology Corp. or an authorized Renesas Technology Corp. product distributor for the latest product information before purchasing a product listed herein.
 - The information described here may contain technical inaccuracies or typographical errors. Renesas Technology Corp. assumes no responsibility for any damage, liability, or other loss rising from these inaccuracies or errors.
 - Please also pay attention to information published by Renesas Technology Corp. by various means, including the Renesas Technology Corp. Semiconductor home page (http://www.renesas.com).
- 4. When using any or all of the information contained in these materials, including product data, diagrams, charts, programs, and algorithms, please be sure to evaluate all information as a total system before making a final decision on the applicability of the information and products. Renesas Technology Corp. assumes no responsibility for any damage, liability or other loss resulting from the information contained herein.
- 5. Renesas Technology Corp. semiconductors are not designed or manufactured for use in a device or system that is used under circumstances in which human life is potentially at stake. Please contact Renesas Technology Corp. or an authorized Renesas Technology Corp. product distributor when considering the use of a product contained herein for any specific purposes, such as apparatus or systems for transportation, vehicular, medical, aerospace, nuclear, or undersea repeater use.
- 6. The prior written approval of Renesas Technology Corp. is necessary to reprint or reproduce in whole or in part these materials.
- 7. If these products or technologies are subject to the Japanese export control restrictions, they must be exported under a license from the Japanese government and cannot be imported into a country other than the approved destination.
 - Any diversion or reexport contrary to the export control laws and regulations of Japan and/or the country of destination is prohibited.
- 8. Please contact Renesas Technology Corp. for further details on these materials or the products contained therein.