


R5F12068
20-pin products

IDD VS VDD(-40°C/HOCO_16/8/4/2/1MHz)


Prepared on Aug. 31th, 2022



R5F12068
20-pin products

IDD VS VDD(-40°C/X1_12/8/4/2MHz)


Prepared on Aug. 31th, 2022



R5F12068
20-pin products

IDD VS VDD(25°C/HOCO_16/8/4/2/1MHz)


Prepared on Aug. 31th, 2022



R5F12068
20-pin products

IDD VS VDD(25°C/X1_12/8/4/2/1MHz)


Prepared on Aug. 31th, 2022



R5F12068
20-pin products

IDD VS VDD(85°C/HOCO_16/8/4/2/1MHz)


Prepared on Aug. 31th, 2022



R5F12068
20-pin products

IDD VS VDD(85°C/X1_12/8/4/2MHz)


Prepared on Aug. 31th, 2022



R5F12068
20-pin products

IDD VS VDD(105°C/HOCO_16/8/4/2/1MHz)


Prepared on Aug. 31th, 2022



R5F12068
20-pin products

IDD VS VDD(105°C/X1_12/8/4/2/1MHz)


Prepared on Aug. 31th, 2022



R5F12068
20-pin products

IDD VS VDD(125°C/HOCO_16/8/4/2/1MHz)


Prepared on Aug. 31th, 2022



R5F12068
20-pin products

IDD VS VDD(125°C/X1_12/8/4/2MHz)


Prepared on Aug. 31th, 2022



R5F12068
20-pin products

IDD VS VDD(STOP MODE)

Prepared on Aug . 31th, 2022




The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.

R5F12068
20-pin products

IDD VS Ta(STOP MODE)

Prepared on Aug . 31th, 2022



The above mentioned value is only for your reference. The value was measured under certain conditions and does not guarantee the product's characteristics.