

# **RX Family**

# I<sup>2</sup>C Bus Interface (RIIC) Module Using Firmware Integration Technology

#### Introduction

This application note describes the I<sup>2</sup>C bus interface (RIIC) module using firmware integration technology (FIT) for communications between devices using the I<sup>2</sup>C bus interface.

### **Target Device**

- RX110, RX111, RX113 Groups
- RX130, RX13T, RX140 Groups
- RX230, RX231, RX23E-A, RX23E-B, RX23T, RX23W Groups
- RX24T, RX24U Groups
- RX26T Group
- RX64M Group
- RX65N, RX651 Groups
- RX660 Group
- RX66T Group
- RX66N Group
- RX671 Group
- RX71M Group
- RX72T Group
- RX72M Group
- RX72N Group

When using this application note with other Renesas MCUs, careful evaluation is recommended after making modifications to comply with the alternate MCU.

### **Target Compilers**

- Renesas Electronics C/C++ Compiler Package for RX Family
- GCC for Renesas RX
- IAR C/C++ Compiler for Renesas RX

For details of the confirmed operation contents of each compiler, refer to "6.4 Operating Test Environment".

# Contents

1. (	Overview	5
1.1	RIIC FIT Module	5
1.2	Using the RIIC FIT module	6
1.2.1	Using RIIC FIT module in C++ project	6
1.3	Outline of the API	6
1.4	Overview of RIIC FIT Module	7
1.4.1	Specifications of RIIC FIT Module	7
1.4.2	Master Transmission	8
1.4.3	Master Reception	12
1.4.4	Slave Transmission and Reception	15
1.4.5	State Transition	19
1.4.6	Flags when Transitioning States	20
1.4.7	Arbitration-Lost Detection Function	21
1.4.8	Timeout Detection Function	21
_	A DULL 6	00
	API Information	
2.1	Hardware Requirements	
2.2	Software Requirements	
2.3	Supported Toolchains	
2.4	Usage of Interrupt Vector	
2.5	Header Files	
2.6	Integer Types	
2.7	Configuration Overview	26
2.8	Code Size	31
2.9	Parameters	32
2.10	Return Values	32
2.11	Callback Functions	33
2.12	Adding the FIT Module to Your Project	33
2.13	"for", "while" and "do while" statements	34
3	API Functions	35
	IC_Open()	
_	IC_Open()	
_	<del>-</del>	
	IC_MasterReceive()	
_	IC_SlaveTransfer()	
_	IC_GetStatus()	
_	IC_Control()	
_	IC_Close()	
K_KII	IC_GetVersion()	55

# RX Family I<sup>2</sup>C Bus Interface (RIIC) Module Using Firmware Integration Technology

4.	Pin Settings	56
5.	Demo Projects	57
5.1	riic_mastersend_demo_rskrx64m, riic_mastersend_demo_rskrx64m_gcc	57
5.2	riic_masterreceive_demo_rskrx64m, riic_masterreceive_demo_rskrx64m_gcc	57
5.3	riic_slavetransfer_demo_rskrx64m, riic_slavetransfer_demo_rskrx64m_gcc	57
5.4	riic_mastersend_demo_rskrx231, riic_mastersend_demo_rskrx231_gcc	58
5.5	riic_masterreceive_demo_rskrx231, riic_masterreceive_demo_rskrx231_gcc	58
5.6	riic_slavetransfer_demo_rskrx231, riic_slavetransfer_demo_rskrx231_gcc	58
5.7	riic_mastersend_demo_rskrx671, riic_mastersend_demo_rskrx671_gcc	
5.8	riic_masterreceive_demo_rskrx671, riic_masterreceive_demo_rskrx671_gcc	
5.9	riic_slavetransfer_demo_rskrx671, riic_slavetransfer_demo_rskrx671_gcc	59
5.10		
5.11	riic_masterreceive_demo_rskrx72n, riic_masterreceive_demo_rskrx72n_gcc	
5.12		
5.13		
5.14	Downloading Demo Projects	59
6.	Appendices	60
6.1	Communication Method	60
6.1.1	States for API Operation	60
6.1.2	2 Events During API Operation	60
6.1.3	Protocol State Transitions	61
6.1.4	Protocol State Transition Table	65
6.1.5	5 Functions Used on Protocol State Transitions	66
6.1.6	S Flag States on State Transitions	66
6.2	Interrupt Request Generation Timing	68
6.2.1	Master Transmission	68
6.2.2	2 Master Reception	69
6.2.3	3 Master Transmit/Receive	70
6.2.4	Slave Transmission	70
6.2.5	Slave Reception	71
6.2.6	6 Multi-Master Communication	71
6.3	Timeout Detection and Processing After the Detection	72
6.3.1	Detecting a Timeout with the Timeout Detection Function	72
6.3.2	2 Processing After a Timeout is Detected	72
6.4	Operating Test Environment	74
6.5	Troubleshooting	84
6.6	Sample Code	85
6.6.1	Example when Accessing One Slave Device Continuously with One Channel	85
7.	Reference Documents	90

# 

### 1. Overview

The I<sup>2</sup>C bus interface module using firmware integration technology (RIIC FIT module <sup>(1)</sup>) provides a method to transmit and receive data between the master and slave devices using the I<sup>2</sup>C bus interface (RIIC). The RIIC is in compliance with the NXP I<sup>2</sup>C-bus (Inter-IC-Bus) interface.

#### Note:

1. When the description says "module" in this document, it indicates the RIIC FIT module.

Features supported by this module are as follows:

- Master transmission, master reception, slave transmission, and slave reception
- Multi-master configuration that communicates between multiple masters and one slave.
- Communication mode can be standard or fast mode and the maximum communication rate is 400 kbps. However, channel 0 of RX64M, RX71M, RX65N, RX66N, RX671, RX72M and RX72N supports fast mode plus and the maximum communication rate is 1 Mbps.

### **Limitations**

This module has the following limitations:

- (1) The module cannot be used with the DMAC and the DTC.
- (2) The NACK arbitration-lost detection function of the RIIC is not supported.
- (3) Transmission with 10-bit address is not supported.
- (4) Acceptance of the restart condition on slave device mode is not supported. Do not specify the address of a device in which this module is embedded as an address immediately following a restart condition.
- (5) The module does not support multiple interrupts.
- (6) API function calls except for the R RIIC GetStatus function is prohibited within a callback function.
- (7) Set the I flag to 1 to use interrupts.

### 1.1 RIIC FIT Module

This module is implemented in a project and used as the API. Refer to 2.12 Adding the FIT Module to Your Project for details on implementing the module to the project.

## 1.2 Using the RIIC FIT module

### 1.2.1 Using RIIC FIT module in C++ project

For C++ project, add RIIC FIT module interface header file within extern "C"{}:

```
extern "C"
{
#include "r_smc_entry.h"
#include "r_riic_rx_if.h"
}
```

### 1.3 Outline of the API

Table 1.1 lists the API Functions.

Table 1.1 API Functions

Item	Contents
R_RIIC_Open()	The function initializes the RIIC FIT module. This function must be called before calling any other API functions.
R_RIIC_MasterSend()	Starts master transmission. Changes the master transmit pattern according to the parameters. Operates batched processing until stop condition generation.
R_RIIC_MasterReceive()	Starts master reception. Changes the master receive pattern according to the parameters. Operates batched processing until stop condition generation.
R_RIIC_SlaveTransfer()	Performs slave transmission and reception. Changes the transmit and receive patterns according to the parameters.
R_RIIC_GetStatus()	Returns the state of this module.
R_RIIC_Control()	This function outputs conditions, Hi-Z from the SDA pin, and one-shot of the SCL clock. Also it resets the settings of this module. This function is mainly used when a communication error occurs.
R_RIIC_Close()	This function completes the RIIC communication and releases the RIIC used.
R_RIIC_GetVersion()	Returns the current version of this module.

### 1.4 Overview of RIIC FIT Module

### 1.4.1 Specifications of RIIC FIT Module

- 1. This module supports master transmission, master reception, slave transmission, and slave reception.
  - There are four transmit patterns that can be used for master transmission. Refer to 1.4.2 for details on master transmission.
  - Master reception and master transmit/receive can be selected for master reception. Refer to 1.4.3 for details on master reception.
  - Slave reception or slave transmission is performed according to the content of the data transmitted from the master. Refer to 1.4.4 for details on slave reception and slave transmission.
- 2. An interrupt occurs when any of the following operations completes: start condition generation, slave address transmission/reception, data transmission/reception, NACK detection, arbitration-lost detection, or stop condition generation. In the RIIC interrupt handling, the communication control function is called and the operation is continued.
- 3. When multiple RIIC channels are used, the module can control multiple channels. When the device used has multiple channels, simultaneous communication is available using multiple channels.
- 4. Multiple slave devices with different addresses on the same channel bus can be controlled. However, while communication is in progress (the period from start condition generation to stop condition generation), communication with other devices is not available. Figure 1.1 shows an Example of Controlling Multiple Slave Devices.




Figure 1.1 Example of Controlling Multiple Slave Devices

#### 1.4.2 Master Transmission


The master device (master (RX MCU)) transmits data to the slave device (slave).

With this module, four patterns of waveforms can be generated for master transmission. A pattern is selected according to the arguments set in the parameters which are members of the I<sup>2</sup>C communication information structure. Figure 1.2 to Figure 1.5 show the transmit patterns. Refer to 2.9 Parameters for details on the I<sup>2</sup>C communication information structure.

#### (1) Pattern 1

The master (RX MCU) transmits data in two buffers for the first data and second data to the slave.

A start condition is generated and then the slave address is transmitted. The eighth bit specifies the transfer direction. This bit is set to 0 (write) when transmitting. Then the first data is transmitted. The first data is used when there is data to be transmitted in advance before performing the data transmission. For example, if the slave is an EEPROM, the EEPROM internal address can be transmitted. Next the second data is transmitted. The second data is the data to be written to the slave. When a data transmission has started and all data transmissions have completed, a stop condition is generated, and the bus is released.



n: Channel number

ST: Start condition generation SP: Stop condition generation ACK: Acknowledge: 0


Figure 1.2 Signals for Pattern 1 of Master Transmission

<sup>\*</sup> A signal with an underline indicates data transmission from the slave to the master.

### (2) Pattern 2

The master (RX MCU) transmits data in the buffer for the second data to the slave.

Operations from start condition generation through to slave address transmission are the same as the operations for pattern 1. Then the second data is transmitted without transmitting the first data. When all data transmissions have completed, a stop condition is generated and the bus is released.



n: Channel number

ST: Start condition generation SP: Stop condition generation

ACK: Acknowledge: 0


Figure 1.3 Signals for Pattern 2 of Master Transmission

#### (3) Pattern 3

The master (RX MCU) transmits only the slave address to the slave.

Operations from start condition generation through to slave address transmission are the same as the operations for pattern 1. After transmitting the slave address, if neither the first data nor the second data are set, data transmission is not performed, then a stop condition is generated, and the bus is released.

This pattern is useful for detecting connected devices or when performing acknowledge polling to verify the EEPROM rewriting state.



n: Channel number

ST: Start condition generation SP: Stop condition generation

A CIC. A stressed stress 0

ACK: Acknowledge: 0

\* A signal with an underline indicates data transmission from the slave to the master.

Figure 1.4 Signals for Pattern 3 of Master Transmission

<sup>\*</sup> A signal with an underline indicates data transmission from the slave to the master.

### (4) Pattern 4

The master (RX MCU) transmits only a start condition and stop condition to the slave.

After a start condition is generated, if the slave address, first data, and second data are not set, slave address transmission and data transmission are not performed. Then a stop condition is generated and the bus is released.

This pattern is useful for just releasing the bus.




Figure 1.5 Signals for Pattern 4 of Master Transmission

Figure 1.6 shows the procedure of master transmission. The callback function is called after generating a stop condition. Specify the function name in the CallBackFunc of the I<sup>2</sup>C communication information structure member.




Figure 1.6 Example of Master Transmission


### 1.4.3 Master Reception

The master (RX MCU) receives data from the slave. This module supports master reception and master transmit/receive. The receive pattern is selected according to the arguments set in the parameters which are members of the I<sup>2</sup>C communication information structure. Figure 1.7 and Figure 1.8 show receive patterns. Refer to 2.9 Parameters for details on the I<sup>2</sup>C communication information structure.

### (1) Master Reception

The master (RX MCU) receives data from the slave.

A start condition is generated and then the slave address is transmitted. The eighth bit specifies the transfer direction. This bit is set to 1 (read) when receiving. Then data reception starts. An ACK is transmitted each time 1-byte data is received except the last data. A NACK is transmitted when the last data is received to notify the slave that all data receptions have completed. Then a stop condition is generated and the bus is released.



n: Channel number

ST: Start condition generation NACK: Acknowledge: 1 SP: Stop condition generation ACK: Acknowledge: 0


Figure 1.7 Signals for Master Reception

<sup>\*</sup> A signal with an underline indicates data transmission from the slave to the master.

### (2) Master Transmit/Receive

The master (RX MCU) transmits data to the slave. After the transmission completes, a restart condition is generated, and the master receives data from the slave.

A start condition is generated and then the slave address is transmitted. The eighth bit specifies the transfer direction. This bit is set to 0 (write) when transmitting. Then the first data is transmitted. When the data transmission completes, a restart condition is generated and the slave address is transmitted. Then the eighth bit is set to 1 (read) and a data reception starts. An ACK is transmitted each time 1-byte data is received except the last data. A NACK is transmitted when the last data is received to notify the slave that all data receptions have completed. Then a stop condition is generated and the bus is released.



n: Channel number

ST: Start condition generation NACK: Acknowledge: 1
SP: Stop condition generation ACK: Acknowledge: 0

RST: Restart condition generation

Figure 1.8 Signals for Master Transmit/Receive

<sup>\*</sup> A signal with an underline indicates data transmission from the slave to the master.

Figure 1.9 shows the procedure of master reception. The callback function is called after generating a stop condition. Specify the function name in the CallBackFunc of the I<sup>2</sup>C communication information structure member.




Figure 1.9 Example of Master Reception

### 1.4.4 Slave Transmission and Reception


The slave (RX MCU) receives data transmitted from the master. The slave transmits data by the transmit request from the master.

When the slave address specified by the master matches the slave address set in r\_riic\_config.h, slave transmission and reception starts. The module processes the operation automatically determining whether the operation is slave reception or slave transmission according to the eighth bit (transfer direction specify bit) of the slave address.

#### (1) Slave Reception

The slave (RX MCU) receives data from the master.

After a start condition generated by the master is detected, when the received slave address matches its own address and the eighth bit of the slave address is 0 (write), then the slave starts receive operation. When the last data (the number of data specified in the I<sup>2</sup>C communication information structure member) is received, a NACK is returned to the master to notify that all necessary data has been received. Figure 1.10 shows the Signals for Slave Reception.



n: Channel number

ST: Start condition generation NACK: Acknowledge: 1 SP: Stop condition generation ACK: Acknowledge: 0

Figure 1.10 Signals for Slave Reception

<sup>\*</sup> A signal with an underline indicates data transmission from the slave to the master.

### RX Family I<sup>2</sup>C Bus Interface (RIIC) Module Using Firmware Integration Technology

Figure 1.11 shows the procedure of slave reception. The callback function is called after generating a stop condition. Specify the function name in the CallBackFunc of the I<sup>2</sup>C communication information structure member.





Figure 1.11 Slave Reception

### (2) Slave Transmission

The slave (RX MCU) transmits data to the master.

After a start condition from the master is detected, when the slave address matches its own address and the eighth bit of the slave address is 1 (read), then the slave starts transmit operation. When the transmit request exceeds the number of data specified in the I<sup>2</sup>C communication information structure member, the slave transmits 0xFF as data. The slave continues transmit operation until a stop condition is detected. Figure 1.12 shows the Signals for Slave Transmission.



n: Channel number

ST: Start condition generation NACK: Acknowledge: 1 SP: Stop condition generation ACK: Acknowledge: 0

Figure 1.12 Signals for Slave Transmission

<sup>\*</sup> A signal with an underline indicates data transmission from the slave to the master.

Figure 1.13 shows the procedure of slave transmission. The callback function is called after generating a stop condition. Specify the function name in the CallBackFunc of the I<sup>2</sup>C communication information structure member.




Figure 1.13 Slave Transmission

### 1.4.5 State Transition

Figure 1.14 shows the RIIC FIT Module State Transition Diagram.




Figure 1.14 RIIC FIT Module State Transition Diagram

### 1.4.6 Flags when Transitioning States

dev\_sts is the device state flag and is one of the  $I^2C$  communication information structure members. The flag stores the communication state of the device. Using this flag enables controlling multiple slaves on the same channel.

Table 1.2 lists the Device State Flags when Transitioning States.

Table 1.2 Device State Flags when Transitioning States

State	Device State Flag (dev_sts)		
Uninitialized state	RIIC_NO_INIT		
	RIIC_IDLE		
Idle states	RIIC_FINISH		
	RIIC_NACK		
Communicating			
(master transmission, master reception,	RIIC_COMMUNICATION		
slave transmission, and slave reception)			
Arbitration-lost detection state	RIIC_AL		
Timeout detection state	RIIC_TMO		
Error	RIIC_ERROR		

#### 1.4.7 Arbitration-Lost Detection Function

This module detects arbitration-lost for the reasons below. The module does not support the arbitration-lost detection on slave transmission while the RIIC does.

- (1) When a start condition is issued during the bus busy state:
  - If the module issues a start condition when the other master has already issued a start condition and occupied the bus (bus busy state), the module detects arbitration-lost.
- (2) When the module issues a start condition after the other master issued a start condition though the bus is free:
  - When the module issues a start condition, it attempts to drive the SDA line low. However if the other master issued a start condition earlier, the signal level on the SDA line does not match the signal level output by the module. Then the module detects arbitration-lost.
- (3) When multiple start conditions are issued at the same time:

If multiple masters issue start conditions at the same time, the module may determine that the start condition has been issued successfully on each device. Then each device starts communication. However, when any of the conditions described below occurs, the module detects arbitration-lost.

- a. When data transmitted by masters are different:
  - The module compares the signal level on the SDA line with the signal level output by itself during communication. If these signals do not match while data is being transmitted including the slave address, the module detects arbitration-lost.
- b. The numbers of data transmissions differ between masters while data sent by the masters are the same

With the case other than the above a, i.e., the slave address and transmit data match, the module does not detect arbitration-lost. However if the number of data transmitted by masters differ, the module detects arbitration-lost.

### 1.4.8 Timeout Detection Function

The timeout detection function can be enabled in this module (enabled as default). The RIIC can detect an abnormal bus state by monitoring that the SCL0 line is stuck low or high for a predetermined time.

The timeout detection function detects a bus hang up, i.e. the SCL line is held low or high, in the following period:

- (1) The bus is busy in master mode.
- (2) The RIIC's own slave address is detected and the bus is busy in slave mode.
- (3) The bus is free while generation of a START condition is requested.

Refer to the following configuration options in "2.7 Configuration Overview" for details on enabling and disabling the timeout detection function.

- RIIC\_CFG\_CH0\_TMO\_ENABLE
- RIIC\_CFG\_CH2\_TMO\_ENABLE
- RIIC CFG CH0 TMO DET TIME
- RIIC CFG CH2 TMO DET TIME
- RIIC CFG CH0 TMO LCNT
- RIIC\_CFG\_CH2\_TMO\_LCNT
- RIIC CFG CH0 TMO HCNT
- RIIC CFG CH2 TMO HCNT

Refer to 6.3 Timeout Detection and Processing After the Detection for detailed explanation when a timeout is detected.

### 2. API Information

The FIT module provided with this application note has been confirmed to operate under the following conditions.

### 2.1 Hardware Requirements

This FIT module requires your MCU supports the following feature:

- RIIC

### 2.2 Software Requirements

This FIT module is dependent upon the following FIT modules:

Board Support Package Module (r\_bsp) Rev.5.20 or higher

### 2.3 Supported Toolchains

This FIT module is tested and works with the following toolchain:

- Renesas RX Toolchain v.2.01.01
- Renesas RX Toolchain v.2.03.00
- Renesas RX Toolchain v.2.05.00
- Renesas RX Toolchain v.2.06.00
- Renesas RX Toolchain v.2.07.00
- Renesas RX Toolchain v.3.00.00
- Renesas RX Toolchain v.3.01.00
- Renesas RX Toolchain v.3.02.00
- Renesas RX Toolchain v.3.03.00
- Renesas RX Toolchain v.3.04.00
- Renesas RX Toolchain v.3.05.00
- Renesas RX Toolchain v.3.06.00

Refer to 6.4 Operating Test Environment for details.

# 2.4 Usage of Interrupt Vector

The EEI interrupt, RXI interrupt, TXI interrupt, and TEI interrupt are enabled by execution of  $R_RIIC_MasterSend$  function,  $R_RIIC_MasterReceive$  function, or  $R_RIIC_SlaveTransfer$  function (with specified condition)(while the macro definition  $RIIC_CFG_CHi_INCLUDE$  (i = 0 to 2) is 1).

Table 2.1 lists the interrupt vector used in the RIIC FIT Module.

Table 2.1 Interrupt Vector used in the RIIC FIT Module

Device	Contents
RX110	EEI0 interrupt [channel 0] (vector no.: 246)
RX111	RXI0 interrupt [channel 0] (vector no.: 247)
RX113	TXI0 interrupt [channel 0] (vector no.: 248)
RX130	TEI0 interrupt [channel 0] (vector no.: 249)
RX13T	
RX140	
RX230	
RX231	
RX23E-A	
RX23E-B	
RX23T	
RX24T	
RX24U	
RX23W	
RX660	RXI0 interrupt [channel 0] (vector no.: 52)
RX64M	TXIO interrupt [channel 0] (vector no.: 53)
RX71M	
KA/ IIVI	RXI2 interrupt [channel 2] (vector no.: 54) TXI2 interrupt [channel 2] (vector no.: 55)
	1 XIZ Interrupt [criainlei 2] (vector 110 55)
	GROUPBL1 interrupt (vector no.: 111)
	TEI0 interrupt [channel 0] (group interrupt source no.: 13)
	EEI0 interrupt [channel 0] (group interrupt source no.: 14)
	TEI2 interrupt [channel 2] (group interrupt source no.: 15)
	EEI2 interrupt [channel 2] (group interrupt source no.: 16)
RX65N	RXI0 interrupt [channel 0] (vector no.: 52)
RX651	TXI0 interrupt [channel 0] (vector no.: 53)
RX66N	RXI1 interrupt [channel 1] (vector no.: 50)
RX671	TXI1 interrupt [channel 1] (vector no.: 51)
RX72M	RXI2 interrupt [channel 2] (vector no.: 54)
RX72N	TXI2 interrupt [channel 2] (vector no.: 55)
TOTIZIN	17/12 interrupt [criainier 2] (vector rio.: 55)
	GROUPBL1 interrupt (vector no.: 111)
	TEI0 interrupt [channel 0] (group interrupt source no.: 13)
	EEI0 interrupt [channel 0] (group interrupt source no.: 14)
	TEI1 interrupt [channel 1] (group interrupt source no.: 28)
	EEI1 interrupt [channel 1] (group interrupt source no.: 29)
	TEI2 interrupt [channel 2] (group interrupt source no.: 15)
	EEI2 interrupt [channel 2] (group interrupt source no.: 16)
RX66T	RXI0 interrupt [channel 0] (vector no.: 52)
RX72T	TXI0 interrupt [channel 0] (vector no.: 53)
RX26T	
	GROUPBL1 interrupt (vector no.: 111)
	TEI0 interrupt [channel 0] (group interrupt source no.: 13)
	EEI0 interrupt [channel 0] (group interrupt source no.: 14)

## 2.5 Header Files

All API calls and their supporting interface definitions are located in r\_riic\_rx\_if.h.

# 2.6 Integer Types

This project uses ANSI C99. These types are defined in stdint.h.

# 2.7 Configuration Overview

The configuration options in this module are specified in r\_riic\_rx\_config.h and r\_riic\_rx\_pin\_config.h. The option names and setting values are listed in the table below.

Configuration options in r_riic_rx_config.h				
RIIC_CFG_PARAM_CHECKING_ENABLE - Default value = 1	Selects whether to include parameter checking in the code.  - When this is set to 0, parameter checking is omitted.  With this setting, the code size can be reduced.  - When this is set to 1, parameter checking is included.			
RIIC_CFG_CHi_INCLUDED (1) i = 0 to 2 - When i = 0, the default value = 1 - When i = 1 to 2, the default value = 0	Selects whether to use available channels. When not using the channel, set this to 0.  - When this is set to 0, relevant processes for the channel are omitted from the code.  - When this is set to 1, relevant processes for the channel are included in the code.			
RIIC_CFG_CH0_kBPS - Default value = 400	Specifies the RIIC0 communication rate.  Setting values for the bit rate register and internal reference clock selection bit are calculated using the setting values for RIIC_CFG_CH0_kBPS and the peripheral clock.  - Target devices that do not support fast mode plus as the transfer speed. Specify a value less than or equal to 400.  - For RX64M, RX71M, RX65N, RX66N, RX671, RX72M and RX72N, specify a value less than or equal to 1000.			
RIIC_CFG_CH1_kBPS (1) - Default value = 400	Specifies the RIIC1 communication rate. Setting values for the bit rate register and internal reference clock selection bit are calculated using the setting values for RIIC_CFG_CH1_kBPS and the peripheral clock. This should be set to 400 or less.			
RIIC_CFG_CH2_kBPS (1) - Default value = 400	Specifies the RIIC2 communication rate.  Setting values for the bit rate register and internal reference clock selection bit are calculated using the setting values for RIIC_CFG_CH2_kBPS and the peripheral clock.  This should be set to 400 or less.			
RIIC_CFG_SCL100K_UP_TIME - Default value = 1000E-9 RIIC_CFG_SCL100K_DOWN_TIME - Default value = 300E-9 RIIC_CFG_SCL400K_UP_TIME - Default value = 300E-9 RIIC_CFG_SCL400K_DOWN_TIME - Default value = 300E-9 RIIC_CFG_SCL1M_UP_TIME - Default value = 120E-9 RIIC_CFG_SCL1M_DOWN_TIME	Specify the value of SCL rise time and SCL fall time: - RIIC_CFG_SCL100K_UP_TIME: Specifies the SCL rise time (s) in Standard Mode (up to 100 kbps) RIIC_CFG_SCL100K_DOWN_TIME: Specifies the SCL fall time (s) in Standard Mode (up to 100 kbps) RIIC_CFG_SCL400K_UP_TIME: Specifies the SCL rise time (s) in Fast Mode (up to 400 kbps) RIIC_CFG_SCL400K_DOWN_TIME: Specifies the SCL fall time (s) in Fast Mode (up to 400 kbps) RIIC_CFG_SCL1M_UP_TIME: Specifies the SCL rise time (s) in Fast Mode Plus (up to 1 Mbps) RIIC_CFG_SCL1M_UP_TIME: Specifies the SCL fall time (s) in Fast Mode Plus (up to 1 Mbps).			
RIIC_CFG_CHi_DIGITAL_FILTER (1) i = 0 to 2 - When i = 0 to 2, the default value = 0	The number of noise filter stage of the specified RIIC channel can be selected.  - When this is set to 0, the noise filter is disabled.  - When this is set to a value from 1 to 4, values to enable the selected number of filters are selected for the noise filter stage selection bit and digital noise filter circuit enable bit.			

### Note:

1. This setting is invalid for target devices that do not support the corresponding channel.

Configuration options in r_riic_config.h					
	Specifies whether to include processing for port setting (*) in the code.				
RIIC_CFG_PORT_SET_PROCESSING - Default value = 1	* Processing for port setting is the setting to use ports selected by R_RIIC_CFG_RIICi_SCLi_PORT, R_RIIC_CFG_RIICi_SCLi_BIT, R_RIIC_CFG_RIICi_SDAi_PORT, and R_RIIC_CFG_RIICi_SDAi_BIT as pins SCL and SDA.				
	- When this is set to 0, processing for port setting is omitted from the code.				
	- When this is set to 1, processing for port setting is included in the code.				
RIIC_CFG_CHi_MASTER_MODE (1) i = 0 to 2 - When i = 0 to 2, the default value = 0	The master arbitration lost detection function of the specified RIIC channel can be enable or disable.  Set this to 1 (enabled) when using multi-master.  - When this is set to 0, the master arbitration-lost detection is disabled.  - When this is set to 1, the master arbitration-lost detection is enabled.				
RIIC_CFG_CHi_SLV_ADDR0_FORMAT *1	- When this is set to 1, the master arbitration-lost detection is chapted.				
RIIC_CFG_CHi_SLV_ADDR1_FORMAT *2 (1) RIIC_CFG_CHi_SLV_ADDR2_FORMAT *2 (1) i = 0 to 2 *1: When i = 0 to 2, the default value = 1 *2: When i = 0 to 2, the default value = 0 RIIC_CFG_CHi_SLV_ADDR0 *1 (1) RIIC_CFG_CHi_SLV_ADDR1 *2 (1)	The slave address format can be selected as 7 bits or 10 bits for the specified RIIC channel.  - When this is set to 0, the slave address is not set.  - When this is set to 1, the 7-bit slave address format is set.  - When this is set to 2, the 10-bit slave address format is set.  This set the slave address of the specified RIIC channel.  Available bits of the setting value vary depending on the setting value of				
RIIC_CFG_CHi_SLV_ADDR2 *2 (1) i = 0 to 2 *1: When i = 0 to 2, the default value = 0x0025 *2: When i = 0 to 2, the default value = 0x0000	the RIIC_CFG_CHi_SLV_ADDRj_FORMAT. (j = 0 to 2) When RIIC_CFG_CH0_SLV_ADDRj_FORMAT is: 0: The setting value is ignored. 1: The lower 7 bits of the setting value are used. 2: The lower 10 bits of the setting value are used.				
RIIC_CFG_CHi_SLV_GCA_ENABLE (1) i = 0 to 2 - When i = 0 to 2, the default value = 0	The general call address of the specified RIIC channel can be enable or disable.  - When this is set to 0: General call address is disabled.  - When this is set to 1: General call address is enabled.				
RIIC_CFG_CHi_RXI_INT_PRIORITY (1) i = 0 to 2 - When i = 0 to 2, the default value = 1	The priority level of the receive data full interrupt (RXIi) of the specified RIIC channel can be selected. Specify the level from 1 to 15.				
RIIC_CFG_CHi_TXI_INT_PRIORITY (1) i = 0 to 2 - When i = 0 to 2, the default value = 1	The priority level of the transmit data empty interrupt (TXIi) of the specified RIIC channel can be selected. Specify the level from 1 to 15.				

### Note:

1. This setting is invalid for target devices that do not support the corresponding channel.

Configuration options in r_riic_config.h					
RIIC_CFG_CHi_EEI_INT_PRIORITY (1) (2) i = 0 to 2 - When i = 0 to 2, the default value = 1	The priority level of the communication error / event occurrence interrupt (EEIi) of the specified RIIC channel can be selected.  Specify the level from 1 to 15. Do not set this option to a value lower than the priority level specified with RIIC_CFG_CHi_RXI_INT_PRIORITY or RIIC_CFG_CHi_TXI_INT_PRIORITY.  For devices where EEIi and TEIi (i = 0 to 2) are grouped as group BL1 interrupts, set a value higher than the priority level value specified in RIIC_CFG_CHi_RXI_INT_PRIORITY and RIIC_CFG_CHi_TXI_INT_PRIORITY.				
RIIC_CFG_CHi_TEI_INT_PRIORITY (1) (2) i = 0 to 2 - When i = 0 to 2, the default value = 1	The priority level of the transmission end interrupt (TEIi) of the specified RIIC channel can be selected.  Specify the level from 1 to 15. Do not set this option to a value lower than the priority level specified with RIIC_CFG_CHi_RXI_INT_PRIORITY or RIIC_CFG_CHi_TXI_INT_PRIORITY.  For devices where EEIi and TEIi (i = 0 to 2) are grouped as group BL1 interrupts, set a value higher than the priority level value specified in RIIC_CFG_CHi_RXI_INT_PRIORITY and RIIC_CFG_CHi_TXI_INT_PRIORITY.				
RIIC_CFG_CHi_TMO_ENABLE (2) i = 0 to 2 - When i = 0 to 2, the default value = 1	The timeout detection function of the specified RIIC channel can be enabled.  - When this is set to 0: RIICi timeout detection function is disabled.  - When this is set to 1: RIICi timeout detection function is enabled.				
RIIC_CFG_CHi_TMO_DET_TIME (2) i = 0 to 2 - When i = 0 to 2, the default value = 0	You can select the timeout detection time of the specified RIIC channel.  - When this is set to 0, long mode is selected.  - When this is set to 1, short mode is selected.				

#### Note:

- 1. The priority level cannot be set individually in devices that group EEI0, TEI0, EEI2, and TEI2 as the BL1 interrupt. In this case, the priority levels for EEI0, TEI0, EEI2, and TEI2 will be unified to all be the maximum value of the individual priority levels set in r\_riic\_confg.h. However, if the other module specifies a greater value than the value specified for the BL1 priority level in the RIIC, the greater value will be used.
  - For EEI0 and TEI0 interrupt priority levels, set values higher than the priority levels for RXI0 and TXI0. Also, for EEI2 and TEI2 interrupt priority levels, set values higher than the priority levels for RXI2 and TXI2
- 2. This setting is invalid for target devices that do not support the corresponding channel.

Configuration options in r_riic_config.h				
RIIC_CFG_CHi_TMO_LCNT (1) i = 0 to 2 - When i = 0 to 2, the default value = 1	After enabling the timeout detection function of specified RIIC channel, during the time SCLi line is low, count-up of the internal counter for the timeout detection function can be enabled.  - When this is set to 0, counting up is disabled while the SCLi line is held low.  - When this is set to 1, counting up is enabled while the SCLi line is held low.			
RIIC_CFG_CHi_TMO_HCNT (1) i = 0 to 2 - When i = 0 to 2, the default value = 1	After enabling the specified RIIC timeout detection function, during the time SCLi line is high, the count-up of the internal counter for the timeout detection function can be enabled.  - When this is set to 0, counting up is disabled while the SCL0 line is held high.  - When this is set to 1, counting up is enabled while the SCL0 line is held high.			
RIIC_CFG_BUS_CHECK_COUNTER - Default value = 1000	Specifies the timeout counter (number of times to perform bus checking) when the RIIC API function performs bus checking.  Specify a value less than or equal to 0xFFFFFF.  The bus checking is performed in the following timings:  - Before generating a start condition  - After detecting a stop condition  - After generating each condition using the RIIC control function (R_RIIC_Control function)  - After generating the SCL one-shot pulse using the RIIC control function (R_RIIC_Control function).  With the bus checking, when the bus is busy, the timeout counter is decremented by the software until the bus becomes free. When the counter reaches 0, the API determines that a timeout has occurred and returns an error (Busy) as the return value.  * The timeout counter is used for the bus not to be locked. Therefore, specify the value greater than or equal to the time for that the other device holds the SCL pin low.  Setting time for the timeout (ns) ≈ (1/ICLK (Hz)) × counter value × 10			

### Note:

1. This setting is invalid for target devices that do not support the corresponding channel.

Configuration options in r_riic_rx_config.h					
R_RIIC_CFG_RIICi_SCLi_PORT i = 0 to 2 - When i = 0, the default value = '1' - When i = 1, the default value = '2' - When i = 2, the default value = '1'	Selects port groups used as the SCL pins.  Specify the value as an ASCII code in the range '0' to 'J'.				
R_RIIC_CFG_RIICi_SCLi_BIT i = 0 to 2 - When i = 0, the default value = '2' - When i = 1, the default value = '1' - When i = 2, the default value = '6'	Selects pins used as the SCL pins. Specify the value as an ASCII code in the range '0' to '7'.				
R_RIIC_CFG_RIICi_SDAi_PORT i = 0 to 2 - When i = 0, the default value = '1' - When i = 1, the default value = '2' - When i = 2, the default value = '1'	Selects port groups used as the SDA pins.  Specify the value as an ASCII code in the range '0' to 'J'.				
R_RIIC_CFG_RIICi_SDAi_BIT i = 0 to 2 - When i = 0, the default value = '3' - When i = 1, the default value = '0' - When i = 2, the default value = '7'	Selects pins used as the SDA pins. Specify the value as an ASCII code in the range '0' to '7'.				

### 2.8 Code Size

Typical code sizes associated with this module are listed below. Information is listed for a single representative device of the RX100 Series, RX200 Series, and RX600 Series, respectively.

The ROM (code and constants) and RAM (global data) sizes are determined by the build-time configuration options described in 2.7, Configuration Overview. The table lists reference values when the C compiler's compile options are set to their default values, as described in 2.3, Supported Toolchains. The compile option default values are optimization level: 2, optimization type: for size, and data endianness: little-endian. The code size varies depending on the C compiler version and compile options.

The values in the table below are confirmed under the following conditions.

Module Revision: r\_riic\_rx rev2.80

Compiler Version: Renesas Electronics C/C++ Compiler Package for RX Family V3.05.00

(The option of "-lang = c99" is added to the default settings of the integrated development environment.)

GCC for Renesas RX 8.03.00.202204

(The option of "-std=gnu99" is added to the default settings of the integrated development environment.)

IAR C/C++ Compiler for Renesas RX version 4.20.3

(The default settings of the integrated development environment.)

Configuration Options: Default settings

R	DM, RA	M and Stack Me	emory Usage					
Device	Category		Memory Used					
			Renesas Compiler		GCC		IAR Compiler	
			With Parameter Checking	Without Parameter Checking	With Parameter Checking	Without Parameter Checking	With Parameter Checking	Without Parameter Checking
RX130	ROM	1 channel used	10319 bytes	10319 bytes	13416 bytes	13416 bytes	14207 bytes	14207 bytes
	RAM	1 channel used	37 bytes	37 bytes 0 bytes			20 bytes	
	STACK *1		48 bytes		-		308 bytes	
RX23E-B	ROM	1 channel used	9051 bytes	9051 bytes	11488 bytes	11488 bytes	14176 bytes	14176 bytes
	RAM 1	1 channel used	37 bytes		40 bytes		20 bytes	
	STACK *1		48 bytes		-		308 bytes	
RX64M	DOM	1 channel used	9246 bytes	9230 bytes	11696 bytes	11648 bytes	14353 bytes	14354 bytes
	ROM	2 channels used	10215 bytes	10199 bytes	13272 bytes	13224 bytes	16004 bytes	16000 bytes
	DAM	1 channel used	111 bytes		0 bytes		66 bytes	
	RAM	2 channels used	111 bytes		0 bytes		66 bytes	
	STACK *1		48 bytes		-		308 bytes	

Note 1. The sizes of maximum usage stack of Interrupts functions is included.

### 2.9 Parameters

This section describes the structure whose members are API parameters. This structure is located in r\_riic\_rx\_if.h as are the prototype declarations of API functions.

The contents of the structure are referred and updated during communication. Do not rewrite the structure during communication (RIIC\_COMMUNICATION).

```
typedef volatile struct
{
  uint8_t rsv2; /* Reserved area */
  uint8_t rsv1; /* Reserved area */
  riic_ch_dev_status_t dev_sts; /* Device state flag */
  uint8_t ch_no; /* Channel number of the used device */
  riic_callback callbackfunc; /* Callback function */
  uint32_t cnt2nd; /* Second data counter (number of bytes) */
  uint32_t cnt1st; /* First data counter (number of bytes) */
  uint8_t *p_data2nd; /* Pointer to the second data storage buffer */
  uint8_t *p_data1st; /* Pointer to the first data storage buffer */
  uint8_t *p_slv_adr; /* Pointer to the slave address storage buffer */
  riic_info_t;
```

#### 2.10 Return Values

This section describes return values of API functions. This enumeration is located in r\_riic\_rx\_if.h as are the prototype declarations of API functions.

```
typeder enum
{
  RIIC_SUCCESS = OU, /* Function processing completed successfully */
  RIIC_ERR_LOCK_FUNC, /* The RIIC is used by another module */
  RIIC_ERR_INVALID_CHAN, /* Nonexistent channel is specified */
  RIIC_ERR_INVALID_ARG, /* Invalid parameter is specified */
  RIIC_ERR_NO_INIT, /* Uninitialized state */
  RIIC_ERR_BUS_BUSY, /* Bus is busy */
  RIIC_ERR_AL, /* The function was called while an arbitration-lost has been detected */
  RIIC_ERR_TMO, /* Timeout is detected */
  RIIC_ERR_OTHER, /* Other error */
} riic_return_t;
```

### 2.11 Callback Functions

In this module, a callback function set up by the user is called when either of the following conditions is met and an EEI interrupt request occuers.

- (1) The communication operation (Master Transmission, Master Reception, Master Transmit/Receive, Slave Transmission, Slave Reception) is completed and stop condition is detected.
- (2) A timeout was detected during communication operation (Master Transmission, Master Reception, Master Transmit/Receive, Slave Transmission, Slave Reception). (1)

#### Note:

1. When the timeout detection function is enabled in RIIC\_CFG\_CHi\_TMO\_ENABLE (i = 0 to 2) in section 2.7, Configuration Overview.

The callback function is set up by storing the address of the callback function in the callbackfunc structure member described in section 2.9, Parameters and then calling function R\_RIIC\_MasterSend(), R\_RIIC\_SlaveTransfer().

API function calls except for the R RIIC GetStatus function is prohibited within a callback function.

### 2.12 Adding the FIT Module to Your Project

This module must be added to each project in which it is used. Renesas recommends the method using the Smart Configurator described in (1) or (2) or (4) below. However, the Smart Configurator only supports some RX devices. Please use the methods of (3) for RX devices that are not supported by the Smart Configurator.

- (1) Adding the FIT module to your project using the Smart Configurator in e<sup>2</sup> studio
  By using the Smart Configurator in e<sup>2</sup> studio, the FIT module is automatically added to your project.
  Refer to "RX Smart Configurator User's Guide: e<sup>2</sup> studio (R20AN0451)" for details.
- (2) Adding the FIT module to your project using the Smart Configurator in CS+ By using the Smart Configurator Standalone version in CS+, the FIT module is automatically added to your project. Refer to "RX Smart Configurator User's Guide: CS+ (R20AN0470)" for details.
- (3) Adding the FIT module to your project in CS+ In CS+, please manually add the FIT module to your project. Refer to "RX Family Adding Firmware Integration Technology Modules to CS+ Projects (R01AN1826)" for details.
- (4) Adding the FIT module to your project using the Smart Configurator in IAREW By using the Smart Configurator Standalone version, the FIT module is automatically added to your project. Refer to "RX Smart Configurator User's Guide: IAREW (R20AN0535)" for details.

### 2.13 "for", "while" and "do while" statements

In this module, "for", "while" and "do while" statements (loop processing) are used in processing to wait for register to be reflected and so on. For these loop processing, comments with "WAIT\_LOOP" as a keyword are described. Therefore, if user incorporates fail-safe processing into loop processing, user can search the corresponding processing with "WAIT\_LOOP".

The following shows example of description.

```
while statement example :
/* WAIT LOOP */
while(0 == SYSTEM.OSCOVFSR.BIT.PLOVF)
    ^{\prime \star} The delay period needed is to make sure that the PLL has stabilized. ^{\star \prime}
}
for statement example:
/* Initialize reference counters to 0. */
/* WAIT LOOP */
for (i = 0; i < BSP REG PROTECT TOTAL ITEMS; i++)
    g protect counters[i] = 0;
}
do while statement example:
/* Reset completion waiting */
do
    reg = phy read(ether channel, PHY REG CONTROL);
    count++;
} while ((reg & PHY_CONTROL_RESET) && (count < ETHER_CFG_PHY_DELAY_RESET)); /* WAIT_LOOP */
```

#### 3. API Functions

### R\_RIIC\_Open()

This function initializes the RIIC FIT module. This function must be called before calling any other API functions.

#### **Format**

#### **Parameters**

\*p\_riic\_info

This is the pointer to the I<sup>2</sup>C communication information structure.

Only the member of the structure used in this function is described here. Refer to 2.9 Parameters for details on the structure.

The contents of the structure are referred and updated during communication. Do not rewrite the structure during communication (RIIC\_COMMUNICATION) and when an error has occurred (RIIC\_TMO and RIIC\_ERROR).

For the parameter which has '(to be updated)' in the comment below, the argument for the parameter will be updated during the API execution.

```
riic_ch_dev_status_t dev_sts; /* Device state flag (to be updated) */
uint8 t ch no; /* Channel number */
```

#### **Return Values**

```
RIIC_SUCCESS, /* Processing completed successfully */
RIIC_ERR_LOCK_FUNC, /* The API is locked by the other task. */
RIIC_ERR_INVALID_CHAN, /* Nonexistent channel */
RIIC_ERR_INVALID_ARG, /* Invalid parameter */
RIIC_ERR_OTHER, /* The event occurred is invalid in the current state. */
```

#### **Properties**

Prototyped in r riic rx if.h.

### **Description**

Performs the initialization to start the RIIC communication. Sets the RIIC channel specified by the parameter. If the state of the channel is 'uninitialized (RIIC\_NO\_INIT)', the following processes are performed.

- Setting the state flag
- Setting I/O ports
- Allocating I2C output ports
- Cancelling RIIC module-stop state
- Initializing variables used by the API
- Initializing the RIIC registers used for the RIIC communication
- Disabling the RIIC interrupts

## RX Family I<sup>2</sup>C Bus Interface (RIIC) Module Using Firmware Integration Technology

### **Example**

```
volatile riic_return_t ret;
riic_info_t iic_info_m;

iic_info_m.dev_sts = RIIC_NO_INIT;
iic_info_m.ch_no = 0;

ret = R_RIIC_Open(&iic_info_m);
```

### **Special Notes**

None

## R\_RIIC\_MasterSend()

Starts master transmission. Changes the transmit pattern according to the parameters. Operates batched processing until stop condition generation.

#### **Format**

#### **Parameters**

\*p\_riic\_info

This is the pointer to the I<sup>2</sup>C communication information structure. The transmit patterns can be selected from four patterns by the parameter setting. Refer to Special Notes in this section for available settings and the setting values for each transmit pattern. Also refer to 1.3.2 Master Transmission for details of each pattern.

Only members of the structure used in this function are described here. Refer to 2.9 Parameters for details on the structure.

The contents of the structure are referred and updated during communication. Do not rewrite the structure during communication (RIIC\_COMMUNICATION) and when an error has occurred (RIIC\_TMO and RIIC\_ERROR).

When setting the slave address, store it without shifting 1 bit to left.

For the parameter which has '(to be updated)' in the comment below, the argument for the parameter will be updated during the API execution.

#### **Return Values**

```
RIIC_SUCCESS /* Processing completed successfully */
RIIC_ERR_INVALID_CHAN /* The channel is nonexistent. */
RIIC_ERR_INVALID_ARG /* The parameter is invalid. */
RIIC_ERR_NO_INIT /* Uninitialized state */
RIIC_ERR_BUS_BUSY /* The bus state is busy. */
RIIC_ERR_AL /* Arbitration-lost error occurred */
RIIC_ERR_TMO /* Timeout is detected */
RIIC_ERR_OTHER /* The event occurred is invalid in the current state. */
```

#### **Properties**

Prototyped in r\_riic\_rx\_if.h.

#### **Description**

Starts the RIIC master transmission. The transmission is performed with the RIIC channel and transmit pattern specified by parameters. If the state of the channel is 'idle (RIIC\_IDLE, RIIC\_FINISH, or RIIC NACK)', the following processes are performed.

- Setting the state flag
- Initializing variables used by the API
- Enabling the RIIC interrupts

- Generating a start condition

This function returns RIIC\_SUCCESS as a return value when the processing up to the start condition generation ends normally. This function returns RIIC\_ERR\_BUS\_BUSY as a return value when the following conditions are met to the start condition generation ends normally. (1)

- The internal status bit is in busy state.
- Either SCL or SDA line is in low state.

The transmission processing is performed sequentially in subsequent interrupt processing after this function return RIIC\_SUCCESS. Section "2.4 Usage of Interrupt Vector" should be referred for the interrupt to be used. For master transmission, the interrupt generation timing should be referred from "6.2.1 Master transmission".

After issuing a stop condition at the end of transmission, the callback function specified by the argument is called.

The transmission completion is performed normally or not, can be confirmed by checking the device status flag specified by the argument or the channel status flag g\_riic\_ChStatus [], that is to be "RIIC\_FINISH" for normal completion.

#### Notes:

1. When SCL and SDA pin is not external pull-up, this function may return RIIC\_ERR\_BUS\_BUSY by detecting either SCL or SDA line is as in low state.

#### Example

```
/* for MasterSend(Pattern 1) */
#include <stddef.h>
#include "platform.h"
#include "r riic rx if.h"
riic_info_t iic_info_m;
void CallbackMaster(void);
void main(void);
void main (void)
    volatile riic return t ret;
    uint8_t addr_eeprom[1] = \{0x50\};
uint8_t access_addr1[1] = \{0x00\};
    uint8 t mst send data[5] = \{0x81, 0x82, 0x83, 0x84, 0x85\};
    /* Sets IIC Information for sending pattern 1. */
    iic_info_m.dev_sts = RIIC_NO_INIT;
    iic_info_m.ch_no = 0;
    iic info m.callbackfunc = &CallbackMaster;
    iic info_m.cnt2nd = 3;
    iic info m.cnt1st = 1;
    iic_info_m.p_data2nd = mst_send_data;
    iic_info_m.p_data1st = access_addr1;
    iic_info_m.p_slv_adr = addr_eeprom;
    /* RIIC open */
    ret = R RIIC Open(&iic info m);
    /* RIIC send start */
    ret = R RIIC MasterSend(&iic info m);
    if (RIIC SUCCESS == ret)
        while (RIIC FINISH != iic info m.dev sts);
```

```
}
   else
    {
       /* error */
   /* RIIC send complete */
   while(1);
}
void CallbackMaster(void)
   volatile riic_return_t ret;
   riic mcu status t
                         iic status;
   ret = R_RIIC_GetStatus(&iic_info_m, &iic_status);
   if(RIIC_SUCCESS != ret)
        /* Call error processing for the R_RIIC_GetStatus() function */
    }
   else
        /* Processing when a timeout, arbitration-lost, NACK,
          or others is detected by verifying the iic_status flag. */
    }
}
```

# RX Family I<sup>2</sup>C Bus Interface (RIIC) Module Using Firmware Integration Technology

# **Special Notes**

The table below lists available settings for each pattern.

Structure	Available Settings for Each Pattern of the Master Transmission						
Member	Pattern 1	Pattern 2	Pattern 3	Pattern 4			
*p_slv_adr	Pointer to the slave add	dress storage buffer		FIT_NO_PTR (1)			
*p_data1st	Pointer to the first data storage buffer for transmitting	FIT_NO_PTR (1)	FIT_NO_PTR (1)	FIT_NO_PTR (1)			
*p_data2nd	Pointer to the second of transmitting	data storage buffer for	FIT_NO_PTR (1)	FIT_NO_PTR (1)			
cnt1st	0000 0001h to FFFF FFFFh (2)	0	0	0			
cnt2nd	0000 0001h to FFFF F	FFFh (2)	0	0			
callbackfunc	Specify the function name used						
ch_no	00h to FFh						
dev_sts	Device state flag						
rsv1, rsv2	Reserved (value set he	ere has no effect )					

## Notes:

- 1. When using pattern 2, 3, or 4, set 'FIT\_NO\_PTR' as the argument of the parameter.
- 2. 0 cannot be set.

# R RIIC MasterReceive()

Starts master reception. Changes the receive pattern according to the parameters. Operates batched processing until stop condition generation.

#### **Format**

#### **Parameters**

```
*p_riic_info
```

This is the pointer to the I<sup>2</sup>C communication information structure. The receive pattern can be selected from master reception and master transmit/receive by the parameter setting. Refer to the Special Notes in this section for available settings and the setting values for each receive pattern. Also refer to 1.3.3 Master Reception for details of each receive pattern.

Only members of the structure used in this function are described here. Refer to 2.9 Parameters for details on the structure.

The contents of the structure are referred and updated during communication. Do not rewrite the structure during communication (RIIC\_COMMUNICATION) and when an error has occurred (RIIC\_TMO and RIIC\_ERROR).

When setting the slave address, store it without shifting 1 bit to left.

For the parameter which has '(to be updated)' in the comment below, the argument for the parameter will be updated during the API execution.

#### **Return Values**

```
RIIC_SUCCESS /* Processing completed successfully */
RIIC_ERR_INVALID_CHAN /* The channel is nonexistent. */
RIIC_ERR_INVALID_ARG /* The parameter is invalid. */
RIIC_ERR_NO_INIT /* Uninitialized state */
RIIC_ERR_BUS_BUSY /* The bus state is busy. */
RIIC_ERR_AL /* Arbitration-lost error occurred */
RIIC_ERR_TMO /* Timeout is detected */
RIIC_ERR_OTHER /* The event occurred is invalid in the current state. */
```

#### **Properties**

Prototyped in r\_riic\_rx\_if.h.

## **Description**

Starts the RIIC master reception. The reception is performed with the RIIC channel and receive pattern specified by parameters. If the state of the channel is 'idle (RIIC\_IDLE, RIIC\_FINISH, or RIIC\_NACK)', the following processes are performed.

- Setting the state flag
- Initializing variables used by the API
- Enabling the RIIC interrupts
- Generating a start condition

This function returns RIIC\_SUCCESS as a return value when the processing up to the start condition generation ends normally. This function returns RIIC\_ERR\_BUS\_BUSY as a return value when the following conditions are met to the start condition generation ends normally. (1)

- The internal status bit is in busy state.
- Either SCL or SDA line is in low state.

The reception processing is performed sequentially in subsequent interrupt processing after this function return RIIC\_SUCCESS. Section "2.4 Usage of Interrupt Vector" should be referred for the interrupt to be used. For master transmission, the interrupt generation timing should be referred from "6.2.2 Master Reception".

After issuing a stop condition at the end of reception, the callback function specified by the argument is called.

The reception completion is performed normally or not, can be confirmed by checking the device status flag specified by the argument or the channel status flag g\_riic\_ChStatus [], that is to be "RIIC\_FINISH" for normal completion.

#### Notes:

1. When SCL and SDA pin is not external pull-up, this function may return RIIC\_ERR\_BUS\_BUSY by detecting either SCL or SDA line is as in low state.

#### Example

```
#include <stddef.h>
#include "platform.h"
#include "r_riic_rx_if.h"
             iic info m;
riic info t
void CallbackMaster(void);
void main(void);
void main (void)
    volatile riic return t ret;
    uint8_t addr_eeprom[1] = {0x50};
uint8_t access_addr1[1] = {0x00};
    uint8 t mst store area[5] = {0xFF,0xFF,0xFF,0xFF,0xFF};
    /* Sets IIC Information. */
    iic_info_m.dev_sts = RIIC_NO_INIT;
    iic_info_m.ch_no = 0;
    iic info m.callbackfunc = &CallbackMaster;
    iic info_m.cnt2nd = 3;
    iic info m.cnt1st = 1;
    iic_info_m.p_data2nd = mst_store_area;
    iic_info_m.p_data1st = access_addr1;
    iic_info_m.p_slv_adr = addr_eeprom;
```

```
/* RIIC open */
    ret = R_RIIC_Open(&iic_info_m);
    /* RIIC receive start */
    ret = R_RIIC_MasterReceive(&iic_info_m);
    if (RIIC SUCCESS == ret)
        while(RIIC_FINISH != iic_info_m.dev_sts);
    else
       /* error */
    /* RIIC receive complete */
    while (1);
}
void CallbackMaster(void)
   volatile riic_return_t ret;
   riic_mcu_status_t iic_status;
    ret = R_RIIC_GetStatus(&iic_info_m, &iic_status);
    if(RIIC SUCCESS != ret)
        /* Call error processing for the R RIIC GetStatus() function */
    }
    else
        /\star Processing when a timeout, arbitration-lost, NACK,
           or others is detected by verifying the iic_status flag._{\star}^{\star}/
    }
}
```

#### I<sup>2</sup>C Bus Interface (RIIC) Module Using Firmware Integration Technology **RX Family**

**Special Notes**The table below lists available settings for each receive pattern.

Structure	Available Settings for Each Pattern of the Master Reception					
Member	Master Reception	Master transmit/receive				
*p_slv_adr	Pointer to the slave address storage buffer					
*p_data1st	Not used (value set here has no effect)  Pointer to the first data storage buffer for transmitting					
*p_data2nd	Pointer to the second data storage buffer for receiving					
dev_sts	Device state flag					
cnt1st (1)	0	0000 0001h to FFFF FFFFh				
cnt2nd	0000 0001h to FFFF FFFFh (2)	0000 0001h to FFFF FFFFh (2)				
callbackfunc	Specify the function name used					
ch_no	00h to FFh					
rsv1, rsv2	Reserved (value set here has no effect)					

## Notes:

- 1. The receive pattern is determined by whether cnt1st is 0 or not.
- 2. 0 cannot be set.

# R\_RIIC\_SlaveTransfer()

This function performs slave transmission and reception. Changes the transmit and receive pattern according to the parameters.

#### **Format**

#### **Parameters**

\*p\_riic\_info

This is the pointer to the  $I^2C$  communication information structure. The operation can be selected from preparation for slave reception, slave transmission, or both of them by the parameter setting. Refer to the Special Notes in this section for available parameter settings. Also refer to 1.3.4 Slave Transmission and Reception for details of slave operations.

Only members of the structure used in this function are described here. Refer to 2.9 Parameters for details on the structure.

The contents of the structure are referred and updated during communication. Do not rewrite the structure during communication (RIIC\_COMMUNICATION) and when an error has occurred (RIIC\_TMO and RIIC\_ERROR).

For the parameter which has '(to be updated)' in the comment below, the argument for the parameter will be updated during the API execution.

#### **Return Values**

```
RIIC_SUCCESS /* Processing completed successfully */
RIIC_ERR_INVALID_CHAN /* The channel is nonexistent. */
RIIC_ERR_INVALID_ARG /* The parameter is invalid. */
RIIC_ERR_NO_INIT /* Uninitialized state */
RIIC_ERR_BUS_BUSY /* The bus state is busy. */
RIIC_ERR_AL /* Arbitration-lost error occurred */
RIIC_ERR_TMO /* Timeout is detected */
RIIC_ERR_OTHER /* The event occurred is invalid in the current state. */
```

#### **Properties**

Prototyped in r\_riic\_rx\_if.h.

## **Description**

Prepares for the RIIC slave transmission or slave reception. If this function is called while the master is communicating, an error occurs. Sets the RIIC channel specified by the parameter. If the state of the channel is 'idle (RIIC\_IDLE, RIIC\_FINISH, or RIIC\_NACK)', the following processes are performed.

- Setting the state flag
- Initializing variables used by the API
- Initializing the RIIC registers used for the RIIC communication
- Enabling the RIIC interrupts
- Setting the slave address and enabling the slave address match interrupt

This function returns RIIC\_SUCCESS as a return value when the setting of slave address and permission of slave address match interrupt are completed normally.

The processing of slave transmission or slave reception is performed sequentially in the subsequent interrupt processing.

Section "2.4 Usage of Interrupt Vector" should be refered for the interrupt to be used.

The interrupt generation timing of slave transmission should be referred from "6.2.4 Slave Transmission". The interrupt generation timing for slave reception should be referred from "6.2.5 Slave reception".

After detecting the stop condition of slave transmission or slave reception termination, the callback function specified by the argument is called.

The successful completion of slave reception can be checked by confirming the device status flag or channel status flag specified in the argument <code>g\_riic\_ChStatus</code> [], that is to be "RIIC\_FINISH". The successful completion of slave transmission can be checked by confirming the device status flag or channel status flag specified in the argument <code>g\_riic\_ChStatus</code> [], that is to be "RIIC\_FINISH" or "RIIC\_NACK". "RIIC\_NACK" is set when master device transmitted NACK for notify to the slave that last data receive completed.

#### **Example**

```
#include <stddef.h>
#include "platform.h"
#include "r riic rx if.h"
            iic_info_m;
riic info t
void CallbackMaster(void);
void CallbackSlave(void);
void main(void);
void main (void)
    volatile
             riic return t ret;
    riic info t iic info s;
   uint8 t addr eeprom[1]
                            = \{0x50\};
    uint8 t access addr1[1] = \{0x00\};
    uint8_t mst_send_data[5] = \{0x81,0x82,0x83,0x84,0x85\};
    uint8_t slv_send_data[5] = \{0x71, 0x72, 0x73, 0x74, 0x75\};
    uint8 t mst store area[5] = {0xff,0xff,0xff,0xff,0xff};
    uint8 t slv store area[5] = {0xFF,0xFF,0xFF,0xFF,0xFF};
    /* Sets IIC Information for Master Send. */
    iic_info_m.dev_sts = RIIC_NO_INIT;
    iic_info_m.ch_no = 0;
    iic info m.callbackfunc = &CallbackMaster;
    iic_info_m.cnt2nd = 3;
    iic info m.cnt1st = 1;
    iic info m.p data2nd = mst store area;
```

```
iic info m.p data1st = access addr1;
    iic_info_m.p_slv_adr = addr_eeprom;
    /* Sets IIC Information for Slave Transfer. */
    iic_info_s.dev_sts = RIIC_NO_INIT;
    iic_{info_s.ch_no} = 0;
    iic info s.callbackfunc = &CallbackSlave;
   iic_info_s.cnt2nd = 3;
    iic_info_s.cnt1st = 3;
   iic_info_s.p_data2nd = slv_store_area;
   iic info s.p data1st = slv send data;
   iic info s.p slv adr = (uint8 t*)FIT NO PTR;
    /* RIIC open */
    ret = R_RIIC_Open(&iic_info_m);
    /* RIIC slave transfer enable */
   ret = R RIIC SlaveTransfer(&iic info s);
    /* RIIC master send start */
    ret = R RIIC MasterSend(&iic info m);
   while (1);
}
void CallbackMaster(void)
   volatile riic return t ret;
   riic mcu status t
                          iic status;
    ret = R RIIC GetStatus(&iic_info_m, &iic_status);
    if(RIIC SUCCESS != ret)
        /* Call error processing for the R RIIC GetStatus() function */
    }
    else
        /* Processing when a timeout, arbitration-lost, NACK,
           or others is detected by verifying the iic status flag. */
}
void CallbackSlave (void)
    /* Processing when an event occurs in slave mode as required. */
```

# RX Family I<sup>2</sup>C Bus Interface (RIIC) Module Using Firmware Integration Technology

# **Special Notes**

The table below lists available settings for each receive pattern.

Structure	Available Parameter Settings				
Member	Slave Reception	Slave Transmission			
*p_slv_adr	Not used (value set here has no effect)				
*p_data1st	(For slave transmission)	Pointer to the first data storage buffer for transmitting <sup>(1)</sup>			
*p_data2nd	Pointer to the second data storage buffer for receiving <sup>(2)</sup>				
dev_sts	Device state flag				
cnt1st	(For slave transmission)	0000 0001h to FFFF FFFFh			
cnt2nd	0000 0001h to FFFF FFFFh	(For slave reception)			
callbackfunc	Specify the function name used				
ch_no	00h to FFh				
rsv1, rsv2	Reserved (value set here has no effect)				

#### Notes:

- Set this when performing slave transmission.
   When slave transmission is not used in the user system, set FIT\_NO\_PTR.
- Set this when performing slave reception.When slave reception is not used in the user system, set FIT\_NO\_PTR.

# R\_RIIC\_GetStatus()

Returns the state of this module.

#### **Format**

#### **Parameters**

\*p\_riic\_info

This is the pointer to the I<sup>2</sup>C communication information structure.

Only the member of the structure used in this function is described here. Refer to 2.9 Parameters for details on the structure.

For the parameter which has '(to be updated)' in the comment below, the argument for the parameter will be updated during the API execution.

#### \*p\_riic\_status

This contains the variable to store the RIIC state. Use the structure members listed below to specify parameters.

```
typedef union
  uint32_t LONG;
  struct
        uint32 t rsv:19; /* reserve */
        uint32 t TMO:1; /* Timeout flag */
        uint32 t AL:1; /* Arbitration lost detection flag */
        uint32 t rsv:4; /* reserve */
        uint32 t SCLO:1; /* SCL pin output control status */
        uint32 t SDAO:1; /* SDA pin output control status */
        uint32 t SCLI:1; /* SCL pin level */
        uint32 t SDAI:1; /* SDA pin level */
        uint32 t NACK:1; /* NACK detection flag */
        uint32 t rsv:1; /* reserve */
        uint32 t BSY:1; /* Bus status flag */
  }BIT;
} riic mcu status t;
```

#### **Return Values**

RIIC\_SUCCESS /\* Processing completed successfully \*/
RIIC\_ERR\_INVALID\_CHAN /\* The channel is nonexistent. \*/
RIIC\_ERR\_INVALID\_ARG /\* The parameter is invalid. \*/

## **Properties**

Prototyped in r\_riic\_rx\_if.h.

## **Description**

Returns the state of this module.

By reading the register, pin level, variable, or others, obtains the state of the RIIC channel which specified by the parameter, and returns the obtained state as 32-bit structure.

When this function is called, the RIIC arbitration-lost flag and NACK flag are cleared to 0. If the device state is

"RIIC\_ AL", the value is updated to "RIIC\_FINISH".

## **Example**

## **Special Notes**

The following shows the state flag allocation.

b31 to b16
Reserved
Reserved
Rsv
Undefined

b15 to b13	b12	b11	b10 to b8		
Reserved	Event detection		Reserved Event detection		Reserved
Reserved	Timeout detection	Arbitration lost detection	Reserved		
Rsv	ТМО	AL	Rsv		
Undefined	0: Not d 1: Det	letected tected	Undefined		

b7	b6	b5	b4	b3	b2	b1	b0
Reserved	served Pin status Pin level		Pin level		Event detection	Reserved	Bus state
Reserved	SCL pin control	SDA pin control	SCL pin level	SDA pin level	NACK detection	Reserved	Bus busy/ready
Rsv	SCLO	SDAO	SCLI	SDAI	NACK	Rsv	BSY
Undefined		low level out Hi-Z	0: Low level 1: High level		0: Not detected 1: Detected	Undefined	0: Idle 1: Busy

# R\_RIIC\_Control()

This function outputs conditions, Hi-Z from the SDA, and one-shot of the SCL clock. Also it resets the settings of this module. This function is mainly used when a communication error occurs.

#### **Format**

#### **Parameters**

\*p\_riic\_info

This is the pointer to the I<sup>2</sup>C communication information structure.

Only the member of the structure used in this function is described here. Refer to 2.9 Parameters for details on the structure.

The contents of the structure are referred and updated during communication. Do not rewrite the structure during communication (RIIC\_COMMUNICATION) and when an error has occurred (RIIC\_TMO and RIIC\_ERROR).

For the parameter which has '(to be updated)' in the comment below, the argument for the parameter will be updated during the API execution.

#### ctrl ptn

Specifies the output pattern.

The output pattern listed below can be specified simultaneously. When specifying multiple patterns simultaneously, specify them with '|'(OR).

The following output patterns can be specified simultaneously with a combination of two or three of them.

- RIIC GEN START CON
- RIIC\_GEN\_RESTART\_CON
- RIIC\_GEN\_STOP\_CON

The following two can specified simultaneously.

- RIIC GEN SDA HI Z
- RIIC GEN SCL ONESHOT

```
#define RIIC_GEN_START_CON (uint8_t)(0x01) /* Start condition generation */
#define RIIC_GEN_STOP_CON (uint8_t)(0x02) /* Stop condition generation */
#define RIIC_GEN_RESTART_CON (uint8_t)(0x04) /* Restart condition generation */
#define RIIC_GEN_SDA_HI_Z (uint8_t)(0x08) /* Hi-Z output from the SDA pin */
#define RIIC_GEN_SCL_ONESHOT (uint8_t)(0x10) /* SCL clock one-shot output */
#define RIIC_GEN_RESET (uint8_t)(0x20) /* RIIC module reset */
```

#### **Return Values**

```
RIIC SUCCESS /* Processing completed successfully */
RIIC ERR INVALID CHAN /* Nonexistent channel */
RIIC_ERR_INVALID_ARG /* Invalid parameter */
RIIC ERR BUS BUSY /* Bus is busy */
RIIC ERR AL /* Arbitration-lost error occurred */
RIIC ERR OTHER /* The event occurred is invalid in the current state. */
```

## **Properties**

Prototyped in r riic rx if.h.

## **Description**

Outputs control signals of the RIIC. Outputs conditions specified by the argument, Hi-Z from the SDA pin, and one-shot of the SCL clock. Also resets the RIIC module settings.

## **Example**

```
/st Outputs an extra SCL clock cycle after the SDA pin state is changed to a high-
impedance state. */
volatile riic_return_t ret;
riic_info_t
                        iic_info_m;
iic info m.ch no = 0;
ret = R RIIC Control(&iic info m, RIIC GEN SDA HI Z | RIIC GEN SCL ONESHOT);
```

#### **Special Notes**

One-shot output of the SCL clock

In master mode, if the clock signals from the master and slave devices go out of synchronization due to noise or other factors, the slave device may hold the SDA line low (bus hang up). Then the SDA line can be released from being held low by outputting one clock of the SCL at a time.

In this module, one clock of the SCL can be output by setting the output pattern "RIIC GEN SCL ONESHOT" (one-shot output of the SCL clock) and calling R RIIC Control().

# R\_RIIC\_Close()

This function completes the RIIC communication and releases the RIIC used.

#### **Format**

#### **Parameters**

\*p\_riic\_info

This is the pointer to the I<sup>2</sup>C communication information structure.

Only the member of the structure used in this function is described here. Refer to 2.9 Parameters for details on the structure.

The contents of the structure are referred and updated during communication. Do not rewrite the structure during communication (RIIC\_COMMUNICATION) and when an error has occurred (RIIC\_TMO and RIIC\_ERROR).

For the parameter which has '(to be updated)' in the comment below, the argument for the parameter will be updated during the API execution.

```
riic_ch_dev_status_t dev_sts; /* Device state flag (to be updated) */
uint8 t ch no; /* Channel number */
```

#### **Return Values**

```
RIIC_SUCCESS /* Processing completed successfully */
RIIC_ERR_INVALID_CHAN /* The channel is nonexistent. */
RIIC_ERR_INVALID_ARG /* Invalid parameter */
```

#### **Properties**

Prototyped in r riic rx if.h.

#### **Description**

Configures the settings to complete the RIIC communication. Disables the RIIC channel specified by the parameter. The following processes are performed in this function.

- Entering the RIIC module-stop state
- Releasing I<sup>2</sup>C output ports
- Disabling the RIIC interrupt

To restart the communication, call the R\_RIIC\_Open() function (initialization function). If the communication is forcibly terminated, that communication is not guaranteed.

# Example

```
volatile riic_return_t ret;
riic_info_t iic_info_m;
iic_info_m.ch_no = 0;
ret = R RIIC Close(&iic info m);
```

**Special Notes** None

# R\_RIIC\_GetVersion()

Returns the current version of this module.

#### **Format**

uint32\_t R\_RIIC\_GetVersion(void)

#### **Parameters**

None

#### **Return Values**

Version number

# **Properties**

Prototyped in r\_riic\_rx\_if.h.

# **Description**

This function will return the version of the currently installed RIIC FIT module. The version number is encoded where the top 2 bytes are the major version number and the bottom 2 bytes are the minor version number. For example, Version 4.25 would be returned as 0x00040019.

## **Example**

```
uint32_t version;
version = R RIIC GetVersion();
```

# **Special Notes**

None.

## 4. Pin Settings

To use the RIIC FIT module, assign input/output signals of the peripheral function to pins with the multifunction pin controller (MPC). The pin assignment is referred to as the "Pin Setting" in this document.

The RIIC FIT module can choose whether or not to perform the pin setting in the R\_RIIC\_Open function depending on the setting of the configuration option RIIC\_CFG\_PORT\_SET\_PROCESSING.

For details of the configuration options, refer to "2.7 Configuration Overview".

When performing the Pin Setting in the e² studio, the Pin Setting feature of the Smart Configurator can be used. When using the pin setting feature, pins selected in the Pin Setting pane can be used in the Smart Configurator. The information of selected pins is reflected in the r\_riic\_pin\_config.h file. Values of the macro definitions listed in Table 4.1 are overwritten with values corresponding to the pins selected.

Table 4.1 Macro Definitions for the Pin Setting Feature

Channel Selected	Pin Selected	Macro Definition
Channel 0	SCL0 Pin	R_RIIC_CFG_RIIC0_SCL0_PORT
		R_RIIC_CFG_RIIC0_SCL0_BIT
	SDA0 Pin	R_RIIC_CFG_RIIC0_SDA0_PORT
		R_RIIC_CFG_RIIC0_SDA0_BIT
Channel 1	SCL1 Pin	R_RIIC_CFG_RIIC1_SCL1_PORT
		R_RIIC_CFG_RIIC1_SCL1_BIT
	SDA1 Pin	R_RIIC_CFG_RIIC1_SDA1_PORT
		R_RIIC_CFG_RIIC1_SDA1_BIT
Channel 2	SCL2 Pin	R_RIIC_CFG_RIIC2_SCL2_PORT
		R_RIIC_CFG_RIIC2_SCL2_BIT
	SDA2 Pin	R_RIIC_CFG_RIIC2_SDA2_PORT
		R_RIIC_CFG_RIIC2_SDA2_BIT

Pins selected in the r\_riic\_pin\_config.h file are configured as peripheral function pins SCL and SDA after calling the R RIIC Open function.

The pins assigned to the peripheral function are released upon calling the R\_RIIC\_Close function and then become general I/O pins (as input pins).

Pins SCL and SDA must be pulled up with an external resistor.

When the pin setting feature in this FIT module is not used according to the RIIC\_CFG\_PORT\_SET\_PROCESSING setting, pins used in user processing must be configured after calling the R RIIC Open function before calling the other APIs.

# 5. Demo Projects

Demo projects are complete stand-alone programs. They include function main() that utilizes the module and its dependent modules (e.g., r bsp).

In this section, it explains about GUI operation when you use e<sup>2</sup> studio.

# 5.1 riic\_mastersend\_demo\_rskrx64m, riic\_mastersend\_demo\_rskrx64m\_gcc

## **Description**

A simple demo of the RX64M RIIC Master Transmission for the RSKRX64M starter kit (FIT module "r\_riic\_rx"). The demo uses the RIIC API from r\_riic\_rx\_if.h to start master transmission. The master device (RX MCU) transmits data to the slave device. When the master transmission is finished, print the finished message to the debug console by main().

#### **Setup and Execution**

- 1. Compile and download the sample code.
- 2. Click 'Reset Go' to start the software. If PC stops at Main, press F8 to resume.
- 3. Set breakpoints and watch global variables

#### **Boards Supported**

RSKRX64M

# 5.2 riic\_masterreceive\_demo\_rskrx64m, riic\_masterreceive\_demo\_rskrx64m\_gcc

#### **Description**

A simple demo of the RX64M RIIC Master Reception for the RSKRX64M starter kit (FIT module "r\_riic\_rx"). The demo uses the RIIC API from r\_riic\_rx\_if.h to start master reception. The master (RX MCU) receives data from the slave device .When the master reception is finished, print the received data to the debug console by main().

## **Boards Supported**

RSKRX64M

# 5.3 riic\_slavetransfer\_demo\_rskrx64m, riic\_slavetransfer\_demo\_rskrx64m\_gcc

#### **Description**

A simple demo of the RX64M RIIC Slave Transmission and Reception for the RSKRX64M starter kit (FIT module "r\_riic\_rx"). The demo uses the RIIC API from r\_riic\_rx\_if.h to start slave transmission and reception. The slave (RX MCU) receives data transmitted from the master, or transmits data by the transmit request from the master. When the slave transmission and reception is finished, print the finished message to the debug console by main().

#### **Boards Supported**

RSKRX64M

# 5.4 riic\_mastersend\_demo\_rskrx231, riic\_mastersend\_demo\_rskrx231\_gcc

#### **Description**

A simple demo of the RX231 RIIC Master Transmission for the RSKRX231 starter kit (FIT module "r\_riic\_rx"). This demo is identical to the RX64M for demo above.

#### **Boards Supported**

RSKRX231

## 5.5 riic\_masterreceive\_demo\_rskrx231, riic\_masterreceive\_demo\_rskrx231\_gcc

#### **Description**

A simple demo of the RX231 RIIC Master Reception for the RSKRX231 starter kit (FIT module "r\_riic\_rx"). This demo is identical to the RX64M for demo above.

## **Boards Supported**

RSKRX231

# 5.6 riic\_slavetransfer\_demo\_rskrx231, riic\_slavetransfer\_demo\_rskrx231\_gcc

## **Description**

A simple demo of the RX231 RIIC Slave Transmission and Reception for the RSKRX231 starter kit (FIT module "r riic rx"). This demo is identical to the RX64M for demo above.

#### **Boards Supported**

RSKRX231

# 5.7 riic mastersend demo rskrx671, riic mastersend demo rskrx671 gcc

# **Description**

A simple demo of the RX671 RIIC Master Transmission for the RSKRX671 starter kit (FIT module "r\_riic\_rx"). This demo is identical to the RX64M for demo above.

#### **Boards Supported**

RSKRX671

## 5.8 riic masterreceive demo rskrx671, riic masterreceive demo rskrx671 gcc

#### **Description**

A simple demo of the RX671 RIIC Master Reception for the RSKRX671 starter kit (FIT module "r\_riic\_rx"). This demo is identical to the RX64M for demo above.

## **Boards Supported**

RSKRX671

# 5.9 riic\_slavetransfer\_demo\_rskrx671, riic\_slavetransfer\_demo\_rskrx671\_gcc

#### **Description**

A simple demo of the RX671 RIIC Slave Transmission and Reception for the RSKRX671 starter kit (FIT module "r\_riic\_rx"). This demo is identical to the RX64M for demo above.

#### **Boards Supported**

RSKRX671

# 5.10 riic mastersend demo rskrx72n, riic mastersend demo rskrx72n gcc

# **Description**

A simple demo of the RX72N RIIC Master Transmission for the RSKRX72N starter kit (FIT module "r\_riic\_rx"). This demo is identical to the RX64M for demo above.

#### **Boards Supported**

RSKRX72N

# 5.11 riic\_masterreceive\_demo\_rskrx72n, riic\_masterreceive\_demo\_rskrx72n\_gcc

#### **Description**

A simple demo of the RX72N RIIC Master Reception for the RSKRX72N starter kit (FIT module "r\_riic\_rx"). This demo is identical to the RX64M for demo above.

#### **Boards Supported**

RSKRX72N

# 5.12 riic slavetransfer demo rskrx72n, riic slavetransfer demo rskrx72n gcc

#### **Description**

A simple demo of the RX72N RIIC Slave Transmission and Reception for the RSKRX72N starter kit (FIT module "r\_riic\_rx"). This demo is identical to the RX64M for demo above.

#### **Boards Supported**

RSKRX72N

# 5.13 Adding a Demo to a Workspace

Demo projects are found in the FITDemos subdirectory of the distribution file for this application note. To add a demo project to a workspace, select File>Import>General>Existing Projects into Workspace, then click "Next". From the Import Projects dialog, choose the "Select archive file" radio button. "Browse" to the FITDemos subdirectory, select the desired demo zip file, then click "Finish".

# 5.14 Downloading Demo Projects

Demo projects are not included in the RX Driver Package. When using the demo project, the FIT module needs to be downloaded. To download the FIT module, right click on the required application note and select "Sample Code (download)" from the context menu in the Smart Brower >> Application Notes tab.

# 6. Appendices

## 6.1 Communication Method

This module controls each processing such as start condition generation, slave address transmission, and others as a single protocol, and performs communication by combining these protocols.

## 6.1.1 States for API Operation

Table 6.1 lists the States Used for Protocol Control.

Table 6.1 States Used for Protocol Control (enum r\_riic\_api\_status\_t)

No.	Constant Name	Description
STS0	RIIC_STS_NO_INIT	Uninitialized state
STS1	RIIC_STS_IDLE	Idle state (ready for master communication)
STS2	RIIC_STS_IDLE_EN_SLV	Idle state (ready for master/slave communication)
STS3	RIIC_STS_ST_COND_WAIT	Wait state for a start condition to be detected
STS4	RIIC_STS_SEND_SLVADR_W_WAIT	Wait state for the slave address [write] transmission to complete
STS5	RIIC_STS_SEND_SLVADR_R_WAIT	Wait state for the slave address [read] transmission to complete
STS6	RIIC_STS_SEND_DATA_WAIT	Wait state for the data transmission to complete
STS7	RIIC_STS_RECEIVE_DATA_WAIT	Wait state for the data reception to complete
STS8	RIIC_STS_SP_COND_WAIT	Wait state for a stop condition to be detected
STS9	RIIC_STS_AL	Arbitration-lost state
STS10	RIIC_STS_TMO	Timeout detection state

## **6.1.2 Events During API Operation**

Table 6.2 lists the Events Used for Protocol Control. In this module, not only interrupt but also the module function call is defined as event.

Table 6.2 Events Used for Protocol Control (enum r\_riic\_api\_event\_t)

No.	Event	Event Definition
EV0	RIIC_EV_INIT	R_RIIC_Open() called
EV1	RIIC_EV_EN_SLV_TRANSFER	R_RIIC_SlaveTransfer() called
EV2	RIIC EV GEN START COND	R_RIIC_MasterSend()
LVZ	MIC_EV_GEN_STAINT_COND	or R_RIIC_MasterReceive() called
EV3	RIIC_EV_INT_START	EEI interrupt occurred (interrupt flag: START)
EV4	RIIC_EV_INT_ADD	TEI interrupt occurred, TXI interrupt occurred (1)
EV5	RIIC_EV_INT_SEND	TEI interrupt occurred, TXI interrupt occurred (1)
EV6	RIIC_EV_INT_RECEIVE	RXI interrupt occurred
EV7	RIIC_EV_INT_STOP	EEI interrupt occurred (interrupt flag: STOP)
EV8	RIIC_EV_INT_AL	EEI interrupt occurred (interrupt flag: AL)
EV9	RIIC_EV_INT_NACK	EEI interrupt occurred (interrupt flag: NACK)
EV10	RIIC_EV_INT_TMO	EEI interrupt occurred (interrupt flag: TMO)

#### Note:

1. The definition of EV4 and EV5 differs depending on the communication operation and the states of "6.1.1 States for API Operation". For details, refer to "6.1.3 Protocol State Transitions".

#### **6.1.3 Protocol State Transitions**

In this module, a state transition occurs when an interface function provided is called or when an I<sup>2</sup>C interrupt request is generated. Figure 6.1 to Figure 6.4 show protocol state transitions.




Figure 6.1 State Transition on Initialization ('R\_RIIC\_Open()' Called)




Figure 6.2 State Transition on Master Transmission (R\_RIIC\_MasterSend() Called)

Page 62 of 98




Figure 6.3 State Transition on Master Reception (R\_RIIC\_MasterReceive() Called)




Figure 6.4 State Transition on Slave Transmission and Reception (R\_RIIC\_SlaveTransfer() Called)

## **6.1.4 Protocol State Transition Table**

The processing when the events in Table 6.2 occur in the states in Table 6.1 is shown in the Table 6.3 Protocol State Transition. Refer to Table 6.4 for details of each function.

Table 6.3 Protocol State Transition Table (gc\_riic\_mtx\_tbl[][]) (1)

	State						Event					
			EV1	EV2	EV3	EV4	EV5	EV6	EV7	EV8	EV9	EV10
STS0	Uninitialized state [RIIC_STS_NO_INIT]	Func0	ERR	ERR	ERR	ERR	ERR	ERR	ERR	ERR	ERR	ERR
STS1	Idle state (ready for master communication) [RIIC_STS_IDLE]	ERR	Func 10	Func1	ERR							
STS2	Idle state (ready for master/slave communication) [RIIC_STS_IDLE_EN_SLV]	ERR	ERR	Func1	ERR	Func4	ERR	Func4	ERR	ERR	ERR	ERR
STS3	Wait state for the start condition to be generated  [RIIC_STS_ST_COND_WAIT]	ERR	ERR	ERR	Func2	ERR	ERR	ERR	ERR	Func8	Func9	Func 11
STS4	Wait state for the slave address [write] to complete [RIIC_STS_SEND_SLVADR_W_WAIT]	ERR	ERR	ERR	ERR	Func3	ERR	ERR	ERR	Func8	Func9	Func 11
STS5	Wait state for the slave address [read] to complete [RIIC_STS_SEND_SLVADR_R_WAIT]	ERR	ERR	ERR	ERR	ERR	ERR	Func3	ERR	Func8	Func9	Func 11
STS6	Wait state for the data transmission to complete [RIIC_STS_SEND_DATA_WAIT]	ERR	ERR	ERR	ERR	ERR	Func5	ERR	ERR	Func8	Func9	Func 11
STS7	Wait state for the data reception to complete [RIIC_STS_RECEIVE_DATA_WAIT]	ERR	ERR	ERR	ERR	ERR	ERR	Func6	ERR	Func8	Func9	Func 11
STS8	Wait state for the stop condition to be generated [RIIC_STS_SP_COND_WAIT]	ERR	ERR	ERR	ERR	ERR	ERR	ERR	Func7	ERR	Func9	Func 11
STS9	Arbitration-lost state [RIIC_STS_AL]	ERR	ERR	ERR	ERR	ERR	Func5	Func6	Func7	ERR	ERR	ERR
STS10	Timeout detection state [RIIC_STS_TMO]	ERR	ERR	ERR	ERR	ERR	ERR	ERR	ERR	ERR	ERR	ERR

## Note:

1. ERR indicates RIIC\_ERR\_OTHER. When an unexpected event is notified in a state, error processing will be performed.

#### 6.1.5 Functions Used on Protocol State Transitions

Table 6.4 lists the Functions Used on Protocol State Transition.

Table 6.4 Functions Used on Protocol State Transition

Processing	Function	Overview
Func0	riic_init_driver()	Initialization
Func1	riic_generate_start_cond()	Start condition generation (for master transmission)
Func2	riic_after_gen_start_cond()	Processing after generating a start condition
Func3	riic_after_send_slvadr()	Processing after completing the slave address transmission
Func4	riic_after_receive_slvadr()	Processing after matching the received slave address
Func5	riic_write_data_sending()	Data transmission
Func6	riic_read_data_receiving()	Data reception
Func7	riic_after_dtct_stop_cond ()	Communication end processing
Func8	riic_arbitration_lost()	Processing when detecting an arbitration-lost
Func9	riic_nack()	Processing when detecting a NACK
Func10	riic_enable_slave_transfer()	Enabling slave transmission/reception
Func11	riic_time_out()	Processing when detecting a timeout

#### 6.1.6 Flag States on State Transitions

#### 1. Controlling states of channels

Multiple slaves on the same bus can be exclusively controlled using the channel state flag 'g\_riic\_ChStatus[]'. Each channel has the channel state flag and the flag is controlled by the global variable. When the initialization for this module has completed and the target bus is not being used for a communication, the flag becomes 'RIIC\_IDLE/RIIC\_FINISH/RIIC\_NACK' (idle state (ready for communication)) and communication is available. When the bus is being used for communication, the flag becomes 'RIIC\_COMMUNICATION' (communicating). When communication is started, the flag is always verified. Thus, if a device is communicating on a bus, then no other device can start communicating on the same bus. Simultaneous communication can be achieved by controlling the channel state flag for each channel.

#### 2. Controlling states of devices

Multiple slaves on the same channel can be controlled using the device state flag 'dev\_sts' in the I<sup>2</sup>C communication information structure. The device state flag stores the state of communication for the device.

Table 6.5 lists States of Flags on State Transitions.

Table 6.5 States of Flags on State Transitions

	Channel State Flag	Device State Flag (Communication Device)	I <sup>2</sup> C Protocol Operating Mode	Current State of the Protocol Control
State	g_riic_ChStatus[]	I <sup>2</sup> C Communication Information Structure dev_sts	Internal Communication Information Structure N_Mode	Internal Communication Information Structure N_status
Uninitialized state	RIIC_NO_INIT	RIIC_NO_INIT	RIIC_MODE_NONE	RIIC_STS_NO_INIT
Idle state	RIIC_IDLE	RIIC_IDLE		
(ready for master	RIIC_FINISH	RIIC_FINISH	RIIC_MODE_NONE	RIIC_STS_IDLE
communication)	RIIC_NACK	RIIC_NACK		
Idle state (ready for master/slave communication)	RIIC_IDLE	RIIC_IDLE	RIIC_MODE_S_READY	RIIC_STS_IDLE_EN_SLV
				RIIC_STS_ST_COND_WAIT
				RIIC_STS_SEND_SLVADR_W_WAIT
Communicating	DUC COMMUNICATION	DUC COMMUNICATION	DUC MODE M SEND	RIIC_STS_SEND_DATA_WAIT
(master transmission)	RIIC_COMMUNICATION	RIIC_COMMUNICATION	RIIC_MODE_M_SEND	RIIC_STS_SP_COND_WAIT
ti di lori i solori j				RIIC_STS_AL
				RIIC_STS_TMO
	RIIC_COMMUNICATION	RIIC_COMMUNICATION	RIIC_MODE_ M_RECEIVE	RIIC_STS_ST_COND_WAIT
				RIIC_STS_SEND_SLVADR_R_WAIT
Communicating				RIIC_STS_RECEIVE_DATA_WAIT
(master reception)				RIIC_STS_SP_COND_WAIT
				RIIC_STS_AL
				RIIC_STS_TMO
				RIIC_STS_ST_COND_WAIT
				RIIC_STS_SEND_SLVADR_W_WAIT
				RIIC_STS_SEND_SLVADR_R_WAIT
Communicating		DUO COMMUNICATION	RIIC_MODE_ M_SEND_RECEIVE	RIIC_STS_SEND_DATA_WAIT
(master transmit/receive)	RIIC_COMMUNICATION	RIIC_COMMUNICATION		RIIC_STS_RECEIVE_DATA_WAIT
transmitreceive)				RIIC_STS_SP_COND_WAIT
				RIIC_STS_AL
				RIIC_STS_TMO
Communicating				RIIC_STS_SEND_DATA_WAIT
(slave	RIIC_COMMUNICATION	RIIC_COMMUNICATION	RIIC_MODE_S_SEND	RIIC_STS_SP_COND_WAIT
transmission)				RIIC_STS_TMO
				RIIC_STS_RECEIVE_DATA_WAIT
Communicating	RIIC_COMMUNICATION	RIIC_COMMUNICATION	RIIC_MODE_S_RECEIVE	RIIC_STS_SP_COND_WAIT
(slave reception)				RIIC_STS_TMO
Arbitration-lost detection state	RIIC _AL	RIIC_AL	_	_
Timeout detection state	RIIC_TMO	RIIC_TMO	_	_
Error state	RIIC_ERROR	RIIC_ERROR	_	_

# 6.2 Interrupt Request Generation Timing

This section describes the interrupt request generation timings in this module.

Legend:

ST: Start condition

AD6 to AD0: Slave address

/W: Transfer direction bit: 0 (Write) R: Transfer direction bit: 1 (Read)

/ACK: Acknowledge: 0 NACK: Acknowledge: 1

D7 to D0: Data

RST: Restart condition SP: Stop condition

#### **6.2.1 Master Transmission**

#### (1) Pattern 1

L		AD0			<u> </u> ▲ 2		<u> </u>		L <b>∆</b> 4	_ <b>▲</b> 5
	ST	AD6 to	/W	/ACK	D7 to D0	/ACK	D7 to D0	/ACK	SP	

▲ 1: EEI (START) interrupt: Start condition detected


▲ 2: TEI interrupt: Address transmission completed (transfer direction bit: write)

▲ 3: TEI interrupt: Data transmission completed (first data)

▲ 4: TEI interrupt: Data transmission completed (second data)

▲ 5: EEI (STOP) interrupt: Stop condition detected

## (2) Pattern 2



▲ 1: EEI (START) interrupt: Start condition detected

▲ 2: TEI interrupt: Address transmission completed (transfer direction bit: write)

▲ 3: TEI interrupt: Data transmission completed (second data)

▲ 4: EEI (STOP) interrupt: Stop condition detected

## (3) Pattern 3


31	AD0	/ / / /	ACK	) O	
ST	AD6 to	/W	/ACK	SP	

▲ 1: EEI (START) interrupt: Start condition detected

▲2: TEI interrupt: Address transmission completed (transfer direction bit: write)

▲ 3: EEI (STOP) interrupt: Stop condition detected

# (4) Pattern 4



▲ 1: EEI (START) interrupt: Start condition detected

▲ 2: EEI (STOP) interrupt: Stop condition detected

Note:

1. An interrupt request is generated on the rising edge of the ninth clock.

## 6.2.2 Master Reception

ST				 _	_	_	_	_	-	_	-	-	-
AD6 to B (AOK BZ) BO NAOK BZ	,	SP	<b>-</b>										

▲ 1: EEI (START) interrupt: Start condition detected

▲ 2: RXI interrupt: Address transmission completed (transfer direction bit: read)

▲ 3: RXI interrupt: Reception for the last data - 1 completed (second data)

▲ 4: RXI interrupt: Reception for the last data completed (second data)

▲ 5: EEI (STOP) interrupt: Stop condition detected

#### 6.2.3 Master Transmit/Receive

ST	AD6 to AD0	/W	/ACK	D7 to D0	/ACK	RST	AD6 to AD0	R	
	1		<b>▲</b> 2			<b>▲</b> 3 <b>▲</b> 4			
/ACK	D7 to D0	/ACK	D7 to D0	NACK	SP				
<b>\$</b> 5			<b>1</b> 6	7		8			

▲ 1: EEI (START) interrupt: Start condition detected

▲2: TEI interrupt: Address transmission completed (transfer direction bit: write)

▲ 3: TEI interrupt: Data transmission completed (first data)

▲ 4: EEI (START) interrupt: Restart condition detected

▲ 5: RXI interrupt: Address transmission completed (transfer direction bit: read)

▲ 6: RXI interrupt: Reception for the last data - 1 completed (second data)

▲ 7: RXI interrupt: Reception for the last data completed (second data)

▲ 8: EEI (STOP) interrupt: Stop condition detected

#### 6.2.4 Slave Transmission

When transmitting 2-byte data:

ST	AD6 to AD0	R	/ACK	D7 to D0	/ACK	D7 to D0	NACK	SP	
			<b>1</b> 1 <b>1</b> 2	4	<b>\</b> 3		4	.4	<b>▲</b> 5

▲ 1: TXI interrupt: Received address matched (transfer direction bit: read)

▲ 2: TXI interrupt: Transmit buffer is empty


▲ 3: TXI interrupt: Transmit buffer is empty

▲ 4: EEI (NACK) interrupt: NACK detected

▲ 5: EEI (STOP) interrupt: Stop condition detected

# RX Family I<sup>2</sup>C Bus Interface (RIIC) Module Using Firmware Integration Technology

When transmitting 3-byte data:



▲ 1: TXI interrupt: Received address matched (transfer direction bit: read)

▲ 2: TXI interrupt: Transmit buffer is empty

▲ 3: TXI interrupt: Transmit buffer is empty

▲ 4: TXI interrupt: Transmit buffer is empty

▲ 5: EEI (NACK) interrupt: NACK detected

▲ 6: EEI (STOP) interrupt: Stop condition detected

# 6.2.5 Slave Reception

	AD0		<b>1</b>		2		<b>3</b>		] \
ST	AD6 to	/W	/ACK	D7 to D0	/ACK	D7 to D0	/ACK	SP	

▲ 1: RXI interrupt: Received address matched (transfer direction bit: write)


▲ 2: RXI interrupt: Reception for the last data - 1 completed (second data)

▲ 3: RXI interrupt: Reception for the last data completed (second data)

▲ 4: EEI (STOP) interrupt: Stop condition detected

#### 6.2.6 Multi-Master Communication

(Slave transmission after detecting AL during master transmission)



▲ 1: EEI (START) interrupt: Start condition detected

△ 2: TXI interrupt: Start condition detected (no processing performed)

 $\triangle$  3: TXI interrupt: Transmit buffer is empty (no processing performed)

▲ 4: EEI (AL) interrupt: Arbitration-lost detected

▲ 5: TXI interrupt: Address reception matched (transfer direction bit: Read)

▲ 6: TXI interrupt: Transmit buffer is empty

▲ 7: TXI interrupt: Transmit buffer is empty

▲ 8: EEI (NACK) interrupt: NACK detected

▲ 9: EEI (STOP) interrupt: Stop condition detected

# 6.3 Timeout Detection and Processing After the Detection

#### 6.3.1 Detecting a Timeout with the Timeout Detection Function

When the timeout detection function is enabled by the setting in r\_riic\_config.h, call the R\_RIIC\_GetStatus() function in the callback function.

The information of timeout detection can be verified with the TMO bit in the riic\_mcu\_status\_t structure specified as the second parameter in the R RIIC GetStatus() function.

- When the TMO bit is 1: Timeout detected
- When the TMO bit is 0: Timeout not detected

# 6.3.2 Processing After a Timeout is Detected

When a timeout is detected, the R\_RIIC\_Close() function needs to be called once to restart communication calling the R\_RIIC\_Open() function in the initialization.

A timeout may be detected due to a bus hang up. In master mode, if the clock signals from the master and slave devices go out of synchronization due to noise or other factors, the slave device may hold the SDA line low (bus hang up). Then the stop condition cannot be issued and a timeout will be detected.

To recover from bus hang up state, the extra SCL clock cycle output function is used. Outputting one clock of the extra SCL at a time can release the SDA line from being held low and the bus is recovered from hang up state.

To output one clock of the extra SCL clock, set "RIIC\_GEN\_SCL\_ONESHOT" (one-shot output of the SCL clock) to the second parameter of the R\_RIIC\_Control() function and call the R\_RIIC\_Control() function.

The state of the SCL pin can be verified using the R RIIC GetStatus() function.

Repeat one-shot output of the SCL clock until the SCL clock becomes high.

Figure 6.5 shows the Timeout Detection and Processing After the Detection.

For details on the extra SCL clock cycle output function, refer to the Extra SCL Clock Cycle Output Function section of the I<sup>2</sup>C Bus Interface (RIIC) chapter in the User's Manual: Hardware for the product used.

If the RX111 Group is used, refer to "27.11.2 Extra SCL Clock Cycle Output Function" in the RX111 Group User's Manual: Hardware.




Figure 6.5 Timeout Detection and Processing After the Detection

# 6.4 Operating Test Environment

This section describes for detailed the operating test environments of this module.

Table 6.6 Operation Test Environment for Rev.1.60 and Rev.1.70.

Item	Contents
Integrated development	Renesas Electronics
environment	e <sup>2</sup> studio V3.1.0.024
C compiler	Renesas Electronics
	C/C++ compiler for RX Family V.2.01.01
	Compiler options: The integrated development environment default settings are used, with the following option added.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.1.60 and Rev.1.70
Board used	Renesas Starter Kit for RX111 (product number. R0K505111SxxxBE)
	Renesas Starter Kit for RX231 (product number. R0K505231SxxxBE)
	Renesas Starter Kit+ for RX64M (product number. R0K50564MSxxxBE)
	Renesas Starter Kit+ for RX71M (product number. R0K50571MSxxxBE)

Table 6.7 Operation Test Environment for Rev.1.80.

Item	Contents
Integrated development	Renesas Electronics
environment	e <sup>2</sup> studio V4.0.2.008
C compiler	Renesas Electronics
	C/C++ compiler for RX Family V.2.03.00
	Compiler options: The integrated development environment default settings
	are used, with the following option added.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.1.80
Board used	Renesas Starter Kit for RX130 (product number. RTK5005130SxxxxxBE)
	Renesas Starter Kit for RX23T (product number. RTK500523TSxxxxxBE)

Table 6.8 Operation Confirmation Environment for Rev.1.90.

Item	Contents
Integrated development	Renesas Electronics
environment	e <sup>2</sup> studio V4.1.0.018
C compiler	Renesas Electronics
	C/C++ compiler for RX Family V.2.03.00
	Compiler options: The integrated development environment default settings
	are used, with the following option added.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.1.90
Board used	Renesas Starter Kit for RX111 (product number. R0K505111SxxxBE)
	Renesas Starter Kit for RX113 (product number. R0K505113SxxxBE)
	Renesas Starter Kit for RX130 (product number. RTK5005130SxxxxxBE)
	Renesas Starter Kit for RX231 (product number. R0K505231SxxxBE)
	Renesas Starter Kit for RX23T (product number. RTK500523TSxxxxxBE)
	Renesas Starter Kit for RX24T (product number. RTK500524TSxxxxxBE)
	Renesas Starter Kit+ for RX64M (product number. R0K50564MSxxxBE)
	Renesas Starter Kit+ for RX71M (product number. R0K50571MSxxxBE)

Table 6.9 Operation Confirmation Environment for Rev.2.00.

Item	Contents
Integrated deveropment	Renesas Electronics
environment	e <sup>2</sup> studio V5.0.1.005
C compiler	Renesas Electronics
	C/C++ compiler for RX Family V.2.05.00
	Compiler options: The integrated development environment default settings
	are used, with the following option added.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.2.00
Board used	Renesas Starter Kit for RX231 (product number. R0K505231SxxxBE)
	Renesas Starter Kit+ for RX65N (product number. RTK500565NSxxxxxBE)

 Table 6.10 Operation Confirmation Environment for Rev.2.10.

Item	Contents
Integrated deveropment	Renesas Electronics
environment	e <sup>2</sup> studio V5.3.0.023
C compiler	Renesas Electronics
	C/C++ compiler for RX Family V.2.06.00
	Compiler options: The integrated development environment default settings
	are used, with the following option added.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.2.10
Board used	Renesas Starter Kit for RX24T (product number. RTK500524TSxxxxxBE)
	Renesas Starter Kit for RX24U (product number. RTK500524USxxxxxBE)

#### Table 6.11 Operation Confirmation Environment for Rev.2.20.

Item	Contents
Integrated deveropment	Renesas Electronics
environment	e <sup>2</sup> studio V6.0.0.001
C compiler	Renesas Electronics
	C/C++ compiler for RX Family V.2.06.00
	C/C++ compiler for RX Family V.2.07.00
	Compiler options: The integrated development environment default settings
	are used, with the following option added.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.2.20
Board used	Renesas Starter Kit for RX130-512KB
	(product number. RTK5051308SxxxxxBE)
	Renesas Starter Kit+ for RX65N-2MB
	(product number. RTK50565N2SxxxxxBE)

#### Table 6.12 Operation Confirmation Environment for Rev.2.30.

Item	Contents
Integrated deveropment	Renesas Electronics
environment	e <sup>2</sup> studio V7.0.0
C compiler	Renesas Electronics
	C/C++ compiler for RX Family V.3.00.00
	Compiler options: The integrated development environment default settings
	are used, with the following option added.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.2.30
Board used	Renesas Starter Kit for RX66T
	(product number. RTK50566T0SxxxxxBE)

#### Table 6.13 Operation Confirmation Environment for Rev.2.31.

Item	Contents
Integrated deveropment	Renesas Electronics
environment	e <sup>2</sup> studio V7.1.0
C compiler	Renesas Electronics
	C/C++ compiler for RX Family V.3.00.00
	Compiler options: The integrated development environment default settings are used, with the following option added.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.2.31

#### Table 6.14 Operation Confirmation Environment for Rev.2.40.

Item	Contents
Integrated deveropment	Renesas Electronics
environment	e <sup>2</sup> studio V7.3.0
C compiler	Renesas Electronics
	C/C++ compiler for RX Family V.3.01.00
	Compiler options: The integrated development environment default settings
	are used, with the following option added.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.2.40
Board used	Renesas Starter Kit for RX72T
	(product number. RTK5572Txxxxxxxxxxx)

#### Table 6.15 Operation Confirmation Environment for Rev.2.41.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio V7.3.0
environment	IAR Embedded Workbench for Renesas RX 4.10.01
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.01.00
	Compiler option: The following option is added to the default settings of the integrated development environment.
	-lang = c99
	GCC for Renesas RX 4.08.04.201803
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	IAR C/C++ Compiler for Renesas RX version 4.10.01
	Compiler option: The default settings of the integrated development
	environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.41
Board used	Renesas Starter Kit+ for RX65N
	(product number. RTK500565Nxxxxxx)

#### Table 6.16 Operation Confirmation Environment for Rev.2.42.

Item	Contents
Integrated deveropment	Renesas Electronics
environment	e <sup>2</sup> studio V7.2.0
C compiler	Renesas Electronics
	C/C++ compiler for RX Family V.3.01.00
	Compiler options: The integrated development environment default settings
	are used, with the following option added.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.2.42
Board used	Renesas Solution Starter Kit for RX23W
	(product No.: RTK5523Wxxxxxxxxxxx)

#### Table 6.17 Operation Confirmation Environment for Rev.2.43.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio V7.4.0
environment	IAR Embedded Workbench for Renesas 4.12.01
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.01.00
	Compiler option: The following option is added to the default settings of the integrated development environment.
	-lang = c99
	GCC for Renesas RX 4.08.04.201902
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	IAR C/C++ Compiler for Renesas RX version 4.12.01
	Compiler option: The default settings of the integrated development
	environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.43
Board used	Renesas Starter Kit+ for RX72M
	(product No.: RTK5572Mxxxxxxxxxxx)

 Table 6.18 Operation Confirmation Environment for Rev.2.44.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio V7.3.0
environment	IAR Embedded Workbench for Renesas 4.12.01
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.01.00
	Compiler option: The following option is added to the default settings of the integrated development environment.
	-lang = c99
	GCC for Renesas RX 4.08.04.201902
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	IAR C/C++ Compiler for Renesas RX version 4.12.01
	Compiler option: The default settings of the integrated development
	environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.44
Board used	RX13T CPU Card (product No.: RTK0EMXA10C00000BJ)

#### Table 6.19 Operation Confirmation Environment for Rev.2.45.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio 7.4.0
environment	IAR Embedded Workbench for Renesas 4.12.01
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.01.00
	Compiler option: The following option is added to the default settings of the integrated development environment.
	-lang = c99
	GCC for Renesas RX 4.08.04.201902
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	IAR C/C++ Compiler for Renesas RX version 4.12.01
	Compiler option: The default settings of the integrated development
	environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.45
Board used	Renesas Starter Kit+ for RX72N
	(product No.: RTK5572Nxxxxxxxxxxx)

### Table 6.20 Operation Confirmation Environment for Rev.2.46.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio 7.7.0
environment	IAR Embedded Workbench for Renesas 4.13.01
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.02.00
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-lang = c99
	GCC for Renesas RX 8.03.00.201904
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	IAR C/C++ Compiler for Renesas RX version 4.13.01
	Compiler option: The default settings of the integrated development
	environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.46
Board used	Renesas Solution Starter Kit for RX23E-A
	(product No.: RTK0ESXB10C00001BJ)

#### Table 6.21 Operation Confirmation Environment for Rev.2.47.

Item	Contents
Integrated deveropment environment	Renesas Electronics e <sup>2</sup> studio 2020-10 (20.10.0)
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.02.00
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-lang = c99
Endian order	Big-endian/Little-endian
Module version	Rev.2.47
Board used	Renesas Starter Kit for RX231 (product number.: R0K505231SxxxBE)
	Renesas Starter Kit+ for RX64M (product number. R0K50564MSxxxBE)

#### Table 6.22 Operation Confirmation Environment for Rev.2.48.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio 2020-10 (20.10.0)
environment	IAR Embedded Workbench for Renesas 4.14.01
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.03.00 Compiler option: The following option is added to the default settings of the integrated development environmentlang = c99
	GCC for Renesas RX 8.03.00.202002 Compiler option: The following option is added to the default settings of the integrated development environmentstd=gnu99
	IAR C/C++ Compiler for Renesas RX version 4.14.01
	Compiler option: The default settings of the integrated development environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.48
Board used	Renesas Starter Kit+ for RX671 (product number. RTK55671xxxxxxxxxxx)

#### Table 6.23 Operation Confirmation Environment for Rev.2.49.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio 2021-07 (21.7.0)
environment	IAR Embedded Workbench for Renesas 4.20.01
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.03.00
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-lang = c99
	GCC for Renesas RX 8.03.00.202102
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	IAR C/C++ Compiler for Renesas RX version 4.20.01
	Compiler option: The default settings of the integrated development environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.49
Board used	Target board for RX140 (product No.: RTK5RX140xxxxxxxxx)

#### Table 6.24 Operation Confirmation Environment for Rev.2.50.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio 2022-04 (22.4.0)
environment	IAR Embedded Workbench for Renesas 4.20.03
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.04.00
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-lang = c99
	GCC for Renesas RX 8.03.00.202104
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	Linker option: The following user defined option should be added to the default
	settings of the integrated development environment, if "Optimize size (-Os)" is used:
	-WI,no-gc-sections
	This is to work around a GCC linker issue whereby the linker erroneously discard
	interrupt functions declared in FIT peripheral module
	IAR C/C++ Compiler for Renesas RX version 4.20.03
	Compiler option: The default settings of the integrated development environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.50
Board used	Renesas Starter Kit for RX660 (product number. RTK556609HC10000BJ)

 Table 6.25 Operation Confirmation Environment for Rev.2.60.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio 2022-10 (22.10.0)
environment	IAR Embedded Workbench for Renesas 4.20.03
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.04.00
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-lang = c99
	GCC for Renesas RX 8.03.00.202204
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	Linker option: The following user defined option should be added to the default settings of the integrated development environment, if "Optimize size (-Os)" is used:
	-WI,no-gc-sections
	This is to work around a GCC linker issue whereby the linker erroneously discard interrupt functions declared in FIT peripheral module
	IAR C/C++ Compiler for Renesas RX version 4.20.03
	Compiler option: The default settings of the integrated development environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.60

Table 6.26 Operation Confirmation Environment for Rev.2.70.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio 2022-10 (22.10.0)
environment	IAR Embedded Workbench for Renesas 4.20.03
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.05.00
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-lang = c99
	GCC for Renesas RX 8.03.00.202204
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	Linker option: The following user defined option should be added to the default
	settings of the integrated development environment, if "Optimize size (-Os)" is used:
	-WI,no-gc-sections
	This is to work around a GCC linker issue whereby the linker erroneously discard
	interrupt functions declared in FIT peripheral module
	IAR C/C++ Compiler for Renesas RX version 4.20.03
	Compiler option: The default settings of the integrated development environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.70
Board used	Renesas Flexible Motor Control Kit for RX26T (Part Number:
	RTK0EMXE70S00020BJ)
	Renesas Starter Kit for RX231 (product No.: R0K505231SxxxBE)
	Renesas Starter Kit+ for RX64M (product No.: R0K50564MSxxxBE)
	Renesas Starter Kit+ for RX671 (product No.: RTK55671xxxxxxxxxx)
	Renesas Starter Kit+ for RX72N (product No.: RTK5572Nxxxxxxxxxx)

Table 6.27 Operation Confirmation Environment for Rev.2.80.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio 2023-04 (23.04.0)
environment	IAR Embedded Workbench for Renesas 4.20.03
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.05.00
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-lang = c99
	GCC for Renesas RX 8.03.00.202204
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	Linker option: The following user defined option should be added to the default
	settings of the integrated development environment, if "Optimize size (-Os)" is
	used:
	-WI,no-gc-sections
	This is to work around a GCC linker issue whereby the linker erroneously discard
	interrupt functions declared in FIT peripheral module
	IAR C/C++ Compiler for Renesas RX version 4.20.03
	Compiler option: The default settings of the integrated development environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.80
Board used	Renesas Solution Starter Kit for RX23E-B (product No.: RTK0ES1001C00001BJ)

#### Table 6.28 Operation Confirmation Environment for Rev.2.90.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio 2023-07 (23.07.0)
environment	IAR Embedded Workbench for Renesas 4.20.03
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.05.00
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-lang = c99
	GCC for Renesas RX 8.03.00.202305
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	Linker option: The following user defined option should be added to the default settings of the integrated development environment, if "Optimize size (-Os)" is used:
	-WI,no-gc-sections
	This is to work around a GCC linker issue whereby the linker erroneously discard interrupt functions declared in FIT peripheral module
	IAR C/C++ Compiler for Renesas RX version 4.20.03
	Compiler option: The default settings of the integrated development environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.90
Board used	Renesas Flexible Motor Control Kit for RX26T (product No.: RTK0EMXE70S00020BJ)
	Renesas Solution Starter Kit for RX23E-B (product No.: RTK0ES1001C00001BJ)

Table 6.29 Operation Confirmation Environment for Rev.2.91.

Item	Contents
Integrated deveropment	Renesas Electronics e <sup>2</sup> studio 2024-07 (24.07.0)
environment	IAR Embedded Workbench for Renesas 5.10.01
C compiler	Renesas Electronics C/C++ Compiler Package for RX Family V.3.06.00
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-lang = c99
	GCC for Renesas RX 8.03.00.202405
	Compiler option: The following option is added to the default settings of the
	integrated development environment.
	-std=gnu99
	Linker option: The following user defined option should be added to the default settings of the integrated development environment, if "Optimize size (-Os)" is used:
	-WI,no-gc-sections
	This is to work around a GCC linker issue whereby the linker erroneously discard interrupt functions declared in FIT peripheral module
	IAR C/C++ Compiler for Renesas RX version 5.10.01
	Compiler option: The default settings of the integrated development environment.
Endian order	Big-endian/Little-endian
Module version	Rev.2.91
Board used	Renesas Starter Kit+ for RX65N-2MB (product No.: RTK50565N2CxxxxxBE)
	Custom board (Target device: R5F5651EHxLC)

#### 6.5 Troubleshooting

(1) Q: I have added the FIT module to the project and built it. Then I got the error: Could not open source file "platform.h".

A: The FIT module may not be added to the project properly. Check if the method for adding FIT modules is correct with the following documents:

When using CS+:

Application note "Adding Firmware Integration Technology Modules to CS+ Projects (R01AN1826)"

When using e<sup>2</sup> studio:

Application note "Adding Firmware Integration Technology Modules to Projects (R01AN1723)"

When using a FIT module, the board support package FIT module (BSP module) must also be added to the project. For this, refer to the application note "Board Support Package Module Using Firmware Integration Technology (R01AN1685)".

- (2) Q: I have added the FIT module to the project and built it. Then I got the error: This MCU is not supported by the current r\_riic\_rx module.
  - A: The FIT module you added may not support the target device chosen in the user project. Check if the FIT module supports the target device for the project used.
- (3) Q: I have added the FIT module to the project and built it. Then I got an error for when the configuration setting is wrong.
  - A: The setting in the file "r\_riic\_rx\_config.h" may be wrong. Check the file "r\_riic\_rx\_config.h". If there is a wrong setting, set the correct value for that. Refer to 2.7 Configuration Overview for details.

#### 6.6 Sample Code

#### 6.6.1 Example when Accessing One Slave Device Continuously with One Channel

This section describes an example of using one RIIC channel to continuously access to one slave device.

The procedure is as follows:

- 1. Execute the R RIIC Open function to use RIIC channel 0 in the RIIC FIT module.
- 2. Execute the R\_RIIC\_MasterSend function to write 16-byte data to EEPROM.
- 3. Performs Acknowledge Polling to wait for EEPROM write completion.
- 4. Execute the R RIIC MasterReceive function to write 16-byte data from EEPROM.
- 5. Compare write data with read data.
- 6. Execute the R\_RIIC\_Close function to release RIIC channel 0 from the RIIC FIT module.

This sample code is checked to operate with Renesas starter kit of target device. Please note that the address of the slave device depends on the EEPROM used.

```
#include <stddef.h>
#include "platform.h"
#include "r_riic_rx_if.h"
/* EEPROM device code (fixed) */
                       EEPROM DEVICE CODE
#define
                                                                                            (0xA0)
/* Device address code(under 4 bit is A2(Vss=0), A1(Vcc=1), A0(Vcc=1), and RW code)
       for hardware connection with EEPROM on RSK of the supported target device.
      Please change the following settings as necessary. */
                      EEPROM DEVICE ADDRESS CODE
                                                                                                        (0x06)
/* E2PROM device address */
#define
                       EEPROM DEVICE ADDRESS ((EEPROM DEVICE CODE | EEPROM DEVICE ADDRESS CODE) >> 1)
/* variables */
static volatile riic return t ret; /* Return value */
                                                                                           /* Structure data */
static riic info t iic info m;
static uint8_t addr_eeprom[1] = { EEPROM_DEVICE_ADDRESS };
static uint8 t access addr1[1] = { 0x00 };
^{\prime \star} This data is sent to the EEPROM when target device is the master device. ^{\star \prime}
static uint8 t master send data[16] =
\{ 0x80, 0x81, 0x82, 0\overline{x}83, \overline{0}x84, 0x85, 0x86, 0x87, 0x88, 0x89, 0x8a, 0x8b, 0x8c, 0x8d, 0x8e,
0x8f };
/* This buffer stores data received from the slave device. */
static uint8 t master store area[16] =
{ 0xff, 0xff
0xFF };
/* private functions */
static void callback master (void);
static void eeprom write (void);
static void acknowledge_polling (void);
static void eeprom read (void);
```

Figure 6.6 Example when Accessing One Slave Device Continuously with One Channel (1/5)

```
* Function Name: main
\star Description : The main loop
* Arguments : none
* Return Value : none
                         ********************
void main (void)
   uint8 t i = 0;
   /* Initialize */
   for (i = 0; i < 16; i++)
       master store area[i] = 0xFF;
   iic_info_m.dev_sts = RIIC_NO_INIT; /* Device state flag (to be updated) */
   ret = R_RIIC_Open(&iic_info_m);
   if (RIIC SUCCESS != ret)
       /\star This software is for single master.
         Therefore, return value should be always 'RIIC SUCCESS'. */
       while (1)
          R BSP NOP(); /* error */
       }
   }
   /* EEPROM Write (Master transfer) */
   eeprom_write();
   /* Acknowledge polling (Master transfer) */
   acknowledge_polling();
   /\star EEPROM Read (Master transfer and Master receive) \star/
   eeprom_read();
    /* Compare */
   for (i = 0; i < 16; i++)
       if (master store area[i] != master send data[i])
           /* Detected mismatch. */
          LED3 = LED ON;
       else
          LED0 = LED_ON;
   ret = R RIIC Close(&iic info m);
   if (RIIC SUCCESS != ret)
       /* This software is for single master.
         Therefore, return value should be always 'RIIC SUCCESS'. */
       while (1)
          R BSP NOP(); /* error */
   }
   while (1)
       /* do nothing */
} /* End of function main() */
```

Figure 6.7 Example when Accessing One Slave Device Continuously with One Channel (2/5)

```
* Function Name: callback master
^{\star} Description : This function is sample of Master Mode callback function.
* Arguments : none
* Return Value : none
                static void callback master (void)
   riic mcu status t
                       iic status;
   ret = R RIIC_GetStatus(&iic_info_m, &iic_status);
   if (RIIC SUCCESS != ret)
       /* This software is for single master.
          Therefore, return value should be always 'RIIC SUCCESS'. \star/
       while (1)
           R BSP NOP(); /* error */
       }
   else
       /* Processing when a timeout, arbitration-lost, NACK,
          or others is detected by verifying the iic status flag. */
} /* End of function callback master() */
* Function Name: eeprom write
* Description : This function is sample of EEPROM write function using R RIIC MasterSend.
* Arguments
             : none
* Return Value : none
static void eeprom write (void)
   /* Set arguments for R RIIC MasterSend. */
   iic_info_m.p_slv_adr = addr_eeprom;  /* Pointer to the slave address storage buffer */
iic_info_m.p_data1st = access_addr1; /* Pointer to the first data storage buffer */
                                      /* First data counter (number of bytes) (to be updated) */
   iic info m.cnt1st = 1;
   ^- /* Second data counter (number of bytes) (to be updated) */
   iic info m.cnt2nd = 16;
   iic info m.callbackfunc = &callback master; /* Callback function */
   /* Master send start */
   ret = R_RIIC_MasterSend(&iic_info_m);
   if (RIIC SUCCESS == ret)
       /* Waitting for R RIIC MasterSend completed. */
       while (RIIC COMMUNICATION == iic info m.dev sts)
           /* do nothing */
       if (RIIC NACK == iic info m.dev sts)
           /* Slave returns NACK. The slave address may not correct.
              Please check the macro definition value or hardware connection etc. */
           while (1)
              R BSP NOP(); /* error */
       }
   else
       /* This software is for single master.
          Therefore, return value should be always <code>'RIIC_SUCCESS'. \star/</code>
       while (1)
            R BSP NOP(); /* error */
```

Figure 6.8 Example when Accessing One Slave Device Continuously with One Channel (3/5)

```
} /* End of function eeprom write() */
/***********************************
* Function Name: acknowledge polling
* Description : This function is sample of Acknowledge Polling using R RIIC MasterSend with
             master send pattern 3.
           : none
* Arguments
* Return Value : none
static void acknowledge polling (void)
   do
      iic info m.p data1st = (uint8 t*) FIT NO PTR; /* Pointer to the first data storage buffer
      iic info m.cnt1st = 0;
                                               /* First data counter (number of bytes) */
      iic info m.p data2nd = (uint8 t*) FIT NO PTR; /* Pointer to the second data storage buffer
                                               /* Second data counter (number of bytes) */
      iic_info_m.cnt2nd = 0;
      iic_info_m.callbackfunc = &callback master; /* Callback function */
      /* Master send start. */
      ret = R RIIC_MasterSend(&iic_info_m);
      if (RIIC SUCCESS == ret)
          /* Waitting for R RIIC MasterSend completed. */
          while (RIIC_COMMUNICATION == iic_info_m.dev_sts)
             /* do nothing */
          /\star Slave returns NACK. Set retry interval. \star/
          if (RIIC_NACK == iic_info_m.dev_sts)
              /* Waitting for retry interval 100us. */
             R_BSP_SoftwareDelay(100, BSP_DELAY_MICROSECS);
      else
          /* This software is for single master.
            Therefore, return value should be always 'RIIC SUCCESS'. */
          while (1)
             } while (RIIC FINISH != iic info m.dev sts);
} /* End of function acknowledge polling() */
```

Figure 6.9 Example when Accessing One Slave Device Continuously with One Channel (4/5)

```
* Function Name: eeprom read
* Description : This function is sample of EEPROM read function using R_RIIC_MasterReceive.
* Arguments : none
* Return Value : none
     *************************
static void eeprom read (void)
   /* Set arguments for R RIIC MasterReceive. */
   iic_info_m.p_slv_adr = addr_eeprom; /* Pointer to the slave address storage buffer */
iic_info_m.p_data1st = access_addr1; /* Pointer to the first data storage buffer */
   /* Master send receive start. */
   ret = R RIIC MasterReceive(&iic info m);
   if (RIIC SUCCESS == ret)
       /* Waitting for R RIIC MasterSend completed. */
       while (RIIC COMMUNICATION == iic info m.dev sts)
          /* do nothing */
       if (RIIC NACK == iic info m.dev sts)
          /* Slave returns NACK. The slave address may not correct.
            Please check the macro definition value or hardware connection etc. */
          while (1)
              else
       /* This software is for single master.
         Therefore, return value should be always 'RIIC SUCCESS'. */
      while (1)
             R BSP NOP(); /* error */
} /* End of function eeprom read() */
```

Figure 6.10 Example when Accessing One Slave Device Continuously with One Channel (5/5)

#### 7. Reference Documents

User's Manual: Hardware

The latest version can be downloaded from the Renesas Electronics website.

Technical Update/Technical News

The latest information can be downloaded from the Renesas Electronics website.

User's Manual: Development Tools

RX Family Compiler CC-RX User's Manual (R20UT3248)

The latest versions can be downloaded from the Renesas Electronics website.

# **Related Technical Updates**

This module reflects the content of the following technical updates.

TN-RX\*-A012A/E

# **Revision History**

		Description		
Rev.	Date	Page	Summary	
1.00	Aug. 1, 2013	-	First edition issued	
1.10	Sep. 30, 2013	-	Modified return values.	
1.20	Nov. 15, 2013	4	Limitations: Changed the interrupt size to 120 bytes in (6).	
		5	Table 1.2 Required Memory Size:	
			- Changed the Size for the ROM to 7340 bytes.	
			- Changed the Size for the Maximum interrupt stack usage to	
			120 bytes.	
		47	Figure 4.2 State Transition on Master Transmission	
			(R_RIIC_MasterSend() Called):	
			- Added an arrow to indicate EV7 from STS8 to STS2.	
			- Modified the comment on the arrow from STS8 to STS1.	
		48	Figure 4.3 State Transition on Master Reception	
			(R_RIIC_MasterReceive() Called):	
			- Added an arrow to indicate EV7 from STS8 to STS2.	
			- Modified the comment on the arrow from STS8 to STS1.	
1.30	Apr. 1, 2014	-	Added support for the RX100 Series.	
1.40	Oct. 1, 2014	1	Target Device: Changed from the RX100 Series to the RX111,	
			RX110 and RX64M Groups.	
		4	Related Documents: Added.	
		4	1. Overview:	
			<ul> <li>Features supported by this module: Added the description regarding channel 0 of RX64M in the third item.</li> </ul>	
			- Limitations:	
			- Added the DMAC to (1) as the module not supported with this	
			module.	
			- Deleted (2), (5) and (6) in rev.1.30.	
			- Added (5) to (7).	
		5	Table 1.2 Required Memory Size: Changed the memory sizes.	
		18	Figure 1.14 RIIC FIT Module State Transition Diagram: Added	
			"RIIC_TMO" in the Error state.	
		19	Table 1.2 Device State Flags when Transitioning States: Added	
			"Timeout detection state".	
		20	1.3.8 Timeout Detection Function: Added.	
		21	2.2 Software Requirements: Deleted "r_cgc_rx".	
		22 to 26	2.6 Configuration Overview:	
			- Added parameters for CH2.	
			- Changed the explanation of the following parameters:	
			RIIC_CFG_CH0_kBPS, RIIC_CFG_CH0_SCL0,	
			RIIC_CFG_CH0_SDA0	
			- Deleted the parameter "RIIC_CFG_PCLK_Hz".	
			- Deleted the parameter "RIIC_CFG_CH0_INT_PRIORITY" and	
			added separated parameters for RXI, TXI, EEI, and TEI (e.g. RIIC_CFG_CH0_RXI_INT_PRIORITY).	
			- Added parameters regarding timeout detection.	
			- Added note 1.	
		27	2.7 Parameters: Added the description regarding the limitation	
		41	of rewriting the structure.	
			2.8 Return Values: Added "RIIC_ERR_TMO".	
		29	3.1 R_RIIC_Open(): Added the limitation of rewriting the	
			structure to the explanation in the Parameters.	
		_1	The state of the configuration in the Calculation	

		Description		
Rev.	Date	Page	Summary	
1.40	Oct. 1, 2014	31 to 39	3.2 R_RIIC_MasterSend(),3.3 R_RIIC_MasterReceive(), and 3.4 R_RIIC_SlaveTransfer():	
			- Parameters: Added the limitation of rewriting the structure to	
			the explanation.	
			- Return Values: Added "RIIC_ERR_TMO".	
			- Example: Changed the code in the CallbackMaster function.	
			- Special Notes (3.4 only): Changed description in the Notes.	
		40, 41	3.5 R_RIIC_GetStatus():	
			- Changed the structure members of "riic_mcu_status_t".	
			- Changed the flag allocation table in the Special Notes.	
		42	3.6 R_RIIC_Control():	
			- Parameters: Added the limitation of rewriting the structure to the explanation.	
			- Special Notes: Added "One-shot output of the SCL clock".	
		44	3.7 R_RIIC_Close(): Added the limitation of rewriting the	
			structure to the explanation in the Parameters.	
		47 to 60	4. Appendices:	
			Changed symbols for interrupt names "ICEEI", "ICTEI", "ICRXI" and "ICTXI" to "EEI", "TEI", "RXI" and "TXI", respectively.	
		47	Table 4.1 States Used for Protocol Control:	
			Added state STS10 "RIIC_STS_TMO".	
			Table 4.2 Events Used for Protocol Control:	
			- Added EV10 "RIIC_EV_INT_TMO".	
		49, 50	Figure 4.2 State Transition on Master Transmission and Figure 4.3 State Transition on Master Reception:	
			- Added descriptions regarding state STS10 (RIIC_STS_TMO).	
			- Deleted the arrow from STS8 to STS9.	
		51	Figure 4.4 State Transition on Slave Transmission and	
			Reception:	
			Deleted descriptions regarding STS9 (RIIC_STS_AL).	
		52	Table 4.3 Protocol State Transition Table:	
			- Added the column for EV10 and the row for STS10.	
			- Changed "FuncA" to "Func10".	
		53	Table 4.4 Functions Used on Protocol State Transition:	
			- Changed "FuncA" to "Func10".	
			- Added the row for Func11 "riic_time_out()".	
		54	Table 4.5 States of Flags on State Transitions:	
			- Added "RIIC_STS_TMO" for all the "Communicating" states.	
			- Deleted "RIIC_STS_AL" from the "Communicating (slave	
			transmission/reception" states.	
			- Added the row for "Timeout detection state".	
		55 to 58	4.2 Interrupt Request Generation Timing:	
			- Deleted notes 1 and 2.	
		57	4.2.4 Slave Transmission:	
			- When transmitting 2-byte data: Added "5: EEI (STOP)	
			interrupt".	
			- When transmitting 3-byte data: Added "4: TXI interrupt".	
		58	4.2.6 Multi-Master Communication: Added.	
		59, 60	4.3 Timeout Detection and Processing After the Detection: Added including Figure 4.5	
		61	6. Reference Documents: Changed reference documents in the	

			User's Manual: Development Tools.
		Description	on
Rev.	Date	Page	Summary
1.40	Oct. 1, 2014	Program	The module is updated to fix the software issue.
			Description:
			Slave communication is not available after an arbitration-lost
			occurs, and then the bus is locked.
			Conditions:
			The issue occurs when the following four conditions are all met.
			- RIIC FIT module rev. 1.30 or earlier is used.
			- RX device operates as both the master and the slave in multi- master communication.
			- An arbitration-lost is detected when communicating as the master.
			- Communication other than master reception or slave reception is performed.
			Measure:
			Please use the RIIC FIT module Rev. 1.40.
1.50	Dec. 1, 2014	-	Added support for the RX113 Group.
1.60	Dec. 15, 2014	-	Added support for the RX71M Group.
1.70	Dec. 15, 2014	-	Added support for the RX231 Group.
1.80	Oct. 31, 2015	-	Added support for the RX130 Group, RX230 Group, RX23T Group.
		34	Example of 3.2, R_RIIC_MasterSend(), modified
		37, 38	Example of 3.3, R_RIIC_MasterReceive(), modifided
		40, 41	Example of 3.4, R_RIIC_SlaveTransfer(), modified
1.90	Mar. 4, 2016	-	Added support for the RX24T Group.
		5	Table 1.2 Required Memory Size, changed.
		22, 28	Added description of r_riic_rx_pin_config.h to section 2.6,
			Configuration Overview.
		-	Changed "master composite" to "master transmit/receive".
2.00	Oct 1, 2016	-	Added support for the RX65N Group.
		29	Changed code size description from "Table 1.2 Required
			Memory Size" to "2.7 Code Size."
		Program	Corrected an error of the definitions "RIIC_IR_RXI2" and "RIIC_IR_TXI2" to refer the RXI, and TXI Interrupt Status Flag of channel 2.
			The module is updated to fix the software issue.
			Description:
			Since there is an error in the handling of pin function settings of RX110 in Rev.1.90, build error occurs if use RX110.
			Conditions:
			When you build the project, after create a new project with
			selected "RX110" series device as MCU, and added RIIC FIT
			module Rev.1.90 in reference to "2.10 Adding the FIT Module to
			Your Project".
			Corrective action:
			Corrected the handling pin function settings by function
			riic_mcu_mpc_enable() and riic_mcu_mpc_disable().
			Please use the RIIC FIT module Rev.2.00.

		Description	on
Rev.	Date	Page	Summary
2.10	Jun 2, 2017	-	Added RX24U Group in the Target Device.
		-	Added support for the RX24T-512KB version.
		22	2.4. Usage of Interrupt Vector: Added.
		32	2.11. Callback Functions: Added.
			2.12. Adding the FIT Module to Your Project: Changed.
		52	4. Pin Settings: Added.
		69 to 70	5.4. Operating Test Environment: Added.
		72	5.5. Troubleshooting: Added.
2.20	Aug. 31, 2017	-	Added support for the RX65N-2MB version.
		-	Added support for the RX130-512KB version.
		1	Related Documents: Added the following document:
			"Renesas e² studio Smart Configurator User Guide
			(R20AN0451)"
		22	2.4. Usage of Interrupt Vector: Revised.
			Interrupt vector used in RX65N-2MB added to the Table 2.1.
			Interrupt Vector used in the RIIC FIT Module.
		24	2.7. Configuration Overview: Changed the description for RIIC CFG PORT SET PROCESSING.
		24 to 27	2.7. Configuration Overview: Added definitions for Channel 1.
		32	2.12. Adding the FIT Module to Your Project: Revised.
		52	4. Pin Settings: Revised.
		70	Table 5.11. Operation Test Environment for Rev.2.20, added.
		72 to 76	5.6. Sample Code: Added.
		77 10 70	6. Provided Modules: Deleted.
		-	Added definitions for Channel 1.
2.30	Sep. 20, 2018	Program	Added support for the RX66T Group.
2.50	Sep. 20, 2016	21	2.3. Supported Toolchains
		21	Added for Toolchain v.3.00.00
		22	2.4. Usage of Interrupt Vector: Revised.
		22	Interrupt vector used in RX66T added to the Table 2.1. Interrupt
			Vector used in the RIIC FIT Module.
		29	2.8. Code Size: Changed code size for Rev2.30
		32	2.13 "for", "while" and "do while" statements: added
		55 to 56	5.Demo Projects: Added
		-	Change 5.Appendices to 6.Appendices
			All file: Chapter 5 related number is changed to 6
		73	Table 6-12. Operation Test Environment for Rev.2.30, added.
2.31	Dec. 03, 2018	73	6.4 Operation Confirmation Environment:
			Corrected board used in Table 6.12 Confirmed Operation
			Environment (Rev. 2.30). Added Table 6.13 Confirmed
			Operation Environment (Rev. 2.31).
		Program	Added document number of the application note accompanying
			the sample program of the FIT module to xml file.

		Descriptio	n
Rev.	Date	Page	Summary
2.40	Feb. 20, 2019	-	Added support for the RX72T Group.
		1	Related Documents: Changed the following documents' names
			RX Family Board Support Package Module Using Firmware
			Integration Technology (R01AN1685)
			RX Family Adding Firmware Integration Technology Modules to Projects (R01AN1723)
			RX Family Adding Firmware Integration Technology Modules to
			CS+ Projects (R01AN1826)
		21	2.3. Supported Toolchains
			Added for Toolchain v.3.01.00
		22	2.4. Usage of Interrupt Vector: Revised.
			Interrupt vector used in RX72T added to the Table 2.1. Interrupt
			Vector used in the RIIC FIT Module.
0.44	14 00 0040	74	Table 6-14. Operation Test Environment for Rev.2.40, added.
2.41	May. 20, 2019	-	Update the following compilers GCC for Renesas RX
		4	IAR C/C++ Compiler for Renesas RX  Deleted Related Documents.
		1	
		24	Added Target Compilers.
		21	Added revision of dependent r_bsp module in 2.2 Software Requirements.
		29	2.8 Code Size, amended
		53	3.8 R RIIC GetVersion function, deleted special notes.
		74	Table 6-15. Operation Test Environment for Rev.2.41, added.
		77	Changed nop to BSP's built in function.
2.42	Jun. 20. 2019	1-	Added support for the RX23W Group.
	0.000	22	Table 2.1 Interrupt Vector used in the RIIC FIT Module, added
		20	RX23W.
		29 74	2.8 Code Size, amended.
		/4	Table 6-16. Operation Confirmation Environment for Rev.2.42, added.
2.43	Jul. 30. 2019	-	Added support for the RX72M Group.
		22	2.4. Usage of Interrupt Vector: Revised.
			Interrupt vector used in RX72M added to the Table 2.1. Interrupt
			Vector used in the RIIC FIT Module.
		24	2.7. Configuration Overview Changed.
		29	Changed Section 2.8 Code Size.
		34 to 53	Delete "Reentrant" item on the API description page.
		75	Table 6-17. Operation Test Environment for Rev.2.43, added.
2.44	Oct. 10. 2019	-	Added support for the RX13T Group.
		22	2.4. Usage of Interrupt Vector: Revised.
			Interrupt vector used in RX13T added to the Table 2.1. Interrupt
			Vector used in the RIIC FIT Module.
		29	Changed Section 2.8 Code Size.
		75	Table 6-18. Operation Test Environment for Rev.2.44, added.

		Descripti	ion
Rev.	Date	Page	Summary
2.45	Nov. 22. 2019	-	Added support for the RX72N and RX66N Group.
		4	1.Overview Changed
		22	2.4. Usage of Interrupt Vector: Revised.
			Interrupt vector used in RX72N and RX66N added to the Table
			2.1. Interrupt Vector used in the RIIC FIT Module.
		24	2.7. Configuration Overview Changed.
		29	Changed Section 2.8 Code Size.
		57	6.1.2 Events During API Operation:
			Added notes to EV4 and EV5 in Table 6.2 Events Used for
			Protocol Control (enum r_riic_api_event_t).
		60	6.1.3 Protocol State Transitions:
			Corrected Figure 6.3 State Transition on Master Reception
			(R_RIIC_MasterReceive() Called).
		62	6.1.4 Protocol State Transitions:
			Corrected Table 6.3 State Transition Table (gc_riic_mtx_tbl[][]).
0.40	10.000	76	Table 6-19. Operation Test Environment for Rev.2.45, added.
2.46	Mar. 10. 2020	-	Added support for the RX23E-A Group.
		21	2.3 Supported Toolchains
			Added for Toolchain v.3.02.00
		23	2.4. Usage of Interrupt Vector: Revised.
			Interrupt vector used in RX23E-A added to the Table 2.1.
		20	Interrupt Vector used in the RIIC FIT Module.
		30	Changed Section 2.8 Code Size.
		32 77	Changed Section 2.12 Adding the FIT Module to Your Project.
		11	Table 6-20. Operation Test Environment for Rev.2.46, added.
2.47	Oct. 30. 2020	-	Updated the sample code project due to the upgrade of the
0.40	lum 20 2024		development environment.
2.48	Jun. 30. 2021	4	Added support for the RX671 Group.
		21	1.Overview Changed     2.3 Supported Toolchains
		21	Added for Toolchain v.3.03.00
		23	2.4. Usage of Interrupt Vector: Revised.
		23	Interrupt vector used in RX671 added to the Table 2.1.
			Interrupt Vector used in the RIIC FIT Module.
		30	Changed Section 2.8 Code Size.
		78	Table 6-22. Operation Test Environment for Rev.2.48, added.
2.49	Jul. 31. 2021	-	Added support for the RX140 Group.
		23	2.4. Usage of Interrupt Vector: Revised.
			Interrupt vector used in RX140 added to the Table 2.1.
			Interrupt Vector used in the RIIC FIT Module.
		30	Changed Section 2.8 Code Size.
		78	Table 6-23. Operation Test Environment for Rev.2.49, added.
2.50	Dec. 31. 2021	-	Added support for the RX660 Group.
		21	2.3 Supported Toolchains
			Added for Toolchain v.3.04.00
		23	2.4. Usage of Interrupt Vector: Revised.
			Interrupt vector used in RX660 added to the Table 2.1.
			Interrupt Vector used in the RIIC FIT Module.
		30	Changed Section 2.8 Code Size.
		79	Table 6-24. Operation Test Environment for Rev.2.50, added.

		Description	1
Rev.	Date	Page	Summary
2.60	Dec. 16. 2022	-	Fixed processing error of riic_bps_calc.
		79	Table 6-25. Operation Test Environment for Rev.2.60, added.
2.70	Mar. 31. 2023	1	Added support for the RX26T Group.
		22	2.3 Supported Toolchains
			Added for Toolchain v.3.05.00
		24	2.4. Usage of Interrupt Vector: Revised.
			Interrupt vector used in RX26T added to the Table 2.1.
			Interrupt Vector used in the RIIC FIT Module.
		26	Added new macros for SCL rise time and SCL fall time.
		31	Changed Section 2.8 Code Size.
		57, 58, 59	Updated and added new demo project.
			Added RSKRX671, RSKRX72N to "5. Demo Projects".
		82	Table 6-24. Operation Test Environment for Rev.2.70, added.
		Program	Added support for RX26T.
			Updated and added new demo projects.
			Added new macros for SCL rise time and SCL fall time.
			Apply a digital noise filter circuit to the riic_bps_calc function.
2.80	May. 29. 2023	1	Added support for the R23E-B Group.
		24	2.4. Usage of Interrupt Vector: Revised.
			Interrupt vector used in RX23E-B added to the Table 2.1.
			Interrupt Vector used in the RIIC FIT Module.
		31	Changed Section 2.8 Code Size.
		33, 56	Deleted the description of FIT configurator from "2.12 Adding the FIT Module to Your Project", "4. Pin Settings"
		82	Table 6-27. Operation Test Environment for Rev.2.80, added.
		Program	Added support for RX23E-B.
2.90	Oct. 10. 2023	28	2.7. Configuration Overview:
			Updated description and notes for
			RIIC_CFG_CHi_EEI_INT_PRIORITY and
			RIIC_CFG_CHi_TEI_INT_PRIORITY.
		83	Table 6.28. Operation Test Environment for Rev.2.90, added.
		Program	Changed EEI and TEI default interrupt priority levels for devices with EEI and TEI assigned to group interrupts, to be higher than TXI and RXI priority levels in MDF file.
			Modified source code comments of
			RIIC_CFG_CHi_RXI_INT_PRIORITY,
			RIIC_CFG_CHi_TXI_INT_PRIORITY,
			RIIC_CFG_CHi_EEI_INT_PRIORITY,
			RIIC_CFG_CHi_TEI_INT_PRIORITY (i = 0 to 2) in
			r_riic_rx_config.h.
2.91	Aug. 01. 2024	22	2.3 Supported Toolchains
			Added for Toolchain v.3.06.00.
		83	Table 6.29. Operation Test Environment for Rev.2.91, added.
		Program	Fixed issues related to EEI and TEI interrupt priority levels for RX651 in MDF file.

# General Precautions in the Handling of Microprocessing Unit and Microcontroller Unit Products

The following usage notes are applicable to all Microprocessing unit and Microcontroller unit products from Renesas. For detailed usage notes on the products covered by this document, refer to the relevant sections of the document as well as any technical updates that have been issued for the products.

1. Precaution against Electrostatic Discharge (ESD)

A strong electrical field, when exposed to a CMOS device, can cause destruction of the gate oxide and ultimately degrade the device operation. Steps must be taken to stop the generation of static electricity as much as possible, and quickly dissipate it when it occurs. Environmental control must be adequate. When it is dry, a humidifier should be used. This is recommended to avoid using insulators that can easily build up static electricity. Semiconductor devices must be stored and transported in an anti-static container, static shielding bag or conductive material. All test and measurement tools including work benches and floors must be grounded. The operator must also be grounded using a wrist strap. Semiconductor devices must not be touched with bare hands. Similar precautions must be taken for printed circuit boards with mounted semiconductor devices.

2. Processing at power-on

The state of the product is undefined at the time when power is supplied. The states of internal circuits in the LSI are indeterminate and the states of register settings and pins are undefined at the time when power is supplied. In a finished product where the reset signal is applied to the external reset pin, the states of pins are not guaranteed from the time when power is supplied until the reset process is completed. In a similar way, the states of pins in a product that is reset by an on-chip power-on reset function are not guaranteed from the time when power is supplied until the power reaches the level at which resetting is specified.

3. Input of signal during power-off state

Do not input signals or an I/O pull-up power supply while the device is powered off. The current injection that results from input of such a signal or I/O pull-up power supply may cause malfunction and the abnormal current that passes in the device at this time may cause degradation of internal elements. Follow the guideline for input signal during power-off state as described in your product documentation.

4. Handling of unused pins

Handle unused pins in accordance with the directions given under handling of unused pins in the manual. The input pins of CMOS products are generally in the high-impedance state. In operation with an unused pin in the open-circuit state, extra electromagnetic noise is induced in the vicinity of the LSI, an associated shoot-through current flows internally, and malfunctions occur due to the false recognition of the pin state as an input signal become possible.

5. Clock signals

After applying a reset, only release the reset line after the operating clock signal becomes stable. When switching the clock signal during program execution, wait until the target clock signal is stabilized. When the clock signal is generated with an external resonator or from an external oscillator during a reset, ensure that the reset line is only released after full stabilization of the clock signal. Additionally, when switching to a clock signal produced with an external resonator or by an external oscillator while program execution is in progress, wait until the target clock signal is stable.

6. Voltage application waveform at input pin

Waveform distortion due to input noise or a reflected wave may cause malfunction. If the input of the CMOS device stays in the area between  $V_{IL}$  (Max.) and  $V_{IH}$  (Min.) due to noise, for example, the device may malfunction. Take care to prevent chattering noise from entering the device when the input level is fixed, and also in the transition period when the input level passes through the area between  $V_{IL}$  (Max.) and  $V_{IH}$  (Min.).

7. Prohibition of access to reserved addresses

Access to reserved addresses is prohibited. The reserved addresses are provided for possible future expansion of functions. Do not access these addresses as the correct operation of the LSI is not guaranteed.

8. Differences between products

Before changing from one product to another, for example to a product with a different part number, confirm that the change will not lead to problems. The characteristics of a microprocessing unit or microcontroller unit products in the same group but having a different part number might differ in terms of internal memory capacity, layout pattern, and other factors, which can affect the ranges of electrical characteristics, such as characteristic values, operating margins, immunity to noise, and amount of radiated noise. When changing to a product with a different part number, implement a system-evaluation test for the given product.

#### **Notice**

- 1. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation or any other use of the circuits, software, and information in the design of your product or system. Renesas Electronics disclaims any and all liability for any losses and damages incurred by you or third parties arising from the use of these circuits, software, or information.
- 2. Renesas Electronics hereby expressly disclaims any warranties against and liability for infringement or any other claims involving patents, copyrights, or other intellectual property rights of third parties, by or arising from the use of Renesas Electronics products or technical information described in this document, including but not limited to, the product data, drawings, charts, programs, algorithms, and application examples.
- 3. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
- 4. You shall be responsible for determining what licenses are required from any third parties, and obtaining such licenses for the lawful import, export, manufacture, sales, utilization, distribution or other disposal of any products incorporating Renesas Electronics products, if required.
- 5. You shall not alter, modify, copy, or reverse engineer any Renesas Electronics product, whether in whole or in part. Renesas Electronics disclaims any and all liability for any losses or damages incurred by you or third parties arising from such alteration, modification, copying or reverse engineering.
- 6. Renesas Electronics products are classified according to the following two quality grades: "Standard" and "High Quality". The intended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below.
  - "Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; industrial robots; etc.
  - "High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control (traffic lights); large-scale communication equipment; key financial terminal systems; safety control equipment; etc.

Unless expressly designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not intended or authorized for use in products or systems that may pose a direct threat to human life or bodily injury (artificial life support devices or systems; surgical implantations; etc.), or may cause serious property damage (space system; undersea repeaters; nuclear power control systems; aircraft control systems; key plant systems; military equipment; etc.). Renesas Electronics disclaims any and all liability for any damages or losses incurred by you or any third parties arising from the use of any Renesas Electronics product that is inconsistent with any Renesas Electronics data sheet, user's manual or other Renesas Electronics document.

- 7. No semiconductor product is absolutely secure. Notwithstanding any security measures or features that may be implemented in Renesas Electronics hardware or software products, Renesas Electronics shall have absolutely no liability arising out of any vulnerability or security breach, including but not limited to any unauthorized access to or use of a Renesas Electronics product or a system that uses a Renesas Electronics product. RENESAS ELECTRONICS DOES NOT WARRANT OR GUARANTEE THAT RENESAS ELECTRONICS PRODUCTS, OR ANY SYSTEMS CREATED USING RENESAS ELECTRONICS PRODUCTS WILL BE INVULNERABLE OR FREE FROM CORRUPTION, ATTACK, VIRUSES, INTERFERENCE, HACKING, DATA LOSS OR THEFT, OR OTHER SECURITY INTRUSION ("Vulnerability Issues"). RENESAS ELECTRONICS DISCLAIMS ANY AND ALL RESPONSIBILITY OR LIABILITY ARISING FROM OR RELATED TO ANY VULNERABILITY ISSUES. FURTHERMORE, TO THE EXTENT PERMITTED BY APPLICABLE LAW, RENESAS ELECTRONICS DISCLAIMS ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT AND ANY RELATED OR ACCOMPANYING SOFTWARE OR HARDWARE, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.
- 8. When using Renesas Electronics products, refer to the latest product information (data sheets, user's manuals, application notes, "General Notes for Handling and Using Semiconductor Devices" in the reliability handbook, etc.), and ensure that usage conditions are within the ranges specified by Renesas Electronics with respect to maximum ratings, operating power supply voltage range, heat dissipation characteristics, installation, etc. Renesas Electronics disclaims any and all liability for any malfunctions, failure or accident arising out of the use of Renesas Electronics products outside of such specified ranges.
- 9. Although Renesas Electronics endeavors to improve the quality and reliability of Renesas Electronics products, semiconductor products have specific characteristics, such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Unless designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not subject to radiation resistance design. You are responsible for implementing safety measures to guard against the possibility of bodily injury, injury or damage caused by fire, and/or danger to the public in the event of a failure or malfunction of Renesas Electronics products, such as safety design for hardware and software, including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult and impractical, you are responsible for evaluating the safety of the final products or systems manufactured by you.
- 10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. You are responsible for carefully and sufficiently investigating applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive, and using Renesas Electronics products in compliance with all these applicable laws and regulations. Renesas Electronics disclaims any and all liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
- 11. Renesas Electronics products and technologies shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations. You shall comply with any applicable export control laws and regulations promulgated and administered by the governments of any countries asserting jurisdiction over the parties or transactions.
- 12. It is the responsibility of the buyer or distributor of Renesas Electronics products, or any other party who distributes, disposes of, or otherwise sells or transfers the product to a third party, to notify such third party in advance of the contents and conditions set forth in this document.
- 13. This document shall not be reprinted, reproduced or duplicated in any form, in whole or in part, without prior written consent of Renesas Electronics.
- 14. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products.
- (Note1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its directly or indirectly controlled subsidiaries.
- (Note2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.

(Rev.5.0-1 October 2020)

#### Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061, Japan www.renesas.com

## Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

#### Contact information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit: www.renesas.com/contact/.