Signature valid For Question Please Contact with SGS www.sgs.com.tw



Test Report

No.: ETR23603231

Date: 19-Jun-2023

Page: 1 of 9

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

HENKEL CORPORATION

Sample Name

ADHESIVE

Style/Item No.

8006NS

Sample Receiving Date

16-Jun-2023

Testing Period

16-Jun-2023 to 19-Jun-2023

Test Results

Please refer to following pages.

| Test Requested | Conclusion | | |
|---|-------------|--|--|
| RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU | PASS | | |
| Other items : - Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) - Beryllium (Be) - Phthalates (DIDP, DINP, DNOP) | See Results | | |

Signed for and on behalf of ALWA SĞS TAIWAN LTD. Chemical Laboratory - Taipei



PIN CODE: 96689914



No.: ETR23603231 Date: 19-Jun-2023

Page: 2 of 9

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Test Part Description

No.1

: WHITE PASTE

Test Result(s)

| Test Item(s) | Method | Unit | MDL | Result | Limit |
|----------------------------|--|-------|-----|--------|-------|
| | | | | No.1 |] |
| Cadmium (Cd) | With reference to IEC 62321-5: 2013, | mg/kg | 2 | n.d. | 100 |
| | analysis was performed by ICP-OES. | | | | |
| Lead (Pb) | With reference to IEC 62321-5: 2013, | mg/kg | 2 | n.d. | 1000 |
| | analysis was performed by ICP-OES. | | | | |
| Mercury (Hg) | With reference to IEC 62321-4: 2013+ | mg/kg | 2 | n.d. | 1000 |
| | AMD1: 2017, analysis was performed | : | | | |
| | by ICP-OES. | | | | |
| Hexavalent Chromium Cr(VI) | With reference to IEC 62321-7-2: 2017, | mg/kg | 8 | n.d. | 1000 |
| | analysis was performed by UV-VIS. | | | | |
| Monobromobiphenyl | | mg/kg | 5 | n.d. | - |
| Dibromobiphenyl | | mg/kg | 5 | n.d. | - |
| Tribromobiphenyl | | mg/kg | 5 | n.d. | - |
| Tetrabromobiphenyl | | mg/kg | 5 | n.d. | - |
| Pentabromobiphenyl | | mg/kg | 5 | n.d. | - |
| Hexabromobiphenyl | | mg/kg | 5 | n.d. | - |
| Heptabromobiphenyl | | mg/kg | 5 | n.d. | - |
| Octabromobiphenyl | | mg/kg | 5 | n.d. | - |
| Nonabromobiphenyl | | mg/kg | 5 | n.d. | - |
| Decabromobiphenyl | | mg/kg | 5 | n.d. | - |
| Sum of PBBs | With reference to IEC 62321-6: 2015, | mg/kg | - | n.d. | 1000 |
| Monobromodiphenyl ether | analysis was performed by GC/MS. | mg/kg | 5 | n.d. | - |
| Dibromodiphenyl ether | | mg/kg | 5 | n.d. | - |
| Tribromodiphenyl ether | | mg/kg | 5 | n.d. | - |
| Tetrabromodiphenyl ether | | mg/kg | 5 | n.d. | - |
| Pentabromodiphenyl ether | | mg/kg | 5 | n.d. | - |
| Hexabromodiphenyl ether | | mg/kg | 5 | n.d. | - |
| Heptabromodiphenyl ether | | mg/kg | 5 | n.d. | _ |
| Octabromodiphenyl ether | | mg/kg | 5 | n.d. | - |
| Nonabromodiphenyl ether | | mg/kg | 5 | n.d. | - |
| Decabromodiphenyl ether | | mg/kg | 5 | n.d. | - |
| Sum of PBDEs | | mg/kg | _ | n.d. | 1000 |



No.: ETR23603231

Date: 19-Jun-2023

Page: 3 of 9

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

| Test Item(s) | Method | Unit | MDL | Result | Limit |
|------------------------------------|--------------------------------------|-------|-----|--------|-------|
| | | | | No.1 | 4. |
| Butyl benzyl phthalate (BBP) | | mg/kg | 50 | n.d. | 1000 |
| Dibutyl phthalate (DBP) | With reference to IEC 62321-8: 2017, | mg/kg | 50 | n.d. | 1000 |
| Di-(2-ethylhexyl) phthalate (DEHP) | analysis was performed by GC/MS. | mg/kg | 50 | n.d. | 1000 |
| Diisobutyl phthalate (DIBP) | | mg/kg | 50 | n.d. | 1000 |

| Test Item(s) | Method | Unit | MDL | Result No.1 | Limit |
|--|--|-------|-----|----------------|-------|
| Diisodecyl phthalate (DIDP) (CAS No.: 26761-40-0, 68515-49-1) | | mg/kg | 50 | n.d. | - |
| Diisononyl phthalate (DINP) (CAS No.: 28553-12-0, 68515-48-0) | With reference to IEC 62321-8: 2017, analysis was performed by GC/MS. | mg/kg | 50 | n.d. | - |
| Di-n-octyl phthalate (DNOP) (CAS No.: 117-84-0) | | mg/kg | 50 | n.d. | - |
| Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | With reference to IEC 62321-9: 2021, analysis was performed by GC/MS. | mg/kg | 20 | n.d. | - |
| Beryllium (Be) (CAS No.: 7440-41-7) | With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES. | mg/kg | 2 | n.d. | - |

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.



No.: ETR23603231

Date: 19-Jun-2023


Page: 4 of 9

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Analytical flow chart of heavy metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)





No.: ETR23603231

Date: 19-Jun-2023

Page: 5 of 9


HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Analytical flow chart - PBBs / PBDEs

First testing process

Optional screen process

Confirmation process





No.: ETR23603231


Date: 19-Jun-2023

Page: 6 of 9

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Analytical flow chart - Phthalate

[Test method: IEC 62321-8]






No.: ETR23603231

Date: 19-Jun-2023

Page: 7 of 9

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Analytical flow chart - HBCDD





No.: ETR23603231


Date: 19-Jun-2023

Page: 8 of 9

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Flow Chart of digestion for the elements analysis performed by ICP-OES

These samples were dissolved totally by pre-conditioning method according to below flow chart.



| Steel, copper, aluminum, solder | Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂ |
|------------------------------------|---|
| Glass | HNO ₃ /HF |
| Gold, platinum, palladium, ceramic | Aqua regia |
| Silver | HNO ₃ |
| Plastic | H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI |
| Others | Added appropriate reagent to total digestion |



No.: ETR23603231


Date: 19-Jun-2023

Page: 9 of 9

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

 $\mbox{\ensuremath{^{*}}}$ The tested sample / part is marked by an arrow if it's shown on the photo. $\mbox{\ensuremath{^{*}}}$

ETR23603231



** End of Report **

Signature valid
For Question Please
Contact with SGS
www.sgs.com.tw



Test Report

No.: ETR23603232

Date: 19-Jun-2023

Page: 1 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

HENKEL CORPORATION

Sample Name

ADHESIVE

Style/Item No.

8006NS

Sample Receiving Date

16-Jun-2023

Testing Period

16-Jun-2023 to 19-Jun-2023

Test Requested

Testing item(s) is/are specified by client. Please refer to result table for

testing item(s).

Test Results

Please refer to following pages.

Troy Chang / Department Ma ager Signed for and on behalf Oranual SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: D308CA24



No.: ETR23603232

Date: 19-Jun-2023

Page: 2 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Test Part Description

No.1

: WHITE PASTE

Test Result(s)

| Test Item(s) | Method | Unit | MDL | Result No.1 |
|--|---|-------|------|----------------|
| and its salts) | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d. |
| PFOA and its salts (CAS No.: 335-67-1 and its salts) | With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS. | mg/kg | 0.01 | n.d. |

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. PFOS and its salts including:

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

5. PFOA and its salts including:

CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.




No.: ETR23603232

Date: 19-Jun-2023

Page: 3 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





No.: ETR23603232


Date: 19-Jun-2023

Page: 4 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR23603232



** End of Report **

Signature valid
For Question Please
Contact with SGS
www.sgs.com.tw



Test Report

No.: ETR23603228

Date: 19-Jun-2023

Page: 1 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

: HENKEL CORPORATION

Sample Name

ADHESIVE

Style/Item No.

: 8006NS

Sample Receiving Date

16-Jun-2023

Testing Period

16-Jun-2023 to 19-Jun-2023

Test Requested

As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine in

the submitted sample.

Test Results

•

Please refer to following pages.

Troy Chang / Department Makager Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 1EB66154



No.: ETR23603228

Date: 19-Jun-2023

Page: 2 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Test Part Description

No.1

: WHITE PASTE

Test Result(s)

| Test Item(s) | Method | Unit | MDL | Result |
|-------------------------------------|--|-------|-----|--------|
| Fluoring (F) (CACAL- 14762 04 0) | | | | No.1 |
| Fluorine (F) (CAS No.: 14762-94-8) | With reference to BS EN 14582: 2016, analysis was performed by IC. | mg/kg | 50 | n.d. |
| Chlorine (Cl) (CAS No.: 22537-15-1) | With reference to BS EN 14582: 2016, analysis was performed by IC. | mg/kg | 50 | 378 |
| Bromine (Br) (CAS No.: 10097-32-2) | With reference to BS EN 14582: 2016, analysis was performed by IC. | mg/kg | 50 | n.d. |
| lodine (I) (CAS No.: 14362-44-8) | With reference to BS EN 14582: 2016, analysis was performed by IC. | mg/kg | 50 | n.d. |

Note:

1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm

2. MDL = Method Detection Limit

3. n.d. = Not Detected (Less than MDL)




No.: ETR23603228

Date: 19-Jun-2023

Page: 3 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Analytical flow chart - Halogen





No.: ETR23603228


Date: 19-Jun-2023

Page: 4 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR23603228



** End of Report **

Signature valid
For Question Please
Contact with SGS
www.sgs.com.tw



Test Report

No.: ETR23603229

Date: 19-Jun-2023

Page: 1 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

The following sample(s) was/were submitted and identified by the applicant as:

Sample Submitted By

: HENKEL CORPORATION

Sample Name

ADHESIVE

Style/Item No.

8006NS

Sample Receiving Date

16-Jun-2023

Testing Period

16-Jun-2023 to 19-Jun-2023

Test Requested

Testing item(s) is/are specified by client. Please refer to result table for testing

item(s).

Test Results

•

Please refer to following pages.

Troy Chang / Department Makager Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 0F3E0F84



No.: ETR23603229

Date: 19-Jun-2023

Page: 2 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Test Part Description

No.1

: WHITE PASTE

Test Result(s)

| Test Item(s) | Method | Unit | MDL | Result |
|------------------------------------|--------------------------------------|-------|-----|--------|
| Antimony (Sb) (CAS No.: 7440-36-0) | With reference to US EPA 3052: 1996, | mg/kg | 2 | No.1 |
| | analysis was performed by ICP-OES. | g/ kg | ۷ | n.d. |

Note:

1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm

2. MDL = Method Detection Limit

3. n.d. = Not Detected (Less than MDL)



No.: ETR23603229


Date: 19-Jun-2023

Page: 3 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

Analytical flow chart of Elements (Heavy Metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart. $\hbox{\tt [Reference method: US EPA 3051A \cdot US EPA 3052]}$





No.: ETR23603229


Date: 19-Jun-2023

Page: 4 of 4

HENKEL CORPORATION 14000 JAMBOREE ROAD, IRVINE, CALIFORNIA, 92606 U.S.A.

 $\ensuremath{^*}$ The tested sample / part is marked by an arrow if it's shown on the photo. $\ensuremath{^*}$

ETR23603229



** End of Report **