

Application Note

DA145xx Flash Selector Guide

AN-B-088

Abstract

This document presents an overview of supported Flash devices for the DA1453x and DA14585 Bluetooth IC's.

DA145xx Flash Selector Guide

1 List of Supported Dialog Semiconductor Flash Devices

Table 1: Ordering Information

Memory Size	Flash Device	DA1453x	DA14585
512 kBit	AT25DF512C	✓	✓
	AT25XE512C	✓	✓
1 Mbit	AT25DN011	-	✓
	AT25DF011	✓	✓
	AT25XE011	✓	✓
2 Mbit	AT25EU0021A	✓	✓
	AT25DF021A	✓	✓
	AT25XE021A	✓	✓
4 Mbit	AT25XE041B	✓	✓
	AT25FF041A	✓ (1)	✓
	AT25XE041D	✓ (1)	✓
	AT45DB041E	-	✓
8 Mbit	AT25FF081A	✓(1)	✓
	AT25XE081D	✓ (1)	✓
32 Mbit	AT25SL321	✓	✓

Note 1 This requires a secondary loader in OTP for enabling Ultra Deep Power Down mode.

2 List of Supported 3rd Party Flash Devices

Table 2: Ordering Information

Memory Size	Flash Device	Manufacturer	DA1453x	DA14585
512 kBit	MX25R512F	Macronix	✓	✓
1 Mbit	P25X10U	Puya	✓	✓
	P25Q10H	Puya	✓	✓
	GD25WD10CTIG	GigaDevice	✓	✓
	W25X10CL	Winbond	✓	✓
2 Mbit	MX25R2035F	Macronix	✓	✓
	GD25VQ20C	GigaDevice	✓	✓
	GD25WD20CTIG	GigaDevice	✓	✓
	W25X20CL	Winbond	✓	✓
4 Mbit	GD25WD40CTIG	GigaDevice	✓	✓
	W25X40CL	Winbond	✓	✓

For additional information related to external memories, please refer to [AN-B-072](#) “DA14531 Booting from OTP and Serial Interfaces” and [AN-B-055](#) “DA14585 interfacing with external memory”.

DA145xx Flash Selector Guide**Revision History**

Revision	Date	Description
1.7	31-May-2022	Update Table 1 (Add AT25SL321) and Table 2 (Add W25X40CL)
1.6	24-Jan-2022	Rebranded to Renesas.
1.5	17-11-2021	Update Table 1
1.4	28-09-2021	Update Table 1 (Add AT25EU0021A)
1.3	30-06-2021	Update Hyperlinks in section 1
1.2	15-02-2021	Update Hyperlinks in section 2
1.1	12-11-2020	Update Table 1
1.0	22-10-2020	Initial Release

DA145xx Flash Selector Guide

Status Definitions

Status	Definition
DRAFT	The content of this document is under review and subject to formal approval, which may result in modifications or additions.
APPROVED or unmarked	The content of this document has been approved for publication.

RoHS Compliance

Dialog Semiconductor's suppliers certify that its products are in compliance with the requirements of Directive 2011/65/EU of the European Parliament on the restriction of the use of certain hazardous substances in electrical and electronic equipment. RoHS certificates from our suppliers are available on request.