

Application Note

Water Flow Meter

AN-CM-230

Abstract

A small, simple and low-cost water flow meter is designed, built and tested using a Programmable Mixed-signal Matrix, and can be used for a wide range of turbine flow meters.

This application note comes complete with design files which can be found in the References section.

Water Flow Meter

Contents

Abstract	1
Contents	2
Figures	2
Tables	2
1 Terms and Definitions	3
2 References	3
3 Introduction	4
4 Overall Description of the System	4
5 GreenPAK Designer Implementation	5
5.1 Stage 1: Counting/Displaying Switching	5
5.2 Stage 2: Counting Input Pulses	6
5.3 Stage 3: Displaying Measured Value	7
6 Hardware Implementation	12
7 Results	14
8 Conclusion	14
Appendix A Schematic of the Testing PCB	15
Appendix B Layout of the Testing PCB	16
Appendix C Testing PCB Photos	17
Revision History	18

Figures

Figure 1: The Used Flow Meter	4
Figure 2: Counting/Displaying Control Signal Generation Stage	5
Figure 3: Generating a Periodic Signal to Switch Between Counting Pulses and Displaying Tasks....	5
Figure 4: Counting Pulses Stage.....	6
Figure 5: Example of Counting Pulses for a Flow Rate of 1.5 liters / minutes	7
Figure 6: Displaying Stage	8
Figure 7: Overall System Diagram	13
Figure 8: Result Obtained by Testing Using Arduino	14
Figure 9: Tests with Water Flow Sensor and Home Water Source at Two Different Flow Rates.....	14

Tables

Table 1: 4-bit LUT2	7
Table 2: Binary to 7-Segment Decoder Truth Table	9
Table 3: A-Segment LUTs	9
Table 4: B-Segment LUTs	9
Table 5: C-Segment LUTs	10
Table 6: D-Segment LUTs	10
Table 7: E-Segment LUTs	11
Table 8: F-Segment LUTs	11
Table 9: G-Segment LUTs.....	11

Water Flow Meter

1 Terms and Definitions

ASIC	Application-specific integrated circuit
GPIO	General-purpose input/output
LSB	Least significant bit
PCB	Printed circuit board
PWM	Pulse width modulation

2 References

For related documents and software, please visit:

[GreenPAK™ Programmable Mixed-Signal Products | Renesas](#)

Download our free [GreenPAK™ Designer](#) software [1] to open the .gp files [2] and view the proposed circuit design. Use the [GreenPAK development tools](#) [3] to freeze the design into your own customized IC in a matter of minutes. Renesas Electronics provides a complete library of application notes [3] featuring design examples as well as explanations of features and blocks within the IC.

- [1] [GreenPAK Designer Software](#), Software Download and User Guide, Renesas Electronics
- [2] [AN-CM-230 Water Flow Meter.gp](#), [GreenPAK Design File](#), Renesas Electronics
- [3] [GreenPAK Development Tools](#), [GreenPAK Development Tools Webpage](#), Renesas Electronics
- [4] [GreenPAK Application Notes](#), [GreenPAK Application Notes Webpage](#), Renesas Electronics
- [5] [SLG46533](#), Datasheet, Renesas Electronics
- [6] AN-1178, "Practical Use of GreenPAK Pulse Counter - Frequency Counter, Thermometer, Voltmeter" Application Note, Renesas Electronics
- [7] R. KNOERR, Débitmètre à affichage numérique, French Magazine "Electronique Pratique, ISSUE 3645, OCT-20011
- [8] YF-S201 Water Flow Sensor datasheet

Water Flow Meter

3 Introduction

An accurate, small, and low-cost liquid flow meter can be easily made using **GreenPAK** components. In this application note we present a water flow meter that continuously measures the water flow and displays it on three 7-segment displays. The flow sensor measurement range is from 1 to 30 liters per minute. The output of the sensor is a digital PWM signal with a frequency proportional to the water flow rate.

Three **GreenPAK** Programmable Mixed-Signal Matrix SLG46533 ASICs count the number of pulses within a base time T. This base time is calculated such that the number of pulses is equal to the flow rate in that period, then this calculated number is displayed on the 7-segment displays. The resolution is 0.1 liters/min.

The output of the sensor is connected to a digital input with Schmitt trigger of a first Mixed-signal Matrix that counts the fractional number. The chips are cascaded together via a digital output, which is connected to a digital input of a proceeding Mixed-signal Matrix. Each device is connected to a 7-segment common cathode display through 7 outputs.

Using a **GreenPAK** Programmable Mixed-signal Matrix is preferable to many other solutions such as microcontrollers and discrete components. Compared to a microcontroller, a **GreenPAK** is lower cost, smaller, and easier to program. Compared to a discrete logic integrated circuits design, it is also lower cost, easier to build, and smaller.

To make this solution commercially viable, the system must be as small as possible and be enclosed inside a waterproof, hard enclosure to be resistant to water, dust, steam, and other factors so that it may operate in various conditions.

To test the design a simple PCB was built. The **GreenPAK** devices are plugged on this PCB using 20 pins double rows female header connectors.

Tests are made first time using pulses generated by an Arduino and in a second time water flow rate of a home water source was measured. The system has shown an accuracy of 99%.

4 Overall Description of the System

One of the most common ways to measure liquid flow rate is exactly like the principle of measuring the speed of wind by an anemometer: the speed of wind is proportional to the rotation speed of the anemometer. The main part of this type of flow sensor is a sort of a pinwheel, whose speed is proportional to the liquid flow rate passing through it.

We used the water flow sensor YF-S201 from the firm URUK shown in [Figure 1](#). In this sensor, a Hall Effect sensor mounted on the pinwheel outputs a pulse with every revolution. The output signal frequency is given by the relation: $f_{OUT} = 7.5 \times Q$, where Q is water flow rate in liters/minute.



Figure 1: The Used Flow Meter

For example, if the measured flow rate is 1 liter/minute the output signal frequency is 7.5 Hz. In order to display the real value of the flow in the format 1.0 liter/minute, we have to count pulses for a time of 1.333 seconds. In the 1.0 liter/minute example, the counted result will be 10, which will be

Water Flow Meter

displayed as 01.0 on the seven-segment displays. Two tasks are addressed in this application: the first is counting pulses and the second is displaying the number when counting task is complete. Each task lasts 1.333 seconds.

5 GreenPAK Designer Implementation

The SLG46533 has many versatile combination function macrocells and they can be configured as Look up Tables, counters or D-Flip-Flops. This modularity is what makes GreenPAK suitable for the application.

The program has 3 stages: stage (1) generates a periodic digital signal to switch between the 2 tasks of the system, stage (2) counts flow sensor pulses and stage (3) displays the fractional number.

5.1 Stage 1: Counting/Displaying Switching

A digital output “COUNT/DISP-OUT” that changes the state between high and low every 1.333 seconds is required. When high, the system counts pulses and when low it displays the counted result. This can be achieved using DFF0, CNT1 and OSC0 wired like shown in Figure 2.

The frequency of OSC0 is 25 kHz. CNT1/DLY1/FSM1 is configured as a counter, and its clock input is connected to CLK/4 so that CNT1’s input clock frequency is 6.25 kHz. For the first clock period that lasts: $\frac{1}{6.25\text{ kHz}} = 160\ \mu\text{s}$, CNT1 output is high and from the next clock’s signal rising edge, counter output is low and CNT1 starts decrementing from 8332. When CNT1 data reaches 0, a new pulse on CNT1 output is generated. On each rising edge of CNT1 output, DFF0 output changes the state, if low it switches to high and vice versa.

DFF0’s output polarity should be configured as inverted. CNT1 is set to 8332 because count/display time T is:

$$T = (8332 + 1) \times 160\ \mu\text{s} = 1.333\ \text{seconds}.$$




Figure 2: Counting/Displaying Control Signal Generation Stage




Figure 3: Generating a Periodic Signal to Switch Between Counting Pulses and Displaying Tasks

Water Flow Meter

5.2 Stage 2: Counting Input Pulses

A 4-bit counter is made using DFF3/4/5/6, as shown in Figure 4. This counter increments on each pulse only when "COUNT/DISP-IN", which is PIN 9, is high. The AND gate 2-L2 inputs are "COUNT/DISP-IN" and the PWM input. The counter is reset when it reaches 10 or when the counting phase starts. The 4-bit counter is reset when DFFs RESET pins, which are connected to the same network "RESET", are low.

4-bit LUT2 is used to reset the counter when it reaches 10. Since DFF outputs are inverted, numbers are defined by inverting all the bits of their binary representations: swapping 0s for 1s and vice versa. This representation is called 1's complement of binary number. 4-bit LUT2 inputs IN0, IN1, IN2 and IN3 are connected to a0, a1, a2, a3 and a3 respectively. The truth table for 4-LUT2 is shown in Table 1.

When 10 pulses are registered, the output of 4-LUT0 switches from high to low. At this point the output of CNT6/DLY6, configured to work in one shot mode, switches to low for a period of 90 ns then turns on again. Likewise, when "COUNT/DISP-IN" switches from low to high, that is. the system starts counting pulses. The output of CNT5/DLY5, configured to work in one shot mode, switches too low for a period of 90 ns then turns on again. It is crucial to maintain the RESET button at a low level for a while and turn it on again using CNT5 and CNT6 to give time for all DFFs to reset. A delay of 90 ns has no impact on the system accuracy since the maximum frequency of the PWM signal is 225 Hz. CNT5 and CNT6 outputs are connected to inputs of the AND gate that outputs the RESET signal.

The output of 4-LUT2 is also connected to Pin 4, labeled "F/10-OUT", which will be connected to the PWM input of the next chip's counting stage. For example, if "PWM-IN" of the fractional counting device is connected to the PWM output of the sensor, and its "F/10-OUT" is connected to the "PWM-IN" of the units counting device and the "F/10-OUT" of the latter is connected to the "PWM-IN" of the tens counting device and so on. "COUNT/DISP-IN" of all these stages should be connected to the same "COUNT/DISP-OUT" of any of the 3 devices for the fractional counting device.

Figure 5 Explains in detail how this stage works by showing how to measure a flow rate of 1.5 liters/minute.




Figure 4: Counting Pulses Stage

Water Flow Meter

Table 1: 4-bit LUT2

Dec/Hex Format	4-bits Binary Representation				4-bits LUT2				
					LUT - IN 3 = a3	LUT - IN2 = a2	LUT - IN1 = a1	LUT - IN0 = a0	OUT
0	0	0	0	0	1	1	1	1	1
1	0	0	0	1	1	1	1	0	1
2	0	0	1	0	1	1	0	1	1
3	0	0	1	1	1	1	0	0	1
4	0	1	0	0	1	0	1	1	1
5	0	1	0	1	1	0	1	0	1
6	0	1	1	0	1	0	0	1	1
7	0	1	1	1	1	0	0	0	1
8	1	0	0	0	0	1	1	1	1
9	1	0	0	1	0	1	1	0	1
10	1	0	1	0	0	1	0	1	0
A	1	0	1	1	0	1	0	0	1
B	1	1	0	0	0	0	1	1	1
C	1	1	0	1	0	0	1	0	1
D	1	1	1	0	0	0	0	1	1
E	1	1	1	1	0	0	0	0	1




Figure 5: Example of Counting Pulses for a Flow Rate of 1.5 liters / minutes

5.3 Stage 3: Displaying Measured Value

This stage has as inputs: a0, a1, a2 and a3 (reversed), and will output to the pins connected to the 7-segment display. Each segment has a logical function to be made by available LUTs. 4-bit LUTs can do the job very easily but unfortunately only 1 is available. 4-bit LUT0 is used for segment G, but for the other segments we used a pair of 3-bits LUTs as shown in Figure 6. The leftmost 3-bit LUTs have a2/a1/a0 connected to their inputs, while the rightmost 3-bit LUTs have a3 connected to their inputs.

All look up tables can be deduced from the 7-segment decoder truth table shown in Table 2. They are presented in Table 3, Table 4, Table 5, Table 6, Table 7, Table 8, Table 9.

Water Flow Meter

Control pins of GPIOs that control the 7-segment display are connected to "COUNT/DISP-IN" through an inverter as outputs when "COUNT/DISP-IN" is low, which means the display is changed only during the display task. Therefore, during the counting task, displays are OFF and during displaying task they display the counted pulses.

A decimal point indicator may be needed somewhere within the 7-segment display. For this reason, PIN5, labeled "DP-OUT", is connected to the reversed "COUNT/DISP" network and we connect it to the DP of the corresponding display. In our application we need to display the decimal point of the units counting device to show numbers in the format "xx.x", then we will connect "DP-OUT" of the unit counting device to the DP input of the unit's 7-segment display and we leave the others unconnected.




Figure 6: Displaying Stage

Water Flow Meter

Table 2: Binary to 7-Segment Decoder Truth Table

Nbr in DEC Format	1's Complementary Binary Representation				State of Display's Segments as Function of Numbers						
	a3	a2	a2	a0	A	B	C	D	E	F	G
0	1	1	1	1	1	1	1	1	1	1	0
1	1	1	1	0	0	1	1	0	0	0	0
2	1	1	0	1	1	1	0	1	1	0	1
3	1	1	0	0	1	1	1	1	0	0	1
4	1	0	1	1	0	1	1	0	0	1	1
5	1	0	1	0	1	0	1	1	0	1	1
6	1	0	0	1	1	0	1	1	1	1	1
7	1	0	0	0	1	1	1	0	0	0	0
8	0	1	1	1	1	1	1	1	1	1	1
9	0	1	1	0	1	1	1	1	0	1	1

Table 3: A-Segment LUTs

LUT12				LUT13		
a2/IN2	a1/IN1	a0/IN0	LUT4 OUT	a3/IN0	LUT4 OUT/IN1	PIN7/ 7SEG-A
1	1	1	1	0	0	1
1	1	0	0	0	1	0
1	0	1	1	1	0	1
1	0	0	1	1	1	1
0	1	1	0			
0	1	0	1			
0	0	1	1			
0	0	0	1			

Table 4: B-Segment LUTs

LUT12				LUT13		
a2/IN2	a1/IN1	a0/IN0	LUT12 OUT	a3/IN1	LUT12 OUT/IN0	PIN10/ 7SEG-B
1	1	1	1	0	0	0
1	1	0	1	0	1	1

Water Flow Meter

LUT12				LUT13		
1	0	1	1	1	0	0
1	0	0	1	1	1	1
0	1	1	1			
0	1	0	0			
0	0	1	0			
0	0	0	1			

Table 5: C-Segment LUTs

LUT12				LUT13		
a2/IN2	a1/IN1	a0/IN0	LUT14 OUT	a3/IN1	LUT14 OUT/IN0	PIN13/ 7SEG-C
1	1	1	1	0	0	0
1	1	0	1	0	1	1
1	0	1	0	1	0	0
1	0	0	1	1	1	1
0	1	1	1			
0	1	0	1			
0	0	1	1			
0	0	0	1			

Table 6: D-Segment LUTs

LUT12				LUT13		
a2/IN2	a1/IN1	a0/IN0	LUT16 OUT	a3/IN1	LUT16 OUT/IN0	PIN14/ 7SEG-D
1	1	1	1	0	0	1
1	1	0	0	0	1	1
1	0	1	1	1	0	0
1	0	0	1	1	1	1
0	1	1	0			
0	1	0	1			
0	0	1	1			
0	0	0	0			

Water Flow Meter
Table 7: E-Segment LUTs

LUT12				LUT13		
a2/IN2	a1/IN1	a0/IN0	LUT5 OUT	a3/IN1	LUT5 OUT/IN0	PIN16/ 7SEG-E
1	1	1	1	0	0	0
1	1	0	0	0	1	1
1	0	1	1	1	0	0
1	0	0	0	1	1	1
0	1	1	0			
0	1	0	0			
0	0	1	1			
0	0	0	0			

Table 8: F-Segment LUTs

LUT12				LUT13		
a2/IN2	a1/IN1	a0/IN0	LUT7 OUT	a3/IN1	LUT5 OUT/IN0	PIN18/ 7SEG-F
1	1	1	1	0	0	1
1	1	0	0	0	1	1
1	0	1	0	1	0	0
1	0	0	0	1	1	1
0	1	1	1			
0	1	0	1			
0	0	1	1			
0	0	0	0			

Table 9: G-Segment LUTs

LUT0				
a3	a2	a1	a0	PIN-18/ 7-SEG-G
1	1	1	1	0
1	1	1	0	0
1	1	0	1	1
1	1	0	0	1
1	0	1	1	1
1	0	1	0	1
1	0	0	1	1
1	0	0	0	0
0	1	1	1	1

Water Flow Meter

LUT0				
0	1	1	0	1

6 Hardware Implementation

Figure 7 shows the interconnection between the 3 GreenPAK chips and connections of each chip to its corresponding display. The decimal point output of the GreenPAK is connected the DP input of the 7-segment display to show flow rate in its correct format, with a resolution of 0.1 liters / minute. The PWM input of the LSB chip is connected to the PWM output of the waterflow sensor. The F/10 outputs of the circuits are connected to the PWM inputs of the following chip. For sensors with higher flow rates and/or greater accuracy, more chips can be cascaded to append more digits.

Water Flow Meter




Figure 7: Overall System Diagram

F

Water Flow Meter

7 Results

To test the system, we built a simple PCB which has connectors to plug in GreenPAK sockets using 20 pin double-row female headers. The schematic and layout of this PCB as well as photos are presented in the Appendix.

The system was tested first with an Arduino that simulates a flow rate sensor and a water source with a constant, known flow rate by generating pulses at 225 Hz which corresponds to a flow rate of 30 liters/minute respectively. Obtained results are like shown in Figure 8: 29.7 liters/minute, error is about 1 %.

A Second test is made with the water flow rate sensor and a home water source. Measurement at different flow rates are presented in Figure 9.



Figure 8: Result Obtained by Testing Using Arduino



Figure 9: Tests with Water Flow Sensor and Home Water Source at Two Different Flow Rates

8 Conclusion


This app note demonstrates how to build a small, low cost, and accurate flow meter using a GreenPAK SLG46533. Thanks to GreenPAK, this design is smaller, simpler, and easier to create than comparable solutions.

Our system can measure a flow rate up to 30 liters / minute with a resolution of 0.1 liters, but we can use more GreenPAKs to measure higher flow rates with higher accuracy depending on the flow sensor. A GreenPAK-based system can work with a wide range of turbine flow meters.



The suggested solution was designed to measure the flow rate of water, but it can be adapted to be used with any sensor that outputs a PWM signal, like a gas flow rate sensor.

Water Flow Meter

Appendix A Schematic of the Testing PCB





Appendix B Layout of the Testing PCB



Appendix C Testing PCB Photos

Input signal can be from a 9 V battery and it will be converted to 5 V using a 5 V regulator LM7805.



Water Flow Meter**Revision History**

Revision	Date	Description
1.0	07-Mar-2018	Initial Version

IMPORTANT NOTICE AND DISCLAIMER

RENESAS ELECTRONICS CORPORATION AND ITS SUBSIDIARIES (“RENESAS”) PROVIDES TECHNICAL SPECIFICATIONS AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES “AS IS” AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT OF THIRD-PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for developers who are designing with Renesas products. You are solely responsible for (1) selecting the appropriate products for your application, (2) designing, validating, and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. Renesas grants you permission to use these resources only to develop an application that uses Renesas products. Other reproduction or use of these resources is strictly prohibited. No license is granted to any other Renesas intellectual property or to any third-party intellectual property. Renesas disclaims responsibility for, and you will fully indemnify Renesas and its representatives against, any claims, damages, costs, losses, or liabilities arising from your use of these resources. Renesas' products are provided only subject to Renesas' Terms and Conditions of Sale or other applicable terms agreed to in writing. No use of any Renesas resources expands or otherwise alters any applicable warranties or warranty disclaimers for these products.

(Disclaimer Rev.1.01 Jan 2024)

Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu,
Koto-ku, Tokyo 135-0061, Japan
www.renesas.com

Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

Contact Information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit www.renesas.com/contact-us/.