

## How to Use this Document

The 8A3xxxx Family Programming Guide contains information on how to access internal registers and what those registers do in detail for all devices in the 8A3xxxx family. Not all devices in the family support all the same features or quantities of logic blocks, however the register blocks all behave and are addressed at the same locations in all device. Some devices will not make use of all register blocks since the associated feature or block of circuitry may not be available in that particular device. A Programming Guide Addendum for each specific device will indicate which register modules are support in that device.

In addition, there are several other pieces of documentation that describe specific functions or details for the family or individual devices. [Table 1](#) shows related documents.

Table 1: Related Documentation for Devices in the 8A3xxxx Family

Document Title	Document Description
<device name> Datasheet	Contains a functional overview of the device and hardware-design related details including pinouts, AC & DC specifications and applications information related to power filtering and terminations.
<device name>-<dash code> Datasheet Addendum	Indicates pre-programmed power-up / reset configurations of this specific 'dash code' part number
8A3xxxx Family Programming Guide (v5.2)	Contains detailed register descriptions and address maps for all members of the family of devices. Please check the <device name> datasheet to check the version used by that device. All devices that use this version number use some subset of this register map, as indicated in their device-specific Programming Guide Addendum document..
Evaluation Board Reference Manual	Describes the Evaluation Board. Evaluation boards are available for the 8A34001 (144BGA) or 8A34002 (72QFN) devices. These devices contain a superset of the functionality available in all other members of the 8A3xxxx Family. So they can serve as evaluation tools for any of the less fully-featured family members.
Timing Commander Personality User Manual	Detailed description of how to use IDT's Timing Commander configuration tool. At this time, a personality file is only available for 8A34001. This personality contains a superset of the functionality available in all other members of the 8A3xxxx family. Since all members of the 8A3xxxx family share register locations and resource numbering, configurations generated using the 8A34001 personality can be used in any member of the 8A3xxxx family. Functionality that is not available on the other family members will of course not respond to any configuration of it that is made.



This document discusses the registers supported by a particular version of the Firmware (FW) running on the internal micro-controller within the 8A3xxxx family of devices. Register maps may change between major releases of the FW, so please check the [Revision History](#) section of this document to ensure this document aligns with the FW revision being used on the device. FW version numbering follows the format:

v<major release number>.<minor release number>.<hotfix number>

This document is divided into several sections:

- Introduction (this section) - describes documentation structure for the 8A3xxxx
- [Serial Port Overview](#) - repeating selected information from the 8A3xxxx Datasheet to discuss how the serial ports function, overall device memory map and register addresses
- [I2C Slave Operation](#) - discusses register accessing topics related to I<sup>2</sup>C operation on a serial port
- [SPI Operation](#) - discusses register accessing topics related to SPI operation on a serial port
- [Register Table Overview](#) - discusses register table format and abbreviations
- [Register Set Descriptions](#) - describes a set of registers that is made available for users to quickly and simply access the commonly-used features of the 8A3xxxx.
- [Revision History](#)
- IDT Contact information

## Serial Port Overview

The 8A3xxx family supports up to three serial ports. One is a dedicated I<sup>2</sup>C Master port used for loading configuration data at reset, and the other two are configurable slave I<sup>2</sup>C or SPI ports that can be used at any time after the reset sequence has completed to monitor and/or configure the device. In some variants of the device, the I<sup>2</sup>C Master port share pins with an I<sup>2</sup>C slave port.

Operation of the I<sup>2</sup>C Master Port is only used by the device to access an external serial EEPROM and so this is not relevant to device programming.

Two slave ports have been provided to allow independent access to any of the device's internal registers. This allows high-priority accesses not to be queued behind lower priority ones on a shared external serial interface. Note that internal to the device, both slave serial ports access a single instance of each register over a shared internal bus. The device ensures that a burst access on one bus will complete atomically once begun, before the other port can gain access to the shared internal bus or registers. However it does not guarantee the order in which the two serial ports will be granted access to any shared resource.

Please refer to the appropriate section below for details on the operation of the slave I<sup>2</sup>C or SPI ports.

Either slave port can be reconfigured over either serial port at any time by accessing the appropriate registers. This includes both configuration options with each protocol or switching between protocols (I<sup>2</sup>C to SPI or vice versa). However it is recommended that the full operating mode configuration, including page sizes for registers, for each serial port be set in the initial configuration data read from OTP or external EEPROM (see Device Initial Configuration in the 8A3xxx Datasheet for details).


### Addressing Registers within a Device

The address space that is externally accessible within the device is 64k bytes in size, and therefore needs 16-bits of address offset information to be provided during slave serial port accesses. Of that 64k bytes, only the upper 32k bytes contains user accessible registers.

The user may choose to operate either serial port providing the full offset address within each burst, or to operate in a paged mode where part of the address offset is provided in each transaction and the other part comes from an internal page register in each serial port. The decision may be made independently on each slave serial port and each slave serial port has its own page register to avoid conflicts.

Figure 1 shows how page register and offset bytes from each serial transaction interact to address a register within the 8A3xxx.


Figure 1: Register Addressing Modes via Serial Port



### I<sup>2</sup>C Slave Operation

The I<sup>2</sup>C slave protocol of the 8A3xxx family complies with [Version 2.1 of the I<sup>2</sup>C specification](#). Figure 2 shows the sequence of states on the I<sup>2</sup>C SDATA signal for the supported modes of operation.

Figure 2: I<sup>2</sup>C Slave Sequencing Diagram



The Dev Addr shown in the figure represents the base address of the 8A3xxxx device. This 7-bit value can be set in an internal register which can have a user-defined value loaded at reset from internal OTP memory or an external EEPROM. The default value if those methods are not used is 1011000b (binary). Note that the levels on the S\_A0 and S\_A1 inputs can be used to control Bit 0 and Bit 1 (respectively) of this address. These pins are available independently for each serial port. In I<sup>2</sup>C operation these inputs are expected to remain static. They have different functions when the part is in SPI mode. The resulting base address is the I<sup>2</sup>C bus address that this device will respond to. The default address may be overwritten at any time.

When I<sup>2</sup>C operation is selected for either slave serial port, selection of 1-byte (1B) or 2-byte (2B) offset addressing must also be selected independently for each slave serial port. These offsets are used in conjunction with the page register for each serial port to access registers internal to the device. Because the I<sup>2</sup>C protocol already includes a read/write bit with the Dev Addr, all bits of the 1B or 2B offset field can be used to address internal registers.

- In 1B mode, the lower 8 bits of the register offset address come from the Offset Addr byte and the upper 8 bits come from the page register (see Table 2 for description of the 8-bit I<sup>2</sup>C Page Register). The page register can be accessed at any time, no matter what page the serial port is currently on, using an offset byte value of FCh. This 4-byte register must be written in a single burst write transaction. The page register is replicated on every register page to always be accessible.
- In 2B mode, the full 16-bit register address can be obtained from the Offset Addr bytes, so the page register only needs to be set once after reset using a 3-byte burst access starting from address FFDh (see Table 3 for description of the 16-bit I<sup>2</sup>C Page Register).

Table 2: I<sup>2</sup>C 1B Mode Page Register Bit Field Locations and Descriptions

Offset Address (Hex)	I <sup>2</sup> C 1B Mode Page Register Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
FC	PAGE_ADDR[7:0]							
FD	PAGE_ADDR[15:8]							
FE	PAGE_ADDR[23:16]							
FF	PAGE_ADDR[31:24]							

I <sup>2</sup> C 1B Mode Page Register Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PAGE_ADDR[7:0]	R/W	00h	The values in this field are always replaced by the bits in I <sup>2</sup> C transaction itself and so have no meaning.
PAGE_ADDR[15:8]	R/W	00h	Select which register page to access. Forms the upper 8-bits of the 16-bit register address. Only values of 80h or higher should be used. Lower addresses are not user-accessible
PAGE_ADDR[23:16]	R/W	10h	Must be set to 10h in all cases
PAGE_ADDR[31:24]	R/W	20h	Must be set to 20h in all cases

Table 3: I<sup>2</sup>C 2B Mode Page Register Bit Field Locations and Descriptions

Offset Address (Hex)	I <sup>2</sup> C 2B Mode Page Register Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
FFF <sup>1</sup>	PAGE_ADDR[15:8]							
FFE	PAGE_ADDR[23:16]							
FFF	PAGE_ADDR[31:24]							

1. Burst access must begin at this non-aligned offset and all 3 bytes must be written in the same I<sup>2</sup>C burst access. A burst beginning at the 32-bit aligned address of FFFCh will not correctly set this register.

I <sup>2</sup> C 2B Mode Page Register Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PAGE_ADDR[15:8]	R/W	00h	The values in this field are always replaced by the bits in I <sup>2</sup> C transaction itself and so have no meaning.
PAGE_ADDR[23:16]	R/W	10h	Must be set to 10h in all cases
PAGE_ADDR[31:24]	R/W	20h	Must be set to 20h in all cases

I<sup>2</sup>C burst mode operation is required to ensure data integrity of multi-byte registers. When accessing a multi-byte register, all data bytes must be written or read in a single I<sup>2</sup>C burst access. Bursts may be of greater length if desired, but must not extend beyond the end of the register page (Offset Addr FFh in 1B mode, no limit in 2B mode). An internal address pointer is incremented automatically as each data byte is written or read.

*I<sup>2</sup>C 1-byte (1B) Addressing Examples*

8A3xxx I<sup>2</sup>C 7-bit I<sup>2</sup>C address is 0x5B with LSB=R/W

Example Write "0x50" to register 0xCBE4

B6\* FC 00 CB 10 20  
B6 E4 50

#Set Page Register, \*I<sup>2</sup>C Address is left-shifted one bit.  
#Write data 5B to CB E4

Example read from register 0xC024

B6\* FC 00 C0 10 20  
 B6 24\*  
 B7 <read back data>

#Set Page Register, \*I<sup>2</sup>C Address is left-shifted one bit.  
 #Set I<sup>2</sup>C pointer to 0xC024, \*I<sup>2</sup>C instruction should use “No Stop”  
 #Send address with Read bit set.

**I<sup>2</sup>C 2-byte (2B) Addressing**

8A3xxxx I<sup>2</sup>C 7-bit I<sup>2</sup>C address is 0x5B with LSB=R/W

Example Write “50” to register 0xCBE4

B6\* FF FD 00 10 20  
 B6 CB E4 50

#Set Page Register, \*I<sup>2</sup>C Address is left-shifted one bit.  
 #Write data to CB E4

Example read from register 0xC024:

B6\* FF FD 00 10 20  
 B6 C0 24\*  
 B7 <read back data>

#Set Page Register (\*I<sup>2</sup>C Address is left-shifted one bit.)  
 #Set I<sup>2</sup>C pointer to 0xC024, \*I<sup>2</sup>C instruction should use “No Stop”  
 #Send address with Read bit set.

**SPI Operation**

The 8A3xxxx family of devices support SPI operation on their main and alternate serial ports. [Figure 3](#) shows the sequencing of address and data on the serial port in SPI mode.

Figure 3: SPI Sequencing Diagram



Each serial port can be independently configured for the following settings. These settings can come from register defaults or from an internal OTP or external EEPROM configuration loaded at reset:

- 1-byte (1B) or 2-byte (2B) offset addressing (see [Figure 1](#))

- In 1B operation, the 16-bit register address is formed by using the 7 bits of address supplied in the SPI access and taking the upper 9 bits from the page register. The page register is accessed, no matter what page the serial port is currently on, using an Offset Address of 7Ch - 7Fh. It must be accessed in a single 4-byte burst write transaction. The page register is replicated on every register page to always be accessible.
- In 2B operation, the 16-bit register address is formed by using the 15 bits of address supplied in the SPI access and taking the upper 1 bit from the page register. Note that this bit will always be '1' for register accesses, so the page register only needs to be set once in 2B operation. The page register can be accessed, no matter what page the serial port is currently on, using an Offset Address of 7FFDh - 7FFFh. It should be accessed in a single 3-byte burst write transaction to set it. The page register is replicated on every register page to always be accessible.
- Data sampling on falling or rising edge of SCLK
- Output (read) data positioning relative to active SCLK edge
- 4-wire (SCLK, SCSb, SDATA, SDO) or 3-wire (SCLK, SCSb, SDATA) operation
  - In 3-wire mode, SDATA is a bi-directional data pin.
- Output signal protocol compatibility / drive strength and termination voltage

Table 4: SPI 1B Mode Page Register Bit Field Locations and Descriptions

Offset Address (Hex)	SPI 1B Mode Page Register Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
7C	PAGE_ADDR [7]	PAGE_ADDR[6:0]						
7D	PAGE_ADDR[15:8]							
7E	PAGE_ADDR[23:16]							
7F	PAGE_ADDR[31:24]							

SPI 1B Mode Page Register Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PAGE_ADDR[6:0]	R/W	-	The values in this field are always replaced by the bits in SPI transaction itself and so have no meaning.
PAGE_ADDR[15:7]	R/W	00000000b	Select which register page to access. Forms the upper 9-bits of the 16-bit register address. Only values of 100000000b or higher should be used. Lower addresses are not user-accessible
PAGE_ADDR[23:16]	R/W	10h	Must be set to 10h in all cases
PAGE_ADDR[31:24]	R/W	20h	Must be set to 20h in all cases

Table 5: SPI 2B Mode Page Register Bit Field Locations and Descriptions

Offset Address (Hex)	SPI 2B Mode Page Register Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
7FFD <sup>1</sup>	PAGE_ADDR [15]	PAGE_ADDR[14:8]						
7FFE	PAGE_ADDR[23:16]							
7FFF	PAGE_ADDR[31:24]							

1. Burst access must begin at this non-aligned offset and all 3 bytes must be written in the same SPI burst access. A burst beginning at the 32-bit aligned address of 7FFCh will not correctly set this register.

SPI 2B Mode Page Register Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PAGE_ADDR[14:8]	R/W	0000000b	The values in this field are always replaced by the bits in SPI transaction itself and so have no meaning.
PAGE_ADDR[15]	R/W	0b	Select which register page to access. Forms the most-significant bit of the 16-bit register address. Only a value of 1b should be used. Lower addresses are not user-accessible
PAGE_ADDR[23:16]	R/W	10h	Must be set to 10h in all cases
PAGE_ADDR[31:24]	R/W	20h	Must be set to 20h in all cases

SPI burst mode operation is required to ensure data integrity of multi-byte registers. When accessing a multi-byte register, all data bytes must be written or read in a single SPI burst access. Bursts may be of greater length if desired, but must not extend beyond the end of the register page. An internal address pointer is incremented automatically as each data byte is written or read.

**SPI 1-byte (1B) Addressing Example**

Example Write to "50" to register 0xCBE4

```
7C 80 CB 10 20      #Set Page register
64* 50              #*MSB is 0 for write transactions
```

Example Read from 0xC024:

```
7C 00 C0 10 20      #Set Page register
A4* 00              #*MSB is set, so this is a read command
```

**SPI 2-byte (2B) Addressing Example**

Example Write to "50" to register 0xCBE4

```
7F FD 80 10 20      #Set Page register
4B E4* 50           #*MSB is 0 for write transactions
```

Example Read from 0xC024:

```
7F FD 80 10 20      #Set Page register
C0* 24 00           #*MSB is set, so this is a read command
```

## Register Table Overview

When programming an 8A3xxxx family device, it is necessary to read or write values to one or more *bit-fields* within the device. A bit-field provides status and/or control information on a single aspect of a single feature. A bit field may be as small as a single-bit or many bytes in length. A bit-field should be treated as an indivisible entity and all bytes of each bit-field should be read or written in a single serial port burst.

Access to bit-fields is performed using byte-oriented addressing. A bit-field may take up multiple byte address and/or multiple bit-fields may occupy a single byte. When there are multiple bit-fields within a single byte, all bit fields are read from or written to during an access to that byte address over the serial port. When a bit-field spans multiple byte addresses, all bytes should be read or written in the same serial port burst transaction to ensure consistency. For bit-fields spanning multiple bytes, the least-significant bits of that bit-field are contained in the byte with the lowest address.


Bit-fields are grouped into *registers* and registers are in turn grouped into *modules*. In the documentation that follows, bit-fields are shown mapped into register bytes in a table called a *Bit-Field Location* table. The function of each bit-field is shown in an associated *Bit-Field Description* table. One or more bit-fields are grouped into a register. Registers show an address offset for each byte within that register.

A number of registers are grouped together into a module. In general a module contains all the registers needed to interact with a functional block within the device. Each module in the standard register set is listed in a Register Module Index table showing its module base address, a brief description of the module's function and a link to that module's location in the document. In each module's sub-section is a similar table listing all the registers within that module, a brief description of the register and a link to that register's detailed description. This is shown in Figure 4



Many register modules include a trigger register that must be written to cause register changes within that module to take effect; the trigger register must be written even if the contents of the trigger register are not changed. Where present, the trigger register is always the last register in the module so that the last write of a burst will trigger any changes in the module. After a trigger register is written the user should wait 200 microseconds before reading or writing any register in the device.

Figure 4: Finding a Register's Detailed Description in this Document



The device contains multiple copies of many functional blocks and each has its own associated register module for status and control. To keep the documentation clear and concise, only the first instance of a register module for a specific functional block will be shown in detail. The module table will show all instantiations of the module with their unique base addresses, but the links will all point to the same descriptive section (see blue arrows in Figure 5). Please ensure that when addressing a register that the base address of the correct instantiation of the module is used (see red arrows in Figure 5). Note that the base address indicated in the table description is for the first instantiation of the module only (see green arrow in Figure 5). For example, as shown below, to access the DPLL\_MANUAL\_HOLD OVER\_VALUE bit-field for DPLL4, take the base address of that instantiation (C480h) and add the register offset of that specific register (008h). Note that since this bit-field is more than one byte, all bytes should be accessed in a single serial port burst transaction starting at C488h.

Figure 5: Determining the Address to Access a Specific Register.

Table 1: Standard Register Set Module Index

Module Base Address (Hex)	Link	Module Description
C000	Module: SET_GENERAL	RAM. Soft Registers that SET flags
...	...	...
C280	Module: SET_DPLL	DPLL0 registers
C300	Module: SET_DPLL	DPLL1 registers
C380	Module: SET_DPLL	DPLL2 registers
C400	Module: SET_DPLL	DPLL3 registers
C480	Module: SET_DPLL	DPLL4 registers
C500	Module: SET_DPLL	DPLL5 registers
C580	Module: SET_DPLL	DPLL6 registers
C600	Module: SET_DPLL	DPLL7 registers
C680	Module: SET_SYS_DPLL	SYS DPLL registers

**Module: SET\_DPLL**

Table 142: SET\_DPLL Register Index

Offset (Hex)	Register Module Base Address: C280 <sup>a</sup>	
	Individual Register Name	Register Description
000	SET_DPLL / DPLL_COMBO_SW_VALUE_CNFG	
008	SET_DPLL / DPLL_MANUAL_HOLD OVER_VALUE	
010	SET_DPLL / DPLL_FOD_FREQ_B	
012	SET_DPLL / DPLL_FOD_FREQ_K	

Table 144: SET\_DPLL / DPLL\_MANUAL\_HOLD OVER\_VALUE Bit Field Locations and Descriptions

Offset Address (Hex)	SET_DPLL / DPLL_MANUAL_HOLD OVER_VALUE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008	DPLL_MANUAL_HOLD OVER_VALUE[7:0]							
009	DPLL_MANUAL_HOLD OVER_VALUE[15:8]							
00A	DPLL_MANUAL_HOLD OVER_VALUE[23:16]							
00B	DPLL_MANUAL_HOLD OVER_VALUE[31:24]							
00C	DPLL_MANUAL_HOLD OVER_VALUE[39:32]							

Register Address = Module Base Address (for instance desired) + Register Offset

## Terminology

The following terminology and abbreviations are used in the register tables.

- If a bit-field has more than a single bit, the bit-field will be written as BIT\_FIELD\_NAME[msb:lsb] (e.g. DPLL\_MANUAL\_HOLDOVER\_VALUE[39:0])
- Binary numbers will be written with a lowercase 'b' after them (e.g. 0101b )
- Hexadecimal numbers will be written with a lowercase 'h' after them (e.g. C480h).
- R/W indicates a register is readable and writable by the user
- R/O indicates that a register should only be read by the user. Writing to a R/O register has an undefined effect.
- W/O indicates that a register should only be written to by the user. The read value is undefined and has no associated meaning.
- RW1C indicates a register that can be read, but a '1' needs to be written to the bit to clear it back to 0. This is generally used for 'sticky' status bits that are latched high whenever a transient condition occurs. The user will need to write to clear the latched status.
- N/A means Not Applicable. This is only used for Reserved bit-fields who's behaviour is not defined.

## Register Set Descriptions

Table 6: Register Set Module Index

Module Base Address (Hex)	Link	Module Description
C000h	<a href="#">Module: RESET_CTRL</a>	General reset management.
C014h	<a href="#">Module: GENERAL_STATUS</a>	Chip hardware status registers.
C03Ch	<a href="#">Module: STATUS</a>	Live status of alarms and events.
C160h	<a href="#">Module: GPIO_USER_CONTROL</a>	GPIO user control.
C164h	<a href="#">Module: STICKY_STATUS_CLEAR</a>	Sticky status clear.
C16Ch	<a href="#">Module: GPIO_TOD_NOTIFICATION_CLEAR</a>	Clear GPIO output Time of Day read notification.
C170h	RESERVED	This module must not be modified from the read value
C180h	RESERVED	This module must not be modified from the read value
C188h	<a href="#">Module: ALERT_CFG</a>	Notification configuration.
C194h	<a href="#">Module: SYS_DPLL_XO</a>	System DPLL XO configuration.
C19Ch	<a href="#">Module: SYS_APLL</a>	System APLL configuration.
C1B0h	<a href="#">Module: INPUT_0</a>	Input 0 configuration.
C1C0h	INPUT_1	Input 1 configuration. Same as INPUT_0.
C1D0h	INPUT_2	Input 2 configuration. Same as INPUT_0.
C200h	INPUT_3	Input 3 configuration. Same as INPUT_0.
C210h	INPUT_4	Input 4 configuration. Same as INPUT_0.
C220h	INPUT_5	Input 5 configuration. Same as INPUT_0.
C230h	INPUT_6	Input 6 configuration. Same as INPUT_0.
C240h	INPUT_7	Input 7 configuration. Same as INPUT_0.
C250h	INPUT_8	Input 8 configuration. Same as INPUT_0.
C260h	INPUT_9	Input 9 configuration. Same as INPUT_0.
C280h	INPUT_10	Input 10 configuration. Same as INPUT_0.
C290h	INPUT_11	Input 11 configuration. Same as INPUT_0.

Table 6: Register Set Module Index

Module Base Address (Hex)	Link	Module Description
C2A0h	INPUT_12	Input 12 configuration. Same as INPUT_0.
C2B0h	INPUT_13	Input 13 configuration. Same as INPUT_0.
C2C0h	INPUT_14	Input 14 configuration. Same as INPUT_0.
C2D0h	INPUT_15	Input 15 configuration. Same as INPUT_0.
C2E0h	<a href="#">Module: REF_MON_0</a>	Reference monitor 0.
C2ECh	REF_MON_1	Reference monitor 1. Same as REF_MON_0.
C300h	REF_MON_2	Reference monitor 2. Same as REF_MON_0.
C30Ch	REF_MON_3	Reference monitor 3. Same as REF_MON_0.
C318h	REF_MON_4	Reference monitor 4. Same as REF_MON_0.
C324h	REF_MON_5	Reference monitor 5. Same as REF_MON_0.
C330h	REF_MON_6	Reference monitor 6. Same as REF_MON_0.
C33Ch	REF_MON_7	Reference monitor 7. Same as REF_MON_0.
C348h	REF_MON_8	Reference monitor 8. Same as REF_MON_0.
C354h	REF_MON_9	Reference monitor 9. Same as REF_MON_0.
C360h	REF_MON_10	Reference monitor 10. Same as REF_MON_0.
C36Ch	REF_MON_11	Reference monitor 11. Same as REF_MON_0.
C380h	REF_MON_12	Reference monitor 12. Same as REF_MON_0.
C38Ch	REF_MON_13	Reference monitor 13. Same as REF_MON_0.
C398h	REF_MON_14	Reference monitor 14. Same as REF_MON_0.
C3A4h	REF_MON_15	Reference monitor 15. Same as REF_MON_0.

Table 6: Register Set Module Index

Module Base Address (Hex)	Link	Module Description
C3B0h	<a href="#">Module: DPLL_0</a>	DPLL 0 configuration registers.
C400h	DPLL_1	DPLL 1 registers. Same as DPLL_0.
C43Ch	DPLL_2	DPLL 2 registers. Same as DPLL_0.
C480h	DPLL_3	DPLL 3 registers. Same as DPLL_0.
C4BCh	DPLL_4	DPLL 4 registers. Same as DPLL_0.
C500h	DPLL_5	DPLL 5 registers. Same as DPLL_0.
C53Ch	DPLL_6	DPLL 6 registers. Same as DPLL_0.
C580h	DPLL_7	DPLL 7 registers. Same as DPLL_0.
C5BCh	<a href="#">Module: SYS_DPLL</a>	System DPLL registers.
C600h	<a href="#">Module: DPLL_CTRL_0</a>	DPLL 0 control registers.
C63Ch	DPLL_CTRL_1	DPLL 1 control registers. Same as DPLL_CTRL_0.
C680h	DPLL_CTRL_2	DPLL 2 control registers. Same as DPLL_CTRL_0.
C6BCh	DPLL_CTRL_3	DPLL 3 control registers. Same as DPLL_CTRL_0.
C700h	DPLL_CTRL_4	DPLL 4 control registers. Same as DPLL_CTRL_0.
C73Ch	DPLL_CTRL_5	DPLL 5 control registers. Same as DPLL_CTRL_0.
C780h	DPLL_CTRL_6	DPLL 6 control registers. Same as DPLL_CTRL_0.
C7BCh	DPLL_CTRL_7	DPLL 7 control registers. Same as DPLL_CTRL_0.
C800h	<a href="#">Module: SYS_DPLL_CTRL</a>	System DPLL control registers.
C818h	<a href="#">Module: DPLL_PHASE_0</a>	DPLL 0 write phase.
C81Ch	DPLL_PHASE_1	DPLL 1 write phase. Same as DPLL_PHASE_0.
C820h	DPLL_PHASE_2	DPLL 2 write phase. Same as DPLL_PHASE_0.

Table 6: Register Set Module Index

Module Base Address (Hex)	Link	Module Description
C824h	DPLL_PHASE_3	DPLL 3 write phase. Same as DPLL_PHASE_0.
C828h	DPLL_PHASE_4	DPLL 4 write phase. Same as DPLL_PHASE_0.
C82Ch	DPLL_PHASE_5	DPLL 5 write phase. Same as DPLL_PHASE_0.
C830h	DPLL_PHASE_6	DPLL 6 write phase. Same as DPLL_PHASE_0.
C834h	DPLL_PHASE_7	DPLL 7 write phase. Same as DPLL_PHASE_0.
C838h	<a href="#">Module: DPLL_FREQ_0</a>	DPLL 0 write frequency.
C840h	DPLL_FREQ_1	DPLL 1 write frequency. Same as DPLL_FREQ_0.
C848h	DPLL_FREQ_2	DPLL 2 write frequency. Same as DPLL_FREQ_0.
C850h	DPLL_FREQ_3	DPLL 3 write frequency. Same as DPLL_FREQ_0.
C858h	DPLL_FREQ_4	DPLL 4 write frequency. Same as DPLL_FREQ_0.
C860h	DPLL_FREQ_5	DPLL 5 write frequency. Same as DPLL_FREQ_0.
C868h	DPLL_FREQ_6	DPLL 6 write frequency. Same as DPLL_FREQ_0.
C870h	DPLL_FREQ_7	DPLL 7 write frequency. Same as DPLL_FREQ_0.
C880h	<a href="#">Module: DPLL_PHASE_PULL_IN_0</a>	DPLL 0 phase pull-in control.
C888h	DPLL_PHASE_PULL_IN_1	DPLL 1 phase pull-in control. Same as DPLL_PHASE_PULL_IN_0.
C890h	DPLL_PHASE_PULL_IN_2	DPLL 2 phase pull-in control. Same as DPLL_PHASE_PULL_IN_0.
C898h	DPLL_PHASE_PULL_IN_3	DPLL 3 phase pull-in control. Same as DPLL_PHASE_PULL_IN_0.
C8A0h	DPLL_PHASE_PULL_IN_4	DPLL 4 phase pull-in control. Same as DPLL_PHASE_PULL_IN_0.
C8A8h	DPLL_PHASE_PULL_IN_5	DPLL 5 phase pull-in control. Same as DPLL_PHASE_PULL_IN_0.
C8B0h	DPLL_PHASE_PULL_IN_6	DPLL 6 phase pull-in control. Same as DPLL_PHASE_PULL_IN_0.

Table 6: Register Set Module Index

Module Base Address (Hex)	Link	Module Description
C8B8h	DPLL_PHASE_PULL_IN_7	DPLL 7 phase pull-in control. Same as DPLL_PHASE_PULL_IN_0.
C8C0h	<a href="#">Module: GPIO_CFG</a>	GPIO global configuration.
C8C2h	<a href="#">Module: GPIO_0</a>	GPIO 0 registers.
C8D4h	GPIO_1	GPIO 1 registers. Same as GPIO_0.
C8E6h	GPIO_2	GPIO 2 registers. Same as GPIO_0.
C900h	GPIO_3	GPIO 3 registers. Same as GPIO_0.
C912h	GPIO_4	GPIO 4 registers. Same as GPIO_0.
C924h	GPIO_5	GPIO 5 registers. Same as GPIO_0.
C936h	GPIO_6	GPIO 6 registers. Same as GPIO_0.
C948h	GPIO_7	GPIO 7 registers. Same as GPIO_0.
C95Ah	GPIO_8	GPIO 8 registers. Same as GPIO_0.
C980h	GPIO_9	GPIO 9 registers. Same as GPIO_0.
C992h	GPIO_10	GPIO 10 registers. Same as GPIO_0.
C9A4h	GPIO_11	GPIO 11 registers. Same as GPIO_0.
C9B6h	GPIO_12	GPIO 12 registers. Same as GPIO_0.
C9C8h	GPIO_13	GPIO 13 registers. Same as GPIO_0.
C9DAh	GPIO_14	GPIO 14 registers. Same as GPIO_0.
CA00h	GPIO_15	GPIO 15 registers. Same as GPIO_0.
CA12h	<a href="#">Module: OUT_DIV_MUX</a>	Output divider multiplexers.
CA20h	<a href="#">Module: OUTPUT_0</a>	Output 0 registers.
CA30h	OUTPUT_1	Output 1 register. Same as OUTPUT_0.

Table 6: Register Set Module Index

Module Base Address (Hex)	Link	Module Description
CA40h	OUTPUT_2	Output 2 register. Same as OUTPUT_0.
CA50h	OUTPUT_3	Output 3 register. Same as OUTPUT_0.
CA60h	OUTPUT_4	Output 4 register. Same as OUTPUT_0.
CA80h	OUTPUT_5	Output 5 register. Same as OUTPUT_0.
CA90h	OUTPUT_6	Output 6 register. Same as OUTPUT_0.
CAA0h	OUTPUT_7	Output 7 register. Same as OUTPUT_0.
CAB0h	OUTPUT_8	Output 8 register. Same as OUTPUT_0.
CAC0h	OUTPUT_9	Output 9 register. Same as OUTPUT_0.
CAD0h	OUTPUT_10	Output 10 register. Same as OUTPUT_0.
CAE0h	OUTPUT_11	Output 11 register. Same as OUTPUT_0.
CAF0h	<a href="#">Module: SERIAL</a>	Serial Interfaces registers.
CB00h	<a href="#">Module: PWM_ENCODER_0</a>	PWM 0 encoder registers.
CB08h	PWM_ENCODER_1	PWM 1 encoder registers. Same as PWM_ENCODER_0.
CB10h	PWM_ENCODER_2	PWM 2 encoder registers. Same as PWM_ENCODER_0.
CB18h	PWM_ENCODER_3	PWM 3 encoder registers. Same as PWM_ENCODER_0.
CB20h	PWM_ENCODER_4	PWM 4 encoder registers. Same as PWM_ENCODER_0.
CB28h	PWM_ENCODER_5	PWM 5 encoder registers. Same as PWM_ENCODER_0.
CB30h	PWM_ENCODER_6	PWM 6 encoder registers. Same as PWM_ENCODER_0.
CB38h	PWM_ENCODER_7	PWM 7 encoder registers. Same as PWM_ENCODER_0.
CB40h	<a href="#">Module: PWM_DECODER_0</a>	PWM 0 decoder registers.
CB4Ah	PWM_DECODER_1	PWM 1 decoder registers. Same as PWM_DECODER_0.

Table 6: Register Set Module Index

Module Base Address (Hex)	Link	Module Description
CB54h	PWM_DECODER_2	PWM 2 decoder registers. Same as PWM_DECODER_0.
CB5Eh	PWM_DECODER_3	PWM 3 decoder registers. Same as PWM_DECODER_0.
CB68h	PWM_DECODER_4	PWM 4 decoder registers. Same as PWM_DECODER_0.
CB80h	PWM_DECODER_5	PWM 5 decoder registers. Same as PWM_DECODER_0.
CB8Ah	PWM_DECODER_6	PWM 6 decoder registers. Same as PWM_DECODER_0.
CB94h	PWM_DECODER_7	PWM 7 decoder registers. Same as PWM_DECODER_0.
CB9Eh	PWM_DECODER_8	PWM 8 decoder registers. Same as PWM_DECODER_0.
CBA8h	PWM_DECODER_9	PWM 9 decoder registers. Same as PWM_DECODER_0.
CBB2h	PWM_DECODER_10	PWM 10 decoder registers. Same as PWM_DECODER_0.
CBBCh	PWM_DECODER_11	PWM 11 decoder registers. Same as PWM_DECODER_0.
CBC6h	PWM_DECODER_12	PWM 12 decoder registers. Same as PWM_DECODER_0.
CBD0h	PWM_DECODER_13	PWM 13 decoder registers. Same as PWM_DECODER_0.
CBDAh	PWM_DECODER_14	PWM 14 decoder registers. Same as PWM_DECODER_0.
CBE4h	PWM_DECODER_15	PWM 15 decoder registers. Same as PWM_DECODER_0.
CBF0h	<a href="#">Module: PWM_USER_DATA</a>	PWM user data registers.
CC00h	<a href="#">Module: TOD_0</a>	TOD 0 registers.
CC02h	TOD_1	TOD 1 registers. Same as TOD_0.
CC04h	TOD_2	TOD 2 registers. Same as TOD_0.
CC06h	TOD_3	TOD 3 registers. Same as TOD_0.
CC10h	<a href="#">Module: TOD_WRITE_0</a>	Write TOD 0 registers.
CC20h	TOD_WRITE_1	Write TOD 1 registers. Same as TOD_WRITE_0.

Table 6: Register Set Module Index

Module Base Address (Hex)	Link	Module Description
CC30h	TOD_WRITE_2	Write TOD 2 registers. Same as TOD_WRITE_0.
CC40h	TOD_WRITE_3	Write TOD 3 registers. Same as TOD_WRITE_0.
CC50h	<a href="#">Module: TOD_READ_PRIMARY_0</a>	Read TOD 0 primary registers.
CC60h	TOD_READ_PRIMARY_1	Read TOD 1 primary registers. Same as TOD_READ_PRIMARY_0.
CC80h	TOD_READ_PRIMARY_2	Read TOD 2 primary registers. Same as TOD_READ_PRIMARY_0.
CC90h	TOD_READ_PRIMARY_3	Read TOD 3 primary registers. Same as TOD_READ_PRIMARY_0.
CCA0h	<a href="#">Module: TOD_READ_SECONDARY_0</a>	Read TOD 0 secondary registers.
CCB0h	TOD_READ_SECONDARY_1	Read TOD 1 secondary registers. Same as TOD_READ_SECONDARY_0.
CCC0h	TOD_READ_SECONDARY_2	Read TOD 2 secondary registers. Same as TOD_READ_SECONDARY_0.
CCD0h	TOD_READ_SECONDARY_3	Read TOD 3 secondary registers. Same as TOD_READ_SECONDARY_0.
CCE0h	<a href="#">Module: OUTPUT_TDC_CFG</a>	Output TDC global configuration.
CD00h	<a href="#">Module: OUTPUT_TDC_0</a>	Output TDC 0.
CD08h	OUTPUT_TDC_1	Output TDC 1. Same as OUTPUT_TDC_0.
CD10h	OUTPUT_TDC_2	Output TDC 2. Same as OUTPUT_TDC_0.
CD18h	OUTPUT_TDC_3	Output TDC 3. Same as OUTPUT_TDC_0.
CD20h	<a href="#">Module: INPUT_TDC</a>	Input TDC
CF3Ch	RESERVED	This module must not be modified from the read value
CF4Ch	<a href="#">Module: SCRATCH</a>	User multipurpose registers.
CF5Ch	RESERVED	This module must not be modified from the read value
CF64h	<a href="#">Module: EEPROM</a>	EEPROM.
CF70h	<a href="#">Module: OTP</a>	OTP.
CF80h	<a href="#">Module: BYTE</a>	OTP registers.
D000h	RESERVED	This module must not be modified from the read value

Module: RESET\_CTRL

Reset configuration.

Table 7: RESET\_CTRL Register Index

Offset (Hex)	Register Module Base Address: C000h	
	Individual Register Name	Register Description
000h	RESERVED	This register must not be modified from the read value
001h	RESERVED	This register must not be modified from the read value
002h	RESERVED	This register must not be modified from the read value
003h	RESERVED	This register must not be modified from the read value
004h	RESERVED	This register must not be modified from the read value
005h	RESERVED	This register must not be modified from the read value
006h	RESERVED	This register must not be modified from the read value
007h	RESERVED	This register must not be modified from the read value
008h	RESERVED	This register must not be modified from the read value
009h	RESERVED	This register must not be modified from the read value
00Ah	RESERVED	This register must not be modified from the read value
00Bh	RESERVED	This register must not be modified from the read value
00Ch	RESERVED	This register must not be modified from the read value
00Dh	RESERVED	This register must not be modified from the read value
00Eh	RESERVED	This register must not be modified from the read value
00Fh	RESERVED	This register must not be modified from the read value
010h	RESERVED	This register must not be modified from the read value
011h	RESERVED	This register must not be modified from the read value
012h	RESERVED	This register must not be modified from the read value
013h	<a href="#">RESET_CTRL.SM_RESET</a>	Reset state machine.

RESET\_CTRL.SM\_RESET

Enable state machine reset.

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the RESET\_CTRL module.

Table 8: RESET\_CTRL.SM\_RESET Bit Field Locations and Descriptions

Offset Address (Hex)	RESET_CTRL.SM_RESET Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
013h	RESET[7:0]							

RESET_CTRL.SM_RESET Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESET[7:0]	R/W	0	Reset state machine. 0x5a = initiate state machine reset Write 0x5A to perform state machine reset. All other values are ignored. Self clearing. During a state machine reset, all registers starting from GENERAL_STATUS returns to reset values and the device proceeds with the start-up sequence as if the device was just powered on. The digital core is not reset.

Module: GENERAL\_STATUS

Notification for hardware status.

Table 9: GENERAL\_STATUS Register Index

Offset (Hex)	Register Module Base Address: C014h	
	Individual Register Name	Register Description
000h	RESERVED	This register must not be modified from the read value
001h	RESERVED	This register must not be modified from the read value
002h	RESERVED	This register must not be modified from the read value
003h	RESERVED	This register must not be modified from the read value
004h	<a href="#">GENERAL_STATUS.OTP_STATUS</a>	Current status of OTP.
008h	<a href="#">GENERAL_STATUS.EEPROM_STATUS</a>	Current status of EEPROM.
00Ah	<a href="#">GENERAL_STATUS.HW_REV_ID</a>	Hardware Revision Identification code
00Bh	RESERVED	This register must not be modified from the read value
00Ch	RESERVED	This register must not be modified from the read value
00Dh	RESERVED	This register must not be modified from the read value
00Eh	RESERVED	This register must not be modified from the read value
00Fh	RESERVED	This register must not be modified from the read value
010h	<a href="#">GENERAL_STATUS.MAJ_REL</a>	Major release number.
011h	<a href="#">GENERAL_STATUS.MIN_REL</a>	Minor release number.
012h	<a href="#">GENERAL_STATUS.HOTFIX_REL</a>	Hotfix release number.
014h	RESERVED	This register must not be modified from the read value
015h	RESERVED	This register must not be modified from the read value
016h	RESERVED	This register must not be modified from the read value
017h	RESERVED	This register must not be modified from the read value
018h	RESERVED	This register must not be modified from the read value
019h	RESERVED	This register must not be modified from the read value
01Ah	RESERVED	This register must not be modified from the read value

Table 9: GENERAL\_STATUS Register Index

Offset (Hex)	Register Module Base Address: C014h	
	Individual Register Name	Register Description
01Bh	RESERVED	This register must not be modified from the read value
01Ch	GENERAL_STATUS.JTAG_DEVICE_ID	JTAG device identity.
01Eh	GENERAL_STATUS.PRODUCT_ID	Product identity.
020h	RESERVED	This register must not be modified from the read value
021h	RESERVED	This register must not be modified from the read value
022h	GENERAL_STATUS.OTP_SCSR_CONFIG_SELECT	Selected soft CSR configuration loaded from OTP.
023h	GENERAL_STATUS.OTP_CONFIG_STATUS	OTP soft CSR configuration status.
024h	GENERAL_STATUS.OTP_CSR_CONFIG_STATUS	OTP hard CSR configuration status.
025h	RESERVED	This register must not be modified from the read value
026h	GENERAL_STATUS.EEPROM_CONFIG_STATUS	EEPROM soft CSR configuration status.

GENERAL\_STATUS.OTP\_STATUS

Indicates status of OTP.

Table 10: GENERAL\_STATUS.OTP\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.OTP_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	OTP_STATUS[7:0]							
005h	OTP_STATUS[15:8]							
006h	OTP_STATUS[23:16]							
007h	OTP_STATUS[31:24]							

GENERAL_STATUS.OTP_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OTP_STATUS[31:0]	R/O	0	Current status of OTP. 0x0000000 = no status 0x1000000 = success 0x1000001 = corrupted header 0x1000002 = address out of range 0x1000003 = corrupted section 0x1000004 = invalid cluster index 0x1000005 = redundant cluster not available 0x1000006 = redundant cluster invalid index 0x1000007 = redundant cluster program fail 0x1000008 = cluster program fail 0x1000009 = cluster read fail 0x100000A = main memory program fail 0x100000B = no header available 0x100000C = not enough space 0x100000D = header fail 0x100000E = invalid boot row index 0x100000F = invalid header index 0x1000010 = header not found 0x1000011 = more data available 0x1000012 = wrong confirmation code 0x1000013 = OTP programming locked 0x10000FE = OTP access mode is disabled 0x10000FF = unknown command

GENERAL\_STATUS.EEPROM\_STATUS

Indicates status of EEPROM.

Table 11: GENERAL\_STATUS.EEPROM\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.EEPROM_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	EEPROM_STATUS[7:0]							
009h	EEPROM_STATUS[15:8]							

GENERAL_STATUS.EEPROM_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
EEPROM_STATUS[15:0]	R/O	0	Current status of EEPROM. 0x0000 = no status 0x8000 = ok 0x8001 = unknown command 0x8002 = wrong size 0x8003 = out of range 0x8004 = read failed 0x8005 = write failed 0x8006 = verification failed

GENERAL\_STATUS.HW\_REV\_ID

-

Table 12: GENERAL\_STATUS.HW\_REV\_ID Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.HW_REV_ID Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	HW_REV_ID[7:0]							

GENERAL_STATUS.HW_REV_ID Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
HW_REV_ID[7:0]	R/O	0	HW Rev ID. 0x0 = N/A 0x1 = Rev-A 0x2 = Rev-B 0x3 = Rev-C 0x4 = Rev-D

GENERAL\_STATUS.MAJ\_REL

Major release number. e.g.. X.0.0

Table 13: GENERAL\_STATUS.MAJ\_REL Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.MAJ_REL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
010h	MAJOR[7:1]							PR_BUILD[0]

GENERAL_STATUS.MAJ_REL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
MAJOR[7:1]	R/O	0101b	Numeric major release. e.g.. X.0.0
PR_BUILD[0]	R/O	0001b	Product release status. 1 if a product release or 0 if a development release..

GENERAL\_STATUS.MIN\_REL

Minor release number. e.g.. 1.Y.0

Table 14: GENERAL\_STATUS.MIN\_REL Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.MIN_REL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
011h	MINOR[7:0]							

GENERAL_STATUS.MIN_REL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
MINOR[7:0]	R/O	0010b	Minor release number. e.g.. 1.Y.0

GENERAL\_STATUS.HOTFIX\_REL

Hotfix release number. e.g.. 1.2.Z

Table 15: GENERAL\_STATUS.HOTFIX\_REL Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.HOTFIX_REL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
012h	HOTFIX[7:0]							

GENERAL_STATUS.HOTFIX_REL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
HOTFIX[7:0]	R/O	0010b	Hotfix release number. e.g.. 1.2.Z

GENERAL\_STATUS.JTAG\_DEVICE\_ID

16-bit subset of JTAG ID as determined by BOND\_ID.

Table 16: GENERAL\_STATUS.JTAG\_DEVICE\_ID Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.JTAG_DEVICE_ID Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Ch	JTAG_DEVICE_ID[7:0]							
01Dh	JTAG_DEVICE_ID[15:8]							

GENERAL_STATUS.JTAG_DEVICE_ID Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
JTAG_DEVICE_ID[15:0]	R/O	0	16-bit ID code for this specific device, please refer to the Programming Guide Addendum for the specific device for expected value here.

GENERAL\_STATUS.PRODUCT\_ID

16-bit numeric value that correlates to the part number.

Table 17: GENERAL\_STATUS.PRODUCT\_ID Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.PRODUCT_ID Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Eh	PRODUCT_ID[7:0]							
01Fh	PRODUCT_ID[15:8]							

GENERAL_STATUS.PRODUCT_ID Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRODUCT_ID[15:0]	R/O	0	16-bit Product ID code for this specific device, please refer to the Programming Guide Addendum for the specific device for expected value here.

GENERAL\_STATUS.OTP\_SCSR\_CONFIG\_SELECT

The index of the soft CSR configuration loaded from OTP.

Table 18: GENERAL\_STATUS.OTP\_SCSR\_CONFIG\_SELECT Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.OTP_SCSR_CONFIG_SELECT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
022h	OTP_SCSR_CONFIG_SELECTION[7:0]							

GENERAL_STATUS.OTP_SCSR_CONFIG_SELECT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OTP_SCSR_CONFIG_SELECTION[7:0]	R/O	0	Index of OTP SCSR configuration currently selected via startup GPIO function.

GENERAL\_STATUS.OTP\_CONFIG\_STATUS

Status of soft CSR configuration loaded from OTP.

Table 19: GENERAL\_STATUS.OTP\_CONFIG\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.OTP_CONFIG_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
023h	OTP_SCSR_CONFIG_STATUS[7:0]							

GENERAL_STATUS.OTP_CONFIG_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OTP_SCSR_CONFIG_STATUS[7:0]	R/O	0	Status code. 0 = success 1 = not found 2 = incomplete 3 = wrong offset 4 = wrong length 5 = SCSR out of range 6 = CRC error

GENERAL\_STATUS.OTP\_CSR\_CONFIG\_STATUS

Status of hard CSR configuration loaded from OTP.

Table 20: GENERAL\_STATUS.OTP\_CSR\_CONFIG\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.OTP_CSR_CONFIG_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
024h	OTP_CSR_CONFIG_STATUS[7:0]							

GENERAL_STATUS.OTP_CSR_CONFIG_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OTP_CSR_CONFIG_STAT US[7:0]	R/O	0	Status code. 0 = success 1 = not found 2 = incomplete 3 = wrong offset 4 = wrong length 5 = CSR out of range 6 = CRC error 7 = serializer wrong length 8 = serializer write fail

GENERAL\_STATUS.EEPROM\_CONFIG\_STATUS

Status of configuration loaded from EEPROM.

Table 21: GENERAL\_STATUS.EEPROM\_CONFIG\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	GENERAL_STATUS.EEPROM_CONFIG_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
026h	EEPROM_CONFIG_STATUS[7:0]							

GENERAL_STATUS.EEPROM_CONFIG_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
EEPROM_CONFIG_STAT US[7:0]	R/O	0	Status code. 0x0 = success 0x1 = not found 0x2 = incomplete 0x3 = wrong offset 0x4 = wrong length 0x5 = SCSR out of range 0x6 = CRC error 0xA = corrupt header 0xB = EEPROM out of range

Module: STATUS

Live status of alarms and events.

Table 22: STATUS Register Index

Offset (Hex)	Register Module Base Address: C03Ch	
	Individual Register Name	Register Description
000h	<a href="#">STATUS.I2CM_STATUS</a>	I2C master status.
001h	RESERVED	This register must not be modified from the read value
002h	<a href="#">STATUS.SER0_STATUS</a>	Status of serial interface 0 (main serial port).
003h	<a href="#">STATUS.SER0_SPI_STATUS</a>	Status of serial interface 0 (main serial port) SPI.
004h	<a href="#">STATUS.SER0_I2C_STATUS</a>	Status of serial interface 0 (main serial port) I2C.
005h	<a href="#">STATUS.SER1_STATUS</a>	Status of serial interface 1 (auxiliary serial port).
006h	<a href="#">STATUS.SER1_SPI_STATUS</a>	Status of serial interface 1 (auxiliary serial port) SPI.
007h	<a href="#">STATUS.SER1_I2C_STATUS</a>	Status of serial interface 1 (auxiliary serial port) I2C.
008h	<a href="#">STATUS.IN0_MON_STATUS</a>	Input 0 reference monitor status.
009h	<a href="#">STATUS.IN1_MON_STATUS</a>	Input 1 reference monitor status.
00Ah	<a href="#">STATUS.IN2_MON_STATUS</a>	Input 2 reference monitor status.
00Bh	<a href="#">STATUS.IN3_MON_STATUS</a>	Input 3 reference monitor status.
00Ch	<a href="#">STATUS.IN4_MON_STATUS</a>	Input 4 reference monitor status.
00Dh	<a href="#">STATUS.IN5_MON_STATUS</a>	Input 5 reference monitor status.
00Eh	<a href="#">STATUS.IN6_MON_STATUS</a>	Input 6 reference monitor status.
00Fh	<a href="#">STATUS.IN7_MON_STATUS</a>	Input 7 reference monitor status.
010h	<a href="#">STATUS.IN8_MON_STATUS</a>	Input 8 reference monitor status.
011h	<a href="#">STATUS.IN9_MON_STATUS</a>	Input 9 reference monitor status.
012h	<a href="#">STATUS.IN10_MON_STATUS</a>	Input 10 reference monitor status.
013h	<a href="#">STATUS.IN11_MON_STATUS</a>	Input 11 reference monitor status.
014h	<a href="#">STATUS.IN12_MON_STATUS</a>	Input 12 reference monitor status.
015h	<a href="#">STATUS.IN13_MON_STATUS</a>	Input 13 reference monitor status.
016h	<a href="#">STATUS.IN14_MON_STATUS</a>	Input 14 reference monitor status.
017h	<a href="#">STATUS.IN15_MON_STATUS</a>	Input 15 reference monitor status.
018h	<a href="#">STATUS.DPLL0_STATUS</a>	DPLL 0 status.
019h	<a href="#">STATUS.DPLL1_STATUS</a>	DPLL 1 status.
01Ah	<a href="#">STATUS.DPLL2_STATUS</a>	DPLL 2 status.
01Bh	<a href="#">STATUS.DPLL3_STATUS</a>	DPLL 3 status.
01Ch	<a href="#">STATUS.DPLL4_STATUS</a>	DPLL 4 status.
01Dh	<a href="#">STATUS.DPLL5_STATUS</a>	DPLL 5 status.

Table 22: STATUS Register Index

Offset (Hex)	Register Module Base Address: C03Ch	
	Individual Register Name	Register Description
01Eh	STATUS.DPLL6_STATUS	DPLL 6 status.
01Fh	STATUS.DPLL7_STATUS	DPLL 7 status.
020h	STATUS.DPLL_SYS_STATUS	System DPLL status.
021h	STATUS.SYS_APLL_STATUS	System APLL status.
022h	STATUS.DPLL0_REF_STAT	DPLL 0 input reference status.
023h	STATUS.DPLL1_REF_STAT	DPLL 1 input reference status.
024h	STATUS.DPLL2_REF_STAT	DPLL 2 input reference status.
025h	STATUS.DPLL3_REF_STAT	DPLL 3 input reference status.
026h	STATUS.DPLL4_REF_STAT	DPLL 4 input reference status.
027h	STATUS.DPLL5_REF_STAT	DPLL 5 input reference status.
028h	STATUS.DPLL6_REF_STAT	DPLL 6 input reference status.
029h	STATUS.DPLL7_REF_STAT	DPLL 7 input reference status.
02Ah	STATUS.DPLL_SYS_REF_STAT	System DPLL input reference status.
044h	STATUS.DPLL0_FILTER_STATUS	DPLL 0 loop filter status.
04Ch	STATUS.DPLL1_FILTER_STATUS	DPLL 1 loop filter status.
054h	STATUS.DPLL2_FILTER_STATUS	DPLL 2 loop filter status.
05Ch	STATUS.DPLL3_FILTER_STATUS	DPLL 3 loop filter status.
064h	STATUS.DPLL4_FILTER_STATUS	DPLL 4 loop filter status.
06Ch	STATUS.DPLL5_FILTER_STATUS	DPLL 5 loop filter status.
074h	STATUS.DPLL6_FILTER_STATUS	DPLL 6 loop filter status.
07Ch	STATUS.DPLL7_FILTER_STATUS	DPLL 7 loop filter status.
084h	STATUS.DPLL_SYS_FILTER_STATUS	System DPLL loop filter status.
08Ah	STATUS.USER_GPIO0_TO_7_STATUS	User controlled GPIO level.
08Bh	STATUS.USER_GPIO8_TO_15_STATUS	User controlled GPIO level.
08Ch	STATUS.IN0_MON_FREQ_STATUS	Input 0 reference monitor frequency status and unit.
08Eh	STATUS.IN1_MON_FREQ_STATUS	Input 1 reference monitor frequency status and unit.
090h	STATUS.IN2_MON_FREQ_STATUS	Input 2 reference monitor frequency status and unit.
092h	STATUS.IN3_MON_FREQ_STATUS	Input 3 reference monitor frequency status and unit.
094h	STATUS.IN4_MON_FREQ_STATUS	Input 4 reference monitor frequency status and unit.
096h	STATUS.IN5_MON_FREQ_STATUS	Input 5 reference monitor frequency status and unit.
098h	STATUS.IN6_MON_FREQ_STATUS	Input 6 reference monitor frequency status and unit.
09Ah	STATUS.IN7_MON_FREQ_STATUS	Input 7 reference monitor frequency status and unit.

Table 22: STATUS Register Index

Offset (Hex)	Register Module Base Address: C03Ch	
	Individual Register Name	Register Description
09Ch	<a href="#">STATUS.IN8_MON_FREQ_STATUS</a>	Input 8 reference monitor frequency status and unit.
09Eh	<a href="#">STATUS.IN9_MON_FREQ_STATUS</a>	Input 9 reference monitor frequency status and unit.
0A0h	<a href="#">STATUS.IN10_MON_FREQ_STATUS</a>	Input 10 reference monitor frequency status and unit.
0A2h	<a href="#">STATUS.IN11_MON_FREQ_STATUS</a>	Input 11 reference monitor frequency status and unit.
0A4h	<a href="#">STATUS.IN12_MON_FREQ_STATUS</a>	Input 12 reference monitor frequency status and unit.
0A6h	<a href="#">STATUS.IN13_MON_FREQ_STATUS</a>	Input 13 reference monitor frequency status and unit.
0A8h	<a href="#">STATUS.IN14_MON_FREQ_STATUS</a>	Input 14 reference monitor frequency status and unit.
0AAh	<a href="#">STATUS.IN15_MON_FREQ_STATUS</a>	Input 15 reference monitor frequency status and unit.
0ACh	<a href="#">STATUS.OUTPUT_TDC_CFG_STATUS</a>	Output TDC global status.
0ADh	<a href="#">STATUS.OUTPUT_TDC0_STATUS</a>	Output TDC 0 status.
0AEh	<a href="#">STATUS.OUTPUT_TDC1_STATUS</a>	Output TDC 1 status.
0AFh	<a href="#">STATUS.OUTPUT_TDC2_STATUS</a>	Output TDC 2 status.
0B0h	<a href="#">STATUS.OUTPUT_TDC3_STATUS</a>	Output TDC 3 status.
0B4h	<a href="#">STATUS.OUTPUT_TDC0_MEASUREMENT</a>	Output TDC 0 measurement status.
0BAh	RESERVED	This register must not be modified from the read value
0BBh	RESERVED	This register must not be modified from the read value
0C4h	<a href="#">STATUS.OUTPUT_TDC1_MEASUREMENT</a>	Output TDC 1 measurement status.
0CAh	RESERVED	This register must not be modified from the read value
0CBh	RESERVED	This register must not be modified from the read value
0CCh	<a href="#">STATUS.OUTPUT_TDC2_MEASUREMENT</a>	Output TDC 2 measurement status.
0D2h	RESERVED	This register must not be modified from the read value
0D3h	RESERVED	This register must not be modified from the read value
0D4h	<a href="#">STATUS.OUTPUT_TDC3_MEASUREMENT</a>	Output TDC 3 measurement status.
0DAh	RESERVED	This register must not be modified from the read value
0DBh	RESERVED	This register must not be modified from the read value
0DCh	<a href="#">STATUS.DPLL0_PHASE_STATUS</a>	Phase offset at output of decimator.
0E1h	RESERVED	This register must not be modified from the read value
0E2h	RESERVED	This register must not be modified from the read value
0E3h	RESERVED	This register must not be modified from the read value
0E4h	<a href="#">STATUS.DPLL1_PHASE_STATUS</a>	Phase offset at output of decimator.
0E9h	RESERVED	This register must not be modified from the read value
0EAh	RESERVED	This register must not be modified from the read value

Table 22: STATUS Register Index

Offset (Hex)	Register Module Base Address: C03Ch	
	Individual Register Name	Register Description
0EBh	RESERVED	This register must not be modified from the read value
0ECh	<a href="#">STATUS.DPLL2_PHASE_STATUS</a>	Phase offset at output of decimator.
0F1h	RESERVED	This register must not be modified from the read value
0F2h	RESERVED	This register must not be modified from the read value
0F3h	RESERVED	This register must not be modified from the read value
0F4h	<a href="#">STATUS.DPLL3_PHASE_STATUS</a>	Phase offset at output of decimator.
0F9h	RESERVED	This register must not be modified from the read value
0FAh	RESERVED	This register must not be modified from the read value
0FBh	RESERVED	This register must not be modified from the read value
0FCh	<a href="#">STATUS.DPLL4_PHASE_STATUS</a>	Phase offset at output of decimator.
101h	RESERVED	This register must not be modified from the read value
102h	RESERVED	This register must not be modified from the read value
103h	RESERVED	This register must not be modified from the read value
104h	<a href="#">STATUS.DPLL5_PHASE_STATUS</a>	Phase offset at output of decimator.
109h	RESERVED	This register must not be modified from the read value
10Ah	RESERVED	This register must not be modified from the read value
10Bh	RESERVED	This register must not be modified from the read value
10Ch	<a href="#">STATUS.DPLL6_PHASE_STATUS</a>	Phase offset at output of decimator.
111h	RESERVED	This register must not be modified from the read value
112h	RESERVED	This register must not be modified from the read value
113h	RESERVED	This register must not be modified from the read value
114h	<a href="#">STATUS.DPLL7_PHASE_STATUS</a>	Phase offset at output of decimator.
119h	RESERVED	This register must not be modified from the read value
11Ah	RESERVED	This register must not be modified from the read value
11Bh	RESERVED	This register must not be modified from the read value
11Ch	<a href="#">STATUS.DPLL0_PHASE_PULL_IN_STATUS</a>	DPLL0 phase pull-in status
11Dh	<a href="#">STATUS.DPLL1_PHASE_PULL_IN_STATUS</a>	DPLL1 phase pull-in status
11Eh	<a href="#">STATUS.DPLL2_PHASE_PULL_IN_STATUS</a>	DPLL2 phase pull-in status
11Fh	<a href="#">STATUS.DPLL3_PHASE_PULL_IN_STATUS</a>	DPLL3 phase pull-in status

Table 22: STATUS Register Index

Offset (Hex)	Register Module Base Address: C03Ch	
	Individual Register Name	Register Description
120h	<a href="#">STATUS.DPLL4_PHASE_PULL_IN_STATUS</a>	DPLL4 phase pull-in status
121h	<a href="#">STATUS.DPLL5_PHASE_PULL_IN_STATUS</a>	DPLL5 phase pull-in status
122h	<a href="#">STATUS.DPLL6_PHASE_PULL_IN_STATUS</a>	DPLL6 phase pull-in status
123h	<a href="#">STATUS.DPLL7_PHASE_PULL_IN_STATUS</a>	DPLL7 phase pull-in status

STATUS.I2CM\_STATUS

Status of the I2C master (port selection and speed).

Table 23: STATUS.I2CM\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.I2CM_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	RESERVED[7:4]				I2CM_SPEED[3:2]		I2CM_PORT_SEL[1:0]	

STATUS.I2CM_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
I2CM_SPEED[3:2]	R/O	0	I2C Master speed. Indicates the I2C speed. 0 = 100 KHz 1 = 400 KHz 2 = 1 MHz
I2CM_PORT_SEL[1:0]	R/O	0	I2C Master port pin selection. Indicates the pins the I2C master is connected to. 0 = I2C master 1 = serial interface 0 2 = serial interface 1

STATUS.SERO\_STATUS

Status of serial interface 0 (main serial port).

Table 24: STATUS.SERO\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.SERO_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	RESERVED[7:3]					ADDRESS_SIZE[2]	MODE[1:0]	

STATUS.SER0_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
ADDRESS_SIZE[2]	R/O	0	Serial Interface 0 (main serial port) address size. Indicates the SSI address size. 0 = 1-byte 1 = 2-byte
MODE[1:0]	R/O	0	Serial interface 0 (main serial port) mode. Indicates the SSI protocol. 0 = undefined 1 = I2C 2 = SPI 3 = disabled

STATUS.SER0\_SPI\_STATUS

Status of serial interface 0 (main serial port) SPI.

Table 25: STATUS.SER0\_SPI\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.SER0_SPI_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	RESERVED[7:5]			SPI_SDO_DELAY[4]	SPI_CLOCK_SELECTION[3]	SPI_DUPLEX_MODE[2]	RESERVED[1:0]	

STATUS.SER0_SPI_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SPI_SDO_DELAY[4]	R/O	0	SPI delay SDO driving edge. 0 = driving edge used for SDO 1 = SDO driving edge delayed half-cycle of SCLK
SPI_CLOCK_SELECTION[3]	R/O	0	SPI Clock Selection for SDI sampling. Indicates if the SPI clock selection is on a rising or falling edge. 0 = rising edge 1 = falling edge
SPI_DUPLEX_MODE[2]	R/O	0	SPI 4-wire or 3-wire. Indicates if the SPI is in full duplex or half duplex mode. 0 = full duplex 1 = half duplex
RESERVED	N/A	-	This field must not be modified from the read value

STATUS.SER0\_I2C\_STATUS

Status of serial interface 0 (main serial port) I2C.

Table 26: STATUS.SER0\_I2C\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.SER0_I2C_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	RESERVED[7]	DEVICE_ADDRESS[6:0]						

STATUS.SER0_I2C_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DEVICE_ADDRESS[6:0]	R/O	0	I2C address of this I2C slave. 7-bit I2C address.

STATUS.SER1\_STATUS

Status of serial interface 1 (auxiliary serial port).

Table 27: STATUS.SER1\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.SER1_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	RESERVED[7:3]					ADDRESS_SIZE[2]	MODE[1:0]	

STATUS.SER1_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
ADDRESS_SIZE[2]	R/O	0	Serial interface 1 (auxiliary serial port) address size. Indicates the SSI address size. 0 = 1-byte 1 = 2-byte
MODE[1:0]	R/O	0	Serial interface 1 (auxiliary serial port) mode. Indicates the SSI protocol. 0 = undefined 1 = I2C 2 = SPI 3 = disabled

STATUS.SER1\_SPI\_STATUS

Status of serial interface 1 (auxiliary serial port) SPI.

Table 28: STATUS.SER1\_SPI\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.SER1_SPI_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	RESERVED[7:5]			SPI_SDO_DELAY[4]	SPI_CLOCK_SELECTION[3]	SPI_DUPLEX_MODE[2]	RESERVED[1:0]	

STATUS.SER1_SPI_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SPI_SDO_DELAY[4]	R/O	0	SPI delay SDO driving edge. 0 = driving edge used for SDO 1 = SDO driving edge delayed half-cycle of SCLK
SPI_CLOCK_SELECTION[3]	R/O	0	SPI Clock Selection for SDI sampling. Indicates if the SPI clock selection is on a rising or falling edge. 0 = rising edge 1 = falling edge
SPI_DUPLEX_MODE[2]	R/O	0	SPI 4-wire or 3-wire. Indicates if the SPI is in full duplex or half duplex mode. 0 = full duplex 1 = half duplex
RESERVED	N/A	-	This field must not be modified from the read value

STATUS.SER1\_I2C\_STATUS

Status of serial interface 1 (auxiliary serial port) I2C.

Table 29: STATUS.SER1\_I2C\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.SER1_I2C_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	RESERVED[7]	DEVICE_ADDRESS[6:0]						

STATUS.SER1_I2C_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DEVICE_ADDRESS[6:0]	R/O	0	I2C address of this I2C slave. 7-bit I2C address.

STATUS.IN0\_MON\_STATUS

Input 0 reference monitor status.

Table 30: STATUS.IN0\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN0_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	IN0_TRANS_DETECT_STICKY[7]	IN0_FREQ_OFFSETS_LIM_STICKY[6]	IN0_NO_ACTIVITY_STICKY[5]	IN0_LOS_STICKY[4]	IN0_TRANS_DETECT_LIVE[3]	IN0_FREQ_OFFSETS_LIM_LIVE[2]	IN0_NO_ACTIVITY_LIVE[1]	IN0_LOS_LIVE[0]

STATUS.IN0_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN0_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in0_trans_detect_live bit. 0 = no change 1 = live status changed
IN0_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in0_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN0_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in0_no_activity_live bit. 0 = no change 1 = live status changed
IN0_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in0_los_live bit. 0 = no change 1 = live status changed
IN0_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 0. 0 = inactive 1 = active
IN0_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 0. 0 = inactive 1 = active
IN0_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 0. 0 = inactive 1 = active
IN0_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 0. 0 = inactive 1 = active

STATUS.IN1\_MON\_STATUS

Input 1 reference monitor status.

Table 31: STATUS.IN1\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN1_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
009h	IN1_TRANS_DETECT_STICKY[7]	IN1_FREQ_OFFSETS_LIM_STICKY[6]	IN1_NO_ACTIVITY_STICKY[5]	IN1_LOS_STICKY[4]	IN1_TRANS_DETECT_LIVE[3]	IN1_FREQ_OFFSETS_LIM_LIVE[2]	IN1_NO_ACTIVITY_LIVE[1]	IN1_LOS_LIVE[0]

STATUS.IN1_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN1_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in1_trans_detect_live bit. 0 = no change 1 = live status changed
IN1_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in1_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN1_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in1_no_activity_live bit. 0 = no change 1 = live status changed
IN1_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in1_los_live bit. 0 = no change 1 = live status changed
IN1_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 1. 0 = inactive 1 = active
IN1_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 1. 0 = inactive 1 = active
IN1_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 1. 0 = inactive 1 = active
IN1_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 1. 0 = inactive 1 = active

STATUS.IN2\_MON\_STATUS

Input 2 reference monitor status.

Table 32: STATUS.IN2\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN2_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	IN2_TRANS_DETECT_STICKY[7]	IN2_FREQ_OFFSETS_LIM_STICKY[6]	IN2_NO_ACTIVITY_STICKY[5]	IN2_LOS_STICKY[4]	IN2_TRANS_DETECT_LIVE[3]	IN2_FREQ_OFFSETS_LIM_LIVE[2]	IN2_NO_ACTIVITY_LIVE[1]	IN2_LOS_LIVE[0]

STATUS.IN2_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN2_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in2_trans_detect_live bit. 0 = no change 1 = live status changed
IN2_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in2_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN2_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in2_no_activity_live bit. 0 = no change 1 = live status changed
IN2_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in2_los_live bit. 0 = no change 1 = live status changed
IN2_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 2. 0 = inactive 1 = active
IN2_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 2. 0 = inactive 1 = active
IN2_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 2. 0 = inactive 1 = active
IN2_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 2. 0 = inactive 1 = active

STATUS.IN3\_MON\_STATUS

Input 3 reference monitor status.

Table 33: STATUS.IN3\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN3_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	IN3_TRANS_DETECT_STICKY[7]	IN3_FREQ_OFFSETS_LIM_STICKY[6]	IN3_NO_ACTIVITY_STICKY[5]	IN3_LOS_STICKY[4]	IN3_TRANS_DETECT_LIVE[3]	IN3_FREQ_OFFSETS_LIM_LIVE[2]	IN3_NO_ACTIVITY_LIVE[1]	IN3_LOS_LIVE[0]

STATUS.IN3_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN3_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in3_trans_detect_live bit. 0 = no change 1 = live status changed
IN3_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in3_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN3_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in3_no_activity_live bit. 0 = no change 1 = live status changed
IN3_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in3_los_live bit. 0 = no change 1 = live status changed
IN3_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 3. 0 = inactive 1 = active
IN3_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 3. 0 = inactive 1 = active
IN3_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 3. 0 = inactive 1 = active
IN3_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 3. 0 = inactive 1 = active

STATUS.IN4\_MON\_STATUS

Input 4 reference monitor status.

Table 34: STATUS.IN4\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN4_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	IN4_TRANS_DETECT_STICKY[7]	IN4_FREQ_OFFSETS_LIM_STICKY[6]	IN4_NO_ACTIVITY_STICKY[5]	IN4_LOS_STICKY[4]	IN4_TRANS_DETECT_LIVE[3]	IN4_FREQ_OFFSETS_LIM_LIVE[2]	IN4_NO_ACTIVITY_LIVE[1]	IN4_LOS_LIVE[0]

STATUS.IN4_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN4_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in4_trans_detect_live bit. 0 = no change 1 = live status changed
IN4_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in4_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN4_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in4_no_activity_live bit. 0 = no change 1 = live status changed
IN4_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in4_los_live bit. 0 = no change 1 = live status changed
IN4_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 4. 0 = inactive 1 = active
IN4_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 4. 0 = inactive 1 = active
IN4_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 4. 0 = inactive 1 = active
IN4_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 4. 0 = inactive 1 = active

STATUS.IN5\_MON\_STATUS

Input 5 reference monitor status.

Table 35: STATUS.IN5\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN5_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Dh	IN5_TRANS_DETECT_STICKY[7]	IN5_FREQ_OFFSETS_LIM_STICKY[6]	IN5_NO_ACTIVITY_STICKY[5]	IN5_LOS_STICKY[4]	IN5_TRANS_DETECT_LIVE[3]	IN5_FREQ_OFFSETS_LIM_LIVE[2]	IN5_NO_ACTIVITY_LIVE[1]	IN5_LOS_LIVE[0]

STATUS.IN5_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN5_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in5_trans_detect_live bit. 0 = no change 1 = live status changed
IN5_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in5_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN5_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in5_no_activity_live bit. 0 = no change 1 = live status changed
IN5_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in5_los_live bit. 0 = no change 1 = live status changed
IN5_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 5. 0 = inactive 1 = active
IN5_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 5. 0 = inactive 1 = active
IN5_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 5. 0 = inactive 1 = active
IN5_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 5. 0 = inactive 1 = active

STATUS.IN6\_MON\_STATUS

Input 6 reference monitor status.

Table 36: STATUS.IN6\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN6_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Eh	IN6_TRANS_DETECT_STICKY[7]	IN6_FREQ_OFFSETS_LIM_STICKY[6]	IN6_NO_ACTIVITY_STICKY[5]	IN6_LOS_STICKY[4]	IN6_TRANS_DETECT_LIVE[3]	IN6_FREQ_OFFSETS_LIM_LIVE[2]	IN6_NO_ACTIVITY_LIVE[1]	IN6_LOS_LIVE[0]

STATUS.IN6_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN6_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in6_trans_detect_live bit. 0 = no change 1 = live status changed
IN6_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in6_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN6_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in6_no_activity_live bit. 0 = no change 1 = live status changed
IN6_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in6_los_live bit. 0 = no change 1 = live status changed
IN6_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 6. 0 = inactive 1 = active
IN6_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 6. 0 = inactive 1 = active
IN6_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 6. 0 = inactive 1 = active
IN6_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 6. 0 = inactive 1 = active

STATUS.IN7\_MON\_STATUS

Input 7 reference monitor status.

Table 37: STATUS.IN7\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN7_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	IN7_TRANS_DETECT_STICKY[7]	IN7_FREQ_OFFSETS_LIM_STICKY[6]	IN7_NO_ACTIVITY_STICKY[5]	IN7_LOS_STICKY[4]	IN7_TRANS_DETECT_LIVE[3]	IN7_FREQ_OFFSETS_LIM_LIVE[2]	IN7_NO_ACTIVITY_LIVE[1]	IN7_LOS_LIVE[0]

STATUS.IN7_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN7_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in7_trans_detect_live bit. 0 = no change 1 = live status changed
IN7_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in7_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN7_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in7_no_activity_live bit. 0 = no change 1 = live status changed
IN7_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in7_los_live bit. 0 = no change 1 = live status changed
IN7_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 7. 0 = inactive 1 = active
IN7_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 7. 0 = inactive 1 = active
IN7_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 7. 0 = inactive 1 = active
IN7_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 7. 0 = inactive 1 = active

STATUS.IN8\_MON\_STATUS

Input 8 reference monitor status.

Table 38: STATUS.IN8\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN8_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
010h	IN8_TRANS_DETECT_STICKY[7]	IN8_FREQ_OFFSETS_LIM_STICKY[6]	IN8_NO_ACTIVITY_STICKY[5]	IN8_LOS_STICKY[4]	IN8_TRANS_DETECT_LIVE[3]	IN8_FREQ_OFFSETS_LIM_LIVE[2]	IN8_NO_ACTIVITY_LIVE[1]	IN8_LOS_LIVE[0]

STATUS.IN8_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN8_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in8_trans_detect_live bit. 0 = no change 1 = live status changed
IN8_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in8_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN8_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in8_no_activity_live bit. 0 = no change 1 = live status changed
IN8_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in8_los_live bit. 0 = no change 1 = live status changed
IN8_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 8. 0 = inactive 1 = active
IN8_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 8. 0 = inactive 1 = active
IN8_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 8. 0 = inactive 1 = active
IN8_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 8. 0 = inactive 1 = active

STATUS.IN9\_MON\_STATUS

Input 9 reference monitor status.

Table 39: STATUS.IN9\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN9_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
011h	IN9_TRANS_DETECT_STICKY[7]	IN9_FREQ_OFFSETS_LIM_STICKY[6]	IN9_NO_ACTIVITY_STICKY[5]	IN9_LOS_STICKY[4]	IN9_TRANS_DETECT_LIVE[3]	IN9_FREQ_OFFSETS_LIM_LIVE[2]	IN9_NO_ACTIVITY_LIVE[1]	IN9_LOS_LIVE[0]

STATUS.IN9_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN9_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in9_trans_detect_live bit. 0 = no change 1 = live status changed
IN9_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in9_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN9_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in9_no_activity_live bit. 0 = no change 1 = live status changed
IN9_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in9_los_live bit. 0 = no change 1 = live status changed
IN9_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 9. 0 = inactive 1 = active
IN9_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 9. 0 = inactive 1 = active
IN9_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 9. 0 = inactive 1 = active
IN9_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 9. 0 = inactive 1 = active

STATUS.IN10\_MON\_STATUS

Input 10 reference monitor status.

Table 40: STATUS.IN10\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN10_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
012h	IN10_TRANS_DETECT_STICKY[7]	IN10_FREQ_OFFSETS_LIMIT_STICKY[6]	IN10_NO_ACTIVITY_STICKY[5]	IN10_LOS_STICKY[4]	IN10_TRANS_DETECT_LIVE[3]	IN10_FREQ_OFFSETS_LIMIT_LIVE[2]	IN10_NO_ACTIVITY_LIVE[1]	IN10_LOS_LIVE[0]

STATUS.IN10_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN10_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in10_trans_detect_live bit. 0 = no change 1 = live status changed
IN10_FREQ_OFFSETS_LIMIT_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in10_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN10_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in10_no_activity_live bit. 0 = no change 1 = live status changed
IN10_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in10_los_live bit. 0 = no change 1 = live status changed
IN10_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 10. 0 = inactive 1 = active
IN10_FREQ_OFFSETS_LIMIT_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 10. 0 = inactive 1 = active
IN10_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 10. 0 = inactive 1 = active
IN10_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 10. 0 = inactive 1 = active

STATUS.IN11\_MON\_STATUS

Input 11 reference monitor status.

Table 41: STATUS.IN11\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN11_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
013h	IN11_TRANS_DETECT_STICKY[7]	IN11_FREQ_OFFSETS_LIM_STICKY[6]	IN11_NO_ACTIVITY_STICKY[5]	IN11_LOS_STICKY[4]	IN11_TRANS_DETECT_LIVE[3]	IN11_FREQ_OFFSETS_LIM_LIVE[2]	IN11_NO_ACTIVITY_LIVE[1]	IN11_LOS_LIVE[0]

STATUS.IN11_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN11_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in11_trans_detect_live bit. 0 = no change 1 = live status changed
IN11_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in11_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN11_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in11_no_activity_live bit. 0 = no change 1 = live status changed
IN11_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in11_los_live bit. 0 = no change 1 = live status changed
IN11_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 11. 0 = inactive 1 = active
IN11_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 11. 0 = inactive 1 = active
IN11_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 11. 0 = inactive 1 = active
IN11_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 11. 0 = inactive 1 = active

STATUS.IN12\_MON\_STATUS

Input 12 reference monitor status.

Table 42: STATUS.IN12\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN12_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
014h	IN12_TRANS_DETECT_STICKY[7]	IN12_FREQ_OFFSETS_LIM_STICKY[6]	IN12_NO_ACTIVITY_STICKY[5]	IN12_LOS_STICKY[4]	IN12_TRANS_DETECT_LIVE[3]	IN12_FREQ_OFFSETS_LIM_LIVE[2]	IN12_NO_ACTIVITY_LIVE[1]	IN12_LOS_LIVE[0]

STATUS.IN12_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN12_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in12_trans_detect_live bit. 0 = no change 1 = live status changed
IN12_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in12_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN12_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in12_no_activity_live bit. 0 = no change 1 = live status changed
IN12_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in12_los_live bit. 0 = no change 1 = live status changed
IN12_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 12. 0 = inactive 1 = active
IN12_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 12. 0 = inactive 1 = active
IN12_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 12. 0 = inactive 1 = active
IN12_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 12. 0 = inactive 1 = active

STATUS.IN13\_MON\_STATUS

Input 13 reference monitor status.

Table 43: STATUS.IN13\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN13_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
015h	IN13_TRANS_DETECT_STICKY[7]	IN13_FREQ_OFFSETS_LIMIT_STICKY[6]	IN13_NO_ACTIVITY_STICKY[5]	IN13_LOS_STICKY[4]	IN13_TRANS_DETECT_LIVE[3]	IN13_FREQ_OFFSETS_LIMIT_LIVE[2]	IN13_NO_ACTIVITY_LIVE[1]	IN13_LOS_LIVE[0]

STATUS.IN13_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN13_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in13_trans_detect_live bit. 0 = no change 1 = live status changed
IN13_FREQ_OFFSETS_LIMIT_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in13_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN13_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in13_no_activity_live bit. 0 = no change 1 = live status changed
IN13_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in13_los_live bit. 0 = no change 1 = live status changed
IN13_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 13. 0 = inactive 1 = active
IN13_FREQ_OFFSETS_LIMIT_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 13. 0 = inactive 1 = active
IN13_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 13. 0 = inactive 1 = active
IN13_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 13. 0 = inactive 1 = active

STATUS.IN14\_MON\_STATUS

Input 14 reference monitor status.

Table 44: STATUS.IN14\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN14_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
016h	IN14_TRANS_DETECT_STICKY[7]	IN14_FREQ_OFFSETS_LIM_STICKY[6]	IN14_NO_ACTIVITY_STICKY[5]	IN14_LOS_STICKY[4]	IN14_TRANS_DETECT_LIVE[3]	IN14_FREQ_OFFSETS_LIM_LIVE[2]	IN14_NO_ACTIVITY_LIVE[1]	IN14_LOS_LIVE[0]

STATUS.IN14_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN14_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in14_trans_detect_live bit. 0 = no change 1 = live status changed
IN14_FREQ_OFFSETS_LIM_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in14_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN14_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in14_no_activity_live bit. 0 = no change 1 = live status changed
IN14_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in14_los_live bit. 0 = no change 1 = live status changed
IN14_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 14. 0 = inactive 1 = active
IN14_FREQ_OFFSETS_LIM_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 14. 0 = inactive 1 = active

STATUS.IN14_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN14_NO_ACTIVITY_LIVE [1]	R/O	0	No activity live status. Indicates no activity on input 14. 0 = inactive 1 = active
IN14_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 14. 0 = inactive 1 = active

STATUS.IN15\_MON\_STATUS

Input 15 reference monitor status.

Table 45: STATUS.IN15\_MON\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN15_MON_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
017h	IN15_TRANS_DETECT_STICKY[7]	IN15_FREQ_OFFSETS_LIMIT_STICKY[6]	IN15_NO_ACTIVITY_STICKY[5]	IN15_LOS_STICKY[4]	IN15_TRANS_DETECT_LIVE[3]	IN15_FREQ_OFFSETS_LIMIT_LIVE[2]	IN15_NO_ACTIVITY_LIVE[1]	IN15_LOS_LIVE[0]

STATUS.IN15_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN15_TRANS_DETECT_STICKY[7]	R/O	0	Transient detector sticky bit. Indicates a change of in15_trans_detect_live bit. 0 = no change 1 = live status changed
IN15_FREQ_OFFSETS_LIMIT_STICKY[6]	R/O	0	Frequency offset limit sticky bit. Indicates a change of in15_freq_offs_lim_live bit. 0 = no change 1 = live status changed
IN15_NO_ACTIVITY_STICKY[5]	R/O	0	No activity sticky bit. Indicates a change of in15_no_activity_live bit. 0 = no change 1 = live status changed
IN15_LOS_STICKY[4]	R/O	0	LOS sticky bit. Indicates a change of in15_los_live bit. 0 = no change 1 = live status changed
IN15_TRANS_DETECT_LIVE[3]	R/O	0	Transient detector live bit. Indicates that a transient is detected for input 15. 0 = inactive 1 = active

STATUS.IN15_MON_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN15_FREQ_OFFSETS_LIMIT_LIVE[2]	R/O	0	Frequency offset limit live status. Indicates that the current frequency offset exceeds the limit for input 15. 0 = inactive 1 = active
IN15_NO_ACTIVITY_LIVE[1]	R/O	0	No activity live status. Indicates no activity on input 15. 0 = inactive 1 = active
IN15_LOS_LIVE[0]	R/O	0	LOS live status. Indicates loss of signal on input 15. 0 = inactive 1 = active

STATUS.DPLL0\_STATUS

DPLL 0 status.

Table 46: STATUS.DPLL0\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL0_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
018h	RESERVED[7:6]		DPLL0_HOLD_OVER_STATE_CHANGE_STICKY[5]	DPLL0_LOCK_STATE_CHANGE_STICKY[4]	DPLL0_STATE[3:0]			

STATUS.DPLL0_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL0_HOLD_OVER_STATE_CHANGE_STICKY[5]	R/O	0	Holdover state change sticky bit. Indicates whether any transition to or from Holdover state occurred. 0 = no transition to or from Holdover state 1 = transition to or from Holdover state

STATUS.DPLL0_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL0_LOCK_STATE_CHANGE_STICKY[4]	R/O	0	Lock state change sticky bit. Indicates whether any transition to or from Locked state occurred. 0 = no transition to or from Locked state 1 = transition to or from Locked state
DPLL0_STATE[3:0]	R/O	0	Current state of DPLL0. 0 = freerun 1 = lockacq 2 = lockrec 3 = locked 4 = holdover 5 = open loop 6 = disabled

STATUS.DPLL1\_STATUS

DPLL 1 status.

Table 47: STATUS.DPLL1\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL1_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
019h	RESERVED[7:6]		DPLL1_HOLD_OVER_STATE_CHANGE_STICKY[5]	DPLL1_LOCK_STATE_CHANGE_STICKY[4]	DPLL1_STATE[3:0]			

STATUS.DPLL1_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL1_HOLD_OVER_STATE_CHANGE_STICKY[5]	R/O	0	Holdover state change sticky bit. Indicates whether any transition to or from Holdover state occurred. 0 = no transition to or from Holdover state 1 = transition to or from Holdover state

STATUS.DPLL1_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL1_LOCK_STATE_CHANGE_STICKY[4]	R/O	0	Lock state change sticky bit. Indicates whether any transition to or from Locked state occurred. 0 = no transition to or from Locked state 1 = transition to or from Locked state
DPLL1_STATE[3:0]	R/O	0	Current state of DPLL1. 0 = freerun 1 = lockacq 2 = lockrec 3 = locked 4 = holdover 5 = open loop 6 = disabled

STATUS.DPLL2\_STATUS

DPLL 2 status.

Table 48: STATUS.DPLL2\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL2_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Ah	RESERVED[7:6]		DPLL2_HOLD_OVER_STATE_CHANGE_STICKY[5]	DPLL2_LOCK_STATE_CHANGE_STICKY[4]	DPLL2_STATE[3:0]			

STATUS.DPLL2_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL2_HOLD_OVER_STATE_CHANGE_STICKY[5]	R/O	0	Holdover state change sticky bit. Indicates whether any transition to or from Holdover state occurred. 0 = no transition to or from Holdover state 1 = transition to or from Holdover state

STATUS.DPLL2_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL2_LOCK_STATE_CHANGE_STICKY[4]	R/O	0	Lock state change sticky bit. Indicates whether any transition to or from Locked state occurred. 0 = no transition to or from Locked state 1 = transition to or from Locked state
DPLL2_STATE[3:0]	R/O	0	Current state of DPLL2. 0 = freerun 1 = lockacq 2 = lockrec 3 = locked 4 = holdover 5 = open loop 6 = disabled

STATUS.DPLL3\_STATUS

DPLL 3 status.

Table 49: STATUS.DPLL3\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL3_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Bh	RESERVED[7:6]		DPLL3_HOLD_OVER_STATE_CHANGE_STICKY[5]	DPLL3_LOCK_STATE_CHANGE_STICKY[4]	DPLL3_STATE[3:0]			

STATUS.DPLL3_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL3_HOLD_OVER_STATE_CHANGE_STICKY[5]	R/O	0	Holdover state change sticky bit. Indicates whether any transition to or from Holdover state occurred. 0 = no transition to or from Holdover state 1 = transition to or from Holdover state

STATUS.DPLL3_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL3_LOCK_STATE_CHANGE_STICKY[4]	R/O	0	Lock state change sticky bit. Indicates whether any transition to or from Locked state occurred. 0 = no transition to or from Locked state 1 = transition to or from Locked state
DPLL3_STATE[3:0]	R/O	0	Current state of DPLL3. 0 = freerun 1 = lockacq 2 = lockrec 3 = locked 4 = holdover 5 = open loop 6 = disabled

STATUS.DPLL4\_STATUS

DPLL 4 status.

Table 50: STATUS.DPLL4\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL4_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Ch	RESERVED[7:6]		DPLL4_HOLD_OVER_STATE_CHANGE_STICKY[5]	DPLL4_LOCK_STATE_CHANGE_STICKY[4]	DPLL4_STATE[3:0]			

STATUS.DPLL4_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL4_HOLD_OVER_STATE_CHANGE_STICKY[5]	R/O	0	Holdover state change sticky bit. Indicates whether any transition to or from Holdover state occurred. 0 = no transition to or from Holdover state 1 = transition to or from Holdover state

STATUS.DPLL4_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL4_LOCK_STATE_CHANGE_STICKY[4]	R/O	0	Lock state change sticky bit. Indicates whether any transition to or from Locked state occurred. 0 = no transition to or from Locked state 1 = transition to or from Locked state
DPLL4_STATE[3:0]	R/O	0	Current state of DPLL4. 0 = freerun 1 = lockacq 2 = lockrec 3 = locked 4 = holdover 5 = open loop 6 = disabled

STATUS.DPLL5\_STATUS

DPLL 5 status.

Table 51: STATUS.DPLL5\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL5_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Dh	RESERVED[7:6]		DPLL5_HOLD_OVER_STATE_CHANGE_STICKY[5]	DPLL5_LOCK_STATE_CHANGE_STICKY[4]	DPLL5_STATE[3:0]			

STATUS.DPLL5_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL5_HOLD_OVER_STATE_CHANGE_STICKY[5]	R/O	0	Holdover state change sticky bit. Indicates whether any transition to or from Holdover state occurred. 0 = no transition to or from Holdover state 1 = transition to or from Holdover state

STATUS.DPLL5_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL5_LOCK_STATE_CHANGE_STICKY[4]	R/O	0	Lock state change sticky bit. Indicates whether any transition to or from Locked state occurred. 0 = no transition to or from Locked state 1 = transition to or from Locked state
DPLL5_STATE[3:0]	R/O	0	Current state of DPLL5. 0 = freerun 1 = lockacq 2 = lockrec 3 = locked 4 = holdover 5 = open loop 6 = disabled

STATUS.DPLL6\_STATUS

DPLL 6 status.

Table 52: STATUS.DPLL6\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL6_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Eh	RESERVED[7:6]		DPLL6_HOLD_OVER_STATE_CHANGE_STICKY[5]	DPLL6_LOCK_STATE_CHANGE_STICKY[4]	DPLL6_STATE[3:0]			

STATUS.DPLL6_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL6_HOLD_OVER_STATE_CHANGE_STICKY[5]	R/O	0	Holdover state change sticky bit. Indicates whether any transition to or from Holdover state occurred. 0 = no transition to or from Holdover state 1 = transition to or from Holdover state

STATUS.DPLL6_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL6_LOCK_STATE_CHANGE_STICKY[4]	R/O	0	Lock state change sticky bit. Indicates whether any transition to or from Locked state occurred. 0 = no transition to or from Locked state 1 = transition to or from Locked state
DPLL6_STATE[3:0]	R/O	0	Current state of DPLL6. 0 = freerun 1 = lockacq 2 = lockrec 3 = locked 4 = holdover 5 = open loop 6 = disabled

STATUS.DPLL7\_STATUS

DPLL 7 status.

Table 53: STATUS.DPLL7\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL7_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Fh	RESERVED[7:6]		DPLL7_HOLD_OVER_STATE_CHANGE_STICKY[5]	DPLL7_LOCK_STATE_CHANGE_STICKY[4]	DPLL7_STATE[3:0]			

STATUS.DPLL7_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL7_HOLD_OVER_STATE_CHANGE_STICKY[5]	R/O	0	Holdover state change sticky bit. Indicates whether any transition to or from Holdover state occurred. 0 = no transition to or from Holdover state 1 = transition to or from Holdover state

STATUS.DPLL7_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL7_LOCK_STATE_CHANGE_STICKY[4]	R/O	0	Lock state change sticky bit. Indicates whether any transition to or from Locked state occurred. 0 = no transition to or from Locked state 1 = transition to or from Locked state
DPLL7_STATE[3:0]	R/O	0	Current state of DPLL7. 0 = freerun 1 = lockacq 2 = lockrec 3 = locked 4 = holdover 5 = open loop 6 = disabled

STATUS.DPLL\_SYS\_STATUS

System DPLL status.

Table 54: STATUS.DPLL\_SYS\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL_SYS_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
020h	RESERVED[7:6]		DPLL_SYS_HOLD OVER_STATE_CHANGE_STICKY[5]	DPLL_SYS_LOCK_STATE_CHANGE_STICKY[4]	DPLL_SYS_STATE[3:0]			

STATUS.DPLL_SYS_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_SYS_HOLD OVER_STATE_CHANGE_STICKY [5]	R/O	0	Holdover state change sticky bit. Indicates whether any transition to or from Holdover state occurred. 0 = no transition to or from Holdover state 1 = transition to or from Holdover state

STATUS.DPLL_SYS_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_SYS_LOCK_STATE_CHANGE_STICKY[4]	R/O	0	Lock state change sticky bit. Indicates whether any transition to or from Locked state occurred. 0 = no transition to or from Locked state 1 = transition to or from Locked state
DPLL_SYS_STATE[3:0]	R/O	0	Current state of SYS_DPLL. 0 = freerun 1 = lockacq 2 = lockrec 3 = locked 4 = holdover 5 = open loop

STATUS.SYS\_APLL\_STATUS

System APLL status.

Table 55: STATUS.SYS\_APLL\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.SYS_APLL_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
021h	RESERVED[7:5]			SYS_APLL_LOSS_LOCK_STICKY[4]	RESERVED[3:1]			SYS_APLL_LOSS_LOCK_LIVE[0]

STATUS.SYS_APLL_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SYS_APLL_LOSS_LOCK_STICKY[4]	R/O	0	System APLL loss lock sticky bit. Indicates that loss of lock was detected for system APLL. 0 = no change 1 = live status changed
RESERVED	N/A	-	This field must not be modified from the read value
SYS_APLL_LOSS_LOCK_LIVE[0]	R/O	0	System APLL loss lock live status. Indicates that loss of lock is currently detected for system APLL. 0 = locked 1 = unlocked

STATUS.DPLL0\_REF\_STAT

Indicates which reference is currently selected for tracking.

Table 56: STATUS.DPLL0\_REF\_STAT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL0_REF_STAT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
022h	RESERVED[7:5]			DPLL0_INPUT[4:0]				

STATUS.DPLL0_REF_STAT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL0_INPUT[4:0]	R/O	0	Current reference input for DPLL 0. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL 0x1F = no reference

STATUS.DPLL1\_REF\_STAT

Indicates which reference is currently selected for tracking.

Table 57: STATUS.DPLL1\_REF\_STAT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL1_REF_STAT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
023h	RESERVED[7:5]			DPLL1_INPUT[4:0]				

STATUS.DPLL1_REF_STAT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL1_INPUT[4:0]	R/O	0	Current reference input for DPLL 1. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL 0x1F = no reference

STATUS.DPLL2\_REF\_STAT

Indicates which reference is currently selected for tracking.

Table 58: STATUS.DPLL2\_REF\_STAT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL2_REF_STAT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
024h	RESERVED[7:5]			DPLL2_INPUT[4:0]				

STATUS.DPLL2_REF_STAT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL2_INPUT[4:0]	R/O	0	Current reference input for DPLL 2. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL 0x1F = no reference

STATUS.DPLL3\_REF\_STAT

Indicates which reference is currently selected for tracking.

Table 59: STATUS.DPLL3\_REF\_STAT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL3_REF_STAT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
025h	RESERVED[7:5]			DPLL3_INPUT[4:0]				

STATUS.DPLL3_REF_STAT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL3_INPUT[4:0]	R/O	0	Current reference input for DPLL 3. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL 0x1F = no reference

STATUS.DPLL4\_REF\_STAT

Indicates which reference is currently selected for tracking.

Table 60: STATUS.DPLL4\_REF\_STAT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL4_REF_STAT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
026h	RESERVED[7:5]			DPLL4_INPUT[4:0]				

STATUS.DPLL4_REF_STAT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL4_INPUT[4:0]	R/O	0	Current reference input for DPLL 4. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL 0x1F = no reference

STATUS.DPLL5\_REF\_STAT

Indicates which reference is currently selected for tracking.

Table 61: STATUS.DPLL5\_REF\_STAT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL5_REF_STAT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
027h	RESERVED[7:5]			DPLL5_INPUT[4:0]				

STATUS.DPLL5_REF_STAT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL5_INPUT[4:0]	R/O	0	Current reference input for DPLL 5. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL 0x1F = no reference

STATUS.DPLL6\_REF\_STAT

Indicates which reference is currently selected for tracking.

Table 62: STATUS.DPLL6\_REF\_STAT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL6_REF_STAT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
028h	RESERVED[7:5]			DPLL6_INPUT[4:0]				

STATUS.DPLL6_REF_STAT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL6_INPUT[4:0]	R/O	0	Current reference input for DPLL 6. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL 0x1F = no reference

STATUS.DPLL7\_REF\_STAT

Indicates which reference is currently selected for tracking.

Table 63: STATUS.DPLL7\_REF\_STAT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL7_REF_STAT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
029h	RESERVED[7:5]			DPLL7_INPUT[4:0]				

STATUS.DPLL7_REF_STAT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL7_INPUT[4:0]	R/O	0	Current reference input for DPLL 7. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL 0x1F = no reference

STATUS.DPLL\_SYS\_REF\_STAT

Indicates which reference is currently selected for tracking.

Table 64: STATUS.DPLL\_SYS\_REF\_STAT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL_SYS_REF_STAT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
02Ah	RESERVED[7:5]			DPLL_SYS_INPUT[4:0]				

STATUS.DPLL_SYS_REF_STAT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_SYS_INPUT[4:0]	R/O	0	Current reference input for system DPLL. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL 0x1F = no reference

STATUS.DPLL0\_FILTER\_STATUS

DPLL 0 loop filter status.

Table 65: STATUS.DPLL0\_FILTER\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL0_FILTER_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
044h	FILTER_STATUS[7:0]							
045h	FILTER_STATUS[15:8]							
046h	FILTER_STATUS[23:16]							
047h	FILTER_STATUS[31:24]							
048h	FILTER_STATUS[39:32]							
049h	FILTER_STATUS[47:40]							

STATUS.DPLL0_FILTER_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FILTER_STATUS[47:0]	R/O	0	DPLL loop filter status. If FILTER_STATUS_UPDATE_EN = "1", then FILTER_STATUS is a signed 48-bit FFO value in units of $2^{(-53)}$ . If the DPLL is in phase measurement mode and the input TDC is configured for fine phase measurement, then the FILTER_STATUS is a signed 48-bit phase value in units of 50/128 picoseconds.

STATUS.DPLL1\_FILTER\_STATUS

DPLL 1 loop filter status.

Table 66: STATUS.DPLL1\_FILTER\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL1_FILTER_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
04Ch	FILTER_STATUS[7:0]							
04Dh	FILTER_STATUS[15:8]							
04Eh	FILTER_STATUS[23:16]							
04Fh	FILTER_STATUS[31:24]							
050h	FILTER_STATUS[39:32]							
051h	FILTER_STATUS[47:40]							

STATUS.DPLL1_FILTER_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FILTER_STATUS[47:0]	R/O	0	DPLL loop filter status. If FILTER_STATUS_UPDATE_EN = "1", then FILTER_STATUS is a signed 48-bit FFO value in units of $2^{(-53)}$ . If the DPLL is in phase measurement mode and the input TDC is configured for fine phase measurement, then the FILTER_STATUS is a signed 48-bit phase value in units of 50/128 picoseconds.

STATUS.DPLL2\_FILTER\_STATUS

DPLL 2 loop filter status.

Table 67: STATUS.DPLL2\_FILTER\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL2_FILTER_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
054h	FILTER_STATUS[7:0]							
055h	FILTER_STATUS[15:8]							
056h	FILTER_STATUS[23:16]							
057h	FILTER_STATUS[31:24]							
058h	FILTER_STATUS[39:32]							
059h	FILTER_STATUS[47:40]							

STATUS.DPLL2_FILTER_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FILTER_STATUS[47:0]	R/O	0	DPLL loop filter status. If FILTER_STATUS_UPDATE_EN = "1", then FILTER_STATUS is a signed 48-bit FFO value in units of $2^{(-53)}$ . If the DPLL is in phase measurement mode and the input TDC is configured for fine phase measurement, then the FILTER_STATUS is a signed 48-bit phase value in units of 50/128 picoseconds.

STATUS.DPLL3\_FILTER\_STATUS

DPLL 3 loop filter status.

Table 68: STATUS.DPLL3\_FILTER\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL3_FILTER_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
05Ch	FILTER_STATUS[7:0]							
05Dh	FILTER_STATUS[15:8]							
05Eh	FILTER_STATUS[23:16]							
05Fh	FILTER_STATUS[31:24]							
060h	FILTER_STATUS[39:32]							
061h	FILTER_STATUS[47:40]							

STATUS.DPLL3_FILTER_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FILTER_STATUS[47:0]	R/O	0	DPLL loop filter status. If FILTER_STATUS_UPDATE_EN = "1", then FILTER_STATUS is a signed 48-bit FFO value in units of $2^{(-53)}$ . If the DPLL is in phase measurement mode and the input TDC is configured for fine phase measurement, then the FILTER_STATUS is a signed 48-bit phase value in units of 50/128 picoseconds.

STATUS.DPLL4\_FILTER\_STATUS

DPLL 4 loop filter status.

Table 69: STATUS.DPLL4\_FILTER\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL4_FILTER_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
064h	FILTER_STATUS[7:0]							
065h	FILTER_STATUS[15:8]							
066h	FILTER_STATUS[23:16]							
067h	FILTER_STATUS[31:24]							
068h	FILTER_STATUS[39:32]							
069h	FILTER_STATUS[47:40]							

STATUS.DPLL4_FILTER_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FILTER_STATUS[47:0]	R/O	0	DPLL loop filter status. If FILTER_STATUS_UPDATE_EN = "1", then FILTER_STATUS is a signed 48-bit FFO value in units of $2^{(-53)}$ . If the DPLL is in phase measurement mode and the input TDC is configured for fine phase measurement, then the FILTER_STATUS is a signed 48-bit phase value in units of 50/128 picoseconds.

STATUS.DPLL5\_FILTER\_STATUS

DPLL 5 loop filter status.

Table 70: STATUS.DPLL5\_FILTER\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL5_FILTER_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
06Ch	FILTER_STATUS[7:0]							
06Dh	FILTER_STATUS[15:8]							
06Eh	FILTER_STATUS[23:16]							
06Fh	FILTER_STATUS[31:24]							
070h	FILTER_STATUS[39:32]							
071h	FILTER_STATUS[47:40]							

STATUS.DPLL5_FILTER_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FILTER_STATUS[47:0]	R/O	0	DPLL loop filter status. If FILTER_STATUS_UPDATE_EN = "1", then FILTER_STATUS is a signed 48-bit FFO value in units of $2^{(-53)}$ . If the DPLL is in phase measurement mode and the input TDC is configured for fine phase measurement, then the FILTER_STATUS is a signed 48-bit phase value in units of 50/128 picoseconds.

STATUS.DPLL6\_FILTER\_STATUS

DPLL 6 loop filter status.

Table 71: STATUS.DPLL6\_FILTER\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL6_FILTER_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
074h	FILTER_STATUS[7:0]							
075h	FILTER_STATUS[15:8]							
076h	FILTER_STATUS[23:16]							
077h	FILTER_STATUS[31:24]							
078h	FILTER_STATUS[39:32]							
079h	FILTER_STATUS[47:40]							

STATUS.DPLL6_FILTER_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FILTER_STATUS[47:0]	R/O	0	DPLL loop filter status. If FILTER_STATUS_UPDATE_EN = "1", then FILTER_STATUS is a signed 48-bit FFO value in units of $2^{(-53)}$ . If the DPLL is in phase measurement mode and the input TDC is configured for fine phase measurement, then the FILTER_STATUS is a signed 48-bit phase value in units of 50/128 picoseconds.

STATUS.DPLL7\_FILTER\_STATUS

DPLL 7 loop filter status.

Table 72: STATUS.DPLL7\_FILTER\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL7_FILTER_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
07Ch	FILTER_STATUS[7:0]							
07Dh	FILTER_STATUS[15:8]							
07Eh	FILTER_STATUS[23:16]							
07Fh	FILTER_STATUS[31:24]							
080h	FILTER_STATUS[39:32]							
081h	FILTER_STATUS[47:40]							

STATUS.DPLL7_FILTER_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FILTER_STATUS[47:0]	R/O	0	DPLL loop filter status. If FILTER_STATUS_UPDATE_EN = "1", then FILTER_STATUS is a signed 48-bit FFO value in units of $2^{(-53)}$ . If the DPLL is in phase measurement mode and the input TDC is configured for fine phase measurement, then the FILTER_STATUS is a signed 48-bit phase value in units of 50/128 picoseconds.

STATUS.DPLL\_SYS\_FILTER\_STATUS

Loop filter status of system DPLL .

Table 73: STATUS.DPLL\_SYS\_FILTER\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL_SYS_FILTER_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
084h	FILTER_STATUS[7:0]							
085h	FILTER_STATUS[15:8]							
086h	FILTER_STATUS[23:16]							
087h	FILTER_STATUS[31:24]							
088h	FILTER_STATUS[39:32]							
089h	FILTER_STATUS[47:40]							

STATUS.DPLL_SYS_FILTER_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FILTER_STATUS[47:0]	R/O	0	System DPLL loop filter status. If FILTER_STATUS_UPDATE_EN = "1", then FILTER_STATUS is a signed 48-bit FFO value in units of $2^{(-53)}$ .

STATUS.USER\_GPIO0\_TO\_7\_STATUS

GPIO 0 - 7 level status.

Table 74: STATUS.USER\_GPIO0\_TO\_7\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.USER_GPIO0_TO_7_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
08Ah	GPIO7_LEV EL[7]	GPIO6_LEV EL[6]	GPIO5_LEV EL[5]	GPIO4_LEV EL[4]	GPIO3_LEV EL[3]	GPIO2_LEV EL[2]	GPIO1_LEV EL[1]	GPIO0_LEV EL[0]

STATUS.USER_GPIO0_TO_7_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GPIO7_LEVEL[7]	R/O	0	Level of GPIO pin 7. 0 = low 1 = high
GPIO6_LEVEL[6]	R/O	0	Level of GPIO pin 6. 0 = low 1 = high
GPIO5_LEVEL[5]	R/O	0	Level of GPIO pin 5. 0 = low 1 = high

STATUS.USER_GPIO0_TO_7_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GPIO4_LEVEL[4]	R/O	0	Level of GPIO pin 4. 0 = low 1 = high
GPIO3_LEVEL[3]	R/O	0	Level of GPIO pin 3. 0 = low 1 = high
GPIO2_LEVEL[2]	R/O	0	Level of GPIO pin 2. 0 = low 1 = high
GPIO1_LEVEL[1]	R/O	0	Level of GPIO pin 1. 0 = low 1 = high
GPIO0_LEVEL[0]	R/O	0	Level of GPIO pin 0. 0 = low 1 = high

STATUS.USER\_GPIO8\_TO\_15\_STATUS

GPIO 8 - 15 level status.

Table 75: STATUS.USER\_GPIO8\_TO\_15\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.USER_GPIO8_TO_15_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
08Bh	GPIO15_LEVEL[7]	GPIO14_LEVEL[6]	GPIO13_LEVEL[5]	GPIO12_LEVEL[4]	GPIO11_LEVEL[3]	GPIO10_LEVEL[2]	GPIO9_LEVEL[1]	GPIO8_LEVEL[0]

STATUS.USER_GPIO8_TO_15_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GPIO15_LEVEL[7]	R/O	0	Level of GPIO pin 15. 0 = low 1 = high
GPIO14_LEVEL[6]	R/O	0	Level of GPIO pin 14. 0 = low 1 = high
GPIO13_LEVEL[5]	R/O	0	Level of GPIO pin 13. 0 = low 1 = high
GPIO12_LEVEL[4]	R/O	0	Level of GPIO pin 12. 0 = low 1 = high

STATUS.USER_GPIO8_TO_15_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GPIO11_LEVEL[3]	R/O	0	Level of GPIO pin 11. 0 = low 1 = high
GPIO10_LEVEL[2]	R/O	0	Level of GPIO pin 10. 0 = low 1 = high
GPIO9_LEVEL[1]	R/O	0	Level of GPIO pin 9. 0 = low 1 = high
GPIO8_LEVEL[0]	R/O	0	Level of GPIO pin 8. 0 = low 1 = high

STATUS.IN0\_MON\_FREQ\_STATUS

Input 0 reference monitor frequency status and unit.

Table 76: STATUS.IN0\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN0_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
08Ch	FFO[7:0]							
08Dh	FFO_UNIT[15:14]		FFO[13:8]					

STATUS.IN0_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN1\_MON\_FREQ\_STATUS

Input 1 reference monitor frequency status and unit.

Table 77: STATUS.IN1\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN1_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
08Eh	FFO[7:0]							
08Fh	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN1_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN2\_MON\_FREQ\_STATUS

Input 2 reference monitor frequency status and unit.

Table 78: STATUS.IN2\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN2_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
090h	FFO[7:0]							
091h	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN2_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN3\_MON\_FREQ\_STATUS

Input 3 reference monitor frequency status and unit.

Table 79: STATUS.IN3\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN3_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
092h	FFO[7:0]							
093h	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN3_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN4\_MON\_FREQ\_STATUS

Input 4 reference monitor frequency status and unit.

Table 80: STATUS.IN4\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN4_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
094h	FFO[7:0]							
095h	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN4_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN5\_MON\_FREQ\_STATUS

Input 5 reference monitor frequency status and unit.

Table 81: STATUS.IN5\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN5_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
096h	FFO[7:0]							
097h	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN5_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN6\_MON\_FREQ\_STATUS

Input 6 reference monitor frequency status and unit.

Table 82: STATUS.IN6\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN6_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
098h	FFO[7:0]							
099h	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN6_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN7\_MON\_FREQ\_STATUS

Input 7 reference monitor frequency status and unit.

Table 83: STATUS.IN7\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN7_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
09Ah	FFO[7:0]							
09Bh	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN7_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN8\_MON\_FREQ\_STATUS

Input 8 reference monitor frequency status and unit.

Table 84: STATUS.IN8\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN8_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
09Ch	FFO[7:0]							
09Dh	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN8_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN9\_MON\_FREQ\_STATUS

Input 9 reference monitor frequency status and unit.

Table 85: STATUS.IN9\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN9_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
09Eh	FFO[7:0]							
09Fh	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN9_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN10\_MON\_FREQ\_STATUS

Input 10 reference monitor frequency status and unit.

Table 86: STATUS.IN10\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN10_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0A0h	FFO[7:0]							
0A1h	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN10_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN11\_MON\_FREQ\_STATUS

Input 11 reference monitor frequency status and unit.

Table 87: STATUS.IN11\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN11_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0A2h	FFO[7:0]							
0A3h	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN11_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN12\_MON\_FREQ\_STATUS

Input 12 reference monitor frequency status and unit.

Table 88: STATUS.IN12\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN12_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0A4h	FFO[7:0]							
0A5h	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN12_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN13\_MON\_FREQ\_STATUS

Input 13 reference monitor frequency status and unit.

Table 89: STATUS.IN13\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN13_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0A6h	FFO[7:0]							
0A7h	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN13_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN14\_MON\_FREQ\_STATUS

Input 14 reference monitor frequency status and unit.

Table 90: STATUS.IN14\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN14_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0A8h	FFO[7:0]							
0A9h	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN14_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.IN15\_MON\_FREQ\_STATUS

Input 15 reference monitor frequency status and unit.

Table 91: STATUS.IN15\_MON\_FREQ\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.IN15_MON_FREQ_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0AAh	FFO[7:0]							
0ABh	FFO_UNIT[15:14]			FFO[13:8]				

STATUS.IN15_MON_FREQ_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[15:14]	R/O	0	Input clock FFO unit enumeration. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO[13:0]	R/O	0	Signed 14-bit input clock fractional frequency offset.

STATUS.OUTPUT\_TDC\_CFG\_STATUS

Indicates when the output TDC is ready for use.

Table 92: STATUS.OUTPUT\_TDC\_CFG\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.OUTPUT_TDC_CFG_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0ACh	RESERVED[7:2]						STATE[1:0]	

STATUS.OUTPUT_TDC_CFG_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
STATE[1:0]	R/O	0	Indicates whether the output TDC is ready to be used. Output TDC is by default disabled. Need to enable with OUTPUT_TDC_CFG_GBL_2.enable. After enabling, it takes time for the output TDC clock to stabilize. Output TDC is ready for use when in Ready state. 0 = disabled 1 = initializing 2 = ready

STATUS.OUTPUT\_TDC0\_STATUS

Indicates the hardware output TDC instance assigned and the status code.

Table 93: STATUS.OUTPUT\_TDC0\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.OUTPUT_TDC0_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0ADh	VALID[7]	RESERVED[6:4]			STATUS[3:0]			

STATUS.OUTPUT_TDC0_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
VALID[7]	R/O	0	Indicates a valid measurement or alignment has met target phase offset. When go bit is set, valid is cleared. Measurement mode: Indicates when OUTPUT_TDCn_MEASUREMENT is valid. Alignment mode: Indicates when all the alignment targets are within the OUTPUT_TDC_CTRL_1.TARGET_PHASE_OFFSET. 0 = invalid 1 = valid
RESERVED	N/A	-	This field must not be modified from the read value
STATUS[3:0]	R/O	0	Status code. When output TDC is not enabled, this shows 'Disabled'. When OUTPUT_TDC_CTRL_4.GO is set and the configuration is valid, this transitions to 'In progress'. When the operation completes successfully, status transitions back to 'Idle' and OUTPUT_TDC_CTRL_4.GO will be cleared. When OUTPUT_TDC_CTRL_4.GO is set and there is an invalid configuration, then OUTPUT_TDC_CTRL_4.GO will be cleared and this will indicate the error condition encountered. 0 = disabled 1 = idle 2 = in progress 3 = error - invalid source/target 4 = error - non-uniform master divider freq 5 = error - start failed 6 = error - measurement timeout

STATUS.OUTPUT\_TDC1\_STATUS

Indicates the hardware output TDC instance assigned and the status code.

Table 94: STATUS.OUTPUT\_TDC1\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.OUTPUT_TDC1_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0AEh	VALID[7]	RESERVED[6:4]			STATUS[3:0]			

STATUS.OUTPUT_TDC1_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
VALID[7]	R/O	0	Indicates a valid measurement or alignment has met target phase offset. When go bit is set, valid is cleared. Measurement mode: Indicates when OUTPUT_TDCn_MEASUREMENT is valid. Alignment mode: Indicates when all the alignment targets are within the OUTPUT_TDC_CTRL_1.TARGET_PHASE_OFFSET. 0 = invalid 1 = valid
RESERVED	N/A	-	This field must not be modified from the read value
STATUS[3:0]	R/O	0	Status code. When output TDC is not enabled, this shows 'Disabled'. When OUTPUT_TDC_CTRL_4.GO is set and the configuration is valid, this transitions to 'In progress'. When the operation completes successfully, status transitions back to 'Idle' and OUTPUT_TDC_CTRL_4.GO will be cleared. When OUTPUT_TDC_CTRL_4.GO is set and there is an invalid configuration, then OUTPUT_TDC_CTRL_4.GO will be cleared and this will indicate the error condition encountered. 0 = disabled 1 = idle 2 = in progress 3 = error - invalid source/target 4 = error - non-uniform master divider freq 5 = error - start failed 6 = error - measurement timeout

STATUS.OUTPUT\_TDC2\_STATUS

Indicates the hardware output TDC instance assigned and the status code.

Table 95: STATUS.OUTPUT\_TDC2\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.OUTPUT_TDC2_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0AFh	VALID[7]	RESERVED[6:4]			STATUS[3:0]			

STATUS.OUTPUT_TDC2_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
VALID[7]	R/O	0	Indicates a valid measurement or alignment has met target phase offset. When go bit is set, valid is cleared. Measurement mode: Indicates when OUTPUT_TDCn_MEASUREMENT is valid. Alignment mode: Indicates when all the alignment targets are within the OUTPUT_TDC_CTRL_1.TARGET_PHASE_OFFSET. 0 = invalid 1 = valid
RESERVED	N/A	-	This field must not be modified from the read value
STATUS[3:0]	R/O	0	Status code. When output TDC is not enabled, this shows 'Disabled'. When OUTPUT_TDC_CTRL_4.GO is set and the configuration is valid, this transitions to 'In progress'. When the operation completes successfully, status transitions back to 'Idle' and OUTPUT_TDC_CTRL_4.GO will be cleared. When OUTPUT_TDC_CTRL_4.GO is set and there is an invalid configuration, then OUTPUT_TDC_CTRL_4.GO will be cleared and this will indicate the error condition encountered. 0 = disabled 1 = idle 2 = in progress 3 = error - invalid source/target 4 = error - non-uniform master divider freq 5 = error - start failed 6 = error - measurement timeout

STATUS.OUTPUT\_TDC3\_STATUS

Indicates the hardware output TDC instance assigned and the status code.

Table 96: STATUS.OUTPUT\_TDC3\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.OUTPUT_TDC3_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0B0h	VALID[7]	RESERVED[6:4]			STATUS[3:0]			

STATUS.OUTPUT_TDC3_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
VALID[7]	R/O	0	Indicates a valid measurement or alignment has met target phase offset. When go bit is set, valid is cleared. Measurement mode: Indicates when OUTPUT_TDCn_MEASUREMENT is valid. Alignment mode: Indicates when all the alignment targets are within the OUTPUT_TDC_CTRL_1.TARGET_PHASE_OFFSET. 0 = invalid 1 = valid
RESERVED	N/A	-	This field must not be modified from the read value
STATUS[3:0]	R/O	0	Status code. When output TDC is not enabled, this shows 'Disabled'. When OUTPUT_TDC_CTRL_4.GO is set and the configuration is valid, this transitions to 'In progress'. When the operation completes successfully, status transitions back to 'Idle' and OUTPUT_TDC_CTRL_4.GO will be cleared. When OUTPUT_TDC_CTRL_4.GO is set and there is an invalid configuration, then OUTPUT_TDC_CTRL_4.GO will be cleared and this will indicate the error condition encountered. 0 = disabled 1 = idle 2 = in progress 3 = error - invalid source/target 4 = error - non-uniform master divider freq 5 = error - start failed 6 = error - measurement timeout

STATUS.OUTPUT\_TDC0\_MEASUREMENT

Indicates output TDC 0 measurement.

Table 97: STATUS.OUTPUT\_TDC0\_MEASUREMENT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.OUTPUT_TDC0_MEASUREMENT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0B4h	PHASE[7:0]							
0B5h	PHASE[15:8]							
0B6h	PHASE[23:16]							
0B7h	PHASE[31:24]							
0B8h	PHASE[39:32]							
0B9h	PHASE[47:40]							

STATUS.OUTPUT_TDC0_MEASUREMENT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PHASE[47:0]	R/O	0	Output TDC measurement. Signed 48-bit integer in picoseconds. Measurement = sum of samples / number of samples A sample is collected every 100us. Positive value indicates the target edge leads the source edge. i.e.. source edge is to the left of the target edge

STATUS.OUTPUT\_TDC1\_MEASUREMENT

Indicates output TDC 1 measurement.

Table 98: STATUS.OUTPUT\_TDC1\_MEASUREMENT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.OUTPUT_TDC1_MEASUREMENT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0C4h	PHASE[7:0]							
0C5h	PHASE[15:8]							
0C6h	PHASE[23:16]							
0C7h	PHASE[31:24]							
0C8h	PHASE[39:32]							
0C9h	PHASE[47:40]							

STATUS.OUTPUT_TDC1_MEASUREMENT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PHASE[47:0]	R/O	0	Output TDC measurement. Signed 48-bit integer in picoseconds. Measurement = sum of samples / number of samples A sample is collected every 100us. Positive value indicates the target edge leads the source edge. i.e.. source edge is to the left of the target edge

STATUS.OUTPUT\_TDC2\_MEASUREMENT

Indicates output TDC 2 measurement.

Table 99: STATUS.OUTPUT\_TDC2\_MEASUREMENT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.OUTPUT_TDC2_MEASUREMENT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0CCh	PHASE[7:0]							
0CDh	PHASE[15:8]							
0CEh	PHASE[23:16]							
0CFh	PHASE[31:24]							
0D0h	PHASE[39:32]							
0D1h	PHASE[47:40]							

STATUS.OUTPUT_TDC2_MEASUREMENT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PHASE[47:0]	R/O	0	Output TDC measurement. Signed 48-bit integer in picoseconds. Measurement = sum of samples / number of samples A sample is collected every 100us. Positive value indicates the target edge leads the source edge. i.e.. source edge is to the left of the target edge

STATUS.OUTPUT\_TDC3\_MEASUREMENT

Indicates output TDC 3 measurement.

Table 100: STATUS.OUTPUT\_TDC3\_MEASUREMENT Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.OUTPUT_TDC3_MEASUREMENT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0D4h	PHASE[7:0]							
0D5h	PHASE[15:8]							
0D6h	PHASE[23:16]							
0D7h	PHASE[31:24]							
0D8h	PHASE[39:32]							
0D9h	PHASE[47:40]							

STATUS.OUTPUT_TDC3_MEASUREMENT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PHASE[47:0]	R/O	0	Output TDC measurement. Signed 48-bit integer in picoseconds. Measurement = sum of samples / number of samples A sample is collected every 100us. Positive value indicates the target edge leads the source edge. i.e.. source edge is to the left of the target edge

STATUS.DPLL0\_PHASE\_STATUS

Phase offset at output of decimator.

Table 101: STATUS.DPLL0\_PHASE\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL0_PHASE_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0DCh	DPLL0_PHASE_STATUS[7:0]							
0DDh	DPLL0_PHASE_STATUS[15:8]							
0DEh	DPLL0_PHASE_STATUS[23:16]							
0DFh	DPLL0_PHASE_STATUS[31:24]							
0E0h	RESERVED[39:36]				DPLL0_PHASE_STATUS[35:32]			

STATUS.DPLL0_PHASE_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL0_PHASE_STATUS[35:0]	R/O	0	Signed 36-bit phase offset in ITDC_Uls.

STATUS.DPLL1\_PHASE\_STATUS

Phase offset at output of decimator.

Table 102: STATUS.DPLL1\_PHASE\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL1_PHASE_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0E4h	DPLL1_PHASE_STATUS[7:0]							
0E5h	DPLL1_PHASE_STATUS[15:8]							
0E6h	DPLL1_PHASE_STATUS[23:16]							
0E7h	DPLL1_PHASE_STATUS[31:24]							
0E8h	RESERVED[39:36]				DPLL1_PHASE_STATUS[35:32]			

STATUS.DPLL1_PHASE_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL1_PHASE_STATUS[35:0]	R/O	0	Signed 36-bit phase offset in ITDC_Uls.

STATUS.DPLL2\_PHASE\_STATUS

Phase offset at output of decimator.

Table 103: STATUS.DPLL2\_PHASE\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL2_PHASE_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0ECh	DPLL2_PHASE_STATUS[7:0]							
0EDh	DPLL2_PHASE_STATUS[15:8]							
0EEh	DPLL2_PHASE_STATUS[23:16]							
0EFh	DPLL2_PHASE_STATUS[31:24]							
0F0h	RESERVED[39:36]				DPLL2_PHASE_STATUS[35:32]			

STATUS.DPLL2_PHASE_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL2_PHASE_STATUS[35:0]	R/O	0	Signed 36-bit phase offset in ITDC_Uls.

STATUS.DPLL3\_PHASE\_STATUS

Phase offset at output of decimator.

Table 104: STATUS.DPLL3\_PHASE\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL3_PHASE_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0F4h	DPLL3_PHASE_STATUS[7:0]							
0F5h	DPLL3_PHASE_STATUS[15:8]							
0F6h	DPLL3_PHASE_STATUS[23:16]							
0F7h	DPLL3_PHASE_STATUS[31:24]							
0F8h	RESERVED[39:36]				DPLL3_PHASE_STATUS[35:32]			

STATUS.DPLL3_PHASE_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL3_PHASE_STATUS[35:0]	R/O	0	Signed 36-bit phase offset in ITDC_Uls.

STATUS.DPLL4\_PHASE\_STATUS

Phase offset at output of decimator.

Table 105: STATUS.DPLL4\_PHASE\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL4_PHASE_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
0FCh	DPLL4_PHASE_STATUS[7:0]							
0FDh	DPLL4_PHASE_STATUS[15:8]							
0FEh	DPLL4_PHASE_STATUS[23:16]							
0FFh	DPLL4_PHASE_STATUS[31:24]							
100h	RESERVED[39:36]				DPLL4_PHASE_STATUS[35:32]			

STATUS.DPLL4_PHASE_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL4_PHASE_STATUS[35:0]	R/O	0	Signed 36-bit phase offset in ITDC_Uls.

STATUS.DPLL5\_PHASE\_STATUS

Phase offset at output of decimator.

Table 106: STATUS.DPLL5\_PHASE\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL5_PHASE_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
104h	DPLL5_PHASE_STATUS[7:0]							
105h	DPLL5_PHASE_STATUS[15:8]							
106h	DPLL5_PHASE_STATUS[23:16]							
107h	DPLL5_PHASE_STATUS[31:24]							
108h	RESERVED[39:36]				DPLL5_PHASE_STATUS[35:32]			

STATUS.DPLL5_PHASE_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL5_PHASE_STATUS[35:0]	R/O	0	Signed 36-bit phase offset in ITDC_Uls.

STATUS.DPLL6\_PHASE\_STATUS

Phase offset at output of decimator.

Table 107: STATUS.DPLL6\_PHASE\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL6_PHASE_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
10Ch	DPLL6_PHASE_STATUS[7:0]							
10Dh	DPLL6_PHASE_STATUS[15:8]							
10Eh	DPLL6_PHASE_STATUS[23:16]							
10Fh	DPLL6_PHASE_STATUS[31:24]							
110h	RESERVED[39:36]				DPLL6_PHASE_STATUS[35:32]			

STATUS.DPLL6_PHASE_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL6_PHASE_STATUS[35:0]	R/O	0	Signed 36-bit phase offset in ITDC_Uls.

STATUS.DPLL7\_PHASE\_STATUS

Phase offset at output of decimator.

Table 108: STATUS.DPLL7\_PHASE\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL7_PHASE_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
114h	DPLL7_PHASE_STATUS[7:0]							
115h	DPLL7_PHASE_STATUS[15:8]							
116h	DPLL7_PHASE_STATUS[23:16]							
117h	DPLL7_PHASE_STATUS[31:24]							
118h	RESERVED[39:36]				DPLL7_PHASE_STATUS[35:32]			

STATUS.DPLL7_PHASE_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL7_PHASE_STATUS[35:0]	R/O	0	Signed 36-bit phase offset in ITDC_UIs.

STATUS.DPLLO\_PHASE\_PULL\_IN\_STATUS

DPLLO phase pull-in status

Table 109: STATUS.DPLLO\_PHASE\_PULL\_IN\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLLO_PHASE_PULL_IN_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
11Ch	REMAINING_TIME[7:0]							

STATUS.DPLLO_PHASE_PULL_IN_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
REMAINING_TIME[7:0]	R/O	0	Unsigned 8-bit phase pull-in time to finish in seconds. If the value of this field < 255, the actual remaining time is between (remaining_time) and (remaining_time + 1) seconds. If the value = 255, it implies the actual remaining time >= 255 seconds.

STATUS.DPLL1\_PHASE\_PULL\_IN\_STATUS

DPLL1 phase pull-in status

Table 110: STATUS.DPLL1\_PHASE\_PULL\_IN\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL1_PHASE_PULL_IN_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
11Dh	REMAINING_TIME[7:0]							

STATUS.DPLL1_PHASE_PULL_IN_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
REMAINING_TIME[7:0]	R/O	0	Unsigned 8-bit phase pull-in time to finish in seconds. If the value of this field < 255, the actual remaining time is between (remaining_time) and (remaining_time + 1) seconds. If the value = 255, it implies the actual remaining time >= 255 seconds.

STATUS.DPLL2\_PHASE\_PULL\_IN\_STATUS

DPLL2 phase pull-in status

Table 111: STATUS.DPLL2\_PHASE\_PULL\_IN\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL2_PHASE_PULL_IN_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
11Eh	REMAINING_TIME[7:0]							

STATUS.DPLL2_PHASE_PULL_IN_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
REMAINING_TIME[7:0]	R/O	0	Unsigned 8-bit phase pull-in time to finish in seconds. If the value of this field < 255, the actual remaining time is between (remaining_time) and (remaining_time + 1) seconds. If the value = 255, it implies the actual remaining time >= 255 seconds.

STATUS.DPLL3\_PHASE\_PULL\_IN\_STATUS

DPLL3 phase pull-in status

Table 112: STATUS.DPLL3\_PHASE\_PULL\_IN\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL3_PHASE_PULL_IN_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
11Fh	REMAINING_TIME[7:0]							

STATUS.DPLL3_PHASE_PULL_IN_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
REMAINING_TIME[7:0]	R/O	0	Unsigned 8-bit phase pull-in time to finish in seconds. If the value of this field < 255, the actual remaining time is between (remaining_time) and (remaining_time + 1) seconds. If the value = 255, it implies the actual remaining time >= 255 seconds.

STATUS.DPLL4\_PHASE\_PULL\_IN\_STATUS

DPLL4 phase pull-in status

Table 113: STATUS.DPLL4\_PHASE\_PULL\_IN\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL4_PHASE_PULL_IN_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
120h	REMAINING_TIME[7:0]							

STATUS.DPLL4_PHASE_PULL_IN_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
REMAINING_TIME[7:0]	R/O	0	Unsigned 8-bit phase pull-in time to finish in seconds. If the value of this field < 255, the actual remaining time is between (remaining_time) and (remaining_time + 1) seconds. If the value = 255, it implies the actual remaining time >= 255 seconds.

STATUS.DPLL5\_PHASE\_PULL\_IN\_STATUS

DPLL5 phase pull-in status

Table 114: STATUS.DPLL5\_PHASE\_PULL\_IN\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL5_PHASE_PULL_IN_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
121h	REMAINING_TIME[7:0]							

STATUS.DPLL5_PHASE_PULL_IN_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
REMAINING_TIME[7:0]	R/O	0	Unsigned 8-bit phase pull-in time to finish in seconds. If the value of this field < 255, the actual remaining time is between (remaining_time) and (remaining_time + 1) seconds. If the value = 255, it implies the actual remaining time >= 255 seconds.

STATUS.DPLL6\_PHASE\_PULL\_IN\_STATUS

DPLL6 phase pull-in status

Table 115: STATUS.DPLL6\_PHASE\_PULL\_IN\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL6_PHASE_PULL_IN_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
122h	REMAINING_TIME[7:0]							

STATUS.DPLL6_PHASE_PULL_IN_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
REMAINING_TIME[7:0]	R/O	0	Unsigned 8-bit phase pull-in time to finish in seconds. If the value of this field < 255, the actual remaining time is between (remaining_time) and (remaining_time + 1) seconds. If the value = 255, it implies the actual remaining time >= 255 seconds.

STATUS.DPLL7\_PHASE\_PULL\_IN\_STATUS

DPLL7 phase pull-in status

Table 116: STATUS.DPLL7\_PHASE\_PULL\_IN\_STATUS Bit Field Locations and Descriptions

Offset Address (Hex)	STATUS.DPLL7_PHASE_PULL_IN_STATUS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
123h	REMAINING_TIME[7:0]							

STATUS.DPLL7_PHASE_PULL_IN_STATUS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
REMAINING_TIME[7:0]	R/O	0	Unsigned 8-bit phase pull-in time to finish in seconds. If the value of this field < 255, the actual remaining time is between (remaining_time) and (remaining_time + 1) seconds. If the value = 255, it implies the actual remaining time >= 255 seconds.

Module: GPIO\_USER\_CONTROL

Configures the controls of the GPIO .

Table 117: GPIO\_USER\_CONTROL Register Index

Offset (Hex)	Register Module Base Address: C160h	
	Individual Register Name	Register Description
000h	RESERVED	This register must not be modified from the read value
001h	RESERVED	This register must not be modified from the read value
002h	<a href="#">GPIO_USER_CONTROL.GPIO0_TO_7_OUT</a>	GPIO output control.
003h	<a href="#">GPIO_USER_CONTROL.GPIO8_TO_15_OUT</a>	GPIO output control.

GPIO\_USER\_CONTROL.GPIO0\_TO\_7\_OUT

Write these bits to define the level on a GPIO output pin when configured for user output control.

Table 118: GPIO\_USER\_CONTROL.GPIO0\_TO\_7\_OUT Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_USER_CONTROL.GPIO0_TO_7_OUT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	GPIO7_DRIV E_LEVEL[7]	GPIO6_DRIV E_LEVEL[6]	GPIO5_DRIV E_LEVEL[5]	GPIO4_DRIV E_LEVEL[4]	GPIO3_DRIV E_LEVEL[3]	GPIO2_DRIV E_LEVEL[2]	GPIO1_DRIV E_LEVEL[1]	GPIO0_DRIV E_LEVEL[0]

GPIO_USER_CONTROL.GPIO0_TO_7_OUT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GPIO7_DRIVE_LEVEL[7]	R/W	0	GPIO pin 7 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO6_DRIVE_LEVEL[6]	R/W	0	GPIO pin 6 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO5_DRIVE_LEVEL[5]	R/W	0	GPIO pin 5 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO4_DRIVE_LEVEL[4]	R/W	0	GPIO pin 4 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO3_DRIVE_LEVEL[3]	R/W	0	GPIO pin 3 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO2_DRIVE_LEVEL[2]	R/W	0	GPIO pin 2 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO1_DRIVE_LEVEL[1]	R/W	0	GPIO pin 1 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO0_DRIVE_LEVEL[0]	R/W	0	GPIO pin 0 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high

GPIO\_USER\_CONTROL.GPIO8\_TO\_15\_OUT

Write these bits to define the level on a GPIO output pin when configured for user output control.

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the GPIO\_USER\_CONTROL module.

Table 119: GPIO\_USER\_CONTROL.GPIO8\_TO\_15\_OUT Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_USER_CONTROL.GPIO8_TO_15_OUT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	GPIO15_DRIVE_LEVEL[7]	GPIO14_DRIVE_LEVEL[6]	GPIO13_DRIVE_LEVEL[5]	GPIO12_DRIVE_LEVEL[4]	GPIO11_DRIVE_LEVEL[3]	GPIO10_DRIVE_LEVEL[2]	GPIO9_DRIVE_LEVEL[1]	GPIO8_DRIVE_LEVEL[0]

GPIO_USER_CONTROL.GPIO8_TO_15_OUT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GPIO15_DRIVE_LEVEL[7]	R/W	0	GPIO pin 15 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO14_DRIVE_LEVEL[6]	R/W	0	GPIO pin 14 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO13_DRIVE_LEVEL[5]	R/W	0	GPIO pin 13 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO12_DRIVE_LEVEL[4]	R/W	0	GPIO pin 12 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO11_DRIVE_LEVEL[3]	R/W	0	GPIO pin 11 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO10_DRIVE_LEVEL[2]	R/W	0	GPIO pin 10 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO9_DRIVE_LEVEL[1]	R/W	0	GPIO pin 9 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high
GPIO8_DRIVE_LEVEL[0]	R/W	0	GPIO pin 8 drive level. Valid only if GPIO_FUNCTION is disabled and 'gpio_control_dir' is output. 0 = drive low 1 = drive high

Module: STICKY\_STATUS\_CLEAR

TRIGGER: Every register in this module is a trigger register. In the case of a multibyte register the highest address register byte is the trigger byte.

Table 120: STICKY\_STATUS\_CLEAR Register Index

Offset (Hex)	Register Module Base Address: C164h	
	Individual Register Name	Register Description
000h	STICKY_STATUS_CLEAR.IN0_TO_7_MON_STICKY_STATUS_CLEAR	Clear sticky reference monitor status.
001h	STICKY_STATUS_CLEAR.IN8_TO_15_MON_STICKY_STATUS_CLEAR	Clear sticky reference monitor status.
002h	STICKY_STATUS_CLEAR.DPLL_STICKY_STATUS_CLEAR	Clear sticky DPLL status.
003h	STICKY_STATUS_CLEAR.DPLL_SYS_STICKY_STATUS_CLEAR	Clear sticky system DPLL status.
004h	STICKY_STATUS_CLEAR.SYS_APLL_STICKY_STATUS_CLEAR	Clear sticky system APLL status.
005h	STICKY_STATUS_CLEAR.ALL_STICKY_STATUS_CLEAR	Clear all sticky status bits.

STICKY\_STATUS\_CLEAR.IN0\_TO\_7\_MON\_STICKY\_STATUS\_CLEAR

Clear sticky reference monitor bits for a particular input.

Table 121: STICKY\_STATUS\_CLEAR.IN0\_TO\_7\_MON\_STICKY\_STATUS\_CLEAR Bit Field Locations and Descriptions

Offset Address (Hex)	STICKY_STATUS_CLEAR.IN0_TO_7_MON_STICKY_STATUS_CLEAR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	IN7_MON_STICKY_CLEAR[7]	IN6_MON_STICKY_CLEAR[6]	IN5_MON_STICKY_CLEAR[5]	IN4_MON_STICKY_CLEAR[4]	IN3_MON_STICKY_CLEAR[3]	IN2_MON_STICKY_CLEAR[2]	IN1_MON_STICKY_CLEAR[1]	IN0_MON_STICKY_CLEAR[0]

STICKY_STATUS_CLEAR.IN0_TO_7_MON_STICKY_STATUS_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN7_MON_STICKY_CLEAR[7]	RW1C	0	Write 1 to clear the sticky bits of input 7.
IN6_MON_STICKY_CLEAR[6]	RW1C	0	Write 1 to clear the sticky bits of input 6.
IN5_MON_STICKY_CLEAR[5]	RW1C	0	Write 1 to clear the sticky bits of input 5.

STICKY_STATUS_CLEAR.IN0_TO_7_MON_STICKY_STATUS_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN4_MON_STICKY_CLEAR[4]	RW1C	0	Write 1 to clear the sticky bits of input 4.
IN3_MON_STICKY_CLEAR[3]	RW1C	0	Write 1 to clear the sticky bits of input 3.
IN2_MON_STICKY_CLEAR[2]	RW1C	0	Write 1 to clear the sticky bits of input 2.
IN1_MON_STICKY_CLEAR[1]	RW1C	0	Write 1 to clear the sticky bits of input 1.
IN0_MON_STICKY_CLEAR[0]	RW1C	0	Write 1 to clear the sticky bits of input 0.

STICKY\_STATUS\_CLEAR.IN8\_TO\_15\_MON\_STICKY\_STATUS\_CLEAR

Clear sticky reference monitor bits for a particular input.

Table 122: STICKY\_STATUS\_CLEAR.IN8\_TO\_15\_MON\_STICKY\_STATUS\_CLEAR Bit Field Locations and Descriptions

Offset Address (Hex)	STICKY_STATUS_CLEAR.IN8_TO_15_MON_STICKY_STATUS_CLEAR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	IN15_MON_STICKY_CLEAR[7]	IN14_MON_STICKY_CLEAR[6]	IN13_MON_STICKY_CLEAR[5]	IN12_MON_STICKY_CLEAR[4]	IN11_MON_STICKY_CLEAR[3]	IN10_MON_STICKY_CLEAR[2]	IN9_MON_STICKY_CLEAR[1]	IN8_MON_STICKY_CLEAR[0]

STICKY_STATUS_CLEAR.IN8_TO_15_MON_STICKY_STATUS_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN15_MON_STICKY_CLEAR[7]	RW1C	0	Write 1 to clear the sticky bits of input 15.
IN14_MON_STICKY_CLEAR[6]	RW1C	0	Write 1 to clear the sticky bits of input 14.
IN13_MON_STICKY_CLEAR[5]	RW1C	0	Write 1 to clear the sticky bits of input 13.
IN12_MON_STICKY_CLEAR[4]	RW1C	0	Write 1 to clear the sticky bits of input 12.
IN11_MON_STICKY_CLEAR[3]	RW1C	0	Write 1 to clear the sticky bits of input 11.
IN10_MON_STICKY_CLEAR[2]	RW1C	0	Write 1 to clear the sticky bits of input 10.

STICKY_STATUS_CLEAR.IN8_TO_15_MON_STICKY_STATUS_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN9_MON_STICKY_CLEAR[1]	RW1C	0	Write 1 to clear the sticky bits of input 9.
IN8_MON_STICKY_CLEAR[0]	RW1C	0	Write 1 to clear the sticky bits of input 8.

STICKY\_STATUS\_CLEAR.DPLL\_STICKY\_STATUS\_CLEAR

Clear sticky state change bits for a particular DPLL.

Table 123: STICKY\_STATUS\_CLEAR.DPLL\_STICKY\_STATUS\_CLEAR Bit Field Locations and Descriptions

Offset Address (Hex)	STICKY_STATUS_CLEAR.DPLL_STICKY_STATUS_CLEAR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	DPLL7_STICKY_CLEAR[7]	DPLL6_STICKY_CLEAR[6]	DPLL5_STICKY_CLEAR[5]	DPLL4_STICKY_CLEAR[4]	DPLL3_STICKY_CLEAR[3]	DPLL2_STICKY_CLEAR[2]	DPLL1_STICKY_CLEAR[1]	DPLL0_STICKY_CLEAR[0]

STICKY_STATUS_CLEAR.DPLL_STICKY_STATUS_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL7_STICKY_CLEAR[7]	RW1C	0	Write 1 to clear the sticky bits of DPLL 7.
DPLL6_STICKY_CLEAR[6]	RW1C	0	Write 1 to clear the sticky bits of DPLL 6.
DPLL5_STICKY_CLEAR[5]	RW1C	0	Write 1 to clear the sticky bits of DPLL 5.
DPLL4_STICKY_CLEAR[4]	RW1C	0	Write 1 to clear the sticky bits of DPLL 4.
DPLL3_STICKY_CLEAR[3]	RW1C	0	Write 1 to clear the sticky bits of DPLL 3.
DPLL2_STICKY_CLEAR[2]	RW1C	0	Write 1 to clear the sticky bits of DPLL 2.
DPLL1_STICKY_CLEAR[1]	RW1C	0	Write 1 to clear the sticky bits of DPLL 1.
DPLL0_STICKY_CLEAR[0]	RW1C	0	Write 1 to clear the sticky bits of DPLL 0.

STICKY\_STATUS\_CLEAR.DPLL\_SYS\_STICKY\_STATUS\_CLEAR

Clear sticky state change bits for system DPLL.

Table 124: STICKY\_STATUS\_CLEAR.DPLL\_SYS\_STICKY\_STATUS\_CLEAR Bit Field Locations and Descriptions

Offset Address (Hex)	STICKY_STATUS_CLEAR.DPLL_SYS_STICKY_STATUS_CLEAR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	RESERVED[7:1]							DPLL_SYS_STICKY_CLEAR[0]

STICKY_STATUS_CLEAR.DPLL_SYS_STICKY_STATUS_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_SYS_STICKY_CLEAR[0]	RW1C	0	Write 1 to clear the sticky bits of system DPLL.

STICKY\_STATUS\_CLEAR.SYS\_APLL\_STICKY\_STATUS\_CLEAR

Clear sticky loss-of-lock bit for system APLL.

-

Table 125: STICKY\_STATUS\_CLEAR.SYS\_APLL\_STICKY\_STATUS\_CLEAR Bit Field Locations and Descriptions

Offset Address (Hex)	STICKY_STATUS_CLEAR.SYS_APLL_STICKY_STATUS_CLEAR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	RESERVED[7:1]							SYS_APLL_STICKY_CLEAR[0]

STICKY_STATUS_CLEAR.SYS_APLL_STICKY_STATUS_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
SYS_APLL_STICKY_CLEAR[0]	RW1C	0	Write 1 to clear the sticky bit of system APLL.

STICKY\_STATUS\_CLEAR.ALL\_STICKY\_STATUS\_CLEAR

Clear all sticky status bits in the STATUS module.

Table 126: STICKY\_STATUS\_CLEAR.ALL\_STICKY\_STATUS\_CLEAR Bit Field Locations and Descriptions

Offset Address (Hex)	STICKY_STATUS_CLEAR.ALL_STICKY_STATUS_CLEAR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	RESERVED[7:1]							ALL_STICKY_CLEAR[0]

STICKY_STATUS_CLEAR.ALL_STICKY_STATUS_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
ALL_STICKY_CLEAR[0]	RW1C	0	Write 1 to clear all sticky bits.

Module: GPIO\_TOD\_NOTIFICATION\_CLEAR

TRIGGER: Writing to any byte of this module triggers a read and activation in hardware of all the bytes of the SYS\_TOD\_NOTIFICATION\_CLEAR module.

Table 127: GPIO\_TOD\_NOTIFICATION\_CLEAR Register Index

Offset (Hex)	Register Module Base Address: C16Ch	
	Individual Register Name	Register Description
000h	<a href="#">GPIO_TOD_NOTIFICATION_CLEAR.GPIO0_TO_7_CLEAR</a>	Clear GPIO output time of day read notification.
001h	<a href="#">GPIO_TOD_NOTIFICATION_CLEAR.GPIO8_TO_15_CLEAR</a>	Clear GPIO output time of day read notification.

GPIO\_TOD\_NOTIFICATION\_CLEAR.GPIO0\_TO\_7\_CLEAR

Clear GPIO output time of day read notification.

Table 128: GPIO\_TOD\_NOTIFICATION\_CLEAR.GPIO0\_TO\_7\_CLEAR Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_TOD_NOTIFICATION_CLEAR.GPIO0_TO_7_CLEAR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	GPIO7_CLEAR[7]	GPIO6_CLEAR[6]	GPIO5_CLEAR[5]	GPIO4_CLEAR[4]	GPIO3_CLEAR[3]	GPIO2_CLEAR[2]	GPIO1_CLEAR[1]	GPIO0_CLEAR[0]

GPIO_TOD_NOTIFICATION_CLEAR.GPIO0_TO_7_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GPIO7_CLEAR[7]	RW1C	0	Write 1 to clear GPIO7 assertion.
GPIO6_CLEAR[6]	RW1C	0	Write 1 to clear GPIO6 assertion.

GPIO_TOD_NOTIFICATION_CLEAR.GPIO0_TO_7_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GPIO5_CLEAR[5]	RW1C	0	Write 1 to clear GPIO5 assertion.
GPIO4_CLEAR[4]	RW1C	0	Write 1 to clear GPIO4 assertion.
GPIO3_CLEAR[3]	RW1C	0	Write 1 to clear GPIO3 assertion.
GPIO2_CLEAR[2]	RW1C	0	Write 1 to clear GPIO2 assertion.
GPIO1_CLEAR[1]	RW1C	0	Write 1 to clear GPIO1 assertion.
GPIO0_CLEAR[0]	RW1C	0	Write 1 to clear GPIO0 assertion.

GPIO\_TOD\_NOTIFICATION\_CLEAR.GPIO8\_TO\_15\_CLEAR

Clear GPIO output time of day read notification.

Table 129: GPIO\_TOD\_NOTIFICATION\_CLEAR.GPIO8\_TO\_15\_CLEAR Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_TOD_NOTIFICATION_CLEAR.GPIO8_TO_15_CLEAR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	GPIO15_CLEAR[7]	GPIO14_CLEAR[6]	GPIO13_CLEAR[5]	GPIO12_CLEAR[4]	GPIO11_CLEAR[3]	GPIO10_CLEAR[2]	GPIO9_CLEAR[1]	GPIO8_CLEAR[0]

GPIO_TOD_NOTIFICATION_CLEAR.GPIO8_TO_15_CLEAR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GPIO15_CLEAR[7]	RW1C	0	Write 1 to clear GPIO15 assertion.
GPIO14_CLEAR[6]	RW1C	0	Write 1 to clear GPIO14 assertion.
GPIO13_CLEAR[5]	RW1C	0	Write 1 to clear GPIO13 assertion.
GPIO12_CLEAR[4]	RW1C	0	Write 1 to clear GPIO12 assertion.
GPIO11_CLEAR[3]	RW1C	0	Write 1 to clear GPIO11 assertion.
GPIO10_CLEAR[2]	RW1C	0	Write 1 to clear GPIO10 assertion.
GPIO9_CLEAR[1]	RW1C	0	Write 1 to clear GPIO9 assertion.
GPIO8_CLEAR[0]	RW1C	0	Write 1 to clear GPIO8 assertion.

Module: ALERT\_CFG

Global alert configuration.

Table 130: ALERT\_CFG Register Index

Offset (Hex)	Register Module Base Address: C188h	
	Individual Register Name	Register Description
000h	RESERVED	This register must not be modified from the read value
001h	<a href="#">ALERT_CFG.IN1_0_MON_ALERT_MASK</a>	GPIO alert enable masks for reference monitors 0 and 1.
002h	<a href="#">ALERT_CFG.IN3_2_MON_ALERT_MASK</a>	GPIO alert enable masks for reference monitors 2 and 3.
003h	<a href="#">ALERT_CFG.IN5_4_MON_ALERT_MASK</a>	GPIO alert enable masks for reference monitors 4 and 5.
004h	<a href="#">ALERT_CFG.IN7_6_MON_ALERT_MASK</a>	GPIO alert enable masks for reference monitors 6 and 7.
005h	<a href="#">ALERT_CFG.IN9_8_MON_ALERT_MASK</a>	GPIO alert enable masks for reference monitors 8 and 9.
006h	<a href="#">ALERT_CFG.IN11_10_MON_ALERT_MASK</a>	GPIO alert enable masks for reference monitors 10 and 11.
007h	<a href="#">ALERT_CFG.IN13_12_MON_ALERT_MASK</a>	GPIO alert enable masks for reference monitors 12 and 13.
008h	<a href="#">ALERT_CFG.IN15_14_MON_ALERT_MASK</a>	GPIO alert enable masks for reference monitors 14 and 15.
009h	<a href="#">ALERT_CFG.DPLL3_2_1_0_ALERT_MASK</a>	GPIO alert enable masks for DPLL 0,1, 2 and 3.
00Ah	<a href="#">ALERT_CFG.DPLL7_6_5_4_ALERT_MASK</a>	GPIO alert enable masks for DPLLs 4, 5, 6 and 7.
00Bh	<a href="#">ALERT_CFG.SYS_ALERT_MASK</a>	GPIO alert enable masks for system DPLL and system APPL.

ALERT\_CFG.IN1\_0\_MON\_ALERT\_MASK

GPIO alert enable masks (transient, frequency offset, no activity, loss of signal) for reference monitors 0 and 1.

Table 131: ALERT\_CFG.IN1\_0\_MON\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.IN1_0_MON_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	IN1_TRANS_DETECT_MASK[7]	IN1_FREQ_OFFSETS_LIM_MASK[6]	IN1_NO_ACTIVITY_MASK[5]	IN1_LOS_MASK[4]	IN0_TRANS_DETECT_MASK[3]	IN0_FREQ_OFFSETS_LIM_MASK[2]	IN0_NO_ACTIVITY_MASK[1]	IN0_LOS_MASK[0]

ALERT_CFG.IN1_0_MON_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN1_TRANS_DETECT_MASK[7]	R/W	0	Input 1 transient detector mask. If enabled, GPIO alert becomes active when in1_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN1_FREQ_OFFSETS_LIM_MASK[6]	R/W	0	Input 1 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in1_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled

ALERT_CFG.IN1_0_MON_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN1_NO_ACTIVITY_MASK [5]	R/W	0	Input 1 no activity enable mask. If enabled, GPIO alert becomes active when in1_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN1_LOS_MASK[4]	R/W	0	Input 1 LOS enable mask. If enabled, GPIO alert becomes active when in1_los_sticky bit is set. 0 = disabled 1 = enabled
IN0_TRANS_DETECT_MA SK[3]	R/W	0	Input 0 transient detector mask. If enabled, GPIO alert becomes active when in0_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN0_FREQ_OFFS_LIM_M ASK[2]	R/W	0	Input 0 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in0_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN0_NO_ACTIVITY_MASK [1]	R/W	0	Input 0 no activity enable mask. If enabled, GPIO alert becomes active when in0_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN0_LOS_MASK[0]	R/W	0	Input 0 LOS enable mask. If enabled, GPIO alert becomes active when in0_los_sticky bit is set. 0 = disabled 1 = enabled

ALERT\_CFG.IN3\_2\_MON\_ALERT\_MASK

GPIO alert enable masks (transient, frequency offset, no activity, loss of signal) for reference monitors 2 and 3.

Table 132: ALERT\_CFG.IN3\_2\_MON\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.IN3_2_MON_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	IN3_TRANS_DETECT_MA SK[7]	IN3_FREQ_OFFS_LIM_M MASK[6]	IN3_NO_ACTIVITY_MAS K[5]	IN3_LOS_M ASK[4]	IN2_TRANS_DETECT_MA SK[3]	IN2_FREQ_OFFS_LIM_M MASK[2]	IN2_NO_ACTIVITY_MAS K[1]	IN2_LOS_M ASK[0]

ALERT_CFG.IN3_2_MON_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN3_TRANS_DETECT_MASK[7]	R/W	0	Input 3 transient detector mask. If enabled, GPIO alert becomes active when in3_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN3_FREQ_OFFSETS_LIMIT_MASK[6]	R/W	0	Input 3 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in3_freq_offsets_lim_sticky bit is set. 0 = disabled 1 = enabled
IN3_NO_ACTIVITY_MASK[5]	R/W	0	Input 3 no activity enable mask. If enabled, GPIO alert becomes active when in3_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN3_LOS_MASK[4]	R/W	0	Input 3 LOS enable mask. If enabled, GPIO alert becomes active when in3_los_sticky bit is set. 0 = disabled 1 = enabled
IN2_TRANS_DETECT_MASK[3]	R/W	0	Input 2 transient detector mask. If enabled, GPIO alert becomes active when in2_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN2_FREQ_OFFSETS_LIMIT_MASK[2]	R/W	0	Input 2 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in2_freq_offsets_lim_sticky bit is set. 0 = disabled 1 = enabled
IN2_NO_ACTIVITY_MASK[1]	R/W	0	Input 2 no activity enable mask. If enabled, GPIO alert becomes active when in2_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN2_LOS_MASK[0]	R/W	0	Input 2 LOS enable mask. If enabled, GPIO alert becomes active when in2_los_sticky bit is set. 0 = disabled 1 = enabled

ALERT\_CFG.IN5\_4\_MON\_ALERT\_MASK

GPIO alert enable masks (transient, frequency offset, no activity, loss of signal) for reference monitors 4 and 5.

Table 133: ALERT\_CFG.IN5\_4\_MON\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.IN5_4_MON_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	IN5_TRANS_DETECT_MASK[7]	IN5_FREQ_OFFSETS_LIMIT_MASK[6]	IN5_NO_ACTIVITY_MASK[5]	IN5_LOS_MASK[4]	IN4_TRANS_DETECT_MASK[3]	IN4_FREQ_OFFSETS_LIMIT_MASK[2]	IN4_NO_ACTIVITY_MASK[1]	IN4_LOS_MASK[0]

ALERT_CFG.IN5_4_MON_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN5_TRANS_DETECT_MASK[7]	R/W	0	Input 5 transient detector mask. If enabled, GPIO alert becomes active when in5_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN5_FREQ_OFFSETS_LIMIT_MASK[6]	R/W	0	Input 5 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in5_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN5_NO_ACTIVITY_MASK[5]	R/W	0	Input 5 no activity enable mask. If enabled, GPIO alert becomes active when in5_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN5_LOS_MASK[4]	R/W	0	Input 5 LOS enable mask. If enabled, GPIO alert becomes active when in5_los_sticky bit is set. 0 = disabled 1 = enabled
IN4_TRANS_DETECT_MASK[3]	R/W	0	Input 4 transient detector mask. If enabled, GPIO alert becomes active when in4_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN4_FREQ_OFFSETS_LIMIT_MASK[2]	R/W	0	Input 4 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in4_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN4_NO_ACTIVITY_MASK[1]	R/W	0	Input 4 no activity enable mask. If enabled, GPIO alert becomes active when in4_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN4_LOS_MASK[0]	R/W	0	Input 4 LOS enable mask. If enabled, GPIO alert becomes active when in4_los_sticky bit is set. 0 = disabled 1 = enabled

ALERT\_CFG.IN7\_6\_MON\_ALERT\_MASK

GPIO alert enable masks (transient, frequency offset, no activity, loss of signal) for reference monitors 7 and 6.

Table 134: ALERT\_CFG.IN7\_6\_MON\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.IN7_6_MON_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	IN7_TRANS_DETECT_MASK[7]	IN7_FREQ_OFFSETS_LIMIT_MASK[6]	IN7_NO_ACTIVITY_MASK[5]	IN7_LOS_MASK[4]	IN6_TRANS_DETECT_MASK[3]	IN6_FREQ_OFFSETS_LIMIT_MASK[2]	IN6_NO_ACTIVITY_MASK[1]	IN6_LOS_MASK[0]

ALERT_CFG.IN7_6_MON_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN7_TRANS_DETECT_MASK[7]	R/W	0	Input 7 transient detector mask. If enabled, GPIO alert becomes active when in7_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN7_FREQ_OFFSETS_LIMIT_MASK[6]	R/W	0	Input 7 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in7_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN7_NO_ACTIVITY_MASK[5]	R/W	0	Input 7 no activity enable mask. If enabled, GPIO alert becomes active when in7_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN7_LOS_MASK[4]	R/W	0	Input 7 LOS enable mask. If enabled, GPIO alert becomes active when in7_los_sticky bit is set. 0 = disabled 1 = enabled
IN6_TRANS_DETECT_MASK[3]	R/W	0	Input 6 transient detector mask. If enabled, GPIO alert becomes active when in6_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN6_FREQ_OFFSETS_LIMIT_MASK[2]	R/W	0	Input 6 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in6_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN6_NO_ACTIVITY_MASK[1]	R/W	0	Input 6 no activity enable mask. If enabled, GPIO alert becomes active when in6_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN6_LOS_MASK[0]	R/W	0	Input 6 LOS enable mask. If enabled, GPIO alert becomes active when in6_los_sticky bit is set. 0 = disabled 1 = enabled

ALERT\_CFG.IN9\_8\_MON\_ALERT\_MASK

GPIO alert enable masks (transient, frequency offset, no activity, loss of signal) for reference monitors 8 and 9.

Table 135: ALERT\_CFG.IN9\_8\_MON\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.IN9_8_MON_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	IN9_TRANS_DETECT_MASK[7]	IN9_FREQ_OFFSETS_LIMIT_MASK[6]	IN9_NO_ACTIVITY_MASK[5]	IN9_LOS_MASK[4]	IN8_TRANS_DETECT_MASK[3]	IN8_FREQ_OFFSETS_LIMIT_MASK[2]	IN8_NO_ACTIVITY_MASK[1]	IN8_LOS_MASK[0]

ALERT_CFG.IN9_8_MON_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN9_TRANS_DETECT_MASK[7]	R/W	0	Input 9 transient detector mask. If enabled, GPIO alert becomes active when in9_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN9_FREQ_OFFSETS_LIMIT_MASK[6]	R/W	0	Input 9 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in9_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN9_NO_ACTIVITY_MASK[5]	R/W	0	Input 9 no activity enable mask. If enabled, GPIO alert becomes active when in9_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN9_LOS_MASK[4]	R/W	0	Input 9 LOS enable mask. If enabled, GPIO alert becomes active when in9_los_sticky bit is set. 0 = disabled 1 = enabled
IN8_TRANS_DETECT_MASK[3]	R/W	0	Input 8 transient detector mask. If enabled, GPIO alert becomes active when in8_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN8_FREQ_OFFSETS_LIMIT_MASK[2]	R/W	0	Input 8 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in8_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN8_NO_ACTIVITY_MASK[1]	R/W	0	Input 8 no activity enable mask. If enabled, GPIO alert becomes active when in8_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN8_LOS_MASK[0]	R/W	0	Input 8 LOS enable mask. If enabled, GPIO alert becomes active when in08_los_sticky bit is set. 0 = disabled 1 = enabled

ALERT\_CFG.IN11\_10\_MON\_ALERT\_MASK

GPIO alert enable masks (transient, frequency offset, no activity, loss of signal) for reference monitors 10 and 11.

Table 136: ALERT\_CFG.IN11\_10\_MON\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.IN11_10_MON_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	IN11_TRANS_DETECT_MASK[7]	IN11_FREQ_OFFSETS_LIMIT_MASK[6]	IN11_NO_ACTIVITY_MASK[5]	IN11_LOS_MASK[4]	IN10_TRANS_DETECT_MASK[3]	IN10_FREQ_OFFSETS_LIMIT_MASK[2]	IN10_NO_ACTIVITY_MASK[1]	IN10_LOS_MASK[0]

ALERT_CFG.IN11_10_MON_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN11_TRANS_DETECT_MASK[7]	R/W	0	Input 11 transient detector mask. If enabled, GPIO alert becomes active when in11_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN11_FREQ_OFFSETS_LIMIT_MASK[6]	R/W	0	Input 11 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in11_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN11_NO_ACTIVITY_MASK[5]	R/W	0	Input 11 no activity enable mask. If enabled, GPIO alert becomes active when in11_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN11_LOS_MASK[4]	R/W	0	Input 11 LOS enable mask. If enabled, GPIO alert becomes active when in11_los_sticky bit is set. 0 = disabled 1 = enabled
IN10_TRANS_DETECT_MASK[3]	R/W	0	Input 10 transient detector mask. If enabled, GPIO alert becomes active when in10_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN10_FREQ_OFFSETS_LIMIT_MASK[2]	R/W	0	Input 10 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in10_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN10_NO_ACTIVITY_MASK[1]	R/W	0	Input 10 no activity enable mask. If enabled, GPIO alert becomes active when in10_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN10_LOS_MASK[0]	R/W	0	Input 10 LOS enable mask. If enabled, GPIO alert becomes active when in10_los_sticky bit is set. 0 = disabled 1 = enabled

ALERT\_CFG.IN13\_12\_MON\_ALERT\_MASK

GPIO alert enable masks (transient, frequency offset, no activity, loss of signal) for reference monitors 12 and 13.

Table 137: ALERT\_CFG.IN13\_12\_MON\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.IN13_12_MON_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	IN13_TRANS_DETECT_MASK[7]	IN13_FREQ_OFFSETS_LIMIT_MASK[6]	IN13_NO_ACTIVITY_MASK[5]	IN13_LOS_MASK[4]	IN12_TRANS_DETECT_MASK[3]	IN12_FREQ_OFFSETS_LIMIT_MASK[2]	IN12_NO_ACTIVITY_MASK[1]	IN12_LOS_MASK[0]

ALERT_CFG.IN13_12_MON_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN13_TRANS_DETECT_MASK[7]	R/W	0	Input 13 transient detector mask. If enabled, GPIO alert becomes active when in13_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN13_FREQ_OFFSETS_LIMIT_MASK[6]	R/W	0	Input 13 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in13_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN13_NO_ACTIVITY_MASK[5]	R/W	0	Input 13 no activity enable mask. If enabled, GPIO alert becomes active when in13_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN13_LOS_MASK[4]	R/W	0	Input 13 LOS enable mask. If enabled, GPIO alert becomes active when in13_los_sticky bit is set. 0 = disabled 1 = enabled
IN12_TRANS_DETECT_MASK[3]	R/W	0	Input 12 transient detector mask. If enabled, GPIO alert becomes active when in12_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN12_FREQ_OFFSETS_LIMIT_MASK[2]	R/W	0	Input 12 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in12_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN12_NO_ACTIVITY_MASK[1]	R/W	0	Input 12 no activity enable mask. If enabled, GPIO alert becomes active when in12_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN12_LOS_MASK[0]	R/W	0	Input 12 LOS enable mask. If enabled, GPIO alert becomes active when in12_los_sticky bit is set. 0 = disabled 1 = enabled

ALERT\_CFG.IN15\_14\_MON\_ALERT\_MASK

GPIO alert enable masks (transient, frequency offset, no activity, loss of signal) for reference monitors 14 and 15.

Table 138: ALERT\_CFG.IN15\_14\_MON\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.IN15_14_MON_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	IN15_TRANS_DETECT_MASK[7]	IN15_FREQ_OFFSETS_LIMIT_MASK[6]	IN15_NO_ACTIVITY_MASK[5]	IN15_LOS_MASK[4]	IN14_TRANS_DETECT_MASK[3]	IN14_FREQ_OFFSETS_LIMIT_MASK[2]	IN14_NO_ACTIVITY_MASK[1]	IN14_LOS_MASK[0]

ALERT_CFG.IN15_14_MON_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN15_TRANS_DETECT_MASK[7]	R/W	0	Input 15 transient detector mask. If enabled, GPIO alert becomes active when in15_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN15_FREQ_OFFSETS_LIMIT_MASK[6]	R/W	0	Input 15 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in15_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN15_NO_ACTIVITY_MASK[5]	R/W	0	Input 15 no activity enable mask. If enabled, GPIO alert becomes active when in15_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN15_LOS_MASK[4]	R/W	0	Input 15 LOS enable mask. If enabled, GPIO alert becomes active when in15_los_sticky bit is set. 0 = disabled 1 = enabled
IN14_TRANS_DETECT_MASK[3]	R/W	0	Input 14 transient detector mask. If enabled, GPIO alert becomes active when in14_trans_detect_sticky bit is set. 0 = disabled 1 = enabled
IN14_FREQ_OFFSETS_LIMIT_MASK[2]	R/W	0	Input 14 frequency offset limit enable mask. If enabled, GPIO alert becomes active when in14_freq_offs_lim_sticky bit is set. 0 = disabled 1 = enabled
IN14_NO_ACTIVITY_MASK[1]	R/W	0	Input 14 no activity enable mask. If enabled, GPIO alert becomes active when in14_no_activity_sticky bit is set. 0 = disabled 1 = enabled
IN14_LOS_MASK[0]	R/W	0	Input 14 LOS enable mask. If enabled, GPIO alert becomes active when in14_los_sticky bit is set. 0 = disabled 1 = enabled

ALERT\_CFG.DPLL3\_2\_1\_0\_ALERT\_MASK

GPIO alert enable masks (holdover, lock) for DPLL 0, 1, 2 and 3.

Table 139: ALERT\_CFG.DPLL3\_2\_1\_0\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.DPLL3_2_1_0_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
009h	DPLL3_HOLD_OVER_MASK[7]	DPLL3_LOCK_MASK[6]	DPLL2_HOLD_OVER_MASK[5]	DPLL2_LOCK_MASK[4]	DPLL1_HOLD_OVER_MASK[3]	DPLL1_LOCK_MASK[2]	DPLL0_HOLD_OVER_MASK[1]	DPLL0_LOCK_MASK[0]

ALERT_CFG.DPLL3_2_1_0_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL3_HOLD OVER_MAS K[7]	R/W	0	DPLL 3 holdover state transition event enable mask. If enabled, GPIO alert becomes active when dpll3_holdover_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL3_LOCK_MASK[6]	R/W	0	DPLL 3 lock state transition event enable mask. If enabled, GPIO alert becomes active when dpll3_lock_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL2_HOLD OVER_MAS K[5]	R/W	0	DPLL 2 holdover state transition event enable mask. If enabled, GPIO alert becomes active when dpll2_holdover_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL2_LOCK_MASK[4]	R/W	0	DPLL 2 lock state transition event enable mask. If enabled, GPIO alert becomes active when dpll2_lock_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL1_HOLD OVER_MAS K[3]	R/W	0	DPLL 1 holdover state transition event enable mask. If enabled, GPIO alert becomes active when dpll1_holdover_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL1_LOCK_MASK[2]	R/W	0	DPLL 1 lock state transition event enable mask. If enabled, GPIO alert becomes active when dpll1_lock_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL0_HOLD OVER_MAS K[1]	R/W	0	DPLL 0 holdover state transition event enable mask. If enabled, GPIO alert becomes active when dpll0_holdover_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL0_LOCK_MASK[0]	R/W	0	DPLL 0 lock state transition event enable mask. If enabled, GPIO alert becomes active when dpll0_lock_state_change_sticky bit is set. 0 = disabled 1 = enabled

ALERT\_CFG.DPLL7\_6\_5\_4\_ALERT\_MASK

GPIO alert masks (holdover, lock) for DPLL 4, 5, 6 and 7.

Table 140: ALERT\_CFG.DPLL7\_6\_5\_4\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.DPLL7_6_5_4_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	DPLL7_HOLD OVER_MASK[7]	DPLL7_LOCK MASK[6]	DPLL6_HOLD OVER_MASK[5]	DPLL6_LOCK MASK[4]	DPLL5_HOLD OVER_MASK[3]	DPLL5_LOCK MASK[2]	DPLL4_HOLD OVER_MASK[1]	DPLL4_LOCK MASK[0]

ALERT_CFG.DPLL7_6_5_4_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL7_HOLD OVER_MASK[7]	R/W	0	DPLL 7 holdover state transition event enable mask. If enabled, GPIO alert becomes active when dpll7_holdover_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL7_LOCK MASK[6]	R/W	0	DPLL 7 lock state transition event enable mask. If enabled, GPIO alert becomes active when dpll7_lock_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL6_HOLD OVER_MASK[5]	R/W	0	DPLL 6 holdover state transition event enable mask. If enabled, GPIO alert becomes active when dpll6_holdover_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL6_LOCK MASK[4]	R/W	0	DPLL 6 lock state transition event enable mask. If enabled, GPIO alert becomes active when dpll6_lock_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL5_HOLD OVER_MASK[3]	R/W	0	DPLL 5 holdover state transition event enable mask. If enabled, GPIO alert becomes active when dpll5_holdover_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL5_LOCK MASK[2]	R/W	0	DPLL 5 lock state transition event enable mask. If enabled, GPIO alert becomes active when dpll5_lock_state_change_sticky bit is set. 0 = disabled 1 = enabled

ALERT_CFG.DPLL7_6_5_4_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL4_HOLD OVER_MAS K[1]	R/W	0	DPLL 4 holdover state transition event enable mask. If enabled, GPIO alert becomes active when dpll4_holdover_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL4_LOCK_MASK[0]	R/W	0	DPLL 4 lock state transition event enable mask. If enabled, GPIO alert becomes active when dpll4_lock_state_change_sticky bit is set. 0 = disabled 1 = enabled

ALERT\_CFG.SYS\_ALERT\_MASK

GPIO alert enable masks (holdover, lock) for system DPLL, and loss-of-lock mask for system APLL.

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the SYS\_ALERT\_CFG module.

Table 141: ALERT\_CFG.SYS\_ALERT\_MASK Bit Field Locations and Descriptions

Offset Address (Hex)	ALERT_CFG.SYS_ALERT_MASK Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	RESERVED[7:3]					SYS_APLL_LOSS_LOCK_MASK[2]	DPLL_SYS_HOLD OVER_MASK[1]	DPLL_SYS_LOCK_MAS K[0]

ALERT_CFG.SYS_ALERT_MASK Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
SYS_APLL_LOSS_LOCK_MAS K[2]	R/W	0	System APLL loss lock event enable mask. If enabled, GPIO alert becomes active when sys_apll_loss_lock_sticky bit is set. 0 = disabled 1 = enabled
DPLL_SYS_HOLD OVER_MAS K[1]	R/W	0	System DPLL holdover transition event enable mask. If enabled, GPIO alert becomes active when dpll_sys_holdover_state_change_sticky bit is set. 0 = disabled 1 = enabled
DPLL_SYS_LOCK_MASK[0]	R/W	0	System DPLL locked transition event enable mask. If enabled, GPIO alert becomes active when dpll_sys_lock_state_change_sticky bit is set. 0 = disabled 1 = enabled

Module: SYS\_DPLL\_XO

Configure the system DPLL oscillator XO\_DPLL frequency.

Note: The order of configuring three SCSR modules, SCSR\_SYS\_DPLL\_XO, SCSR\_SYS\_APLL, SCSR\_SYS\_DPLL, are critical. The correct configuration order should be: SCSR\_SYS\_DPLL\_XO, SCSR\_SYS\_APLL, SCSR\_SYS\_DPLL, and followed by other modules. Each of these three SCSR modules should be configured completely before configuring the next module.

Table 142: SYS\_DPLL\_XO Register Index

Offset (Hex)	Register Module Base Address: C194h	
	Individual Register Name	Register Description
000h	<a href="#">SYS_DPLL_XO.XO_FREQ</a>	XO_DPLL frequency in Hz.

SYS\_DPLL\_XO.XO\_FREQ

System oscillator (XO\_DPLL) Frequency in Hz is M / N.

Table 143: SYS\_DPLL\_XO.XO\_FREQ Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_XO.XO_FREQ Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	M[7:0]							
001h	M[15:8]							
002h	M[23:16]							
003h	M[31:24]							
004h	M[39:32]							
005h	M[47:40]							
006h	N[7:0]							
007h	N[15:8]							

SYS_DPLL_XO.XO_FREQ Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
N[15:0]	R/W	0	XO_DPLL frequency N. N is unsigned 16-bit. A value of 0 for this field will be interpreted as 1.
M[47:0]	R/W	0	XO_DPLL frequency M. M is unsigned 48-bit.

Module: SYS\_APLL

Configure the system APLL.

Note: The order of configuring three SCSR modules, SCSR\_SYS\_DPLL\_XO, SCSR\_SYS\_APLL, SCSR\_SYS\_DPLL, are critical. The correct configuration order should be: SCSR\_SYS\_DPLL\_XO, SCSR\_SYS\_APLL, SCSR\_SYS\_DPLL, and followed by other modules. Each of these three SCSR modules should be configured completely before configuring the next module.

Table 144: SYS\_APLL Register Index

Offset (Hex)	Register Module Base Address: C19Ch	
	Individual Register Name	Register Description
000h	<a href="#">SYS_APLL.SYS_APLL_CP_SS_CURRENT_1</a>	System APLL charge pump current register.
001h	<a href="#">SYS_APLL.SYS_APLL_CP_SS_CURRENT_2</a>	System APLL charge pump current register.
002h	<a href="#">SYS_APLL.SYS_APLL_CFG_1</a>	System APLL configuration register 1.
003h	<a href="#">SYS_APLL.SYS_APLL_CFG_2</a>	System APLL configuration register 2.
004h	<a href="#">SYS_APLL.SYS_APLL_VREG_CTRL</a>	VREG control register.
005h	<a href="#">SYS_APLL.SYS_APLL_CP_CTRL_0</a>	System APLL charge pump control register.
006h	<a href="#">SYS_APLL.SYS_APLL_CP_CTRL_1</a>	System APLL charge pump control register.
007h	<a href="#">SYS_APLL.SYS_APLL_CP_CTRL_2</a>	System APLL charge pump control register.
008h	<a href="#">SYS_APLL.SYS_APLL_XTAL_FREQ</a>	System APLL crystal frequency in Hz.
010h	RESERVED	This register must not be modified from the read value
011h	RESERVED	This register must not be modified from the read value
012h	<a href="#">SYS_APLL.SYS_APLL_CTRL</a>	System APLL control register.

SYS\_APLL.SYS\_APLL\_CP\_SS\_CURRENT\_1

Set the charge pump source switching currents and enable for config.

Table 145: SYS\_APLL.SYS\_APLL\_CP\_SS\_CURRENT\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_APLL.SYS_APLL_CP_SS_CURRENT_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	GLOBAL_ENABLE[7]	RESERVED[6]	CP_1_SS_CURRENT[5:3]			CP_2_SS_CURRENT[2:0]		

SYS_APLL.SYS_APLL_CP_SS_CURRENT_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GLOBAL_ENABLE[7]	R/W	0	0 = disabled, 1 = enabled. Write '1' to this bit to apply the SCSR charge pump settings. No changes will be applied while this bit is disabled.
RESERVED	N/A	-	This field must not be modified from the read value

SYS_APLL.SYS_APLL_CP_SS_CURRENT_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
CP_1_SS_CURRENT[5:3]	R/W	0	0x0 = 125uA, 0x3 = 500uA, 0x7 = 1000uA. Reference current for Charge Pump #1. 125uA steps. For use in 3.3V VDDA operation. cp_1_ss_current + cp_2_ss_current + cp_3_ss_current + cp_4_ss_current = total cp current used to set APLL bandwidth.
CP_2_SS_CURRENT[2:0]	R/W	0	0x0 = 125uA, 0x3 = 500uA, 0x7 = 1000uA. Reference current for Charge Pump #2. 125uA steps. For use in 3.3V VDDA operation. cp_1_ss_current + cp_2_ss_current + cp_3_ss_current + cp_4_ss_current = total cp current used to set APLL bandwidth.

SYS\_APLL.SYS\_APLL\_CP\_SS\_CURRENT\_2

Set the charge pump source switching currents .

Table 146: SYS\_APLL.SYS\_APLL\_CP\_SS\_CURRENT\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_APLL.SYS_APLL_CP_SS_CURRENT_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	RESERVED[7:6]		CP_3_SS_CURRENT[5:3]			CP_4_SS_CURRENT[2:0]		

SYS_APLL.SYS_APLL_CP_SS_CURRENT_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
CP_3_SS_CURRENT[5:3]	R/W	0	0x0 = 125uA, 0x3 = 500uA, 0x7 = 1000uA. Reference current for Charge Pump #3. 125uA steps. For use in 3.3V VDDA operation. cp_1_ss_current + cp_2_ss_current + cp_3_ss_current + cp_4_ss_current = total cp current used to set APLL bandwidth.
CP_4_SS_CURRENT[2:0]	R/W	0	0x0 = 125uA, 0x3 = 500uA, 0x7 = 1000uA. Reference current for Charge Pump #4. 125uA steps. For use in 3.3V VDDA operation. cp_1_ss_current + cp_2_ss_current + cp_3_ss_current + cp_4_ss_current = total cp current used to set APLL bandwidth.

SYS\_APLL.SYS\_APLL\_CFG\_1

Sets APLL configuration register 1.

Table 147: SYS\_APLL.SYS\_APLL\_CFG\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_APLL.SYS_APLL_CFG_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	PFD_FORCE_VC_LOW_CS[7]	PFD_FORCE_VC_HIGH_CS[6]	CP_CS_OFFSET_ENABLE[5]	XTAL_DOUBLE_CS[4]	CP_CS_OTA_ENABLE[3]	CP_CS_ENABLE[2]	PFD_RESET_CS[1]	PFD_RESET_SS_1[0]

SYS_APLL.SYS_APLL_CFG_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PFD_FORCE_VC_LOW_CS[7]	R/W	0	Force control voltage to low. Used only as a test condition.
PFD_FORCE_VC_HIGH_CS[6]	R/W	0	Force control voltage to high. Used only as a test condition.
CP_CS_OFFSET_ENABLE[5]	R/W	0	Enable current steering offset current in 2.5V VDDA mode. Only used for trim.
XTAL_DOUBLE_CS[4]	R/W	0	Double XTAL frequency for 2.5V power supply. Set high if doubler is enabled. For both 2.5V and 3.3V VDDA operation.
CP_CS_OTA_ENABLE[3]	R/W	0	Enable operational transconductance amplifier (OTA) in CP. 1 = 2.5V VDDA operation. 0 = 3.3V VDDA operation.
CP_CS_ENABLE[2]	R/W	0	Enable current steering charge pump. Must be high for 2.5V VDDA operation, low for 3.3V VDDA operation.
PFD_RESET_CS[1]	R/W	0	Reset to 2.5V current steering PFD. Reset must be high for 3.3V VDDA operation, low for 2.5V VDDA operation.
PFD_RESET_SS_1[0]	R/W	0	Reset to 3.3V source switching PFD #1. Reset must be high for 2.5V VDDA operation, low for 3.3V VDDA operation.

SYS\_APLL.SYS\_APLL\_CFG\_2

Sets APLL configuration register 2.

Table 148: SYS\_APLL.SYS\_APLL\_CFG\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_APLL.SYS_APLL_CFG_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	RESERVED[7]	PFD_RESET_SS_2[6]	CP_CS_500U_ENABLE[5]	CP_CS_250U_ENABLE[4]	CP_CS_125U_ENABLE[3]	CP_CS_CURRENT[2:0]		

SYS_APLL.SYS_APLL_CFG_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
PFD_RESET_SS_2[6]	R/W	0	Reset to 3.3V source switching PFD #2. Reset must be high for 2.5V VDDA operation, low for 3.3V VDDA operation.
CP_CS_500U_ENABLE[5]	R/W	0	Enable current steering charge pump 500uA gain control. Enable 500uA current source for cs charge pump. For use in 2.5V VDDA operation.
CP_CS_250U_ENABLE[4]	R/W	0	Enable current steering charge pump 250uA gain control. Enable 250uA current source for cs charge pump. For use in 2.5V VDDA operation
CP_CS_125U_ENABLE[3]	R/W	0	Enable current steering charge pump 125uA gain control. Enable 125uA current source for cs charge pump. For use in 2.5V VDDA operation.
CP_CS_CURRENT[2:0]	R/W	0	Control bias current for current steering charge pump. Reference current for 2.5V VDDA operation. 125uA steps. 0 = 125uA, 7 = 1000uA.

SYS\_APLL.SYS\_APLL\_VREG\_CTRL

VREG control register.

Table 149: SYS\_APLL.SYS\_APLL\_VREG\_CTRL Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_APLL.SYS_APLL_VREG_CTRL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	RESERVED[7:1]							VREG_VCAL_0[0]

SYS_APLL.SYS_APLL_VREG_CTRL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
VREG_VCAL_0[0]	R/W	0	VREG volt calibration control register bit 0. When "1", PDCP and VCO regulators are set for 2.5V VDDA power supply application. When "0" PDCP and VCO regulators are set for 3.3V VDDA application.

SYS\_APLL.SYS\_APLL\_CP\_CTRL\_0

Sets the charge pump and 500uA enables for control 0.

Table 150: SYS\_APLL.SYS\_APLL\_CP\_CTRL\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_APLL.SYS_APLL_CP_CTRL_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	CP_4_SS_ENABLE[7]	CP_3_SS_ENABLE[6]	CP_2_SS_ENABLE[5]	CP_1_SS_ENABLE[4]	SYS_APLL_CP_4_SS_500U_ENABLE[3]	SYS_APLL_CP_3_SS_500U_ENABLE[2]	SYS_APLL_CP_2_SS_500U_ENABLE[1]	SYS_APLL_CP_1_SS_500U_ENABLE[0]

SYS_APLL.SYS_APLL_CP_CTRL_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
CP_4_SS_ENABLE[7]	R/W	0	Enable source switching charge pump #4. Must be low for 2.5V VDDA. 0 = disabled 1 = enabled.
CP_3_SS_ENABLE[6]	R/W	0	Enable source switching charge pump #3. Must be low for 2.5V VDDA. 0 = disabled 1 = enabled.
CP_2_SS_ENABLE[5]	R/W	0	Enable source switching charge pump #2. Must be low for 2.5V VDDA. 0 = disabled 1 = enabled.
CP_1_SS_ENABLE[4]	R/W	0	Enable source switching charge pump #1. Must be low for 2.5V VDDA. 0 = disabled 1 = enabled.
SYS_APLL_CP_4_SS_500U_ENABLE[3]	R/W	0	Enable source switching 500mA gain control for Charge Pump #4. For use in 3.3V VDDA operation. 0 = disabled 1 = enabled.
SYS_APLL_CP_3_SS_500U_ENABLE[2]	R/W	0	Enable source switching 500mA gain control for Charge Pump #3. For use in 3.3V VDDA operation. 0 = disabled 1 = enabled.

SYS_APLL.SYS_APLL_CP_CTRL_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SYS_APLL_CP_2_SS_500U_ENABLE[1]	R/W	0	Enable source switching 500mA gain control for Charge Pump #2. For use in 3.3V VDDA operation. 0 = disabled 1 = enabled.
SYS_APLL_CP_1_SS_500U_ENABLE[0]	R/W	0	Enable source switching 500mA gain control for Charge Pump #1. For use in 3.3V VDDA operation. 0 = disabled 1 = enabled.

SYS\_APLL.SYS\_APLL\_CP\_CTRL\_1

Sets the charge pump and 500uA enables for control 1.

Table 151: SYS\_APLL.SYS\_APLL\_CP\_CTRL\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_APLL.SYS_APLL_CP_CTRL_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	SYS_APLL_CP_4_SS_125U_ENABLE[7]	SYS_APLL_CP_3_SS_125U_ENABLE[6]	SYS_APLL_CP_2_SS_125U_ENABLE[5]	SYS_APLL_CP_1_SS_125U_ENABLE[4]	SYS_APLL_CP_4_SS_250U_ENABLE[3]	SYS_APLL_CP_3_SS_250U_ENABLE[2]	SYS_APLL_CP_2_SS_250U_ENABLE[1]	SYS_APLL_CP_1_SS_250U_ENABLE[0]

SYS_APLL.SYS_APLL_CP_CTRL_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SYS_APLL_CP_4_SS_125U_ENABLE[7]	R/W	0	Enable source switching 125mA gain control for Charge Pump #4. For use in 3.3V VDDA operation 0 = disabled 1 = enabled.
SYS_APLL_CP_3_SS_125U_ENABLE[6]	R/W	0	Enable source switching 125mA gain control for Charge Pump #3. For use in 3.3V VDDA operation 0 = disabled 1 = enabled.
SYS_APLL_CP_2_SS_125U_ENABLE[5]	R/W	0	Enable source switching 125mA gain control for Charge Pump #2. For use in 3.3V VDDA operation 0 = disabled 1 = enabled.
SYS_APLL_CP_1_SS_125U_ENABLE[4]	R/W	0	Enable source switching 125mA gain control for Charge Pump #1. For use in 3.3V VDDA operation 0 = disabled 1 = enabled.

SYS_APLL.SYS_APLL_CP_CTRL_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SYS_APLL_CP_4_SS_250_U_ENABLE[3]	R/W	0	Enable source switching 250mA gain control for Charge Pump #4. For use in 3.3V VDDA operation. 0 = disabled 1 = enabled.
SYS_APLL_CP_3_SS_250_U_ENABLE[2]	R/W	0	Enable source switching 250mA gain control for Charge Pump #3. For use in 3.3V VDDA operation. 0 = disabled 1 = enabled.
SYS_APLL_CP_2_SS_250_U_ENABLE[1]	R/W	0	Enable source switching 250mA gain control for Charge Pump #2. For use in 3.3V VDDA operation. 0 = disabled 1 = enabled.
SYS_APLL_CP_1_SS_250_U_ENABLE[0]	R/W	0	Enable source switching 250mA gain control for Charge Pump #1. For use in 3.3V VDDA operation. 0 = disabled 1 = enabled.

SYS\_APLL.SYS\_APLL\_CP\_CTRL\_2

Sets the charge pump and 500uA enables for control 2.

Table 152: SYS\_APLL.SYS\_APLL\_CP\_CTRL\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_APLL.SYS_APLL_CP_CTRL_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	SYS_APLL_CP_4_SS_0_TA_ENABLE[7]	SYS_APLL_CP_3_SS_0_TA_ENABLE[6]	SYS_APLL_CP_2_SS_0_TA_ENABLE[5]	SYS_APLL_CP_1_SS_0_TA_ENABLE[4]	SYS_APLL_CP_4_SS_0_FFSET_ENA_BLE[3]	SYS_APLL_CP_3_SS_0_FFSET_ENA_BLE[2]	SYS_APLL_CP_2_SS_0_FFSET_ENA_BLE[1]	SYS_APLL_CP_1_SS_0_FFSET_ENA_BLE[0]

SYS_APLL.SYS_APLL_CP_CTRL_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SYS_APLL_CP_4_SS_0_TA_ENABLE[7]	R/W	0	Enable source switching ota for Charge Pump #4. 0 = disabled 1 = enabled.
SYS_APLL_CP_3_SS_0_TA_ENABLE[6]	R/W	0	Enable source switching ota for Charge Pump #3. 0 = disabled 1 = enabled.
SYS_APLL_CP_2_SS_0_TA_ENABLE[5]	R/W	0	Enable source switching ota for Charge Pump #2. 0 = disabled 1 = enabled.

SYS_APLL.SYS_APLL_CP_CTRL_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SYS_APLL_CP_1_SS_OT_A_ENABLE[4]	R/W	0	Enable source switching ota for Charge Pump #1. 0 = disabled 1 = enabled.
SYS_APLL_CP_4_SS_OF_FSET_ENABLE[3]	R/W	0	Enable source switching offset current for Charge Pump #4. Used only for trim. 0 = disabled 1 = enabled.
SYS_APLL_CP_3_SS_OF_FSET_ENABLE[2]	R/W	0	Enable source switching offset current for Charge Pump #3. Used only for trim. 0 = disabled 1 = enabled.
SYS_APLL_CP_2_SS_OF_FSET_ENABLE[1]	R/W	0	Enable source switching offset current for Charge Pump #2. Used only for trim. 0 = disabled 1 = enabled.
SYS_APLL_CP_1_SS_OF_FSET_ENABLE[0]	R/W	0	Enable source switching offset current for Charge Pump #1. Used only for trim. 0 = disabled 1 = enabled.

SYS\_APLL.SYS\_APLL\_XTAL\_FREQ

Crystal (XTAL) Frequency in Hz M/N.

Table 153: SYS\_APLL.SYS\_APLL\_XTAL\_FREQ Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_APLL.SYS_APLL_XTAL_FREQ Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	M[7:0]							
009h	M[15:8]							
00Ah	M[23:16]							
00Bh	M[31:24]							
00Ch	M[39:32]							
00Dh	M[47:40]							
00Eh	N[7:0]							
00Fh	N[15:8]							

SYS_APLL.SYS_APLL_XTAL_FREQ Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
N[15:0]	R/W	0	SYS_APLL crystal frequency N. N is unsigned 16-bit. A value of 0 for this field will be interpreted as 1.
M[47:0]	R/W	0	SYS_APLL crystal frequency M. M is unsigned 48-bit.

SYS\_APLL.SYS\_APLL\_CTRL

System APLL control register.

Table 154: SYS\_APLL.SYS\_APLL\_CTRL Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_APLL.SYS_APLL_CTRL Bit Field Locations								
	D7	D6	D5	D4	D3	D2	D1	D0	
012h	APLL_FBDIV_DIVIDER[7:0]								
013h	VCCA_SEL[1:5]	DOUBLER_ENABLE[14]	APLL_FBDIV_DIVIDER[13:8]						

SYS_APLL.SYS_APLL_CTRL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
VCCA_SEL[15]	R/W	0	VCCA selection. If SYS_APLL_CP_SS_CURRENT_1.GLOBAL_ENABLE is set to "0", this field selects 2.5V or 3.3V VDDA operation with default charge pump values. If SYS_APLL_CP_SS_CURRENT_1.GLOBAL_ENABLE is set to "1", this field will be ignored and the charge pump fields can be programmed to customized values. 0 = 3.3 V 1 = 2.5 V
DOUBLER_ENABLE[14]	R/W	0	Enable the crystal input frequency doubler. Enable = 1. Doubles the Input frequency of the SYS_APLL. 0 = disabled 1 = enabled
APLL_FBDIV_DIVIDER[13:0]	R/W	0	Feedback divider value. Sets the divider value of the feedback divider.

Module: INPUT\_0

Input 0 configuration.

Table 155: INPUT\_0 Register Index

Offset (Hex)	Register Module Base Address: C1B0h <sup>a</sup>	
	Individual Register Name	Register Description
000h	INPUT_0.IN_FREQ	Input frequency in Hz.
008h	INPUT_0.IN_DIV	Input divider value.
00Ah	INPUT_0.IN_PHASE	Input phase offset configuration.
00Ch	INPUT_0.IN_SYNC	Frame pulse and sync pulse configuration.
00Dh	RESERVED	This register must not be modified from the read value
00Eh	INPUT_0.IN_MODE_0	Input configuration 0
00Fh	INPUT_0.IN_MODE_1	Input configuration 1

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

INPUT\_0.IN\_FREQ

Input frequency in Hz is  $M / N$ .

Table 156: INPUT\_0.IN\_FREQ Bit Field Locations and Descriptions

Offset Address (Hex)	INPUT_0.IN_FREQ Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	M[7:0]							
001h	M[15:8]							
002h	M[23:16]							
003h	M[31:24]							
004h	M[39:32]							
005h	M[47:40]							
006h	N[7:0]							
007h	N[15:8]							

INPUT_0.IN_FREQ Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
N[15:0]	R/W	0	Input frequency N. N is unsigned 16-bit. A value of 0 for this field will be interpreted as 1.
M[47:0]	R/W	0	Input frequency M. M is unsigned 48-bit. In differential mode, maximum speed is 1 GHz. In CMOS mode (single-ended), maximum speed is 325 MHz.

INPUT\_0.IN\_DIV

Input divider value.

Table 157: INPUT\_0.IN\_DIV Bit Field Locations and Descriptions

Offset Address (Hex)	INPUT_0.IN_DIV Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	IN_DIV[7:0]							
009h	IN_DIV[15:8]							

INPUT_0.IN_DIV Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN_DIV[15:0]	R/W	0	Divide IN_FREQ down to send to the DPLL. Unsigned 16-bit number. Maximum speed for the references sent to the DPLL is 150 MHz. 0 and 1 both indicate bypass.

INPUT\_0.IN\_PHASE

Input phase offset configuration.

Table 158: INPUT\_0.IN\_PHASE Bit Field Locations and Descriptions

Offset Address (Hex)	INPUT_0.IN_PHASE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	IN_PHASE[7:0]							
00Bh	IN_PHASE[15:8]							

INPUT_0.IN_PHASE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN_PHASE[15:0]	R/W	0	Phase offset value. Signed 16-bit phase offset value in ITDC_UIs.

INPUT\_0.IN\_SYNC

Specify another input to be used as the frame pulse or sync pulse for the current input.

Table 159: INPUT\_0.IN\_SYNC Bit Field Locations and Descriptions

Offset Address (Hex)	INPUT_0.IN_SYNC Bit Field Locations								
	D7	D6	D5	D4	D3	D2	D1	D0	
00Ch	FRAME_SYNC_PULSE_EN[7]	FRAME_SYNC_RESAMPLE_EDGE[6]	FRAME_SYNC_RESAMPLE_EN[5]	FRAME_SYNC_PULSE[4:0]					

INPUT_0.IN_SYNC Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FRAME_SYNC_PULSE_EN[7]	R/W	0	Enable or disable the frame pulse or sync pulse mode for this input. Mode selection is determined by frame_sync_mode in SCSR_DPLL_CTRL_2. 0 = disabled 1 = enabled
FRAME_SYNC_RESAMPLE_EDGE[6]	R/W	0	Re-sample edge selection. 0 = positive edge 1 = negative edge

INPUT_0.IN_SYNC Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FRAME_SYNC_RESAMPLE_EN[5]	R/W	0	<p>Re-sample enable.</p> <p>Enabling re-sample will have the frame/sync input signal being re-sampled by the input reference clock (refclk). It can help to re-align the frame/sync with respect to the refclk.</p> <p>Ex. If the frame/sync input is aligned to the rising edge of the refclk, it might get into the situation where it is uncertain whether the phase detector sees the frame edge before or after the refclk edge. Re-sampling the frame/sync with the falling edge of the refclk will get the frame/sync out of this situation.</p> <p>0 = disabled 1 = enabled</p>
FRAME_SYNC_PULSE[4:0]	R/W	0	<p>Select the reference input that is a frame or sync pulse to this input.</p> <p>Selects either the input clock or PPS from the PWM decoder.</p> <p>Selecting itself puts the DPLL back to normal tracking mode (i.e.. not in frame/pulse mode).</p> <p>0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = PPS from PWM Decoder 0 0x11 = PPS from PWM Decoder 1 0x12 = PPS from PWM Decoder 2 0x13 = PPS from PWM Decoder 3 0x14 = PPS from PWM Decoder 4 0x15 = PPS from PWM Decoder 5 0x16 = PPS from PWM Decoder 6 0x17 = PPS from PWM Decoder 7 0x18 = PPS from PWM Decoder 8 0x19 = PPS from PWM Decoder 9 0x1A = PPS from PWM Decoder 10 0x1B = PPS from PWM Decoder 11 0x1C = PPS from PWM Decoder 12 0x1D = PPS from PWM Decoder 13 0x1E = PPS from PWM Decoder 14 0x1F = PPS from PWM Decoder 15</p>

INPUT\_0.IN\_MODE\_0

Configure the electrical properties of this input

Table 160: INPUT\_0.IN\_MODE\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	INPUT_0.IN_MODE_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Eh	RESERVED[7]	RESERVED[6]	RESERVED[5]	RESERVED[4]	RESERVED[3]	RESERVED[2]	RESERVED[1]	IN_LVDS[0]

INPUT_0.IN_MODE_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
IN_LVDS[0]	R/W	0	Enable 300mV LVDS input mode. AC-coupled, without external resistor bias. Only applicable in single-ended mode, differential mode must be disabled (in_diff). When applied to either Input in following pairs, both Inputs will have LVDS mode enabled/disabled: input pin 0 and 8, input pin 1 and 9, input pin 2 and 10, input pin 3 and 11, input pin 4 and 12, input pin 5 and 13, input pin 6 and 14, input pin 7 and 15 0 = disable 1 = enable

INPUT\_0.IN\_MODE\_1

Configure the electrical properties of this input and select the predefined DPLL loop filter configuration.

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the INPUT module.

Table 161: INPUT\_0.IN\_MODE\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	INPUT_0.IN_MODE_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	DPLL_PRED[7]	MUX_GPIO_IN[6]	IN_DIFF[5]	IN_PNMODE[4]	IN_INVERSE[3]	RESERVED[2:1]		IN_EN[0]

INPUT_0.IN_MODE_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_PRED[7]	R/W	0	Select predefined configuration to be applied to DPLL when this input is selected, if predefined configuration is enabled in DPLL. 0 = pred0 1 = pred1
MUX_GPIO_IN[6]	R/W	0	Select GPIO pin to multiplex into input divider instead of input pin. Only applicable to INPUT_13-15. Set to 1 to apply the following mapping: GPIO0 pin -> CLK13 GPIO9 pin -> CLK14 GPIO3 pin -> CLK15 Applied only on a per input module basis (e.g. setting INPUT_13_INPUT_MODE_MUX_GPIO_IN to 1 results only in GPIO0 pin being multiplexed into input divider 13). 0 = clock Input 1 = GPIO-configured input clock
IN_DIFF[5]	R/W	0	Select differential input. Only applicable to INPUT_0-7. INPUT_8-15 are always in single-ended mode. When 0, the input pin will be single-ended: CLK[7:0] -> INPUT_[7:0] nCLK0 = CLK8 -> INPUT_8 nCLK1 = CLK9 -> INPUT_9 nCLK2 = CLK10 -> INPUT_10 nCLK3 = CLK11 -> INPUT_11 nCLK4 = CLK12 -> INPUT_12 nCLK5 = CLK13 -> INPUT_13 nCLK6 = CLK14 -> INPUT_14 nCLK7 = CLK15 -> INPUT_15 When set to 1, the two input pins will be paired up as the differential inputs. For INPUT_8-15, this single ended input may come from GPIO (see MUX_GPIO_IN[6]): CLK/nCLK[7:0] -> INPUT_[7:0] 0 = single-ended 1 = differential
IN_PNMODE[4]	R/W	0	Select PMOS or NMOS differential mode. Only applicable in differential mode. 0 = NMOS 1 = PMOS
IN_INVERSE[3]	R/W	0	Invert input. 0 = normal 1 = inverse
RESERVED	N/A	-	This field must not be modified from the read value
IN_EN[0]	R/W	0	Enable input. 0 = disabled 1 = enabled

Module: REF\_MON\_0

Reference monitor 0.

Table 162: REF\_MON\_0 Register Index

Offset (Hex)	Register Module Base Address: C2E0h <sup>a</sup>	
	Individual Register Name	Register Description
000h	REF_MON_0.IN_MON_FREQ_CFG	Reference monitor frequency configuration.
001h	REF_MON_0.IN_MON_FREQ_VLD_INTV	Frequency validation short interval.
002h	REF_MON_0.IN_MON_TRANS_THRESHOLD	Reference clock phase transient threshold.
004h	REF_MON_0.IN_MON_TRANS_PERIOD	Reference clock phase transient detection period.
006h	REF_MON_0.IN_MON_ACT_CFG	Activity limit, qualification and disqualification timers.
008h	REF_MON_0.IN_MON_LOS_TOLERANCE	Loss of signal tolerance configuration.
00Ah	REF_MON_0.IN_MON_LOS_CFG	Loss of signal configuration.
00Bh	REF_MON_0.IN_MON_CFG	Reference monitor configuration.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

REF\_MON\_0.IN\_MON\_FREQ\_CFG

Frequency validation interval and frequency offset limit.

Table 163: REF\_MON\_0.IN\_MON\_FREQ\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	REF_MON_0.IN_MON_FREQ_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	RESERVED[7]	VLD_INTERVAL[6:3]				FREQ_OFFS_LIM[2:0]		

REF_MON_0.IN_MON_FREQ_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value

REF_MON_0.IN_MON_FREQ_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
VLD_INTERVAL[6:3]	R/W	0	Frequency validation interval. Frequency validation interval in seconds. The long term reference monitor uses VLD_INTERVAL as the period to measure the frequency offset. 0 means using IN_MON_FREQ_VLD_INTV.VLD_INTERVAL_SHORT as validation measurement interval.
FREQ_OFFS_LIM[2:0]	R/W	0	Frequency offset limit enumeration. VLD_INTERVAL and FREQ_OFFS_LIM define the long term reference monitor parameters. IN_MON_CFG.MASK_FREQ enables/disables the long term reference monitor. 0 = 9.2 ppm(A), 12 ppm(R) 1 = 13.8 ppm(A), 18 ppm(R) 2 = 24.6 ppm(A), 32 ppm(R) 3 = 36.6 ppm(A), 47.5 ppm(R) 4 = 40 ppm(A), 52 ppm(R) 5 = 52 ppm(A), 67.5 ppm(R) 6 = 64 ppm(A), 83 ppm(R) 7 = 100 pm(A), 130 ppm(R)

REF\_MON\_0.IN\_MON\_FREQ\_VLD\_INTV

Frequency validation interval in units of 10 milliseconds.

Table 164: REF\_MON\_0.IN\_MON\_FREQ\_VLD\_INTV Bit Field Locations and Descriptions

Offset Address (Hex)	REF_MON_0.IN_MON_FREQ_VLD_INTV Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	VLD_INTERVAL_SHORT[7:0]							

REF_MON_0.IN_MON_FREQ_VLD_INTV Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
VLD_INTERVAL_SHORT[7:0]	R/W	0	Reference frequency validation short interval in units of 10 milliseconds. Used as freq measurement period when IN_MON_FREQ_CFG.VLD_INTERVAL = 0. 0 means 5 seconds.

REF\_MON\_0.IN\_MON\_TRANS\_THRESHOLD

Unsigned 16-bit value in nanoseconds.

Table 165: REF\_MON\_0.IN\_MON\_TRANS\_THRESHOLD Bit Field Locations and Descriptions

Offset Address (Hex)	REF_MON_0.IN_MON_TRANS_THRESHOLD Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	IN_MON_TRANS_THRESHOLD[7:0]							
003h	IN_MON_TRANS_THRESHOLD[15:8]							

REF_MON_0.IN_MON_TRANS_THRESHOLD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN_MON_TRANS_THRESHOLD[15:0]	R/W	0	Reference phase transient detection threshold in nanoseconds.

REF\_MON\_0.IN\_MON\_TRANS\_PERIOD

Unsigned 16-bit value in units of 100 microseconds.

Table 166: REF\_MON\_0.IN\_MON\_TRANS\_PERIOD Bit Field Locations and Descriptions

Offset Address (Hex)	REF_MON_0.IN_MON_TRANS_PERIOD Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	IN_MON_TRANS_PERIOD[7:0]							
005h	IN_MON_TRANS_PERIOD[15:8]							

REF_MON_0.IN_MON_TRANS_PERIOD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN_MON_TRANS_PERIOD[15:0]	R/W	0	Reference phase transient detection period in unit of 100 microseconds.

REF\_MON\_0.IN\_MON\_ACT\_CFG

Activity limit, qualification and disqualification timers.

Table 167: REF\_MON\_0.IN\_MON\_ACT\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	REF_MON_0.IN_MON_ACT_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	RESERVED[7]	QUAL_TIMER[6:5]		DSQUAL_TIMER[4:3]		ACT_LIM[2:0]		

REF_MON_0.IN_MON_ACT_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
QUAL_TIMER[6:5]	R/W	0	Reference activity qualification timer enumeration. Qualification timer value = qual_timer * dsqual_timer. 0 = 4x 1 = 2x 2 = 8x 3 = 16x
DSQUAL_TIMER[4:3]	R/W	0	Reference activity disqualification timer enumeration. 0 = 2.5 s 1 = 1.25 ms 2 = 25 ms 3 = 50 ms
ACT_LIM[2:0]	R/W	0	Activity limit +/- 1000 ppm to +/- 12 ppm. 0 = 1000 ppm 1 = 260 ppm 2 = 130 ppm 3 = 83 ppm 4 = 65 ppm 5 = 52 ppm 6 = 18 ppm 7 = 12 ppm

REF\_MON\_0.IN\_MON\_LOS\_TOLERANCE

Loss of signal tolerance configuration.

Table 168: REF\_MON\_0.IN\_MON\_LOS\_TOLERANCE Bit Field Locations and Descriptions

Offset Address (Hex)	REF_MON_0.IN_MON_LOS_TOLERANCE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	IN_MON_LOS_TOLERANCE[7:0]							
009h	IN_MON_LOS_TOLERANCE[15:8]							

REF_MON_0.IN_MON_LOS_TOLERANCE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
IN_MON_LOS_TOLERANCE[15:0]	R/W	0	LOS tolerance. Unsigned 16-bit value in milliseconds. 0 means a reference switch is triggered immediately upon reference LOS detection. Non zero value means that if the reference LOS duration is less than IN_MON_LOS_TOLERANCE, the DPLL will not trigger a reference switch.

REF\_MON\_0.IN\_MON\_LOS\_CFG

Gap and margin configuration.

Table 169: REF\_MON\_0.IN\_MON\_LOS\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	REF_MON_0.IN_MON_LOS_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	RESERVED[7:3]					LOS_GAP[2:1]		LOS_MARGIN[0]

REF_MON_0.IN_MON_LOS_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
LOS_GAP[2:1]	R/W	0	Number consecutive missing clocks to declare LOS. 0 means short term monitor will use LOS_MARGIN to detect LOS. 0 = LOS gap disabled 1 = 1 2 = 2 3 = 5
LOS_MARGIN[0]	R/W	0	Configure the LOS detection margin. Tight margin aims for 1% freq error. Loose margin aims for 25% freq error. 0 = tight margin 1 = loose margin

REF\_MON\_0.IN\_MON\_CFG

Reference monitor configuration.

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the REF\_MON module.

-

Table 170: REF\_MON\_0.IN\_MON\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	REF_MON_0.IN_MON_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	RESERVED[7:6]		DIV_OR_NO_N_DIV_CLK_SELECT[5]	TRANS_DETECTOR_EN[4]	MASK_ACTIVITY[3]	MASK_FREQ[2]	MASK_LOS[1]	EN[0]

REF_MON_0.IN_MON_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DIV_OR_NON_DIV_CLK_SELECT[5]	R/W	0	Select the divided clock or the non-divided clock as an input for the reference monitor. Only applies to reference monitors 2, 3, 10 and 11. 0 = divided clock 1 = non-divided clock
TRANS_DETECTOR_EN[4]	R/W	0	Phase transient detector enable/disable. 0 = disabled 1 = enabled
MASK_ACTIVITY[3]	R/W	0	Include or exclude activity monitor from reference qualification or disqualification. 0 = excluded 1 = included
MASK_FREQ[2]	R/W	0	Include or exclude frequency offset monitor from reference qualification or disqualification. 0 = excluded 1 = included
MASK_LOS[1]	R/W	0	Include or exclude LOS from reference qualification or disqualification. 0 = excluded 1 = included
EN[0]	R/W	0	Enable or disable reference monitor. When disabled and the corresponding input clock is enabled, this input is always qualified to be a reference. When enabled and MASK_ACTIVITY = 0, MASK_FREQ = 0, and MASK_LOS = 0, this input is always qualified to be a reference. 0 = disabled 1 = enabled

Module: DPLL\_0

Configures the DPLL.

Table 171: DPLL\_0 Register Index

Offset (Hex)	Register Module Base Address: C3B0h <sup>a</sup>	
	Individual Register Name	Register Description
000h	<a href="#">DPLL_0.DPLL_DCO_INC_DEC_SIZE</a>	Configure frequency step size for GPIO increment/decrement mode.
002h	<a href="#">DPLL_0.DPLL_CTRL_0</a>	Reference switching configuration and forced lock reference selection.
003h	<a href="#">DPLL_0.DPLL_CTRL_1</a>	Configure other hitless switch features and DPLL feedback as a reference.
004h	<a href="#">DPLL_0.DPLL_CTRL_2</a>	External feedback and frame/sync pulse configuration.
005h	<a href="#">DPLL_0.DPLL_CTRL_3</a>	Configure DPLL loop filter update rate and maximum number of fast lock retry.

Table 171: DPLL\_0 Register Index

Offset (Hex)	Register Module Base Address: C3B0h <sup>a</sup>	
	Individual Register Name	Register Description
006h	DPLL_0.DPLL_FILTER_STATUS_UPDATE_CFG	DPLL loop filter status update configuration.
007h	DPLL_0.DPLL_HO_ADVCD_HISTORY	Advanced holdover history configuration.
008h	DPLL_0.DPLL_HO_ADVCD_BW	DPLL advanced holdover bandwidth configuration.
00Ah	DPLL_0.DPLL_HO_CFG	Holdover configuration.
00Bh	DPLL_0.DPLL_LOCK_0	Phase lock threshold.
00Ch	DPLL_0.DPLL_LOCK_1	Phase lock monitor duration.
00Dh	DPLL_0.DPLL_LOCK_2	Frequency lock threshold.
00Eh	DPLL_0.DPLL_LOCK_3	Frequency lock monitor duration.
00Fh	DPLL_0.DPLL_REF_PRIORITY_0	Select input for highest (0) priority.
010h	DPLL_0.DPLL_REF_PRIORITY_1	Select input for priority 1.
011h	DPLL_0.DPLL_REF_PRIORITY_2	Select input for priority 2.
012h	DPLL_0.DPLL_REF_PRIORITY_3	Select input for priority 3.
013h	DPLL_0.DPLL_REF_PRIORITY_4	Select input for priority 4.
014h	DPLL_0.DPLL_REF_PRIORITY_5	Select input for priority 5.
015h	DPLL_0.DPLL_REF_PRIORITY_6	Select input for priority 6.
016h	DPLL_0.DPLL_REF_PRIORITY_7	Select input for priority 7.
017h	DPLL_0.DPLL_REF_PRIORITY_8	Select input for priority 8.
018h	DPLL_0.DPLL_REF_PRIORITY_9	Select input for priority 9.
019h	DPLL_0.DPLL_REF_PRIORITY_10	Select input for priority 10.
01Ah	DPLL_0.DPLL_REF_PRIORITY_11	Select input for priority 11.
01Bh	DPLL_0.DPLL_REF_PRIORITY_12	Select input for priority 12.
01Ch	DPLL_0.DPLL_REF_PRIORITY_13	Select input for priority 13.
01Dh	DPLL_0.DPLL_REF_PRIORITY_14	Select input for priority 14.
01Eh	DPLL_0.DPLL_REF_PRIORITY_15	Select input for priority 15.
01Fh	DPLL_0.DPLL_REF_PRIORITY_16	Select input for priority 16.
020h	DPLL_0.DPLL_REF_PRIORITY_17	Select input for priority 17.
021h	DPLL_0.DPLL_REF_PRIORITY_18	Select input for priority 18.
022h	DPLL_0.DPLL_TRANS_CTRL	Phase transient configuration.
023h	DPLL_0.DPLL_FASTLOCK_CFG_0	Fast lock configuration.
024h	DPLL_0.DPLL_FASTLOCK_CFG_1	Fast lock configuration.
025h	DPLL_0.DPLL_MAX_FREQ_OFFSET	DPLL maximum frequency offset limit.
026h	DPLL_0.DPLL_FASTLOCK_PSL	Fast lock phase slope limit.

Table 171: DPLL\_0 Register Index

Offset (Hex)	Register Module Base Address: C3B0h <sup>a</sup>	
	Individual Register Name	Register Description
028h	DPLL_0.DPLL_FASTLOCK_FSL	Fast lock frequency slope limit.
02Ah	DPLL_0.DPLL_FASTLOCK_BW	Fast lock loop filter bandwidth.
02Ch	DPLL_0.DPLL_WRITE_FREQ_TIMER	Write frequency timer.
02Eh	DPLL_0.DPLL_WRITE_PHASE_TIMER	Write phase timer.
030h	DPLL_0.DPLL_PRED_CFG	Predefined configuration selection.
031h	DPLL_0.DPLL_TOD_SYNC_CFG	DPLL ToD synchronization configuration.
032h	DPLL_0.DPLL_COMBO_SLAVE_CFG_0	Combo mode slave primary source configuration.
033h	DPLL_0.DPLL_COMBO_SLAVE_CFG_1	Combo mode slave secondary source configuration.
034h	DPLL_0.DPLL_SLAVE_REF_CFG	Slave mode configuration.
035h	DPLL_0.DPLL_REF_MODE	Reference selection configuration and XO DPLL monitor enable.
036h	DPLL_0.DPLL_PHASE_MEASUREMENT_CFG	Phase measurement mode configuration.
037h	DPLL_0.DPLL_FASTLOCK_FREQ_SNAP_WINDOW	Fastlock frequency snap window.
038h	DPLL_0.DPLL_FASTLOCK_OL_PHASE_PULL_IN_AND_FAST_ACQ_WINDOW	Fastlock open-loop phase pull-in snap and fast-acquisition window.
039h	DPLL_0.DPLL_FASTLOCK_PHASE_SNAP_WINDOW	Fastlock phase snap window.
03Bh	DPLL_0.DPLL_MODE	DPLL operating modes.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

DPLL\_0.DPLL\_DCO\_INC\_DEC\_SIZE

Configure frequency step size for GPIO increment/decrement mode.

Table 172: DPLL\_0.DPLL\_DCO\_INC\_DEC\_SIZE Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_DCO_INC_DEC_SIZE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	DCO_INC_DEC_SIZE[7:0]							
001h	DCO_INC_DEC_SIZE[15:8]							

DPLL_0.DPLL_DCO_INC_DEC_SIZE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DCO_INC_DEC_SIZE[15:0]	R/W	0	Size of frequency increment/decrement in 0.01 ppb. Unsigned 16-bit. 0 means no change. GPIO increment/decrement mode is by setting GPIO_n.GPIO_CTRL.GPIO_FUNCTION = 0x4 increment / 0x5 decrement. The DPLL to increment/decrement is configured in GPIO_n.GPIO_DCO_INC_DEC.DPLL_INDEX.

DPLL\_0.DPLL\_CTRL\_0

Enable revertive switching, hitless switching and global sync mode.

Table 173: DPLL\_0.DPLL\_CTRL\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_CTRL_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	FORCE_LOCK_INPUT[7:3]					GLOBAL_SYNC_EN[2]	REVERTIVE_EN[1]	HITLESS_EN[0]

DPLL_0.DPLL_CTRL_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FORCE_LOCK_INPUT[7:3] ]	R/W	0	DPLL reference input index when force lock applied. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input (NA in this mode) 0x12 = XO_DPLL 0x13 = fb clk of DPLL 0 0x14 = fb clk of DPLL 1 0x15 = fb clk of DPLL 2 0x16 = fb clk of DPLL 3 0x17 = fb clk of DPLL 4 0x18 = fb clk of DPLL 5 0x19 = fb clk of DPLL 6 0x1A = fb clk of DPLL 7 0x1B = fb clk of SYS DPLL.
GLOBAL_SYNC_EN[2]	R/W	0	Enable global sync trigger to synchronize multiple DPLLs. When this bit is set to 1, the phase of this DPLL's outputs will be aligned with the phase of other DPLLs' outputs, whose global_sync_en bit is also set to 1. When one of the DPLLs with this bit set to 1 requires phase synchronization, all DPLLs with this bit set to 1 will perform a phase synchronization procedure. 0 = disabled 1 = enabled
REVERTIVE_EN[1]	R/W	0	Enable revertive mode. 0 = disabled 1 = enabled
HITLESS_EN[0]	R/W	0	Enable hitless switch mode. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_CTRL\_1

Enable other hitless switch features and select feedback clock.

Table 174: DPLL\_0.DPLL\_CTRL\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_CTRL_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	RESERVED[7]	RESERVED[6]	HITLESS_TYPE[5]	FB_SELECT_REF[4:1]				FB_SELECT_REF_EN[0]

DPLL_0.DPLL_CTRL_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
HITLESS_TYPE[5]	R/W	0	Select hitless switch type. 0 = HS type 1 1 = HS type 2
FB_SELECT_REF[4:1]	R/W	0	Feedback from other DPLL selected as reference for this DPLL. Select other DPLL feedback to be used as reference for this DPLL. If the other DPLL is in PLL mode and not in the LOCK state, then the feedback clock as a reference is disqualified. Upon disqualification, the DPLL will enter the configured holdover mode. 0 = fb clk of DPLL 0 1 = fb clk of DPLL 1 2 = fb clk of DPLL 2 3 = fb clk of DPLL 3 4 = fb clk of DPLL 4 5 = fb clk of DPLL 5 6 = fb clk of DPLL 6 7 = fb clk of DPLL 7 8 = fb clk of SYS DPLL
FB_SELECT_REF_EN[0]	R/W	0	Enable selected feedback as reference. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_CTRL\_2

Configure external feedback and frame or sync pulse.

Table 175: DPLL\_0.DPLL\_CTRL\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_CTRL_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	FRAME_SYNC_PULSE_RESYNC_EN[7]	FRAME_SYNC_MODE[6:5]		EXT_FB_REF_SELECT[4:1]				EXT_FB_EN[0]

DPLL_0.DPLL_CTRL_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FRAME_SYNC_PULSE_RESYNC_EN[7]	R/W	0	Enable frame pulse or sync pulse periodic re-synchronization in locked state. 0 = disabled 1 = enabled
FRAME_SYNC_MODE[6:5]	R/W	0	Select frame pulse mode or sync pulse mode. 0 = disabled 1 = frame pulse mode 2 = sync pulse mode
EXT_FB_REF_SELECT[4:1]	R/W	0	Select index of input reference selected as external feedback for this DPLL. External feedback must be same frequency as all input references that this DPLL locks to. Input reference selected can be regular input clock, or GPIO-configured input clock by configuring INPUT_n.IN_MODE.MUX_GPIO_IN, where n = 13, 14, and 15, since this configuration is only applicable to input dividers 13-15 (INPUT_13-15). If INPUT_n.IN_MODE.MUX_GPIO_IN = 1, then the corresponding GPIO pin to input divider mapping is in effect. Ex. If INPUT_13.IN_MODE.MUX_GPIO_IN = 1, then input divider 13 uses signal from GPIO0. 0x0 = CLK0 0x1 = CLK1 0x2 = CLK2 0x3 = CLK3 0x4 = CLK4 0x5 = CLK5 0x6 = CLK6 0x7 = CLK7 0x8 = CLK8 0x9 = CLK9 0xA = CLK10 0xB = CLK11 0xC = CLK12 0xD = CLK13 (GPIO 0) 0xE = CLK14 (GPIO 9) 0xF = CLK15 (GPIO 3)
EXT_FB_EN[0]	R/W	0	Enable external feedback mode. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_CTRL\_3

Configure DPLL loop filter update rate and maximum number of fast lock retry.

Table 176: DPLL\_0.DPLL\_CTRL\_3 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_CTRL_3 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	RESERVED[7:5]			FASTLOCK_MAX_RETRY[4:2]			UPDATE_RATE_CFG[1:0]	

DPLL_0.DPLL_CTRL_3 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FASTLOCK_MAX_RETRY[4:2]	R/W	0	Maximum number fastlock retries. Value 0 means no fast lock retry, 7 means always retry until phase offset reaches the retry threshold. If the fast lock threshold window is set, the window is used as the retry threshold; otherwise two times phase lock threshold with a minimum of 50ns is used as the retry threshold.
UPDATE_RATE_CFG[1:0]	R/W	0	DPLL loop filter update rate configuration. Used to avoid spurs at a specific frequency. 0 = 2.777 MHz 1 = 694 kHz 2 = 174 kHz 3 = 43 kHz

DPLL\_0.DPLL\_FILTER\_STATUS\_UPDATE\_CFG

DPLL loop filter status update configuration.

Table 177: DPLL\_0.DPLL\_FILTER\_STATUS\_UPDATE\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_FILTER_STATUS_UPDATE_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	RESERVED[7:3]					FILTER_STATUS_UPDATE_EN[2]	FILTER_STATUS_SELECT_CNFG[1:0]	

DPLL_0.DPLL_FILTER_STATUS_UPDATE_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FILTER_STATUS_UPDATE_EN[2]	R/W	0	DPLL loop filter status SCSR update enable. 0 = disabled 1 = enabled
FILTER_STATUS_SELECT_CNFG[1:0]	R/W	0	DPLL filter status SCSR source select configuration. 0 = integrator 1 = proportional + integrator 2 = holdover value 3 = delta_frequency (final ffo incl. combo mode additions)

DPLL\_0.DPLL\_HO\_ADVCD\_HISTORY

Advanced holdover history configuration.

Table 178: DPLL\_0.DPLL\_HO\_ADVCD\_HISTORY Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_HO_ADVCD_HISTORY Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	RESERVED[7:6]		HISTORY[5:0]					

DPLL_0.DPLL_HO_ADVCD_HISTORY Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
HISTORY[5:0]	R/W	0	Configure DPLL holdover history.

DPLL\_0.DPLL\_HO\_ADVCD\_BW

DPLL advanced holdover bandwidth configuration.

Table 179: DPLL\_0.DPLL\_HO\_ADVCD\_BW Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_HO_ADVCD_BW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	DPLL_HO_ADVCD_BW[7:0]							
009h	BW_UNIT[15:14]		DPLL_HO_ADVCD_BW[13:8]					

DPLL_0.DPLL_HO_ADVCD_BW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BW_UNIT[15:14]	R/W	0	DPLL advanced holdover bandwidth unit. 0 = uHz 1 = mHz 2 = Hz 3 = kHz
DPLL_HO_ADVCD_BW[13:0]	R/W	0	Unsigned 14 bit DPLL advanced holdover bandwidth value.

DPLL\_0.DPLL\_HO\_CFG

Select type of holdover to be used.

Table 180: DPLL\_0.DPLL\_HO\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_HO_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	RESERVED[7:3]					HOLDOVER_MODE[2:0]		

DPLL_0.DPLL_HO_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
HOLDOVER_MODE[2:0]	R/W	0	Holdover type configuration. simple: holds DPLL with latest integrator value manual: holds DPLL with value from DPLL_CTRL_n.DPLL_MANUAL_HOLDOVER_VALUE advanced: holds DPLL with value derived from filtered DPLL frequency history 0 = simple 1 = manual 2 = advanced

DPLL\_0.DPLL\_LOCK\_0

Phase lock threshold.

Table 181: DPLL\_0.DPLL\_LOCK\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_LOCK_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	PHASE_UNIT[7:6]		PHASE_LOCK_MAX_ERROR[5:0]					

DPLL_0.DPLL_LOCK_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PHASE_UNIT[7:6]	R/W	0	Phase lock threshold unit. 0 = 1 ns 1 = 10 ns 2 = 100 ns 3 = 1 us
PHASE_LOCK_MAX_ERROR[5:0]	R/W	0	Phase lock threshold value. If 0, then phase check is disabled.

DPLL\_0.DPLL\_LOCK\_1

Phase lock monitor duration.

Table 182: DPLL\_0.DPLL\_LOCK\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_LOCK_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	PHASE_MON_DUR[7:0]							

DPLL_0.DPLL_LOCK_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PHASE_MON_DUR[7:0]	R/W	0	Duration of phase error monitoring before lock is declared, in seconds. 0 means 4000 microseconds.

DPLL\_0.DPLL\_LOCK\_2

Frequency lock threshold.

Table 183: DPLL\_0.DPLL\_LOCK\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_LOCK_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Dh	FFO_UNIT[7:6]		FFO_LOCK_MAX_ERROR[5:0]					

DPLL_0.DPLL_LOCK_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[7:6]	R/W	0	FFO error unit. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO_LOCK_MAX_ERROR [5:0]	R/W	0	Integer maximum FFO error for lock criteria. If 0, then Fractional Frequency Offset check is disabled.

DPLL\_0.DPLL\_LOCK\_3

The duration in seconds the frequency has to be locked before declaring locked.

Table 184: DPLL\_0.DPLL\_LOCK\_3 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_LOCK_3 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Eh	FFO_MON_DUR[7:0]							

DPLL_0.DPLL_LOCK_3 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_MON_DUR[7:0]	R/W	0	Duration of FFO error monitoring before lock declared (seconds). 0 means that the frequency is declared locked immediately after FFO lock criteria is met.

DPLL\_0.DPLL\_REF\_PRIORITY\_0

Lowest priority index is highest priority.

Table 185: DPLL\_0.DPLL\_REF\_PRIORITY\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. Used to group multiple clocks as equal priority. References in the same priority group number use non-revertive switching.

DPLL_0.DPLL_REF_PRIORITY_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 0. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 0. Enable reference priority 0 for the automatic reference selection. Gaps in the priority table are supported. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_1

Lower priority index is higher priority.

Table 186: DPLL\_0.DPLL\_REF\_PRIORITY\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
010h	PRIORITY_GROUP_NUMBE R[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 1. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 1. Enable reference priority 1 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_2

Lower priority index is higher priority.

Table 187: DPLL\_0.DPLL\_REF\_PRIORITY\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
011h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 2. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 2. Enable reference priority 2 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_3

Lower priority index is higher priority.

Table 188: DPLL\_0.DPLL\_REF\_PRIORITY\_3 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_3 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
012h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_3 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 3. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 3. Enable reference priority 3 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_4

Lower priority index is higher priority.

Table 189: DPLL\_0.DPLL\_REF\_PRIORITY\_4 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_4 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
013h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_4 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 4. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 4. Enable reference priority 4 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_5

Lower priority index is higher priority.

Table 190: DPLL\_0.DPLL\_REF\_PRIORITY\_5 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_5 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
014h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_5 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 5. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 5. Enable reference priority 5 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_6

Lower priority index is higher priority.

Table 191: DPLL\_0.DPLL\_REF\_PRIORITY\_6 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_6 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
015h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_6 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 6. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 6. Enable reference priority 6 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_7

Lower priority index is higher priority.

Table 192: DPLL\_0.DPLL\_REF\_PRIORITY\_7 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_7 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
016h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_7 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 7. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 7. Enable reference priority 7 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_8

Lower priority index is higher priority.

Table 193: DPLL\_0.DPLL\_REF\_PRIORITY\_8 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_8 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
017h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_8 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 8. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 8. Enable reference priority 8 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_9

Lower priority index is higher priority.

Table 194: DPLL\_0.DPLL\_REF\_PRIORITY\_9 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_9 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
018h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_9 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 9. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 9. Enable reference priority 9 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_10

Lower priority index is higher priority.

Table 195: DPLL\_0.DPLL\_REF\_PRIORITY\_10 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_10 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
019h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_10 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 10. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 10. Enable reference priority 10 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_11

Lower priority index is higher priority.

Table 196: DPLL\_0.DPLL\_REF\_PRIORITY\_11 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_11 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Ah	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_11 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 11. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 11. Enable reference priority 11 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_12

Lower priority index is higher priority.

Table 197: DPLL\_0.DPLL\_REF\_PRIORITY\_12 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_12 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Bh	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_12 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 12. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 12. Enable reference priority 12 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_13

Lower priority index is higher priority.

Table 198: DPLL\_0.DPLL\_REF\_PRIORITY\_13 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_13 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Ch	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_13 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 13. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 13. Enable reference priority 13 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_14

Lower priority index is higher priority.

Table 199: DPLL\_0.DPLL\_REF\_PRIORITY\_14 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_14 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Dh	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_14 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 14. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 14. Enable reference priority 14 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_15

Lower priority index is higher priority.

Table 200: DPLL\_0.DPLL\_REF\_PRIORITY\_15 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_15 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Eh	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_15 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 15. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 15. Enable reference priority 15 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_16

Lower priority index is higher priority.

Table 201: DPLL\_0.DPLL\_REF\_PRIORITY\_16 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_16 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Fh	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_16 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 16. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 16. Enable reference priority 16 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_17

Highest priority index is lowest priority.

Table 202: DPLL\_0.DPLL\_REF\_PRIORITY\_17 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_17 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
020h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_17 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 17. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 17. Enable reference priority 17 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_REF\_PRIORITY\_18

Highest priority index is lowest priority.

Table 203: DPLL\_0.DPLL\_REF\_PRIORITY\_18 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_PRIORITY_18 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
021h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

DPLL_0.DPLL_REF_PRIORITY_18 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. For references in the same priority group, revertive switching is disabled.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 18. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 18. Enable reference priority 18 for the automatic reference selection. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_TRANS\_CTRL

DPLL phase transient (phase build-out) configuration.

Table 204: DPLL\_0.DPLL\_TRANS\_CTRL Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_TRANS_CTRL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
022h	RESERVED[7:2]						TRANS_SUPPRESS_EN[1]	TRANS_DETECT_EN[0]

DPLL_0.DPLL_TRANS_CTRL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
TRANS_SUPPRESS_EN[1]	R/W	0	Transient suppress enable. 0 = disabled 1 = enabled
TRANS_DETECT_EN[0]	R/W	0	Transient detect enable. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_FASTLOCK\_CFG\_0

Enable different fast lock methods.

Fast lock stages in order:

1. Frequency snap
2. Phase snap
3. Pre-fast acquisition - bandwidth is set to maximum for PRE\_FAST\_ACQ\_TIMER duration (LOCK\_ACQ only)
4. Fast acquisition - bandwidth is set to DPLL\_FASTLOCK\_BW until lock achieved

Table 205: DPLL\_0.DPLL\_FASTLOCK\_CFG\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_FASTLOCK_CFG_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
023h	LOCK_REC_OL_PULL_IN_EN[7]	LOCK_REC_FAST_ACQ_EN[6]	LOCK_REC_PHASE_SNA_P_EN[5]	LOCK_REC_FREQ_SNAP_EN[4]	LOCK_ACQ_OL_PULL_IN_EN[3]	LOCK_ACQ_FAST_ACQ_EN[2]	LOCK_ACQ_PHASE_SNA_P_EN[1]	LOCK_ACQ_FREQ_SNAP_EN[0]

DPLL_0.DPLL_FASTLOCK_CFG_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
LOCK_REC_OL_PULL_IN_EN[7]	R/W	0	Enable open loop pull_in for LOCKREC state. Use SCSR_DPLL_MAX_FREQ_OFFSET_max_ffo to control the phase pull-in rate. To enable open loop pull-in, lock_rec_phase_snap_en must also be enabled. 0 = disabled 1 = enabled
LOCK_REC_FAST_ACQ_EN[6]	R/W	0	Enable fast acquisition stage for LOCKREC state. During the fast acquisition stage, the bandwidth is temporarily set to DPLL_FASTLOCK_BW to facilitate faster lock acquisition. 0 = disabled 1 = enabled

DPLL_0.DPLL_FASTLOCK_CFG_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
LOCK_REC_PHASE_SNAP_EN[5]	R/W	0	Enable phase snap for LOCKREC state. When lock_rec_ol_pull_in_en is also enabled, instead phase snap, open loop phase pull-in will be performed. 0 = disabled 1 = enabled
LOCK_REC_FREQ_SNAP_EN[4]	R/W	0	Enable frequency snap for LOCKREC state. 0 = disabled 1 = enabled
LOCK_ACQ_OL_PULL_IN_EN[3]	R/W	0	Enable open loop pull_in for LOCKACQ state. Use SCSR_DPLL_MAX_FREQ_OFFSET_max_ffo to control the phase pull-in rate. To enable open loop pull-in, lock_acq_phase_snap_en must also be enabled. 0 = disabled 1 = enabled
LOCK_ACQ_FAST_ACQ_EN[2]	R/W	0	Enable fast acquisition stage for LOCKACQ state. During the fast acquisition stage, the bandwidth is temporarily set to DPLL_FASTLOCK_BW to facilitate faster lock acquisition. 0 = disabled 1 = enabled
LOCK_ACQ_PHASE_SNAP_EN[1]	R/W	0	Enable phase snap for LOCKACQ state. When lock_acq_ol_pull_in_en is also enabled, instead phase snap, open loop phase pull-in will be performed. 0 = disabled 1 = enabled
LOCK_ACQ_FREQ_SNAP_EN[0]	R/W	0	Enable frequency snap for LOCKACQ state. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_FASTLOCK\_CFG\_1

Configure pre fast acquisition timer, damping factor.

Table 206: DPLL\_0.DPLL\_FASTLOCK\_CFG\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_FASTLOCK_CFG_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
024h	PRE_FAST_ACQ_TIMER[7:4]				DAMP_FTR[3:0]			

DPLL_0.DPLL_FASTLOCK_CFG_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRE_FAST_ACQ_TIMER[7:4]	R/W	0	Pre-fast acquisition stage timer. If the value $n > 0$ , the DPLL opens up the bandwidth to the maximum for a duration of $2^{(n-1)}$ milliseconds. If the value $n = 0$ , then pre-fast-acquisition stage is disabled. Only applied to LOCKACQ state.
DAMP_FTR[3:0]	R/W	0	DPLL damping factor for fast acquisition stage. 0 = 1.002, 0.02 dB, overdamp; 1 = 1.006, 0.05 dB, < 0.05dB; 2 = 1.008, 0.07 dB, < 1%; 3 = 1.012, 0.10 dB, < 0.1dB; 4 = 1.015, 0.13 dB, < 2%; 5 = 1.022, 0.19 dB, < 0.2dB; 6 = 1.053, 0.45 dB, < 0.5dB; 7 = 1.172, 1.38 dB, underdamp;

DPLL\_0.DPLL\_MAX\_FREQ\_OFFSET

DPLL maximum frequency offset limit

Table 207: DPLL\_0.DPLL\_MAX\_FREQ\_OFFSET Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_MAX_FREQ_OFFSET Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
025h	MAX_FFO[7:0]							

DPLL_0.DPLL_MAX_FREQ_OFFSET Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
MAX_FFO[7:0]	R/W	0	Unsigned 8-bit maximum frequency offset limit in ppm. Value 0 implies maximum of FFO limit of 244 ppm.

DPLL\_0.DPLL\_FASTLOCK\_PSL

Fast lock phase slope limit.

Table 208: DPLL\_0.DPLL\_FASTLOCK\_PSL Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_FASTLOCK_PSL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
026h	DPLL_FASTLOCK_PSL[7:0]							
027h	DPLL_FASTLOCK_PSL[15:8]							

DPLL_0.DPLL_FASTLOCK_PSL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_FASTLOCK_PSL[15:0]	R/W	0	Unsigned 16-bit phase slope limit in ns/s. Value 0 implies no phase slope limit. Applied on both fast-acq and pre-fast acquisition stages.

DPLL\_0.DPLL\_FASTLOCK\_FSL

Fast lock frequency slope limit.

Table 209: DPLL\_0.DPLL\_FASTLOCK\_FSL Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_FASTLOCK_FSL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
028h	DPLL_FASTLOCK_FSL[7:0]							
029h	DPLL_FASTLOCK_FSL[15:8]							

DPLL_0.DPLL_FASTLOCK_FSL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_FASTLOCK_FSL[15:0]	R/W	0	Unsigned 16-bit frequency slope limit in ppb/s. Value 0 implies no frequency slope limit. Applied only on frequency snap.

DPLL\_0.DPLL\_FASTLOCK\_BW

Fast lock loop filter bandwidth.

Table 210: DPLL\_0.DPLL\_FASTLOCK\_BW Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_FASTLOCK_BW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
02Ah	DPLL_FASTLOCK_BW[7:0]							
02Bh	BW_UNIT[15:14]		DPLL_FASTLOCK_BW[13:8]					

DPLL_0.DPLL_FASTLOCK_BW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BW_UNIT[15:14]	R/W	0	Fast lock DPLL bandwidth unit. 0 = uHz 1 = mHz 2 = Hz 3 = kHz
DPLL_FASTLOCK_BW[13:0]	R/W	0	Unsigned 14-bit DPLL bandwidth value. Applied only on fast acquisition stage.

DPLL\_0.DPLL\_WRITE\_FREQ\_TIMER

Write frequency timer.

Table 211: DPLL\_0.DPLL\_WRITE\_FREQ\_TIMER Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_WRITE_FREQ_TIMER Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
02Ch	WRITE_FREQ_TIMEOUT_CNFG[7:0]							
02Dh	WRITE_FREQ_TIMEOUT_CNFG[15:8]							

DPLL_0.DPLL_WRITE_FREQ_TIMER Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
WRITE_FREQ_TIMEOUT_CNFG[15:0]	R/W	0	Unsigned 16-bit write frequency timeout value in milliseconds. When in write frequency mode, the DPLL_WR_FREQ must be periodically written to within WRITE_FREQ_TIMEOUT_CNFG ms. If the write frequency timer expires, the write frequency as a reference is disqualified. Upon disqualification, depending on the configuration, a reference switch may occur the DPLL may enter the configured holdover mode. Value 0 implies no timeout.

DPLL\_0.DPLL\_WRITE\_PHASE\_TIMER

Write phase timer.

Table 212: DPLL\_0.DPLL\_WRITE\_PHASE\_TIMER Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_WRITE_PHASE_TIMER Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
02Eh	WRITE_PHASE_TIMEOUT_CNFG[7:0]							
02Fh	WRITE_PHASE_TIMEOUT_CNFG[15:8]							

DPLL_0.DPLL_WRITE_PHASE_TIMER Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
WRITE_PHASE_TIMEOUT_CNFG[15:0]	R/W	0	Unsigned 16-bit write phase timeout value in milliseconds. When in write phase mode, the DPLL_WRITE_PH must be periodically written to within WRITE_PHASE_TIMEOUT_CNFG ms. If the write phase timer expires, the write phase as a reference is disqualified. Upon disqualification, depending on the configuration, a reference switch may occur the DPLL may enter the configured holdover mode. Value 0 implies no timeout.

DPLL\_0.DPLL\_PRED\_CFG

Predefined configuration selection.

Table 213: DPLL\_0.DPLL\_PRED\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_PRED_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
030h	RESERVED[7:2]						WP_PRED[1]	PRED_EN[0]

DPLL_0.DPLL_PRED_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
WP_PRED[1]	R/W	0	Predefined configuration to be used for write phase input. Write phase predefined configuration selection (0 or 1). 0 = pred0 1 = pred1
PRED_EN[0]	R/W	0	Enable predefined configurations. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_TOD\_SYNC\_CFG

DPLL ToD synchronization configuration.

Table 214: DPLL\_0.DPLL\_TOD\_SYNC\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_TOD_SYNC_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
031h	RESERVED[7:3]					TOD_SYNC_SOURCE[2:1]	TOD_SYNC_EN[0]	

DPLL_0.DPLL_TOD_SYNC_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value

DPLL_0.DPLL_TOD_SYNC_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
TOD_SYNC_SOURCE[2:1] ]	R/W	0	The ToD synchronization source. The ToD index this DPLL synchronize to. 0 = ToD0 1 = ToD1 2 = ToD2 3 = ToD3
TOD_SYNC_EN[0]	R/W	0	Enable the DPLL synchronizing to a ToD. If enabled, when the source TOD write event happens, a phase snap on this DPLL will be triggered and the phase of the DPLL output will align with the ToD second boundary. 0 = disabled 1 = enabled

DPLL\_0.DPLL\_COMBO\_SLAVE\_CFG\_0

Combo mode slave primary source configuration.

Table 215: DPLL\_0.DPLL\_COMBO\_SLAVE\_CFG\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_COMBO_SLAVE_CFG_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
032h	RESERVED[7:6]		PRI_COMBO_SRC_EN[5]	PRI_COMBO_SRC_FILTE RED_CNFG[4]	PRI_COMBO_SRC_ID[3:0]			

DPLL_0.DPLL_COMBO_SLAVE_CFG_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
PRI_COMBO_SRC_EN[5]	R/W	0	Enable this source. 0 = disabled 1 = enabled
PRI_COMBO_SRC_FILTE RED_CNFG[4]	R/W	0	Use filtered source. 0 = use un-filtered source 1 = use filtered source
PRI_COMBO_SRC_ID[3:0] ]	R/W	0	Primary combo source DPLL index.

DPLL\_0.DPLL\_COMBO\_SLAVE\_CFG\_1

Combo mode slave secondary source configuration.

Table 216: DPLL\_0.DPLL\_COMBO\_SLAVE\_CFG\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_COMBO_SLAVE_CFG_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
033h	RESERVED[7:6]		SEC_COMBO_SRC_EN[5]	SEC_COMBO_SRC_FILTERED_CFG[4]	SEC_COMBO_SRC_ID[3:0]			

DPLL_0.DPLL_COMBO_SLAVE_CFG_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
SEC_COMBO_SRC_EN[5]	R/W	0	Enable this source. 0 = disabled 1 = enabled
SEC_COMBO_SRC_FILTERED_CFG[4]	R/W	0	Use filtered source. 0 = use un-filtered source 1 = use filtered source
SEC_COMBO_SRC_ID[3:0]	R/W	0	Secondary combo source DPLL index.

DPLL\_0.DPLL\_SLAVE\_REF\_CFG

Slave mode configuration.

Table 217: DPLL\_0.DPLL\_SLAVE\_REF\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_SLAVE_REF_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
034h	RESERVED[7:5]			SLAVE_REFERENCE[4:0]				

DPLL_0.DPLL_SLAVE_REF_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
SLAVE_REFERENCE[4:0]	R/W	0	Reference index used by DPLL when reference mode is 'slave' or 'GPIO_slave'. 0x0 = CLK0 0x1 = CLK1 0x2 = CLK2 0x3 = CLK3 0x4 = CLK4 0x5 = CLK5 0x6 = CLK6 0x7 = CLK7 0x8 = CLK8 0x9 = CLK9 0xA = CLK10 0xB = CLK11 0xC = CLK12 0xD = CLK13 0xE = CLK14 0xF = CLK15

DPLL\_0.DPLL\_REF\_MODE

Reference selection configuration and an enable bit to monitor the XO DPLL reference.

Table 218: DPLL\_0.DPLL\_REF\_MODE Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_REF_MODE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
035h	RESERVED[7:5]			XO_DPLL_MONITOR_EN [4]	MODE[3:0]			

DPLL_0.DPLL_REF_MODE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value

DPLL_0.DPLL_REF_MODE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
XO_DPLL_MONITOR_EN[4]	R/W	0	Enable monitoring of XO DPLL reference. 0 = disabled 1 = enabled
MODE[3:0]	R/W	0	Reference selection mode. Automatic: DPLL_0.DPLL_REF_PRIORITY_[0:16] Manual: DPLL_CTRL_0.DPLL_MANU_REF_CFG.MANUAL_REFERENCE GPIO: GPIO_0.GPIO_MAN_CLK_SEL_0/1/2, GPIO_FUNCTION = 0x7 manual clock select Slave: DPLL_0.DPLL_SLAVE_REF_CFG GPIO_slave: DPLL_0.DPLL_SLAVE_REF_CFG, GPIO_FUNCTION = 0xC master/slave signal 0 = automatic 1 = manual 2 = GPIO 3 = slave 4 = GPIO_slave

DPLL\_0.DPLL\_PHASE\_MEASUREMENT\_CFG

Measure phase offset between two inputs using phase detector. Both single-ended and differential inputs are available for selection.

Coarse phase measurement or unfiltered reading (in ITDC\_UI) is stored in DPLLx\_PHASE\_STATUS and is represented by 36-bit signed integer. Fine phase measurement or filtered reading (in ITDC\_UI/128) is stored in DPLLx\_FILTER\_STATUS and is represented by 48-bit signed integer.

After selecting inputs, configure DPLL for phase measurement mode (i.e. set DPLL\_MODE.pll\_mode to 0x5).

If there is LOS condition present on either inputs selected, then said status registers will report error codes: DPLLx\_PHASE\_STATUS will report 0x7fffffff and DPLLx\_FILTER\_STATUS will report 0x7fffffff.

Set INPUT\_TDC\_FBD\_CTRL.fbd\_user\_config\_en field to 0 to enable write frequency capability. Note that doing this will disable fine phase measurements. To stop supporting write frequency capability and start supporting fine phase measurements again, set said field to 1, retrigger INPUT\_TDC module (i.e. write to INPUT\_TDC\_CTRL), and then retrigger DPLL module (i.e. write to DPLL\_MODE).

Note: In cases where phase detector factors in one or more periods into phase measurement (e.g. when feedback clock drifts and phase detector takes one or more cycles to calculate phase offset), retrigger DPLL module (i.e. write to DPLL\_MODE) to restart phase measurement.

Table 219: DPLL\_0.DPLL\_PHASE\_MEASUREMENT\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_PHASE_MEASUREMENT_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
036h	PFD_FB_CLK_SEL[7:4]				PFD_REF_CLK_SEL[3:0]			

DPLL_0.DPLL_PHASE_MEASUREMENT_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PFD_FB_CLK_SEL[7:4]	R/W	0	<p>Select feedback clock going into phase detector. Feedback clock selected must have same frequency as reference clock selected.</p> <p>0x0 = CLK0 0x1 = CLK1 0x2 = CLK2 0x3 = CLK3 0x4 = CLK4 0x5 = CLK5 0x6 = CLK6 0x7 = CLK7 0x8 = CLK8 0x9 = CLK9 0xA = CLK10 0xB = CLK11 0xC = CLK12 0xD = CLK13 0xE = CLK14 0xF = CLK15</p>
PFD_REF_CLK_SEL[3:0]	R/W	0	<p>Select reference clock going into phase detector. Reference clock selected must have same frequency as feedback clock selected.</p> <p>0x0 = CLK0 0x1 = CLK1 0x2 = CLK2 0x3 = CLK3 0x4 = CLK4 0x5 = CLK5 0x6 = CLK6 0x7 = CLK7 0x8 = CLK8 0x9 = CLK9 0xA = CLK10 0xB = CLK11 0xC = CLK12 0xD = CLK13 0xE = CLK14 0xF = CLK15</p>

DPLL\_0.DPLL\_FASTLOCK\_FREQ\_SNAP\_WINDOW

Fastlock frequency snap window.

Table 220: DPLL\_0.DPLL\_FASTLOCK\_FREQ\_SNAP\_WINDOW Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_FASTLOCK_FREQ_SNAP_WINDOW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
037h	FREQ_SNAP_WINDOW_UNIT[7:6]		FREQ_SNAP_WINDOW[5:0]					

DPLL_0.DPLL_FASTLOCK_FREQ_SNAP_WINDOW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FREQ_SNAP_WINDOW_UNIT[7:6]	R/W	0	Frequency snap window unit. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FREQ_SNAP_WINDOW[5:0]	R/W	0	Unsigned 6-bit frequency snap window. See DPLL_FASTLOCK_CFG_0 for fastlock configurations. If frequency offset is less than DPLL_FASTLOCK_FREQ_SNAP_WINDOW.freq_snap_window, then frequency snap is skipped. Otherwise, it is executed when enabled. Value of zero indicates that no window is configured and frequency snap will be executed when enabled.

DPLL\_0.DPLL\_FASTLOCK\_OL\_PHASE\_PULL\_IN\_AND\_FAST\_ACQ\_WINDOW

Fastlock open-loop phase pull-in snap and fast-acquisition window.

Table 221: DPLL\_0.DPLL\_FASTLOCK\_OL\_PHASE\_PULL\_IN\_AND\_FAST\_ACQ\_WINDOW Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_FASTLOCK_OL_PHASE_PULL_IN_AND_FAST_ACQ_WINDOW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
038h	PULL_IN_WINDOW_UNIT[7:6]		PULL_IN_WINDOW[5:0]					

DPLL_0.DPLL_FASTLOCK_OL_PHASE_PULL_IN_AND_FAST_ACQ_WINDOW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PULL_IN_WINDOW_UNIT[7:6]	R/W	0	Frequency snap window unit. 0 = 1 ns 1 = 10 ns 2 = 100 ns 3 = 1 us
PULL_IN_WINDOW[5:0]	R/W	0	Unsigned 6-bit open-loop phase pull-in and fast-acquisition window. See DPLL_FASTLOCK_CFG_0 for fastlock configurations. If absolute phase offset is less than SCSR_DPLL_FASTLOCK_OL_PHASE_PULL_IN_AND_FAST_ACQ_WINDOW.pull_in_window, then open-loop phase pull-in and fast-acquisition are skipped. Otherwise, they are executed when enabled. If both open-loop phase pull-in and phase snap are enabled, SCSR_DPLL_FASTLOCK_OL_PHASE_PULL_IN_AND_FAST_ACQ_WINDOW.pull_in_window must be zero or less than DPLL_FASTLOCK_PHASE_SNAP_WINDOW.freq_snap_window. Value of zero indicates that no window is configured and open-loop phase pull-in and fast-acquisition will be executed when enabled.

DPLL\_0.DPLL\_FASTLOCK\_PHASE\_SNAP\_WINDOW

Fastlock phase snap window.

Table 222: DPLL\_0.DPLL\_FASTLOCK\_PHASE\_SNAP\_WINDOW Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_FASTLOCK_PHASE_SNAP_WINDOW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
039h	PHASE_SNAP_WINDOW_UNIT[7:6]		PHASE_SNAP_WINDOW[5:0]					

DPLL_0.DPLL_FASTLOCK_PHASE_SNAP_WINDOW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PHASE_SNAP_WINDOW_UNIT[7:6]	R/W	0	Phase snap window unit. 0 = 1 ns 1 = 10 ns 2 = 100 ns 3 = 1 us
PHASE_SNAP_WINDOW[5:0]	R/W	0	Unsigned 6-bit phase snap window. See DPLL_FASTLOCK_CFG_0 for different fastlock configurations. If absolute phase offset is less than DPLL_FASTLOCK_PHASE_SNAP_WINDOW.phase_snap_window, then phase snap is skipped. Otherwise, it is executed when enabled. If both phase snap and open-loop phase pull-in are enabled, then phase snap will be executed if absolute phase offset is greater than DPLL_FASTLOCK_PHASE_SNAP_WINDOW.phase_snap_window. Otherwise, open-loop phase pull-in will be executed instead. Value of zero indicates that no window is configured and phase snap will be executed when enabled.

DPLL\_0.DPLL\_MODE

Select state machine transition mode and DPLL operation mode.

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the DPLL module.

-

Table 223: DPLL\_0.DPLL\_MODE Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_0.DPLL_MODE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
03Bh	RESERVED[7]	WRITE_TIMER_MODE[6]	PLL_MODE[5:3]			STATE_MODE[2:0]		

DPLL_0.DPLL_MODE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
WRITE_TIMER_MODE[6]	R/W	0	Write phase or write frequency timer mode. This bit selects simple holdover or advanced holdover for DPLL once the write timer expires. 0 = simple holdover mode 1 = advanced holdover mode

DPLL_0.DPLL_MODE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PLL_MODE[5:3]	R/W	0	DPLL operation mode. When switching from disabled mode to one of the other modes, appropriate trigger registers must be written to activate pertinent DPLL and output related SCSRs configurations. 0 = PLL mode 1 = write phase mode 2 = write frequency mode 3 = GPIO inc/dec mode 4 = synthesizer mode 5 = phase measurement mode 6 = disabled mode (reduced phase noise)
STATE_MODE[2:0]	R/W	0	DPLL state machine transition mode. 0 = automatic 1 = force lock 2 = force freerun 3 = force holdover

Module: SYS\_DPLL

Configure the system DPLL.

Note: The order of configuring three SCSR modules, SCSR\_SYS\_DPLL\_XO, SCSR\_SYS\_APLL, SCSR\_SYS\_DPLL, are critical. The correct configuration order should be: SCSR\_SYS\_DPLL\_XO, SCSR\_SYS\_APLL, SCSR\_SYS\_DPLL, and followed by other modules. Each of these three SCSR modules should be configured completely before configuring the next module.

Table 224: SYS\_DPLL Register Index

Offset (Hex)	Register Module Base Address: C5BCh	
	Individual Register Name	Register Description
000h	<a href="#">SYS_DPLL.SYS_DPLL_CTRL_0</a>	Reference switching configuration and forced lock reference selection.
001h	<a href="#">SYS_DPLL.SYS_DPLL_CTRL_3</a>	System DPLL loop filter update rate configuration.
002h	<a href="#">SYS_DPLL.SYS_DPLL_FILTER_STATUS_UPDATE_CFG</a>	System DPLL loop filter status update configuration.
003h	<a href="#">SYS_DPLL.SYS_DPLL_LOCK_0</a>	Phase lock threshold.
004h	<a href="#">SYS_DPLL.SYS_DPLL_LOCK_1</a>	Phase lock monitor duration.
005h	<a href="#">SYS_DPLL.SYS_DPLL_LOCK_2</a>	Frequency lock threshold.
006h	<a href="#">SYS_DPLL.SYS_DPLL_LOCK_3</a>	Frequency lock monitor duration.
007h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_0</a>	Select input for highest (0) priority.
008h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_1</a>	Select input for priority 1.
009h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_2</a>	Select input for priority 2.
00Ah	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_3</a>	Select input for priority 3.
00Bh	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_4</a>	Select input for priority 4.

Table 224: SYS\_DPLL Register Index

Offset (Hex)	Register Module Base Address: C5BCh	
	Individual Register Name	Register Description
00Ch	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_5</a>	Select input for priority 5.
00Dh	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_6</a>	Select input for priority 6.
00Eh	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_7</a>	Select input for priority 7.
00Fh	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_8</a>	Select input for priority 8.
010h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_9</a>	Select input for priority 9.
011h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_10</a>	Select input for priority 10.
012h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_11</a>	Select input for priority 11.
013h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_12</a>	Select input for priority 12.
014h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_13</a>	Select input for priority 13.
015h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_14</a>	Select input for priority 14.
016h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_15</a>	Select input for priority 15.
017h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_16</a>	Select input for priority 16.
018h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_17</a>	Select input for priority 17.
019h	<a href="#">SYS_DPLL.SYS_DPLL_REF_PRIORITY_18</a>	Select input for priority 18.
01Ah	RESERVED	This register must not be modified from the read value
01Bh	<a href="#">SYS_DPLL.SYS_DPLL_REF_MODE</a>	Reference selection configuration and XO DPLL monitor enable.
01Ch	RESERVED	This register must not be modified from the read value
01Dh	RESERVED	This register must not be modified from the read value
01Eh	<a href="#">SYS_DPLL.SYS_DPLL_MODE</a>	System DPLL state machine transition mode.

SYS\_DPLL.SYS\_DPLL\_CTRL\_0

Reference switching configuration and forced lock reference selection.

Table 225: SYS\_DPLL.SYS\_DPLL\_CTRL\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_CTRL_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	FORCE_LOCK_INPUT[7:3]					RESERVED[2]	REVERTIVE_EN[1]	RESERVED[0]

SYS_DPLL.SYS_DPLL_CTRL_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FORCE_LOCK_INPUT[7:3] ]	R/W	0	System DPLL reference input index when force lock applied. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL.
REVERTIVE_EN[1]	R/W	0	Enable revertive mode. 0 = disabled 1 = enabled
RESERVED	N/A	-	This field must not be modified from the read value

SYS\_DPLL.SYS\_DPLL\_CTRL\_3

System DPLL loop filter update rate configuration.

Table 226: SYS\_DPLL.SYS\_DPLL\_CTRL\_3 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_CTRL_3 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	RESERVED[7:2]						UPDATE_RATE_CFG[1:0]	

SYS_DPLL.SYS_DPLL_CTRL_3 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
UPDATE_RATE_CFG[1:0]	R/W	0	System DPLL loop filter update rate configuration. Used to avoid spurs at a specific frequency. 0 = 2.777 MHz 1 = 694 kHz 2 = 174 kHz 3 = 43 kHz

SYS\_DPLL.SYS\_DPLL\_FILTER\_STATUS\_UPDATE\_CFG

System DPLL loop filter status update configuration.

Table 227: SYS\_DPLL.SYS\_DPLL\_FILTER\_STATUS\_UPDATE\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_FILTER_STATUS_UPDATE_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	RESERVED[7:3]					FILTER_STATUS_UPDATE_EN[2]	FILTER_STATUS_SELECT_CNFG[1:0]	

SYS_DPLL.SYS_DPLL_FILTER_STATUS_UPDATE_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FILTER_STATUS_UPDATE_EN[2]	R/W	0	System DPLL loop filter status SCSR update enable. 0 = disabled 1 = enabled
FILTER_STATUS_SELECT_CNFG[1:0]	R/W	0	System DPLL filter status SCSR source select configuration. 0 = integrator 1 = proportional + integrator 2 = holdover value 3 = delta_frequency (final ffo incl. combo mode additions)

SYS\_DPLL.SYS\_DPLL\_LOCK\_0

Phase lock threshold.

Table 228: SYS\_DPLL.SYS\_DPLL\_LOCK\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_LOCK_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	PHASE_UNIT[7:6]		PHASE_LOCK_MAX_ERROR[5:0]					

SYS_DPLL.SYS_DPLL_LOCK_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PHASE_UNIT[7:6]	R/W	0	Phase lock threshold unit. 0 = 1 ns 1 = 10 ns 2 = 100 ns 3 = 1 us
PHASE_LOCK_MAX_ERROR[5:0]	R/W	0	Phase lock threshold value. If 0, then Fractional Frequency Offset check is disabled.

SYS\_DPLL.SYS\_DPLL\_LOCK\_1

Phase lock monitor duration.

Table 229: SYS\_DPLL.SYS\_DPLL\_LOCK\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_LOCK_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	PHASE_MON_DUR[7:0]							

SYS_DPLL.SYS_DPLL_LOCK_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PHASE_MON_DUR[7:0]	R/W	0	Duration of phase error monitoring before lock is declared, in seconds. 0 means 4000 microseconds.

SYS\_DPLL.SYS\_DPLL\_LOCK\_2

Frequency lock threshold.

Table 230: SYS\_DPLL.SYS\_DPLL\_LOCK\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_LOCK_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	FFO_UNIT[7:6]		FFO_LOCK_MAX_ERROR[5:0]					

SYS_DPLL.SYS_DPLL_LOCK_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_UNIT[7:6]	R/W	0	FFO error unit. 0 = 1 ppb 1 = 10 ppb 2 = 100 ppb 3 = 1 ppm
FFO_LOCK_MAX_ERROR [5:0]	R/W	0	Integer maximum FFO error for lock criteria. If 0, then Fractional Frequency Offset check is disabled.

SYS\_DPLL.SYS\_DPLL\_LOCK\_3

The duration in seconds the frequency has to be locked before declaring locked.

Table 231: SYS\_DPLL.SYS\_DPLL\_LOCK\_3 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_LOCK_3 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	FFO_MON_DUR[7:0]							

SYS_DPLL.SYS_DPLL_LOCK_3 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FFO_MON_DUR[7:0]	R/W	0	Duration of FFO error monitoring before lock declared (seconds). 0 means that the frequency is declared locked immediately after FFO lock criteria is met.

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_0

Lowest priority index is highest priority.

Table 232: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.

SYS_DPLL.SYS_DPLL_REF_PRIORITY_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 0. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 0. Enable reference priority 0 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_1

Lower priority index is higher priority.

Table 233: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	PRIORITY_GROUP_NUMBE R[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 1. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 1. Enable reference priority 1 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_2

Lower priority index is higher priority.

Table 234: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
009h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 2. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 2. Enable reference priority 2 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_3

Lower priority index is higher priority.

Table 235: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_3 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_3 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_3 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 3. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 3. Enable reference priority 3 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_4

Lower priority index is higher priority.

Table 236: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_4 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_4 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_4 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 4. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 4. Enable reference priority 4 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_5

Lower priority index is higher priority.

Table 237: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_5 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_5 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_5 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 5. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 5. Enable reference priority 5 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_6

Lower priority index is higher priority.

Table 238: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_6 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_6 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Dh	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_6 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 6. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 6. Enable reference priority 6 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_7

Lower priority index is higher priority.

Table 239: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_7 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_7 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Eh	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_7 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 7. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 7. Enable reference priority 7 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_8

Lower priority index is higher priority.

Table 240: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_8 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_8 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_8 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 8. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 8. Enable reference priority 8 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_9

Lower priority index is higher priority.

Table 241: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_9 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_9 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
010h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_9 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 9. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 9. Enable reference priority 9 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_10

Lower priority index is higher priority.

Table 242: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_10 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_10 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
011h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_10 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 10. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 10. Enable reference priority 10 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_11

Lower priority index is higher priority.

Table 243: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_11 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_11 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
012h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_11 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 11. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 11. Enable reference priority 11 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_12

Lower priority index is higher priority.

Table 244: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_12 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_12 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
013h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_12 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 12. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 12. Enable reference priority 12 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_13

Lower priority index is higher priority.

Table 245: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_13 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_13 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
014h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_13 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 13. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 13. Enable reference priority 13 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_14

Lower priority index is higher priority.

Table 246: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_14 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_14 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
015h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_14 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 14. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 14. Enable reference priority 14 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_15

Lower priority index is higher priority.

Table 247: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_15 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_15 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
016h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_15 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 15. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 15. Enable reference priority 15 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_16

Lower priority index is higher priority.

Table 248: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_16 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_16 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
017h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_16 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 16. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 16. Enable reference priority 16 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_17

Lower priority index is higher priority.

Table 249: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_17 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_17 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
018h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_17 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 17. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 17. Enable reference priority 17 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_18

Lower priority index is higher priority.

Table 250: SYS\_DPLL.SYS\_DPLL\_REF\_PRIORITY\_18 Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_PRIORITY_18 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
019h	PRIORITY_GROUP_NUMBER[7:6]		PRIORITY_REF[5:1]					PRIORITY_EN[0]

SYS_DPLL.SYS_DPLL_REF_PRIORITY_18 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PRIORITY_GROUP_NUMBER[7:6]	R/W	0	Priority group number. This parameter creates a priority group from two or more references when set to 1, 2, or 3. A priority group number is used to specify 2 or more input references having the same priority. References within the same priority group will use non-revertive switching, regardless of the revertive_en setting. When the priority group is set to zero (default), this reference does not belong to a priority group, and normal revertive switching will occur. The priority group should be continuous in the table and will inherit the priority of the lowest priority table entry that is part of the group number.
PRIORITY_REF[5:1]	R/W	0	Input reference index for priority 18. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x12 = XO_DPLL
PRIORITY_EN[0]	R/W	0	Enable reference priority 18. Enable reference priority 18 for the automatic reference selection. 0 = disabled 1 = enabled

SYS\_DPLL.SYS\_DPLL\_REF\_MODE

Reference selection configuration and an enable bit to monitor the XO DPLL reference.

Table 251: SYS\_DPLL.SYS\_DPLL\_REF\_MODE Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_REF_MODE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Bh	RESERVED[7:5]			XO_DPLL_MONITOR_EN [4]	MODE[3:0]			

SYS_DPLL.SYS_DPLL_REF_MODE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
XO_DPLL_MONITOR_EN[4]	R/W	0	Enable monitoring of XO DPLL reference. 0 = disabled 1 = enabled
MODE[3:0]	R/W	0	Reference selection mode. Automatic: SYS_DPLL_0.DPLL_REF_PRIORITY_[0:16] Manual: SYS_DPLL_MANU_REF_CFG.MANUAL_REFERENCE 0 = automatic 1 = manual

SYS\_DPLL.SYS\_DPLL\_MODE

Select state machine transition mode.

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the system DPLL module.

-

Table 252: SYS\_DPLL.SYS\_DPLL\_MODE Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL.SYS_DPLL_MODE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Eh	RESERVED[7:6]		RESERVED[5:3]			STATE_MODE[2:0]		

SYS_DPLL.SYS_DPLL_MODE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
STATE_MODE[2:0]	R/W	0	System DPLL state machine transition mode. 0 = automatic 1 = force lock 2 = force freerun 3 = force holdover

Module: DPLL\_CTRL\_0

TRIGGER: Every register in this module is a trigger register. In the case of a multibyte register the highest address register byte is the trigger byte.

Table 253: DPLL\_CTRL\_0 Register Index

Offset (Hex)	Register Module Base Address: C600h <sup>a</sup>	
	Individual Register Name	Register Description
000h	DPLL_CTRL_0.DPLL_HS_TIE_RESET	Reset hitless switching time interval error.
001h	DPLL_CTRL_0.DPLL_MANU_REF_CFG	Manual reference mode configuration.
002h	DPLL_CTRL_0.DPLL_DAMPING	DPLL loop filter damping factor.
003h	DPLL_CTRL_0.DPLL_DECIMATOR_BW_MULT	DPLL loop filter decimator bandwidth multiplier.
004h	DPLL_CTRL_0.DPLL_BW	DPLL loop filter bandwidth.
006h	DPLL_CTRL_0.DPLL_PSL	DPLL loop filter phase slope limit.
008h	DPLL_CTRL_0.DPLL_PRED0_DAMPING	Predefined configuration 0 loop filter damping factor.
009h	DPLL_CTRL_0.DPLL_PRED0_DECIMATOR_BW_MULT	Predefined configuration 0 loop filter decimator bandwidth multiplier.
00Ah	DPLL_CTRL_0.DPLL_PRED0_BW	Predefined configuration 0 loop filter bandwidth.
00Ch	DPLL_CTRL_0.DPLL_PRED0_PSL	Predefined configuration 0 loop filter phase slope limit.
00Eh	DPLL_CTRL_0.DPLL_PRED1_DAMPING	Predefined configuration 1 loop filter damping factor.
00Fh	DPLL_CTRL_0.DPLL_PRED1_DECIMATOR_BW_MULT	Predefined configuration 1 loop filter decimator bandwidth multiplier.
010h	DPLL_CTRL_0.DPLL_PRED1_BW	Predefined configuration 1 loop filter bandwidth.
012h	DPLL_CTRL_0.DPLL_PRED1_PSL	Predefined configuration 1 loop filter phase slope limit.
014h	DPLL_CTRL_0.DPLL_PHASE_OFFSET_CFG	DPLL phase offset configuration.
019h	DPLL_CTRL_0.DPLL_HO_HISTORY_RESET	Reset advanced holdover history.
01Ah	DPLL_CTRL_0.DPLL_FINE_PHASE_ADV_CFG	DPLL fine phase advance adjustment configuration.
01Ch	DPLL_CTRL_0.DPLL_FOD_FREQ	Fractional Output Divider (FOD) frequency in Hz.
024h	DPLL_CTRL_0.DPLL_MASTER_DIV	Master divider value.
028h	DPLL_CTRL_0.DPLL_COMBO_SW_VALUE_CFG	DCO value to be added to the combo bus in SW combo mode.
030h	DPLL_CTRL_0.DPLL_MANUAL_HOLDOVER_VALUE	DCO value to be used in manual holdover mode.
036h	DPLL_CTRL_0.DPLL_DCD_FILTER_CNFG	DPLL DCD filter configuration.
038h	DPLL_CTRL_0.DPLL_COMBO_MASTER_BW	DPLL combo filter bandwidth.
03Ah	DPLL_CTRL_0.DPLL_COMBO_MASTER_CFG	DPLL combo master configuration.
03Bh	DPLL_CTRL_0.DPLL_FRAME_PULSE_SYNC	Frame pulse sync trigger

- a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

DPLL\_CTRL\_0.DPLL\_HS\_TIE\_RESET

Reset hitless switching time interval error.

Table 254: DPLL\_CTRL\_0.DPLL\_HS\_TIE\_RESET Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_HS_TIE_RESET Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	RESERVED[7:1]							TIE_RESET[0]

DPLL_CTRL_0.DPLL_HS_TIE_RESET Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
TIE_RESET[0]	R/W	0	Hitless reference switch TIE reset. 1 = reset. This is a self clear bit.

DPLL\_CTRL\_0.DPLL\_MANU\_REF\_CFG

Select reference to be used for manual reference selection mode.

Table 255: DPLL\_CTRL\_0.DPLL\_MANU\_REF\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_MANU_REF_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	RESERVED[7:5]			MANUAL_REFERENCE[4:0]				

DPLL_CTRL_0.DPLL_MANU_REF_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
MANUAL_REFERENCE[4:0]	R/W	0	Index of manually selected reference input when 'manual' reference mode is enabled. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = write-phase input 0x11 = write-frequency input 0x12 = XO_DPLL 0x13 = fb clk of DPLL 0 0x14 = fb clk of DPLL 1 0x15 = fb clk of DPLL 2 0x16 = fb clk of DPLL 3 0x17 = fb clk of DPLL 4 0x18 = fb clk of DPLL 5 0x19 = fb clk of DPLL 6 0x1A = fb clk of DPLL 7 0x1B = fb clk of SYS DPLL.

DPLL\_CTRL\_0.DPLL\_DAMPING

DPLL loop filter damping factor.

Table 256: DPLL\_CTRL\_0.DPLL\_DAMPING Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_DAMPING Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	RESERVED[7:4]				DAMP_FTR[3:0]			

DPLL_CTRL_0.DPLL_DAMPING Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DAMP_FTR[3:0]	R/W	0	DPLL loop filter damping factor. 0 = 1.002, 0.02 dB, overdamp; 1 = 1.006, 0.05 dB, < 0.05 dB; 2 = 1.008, 0.07 dB, < 1%; 3 = 1.012, 0.10 dB, < 0.1 dB; 4 = 1.015, 0.13 dB, < 2%; 5 = 1.022, 0.19 dB, < 0.2 dB; 6 = 1.053, 0.45 dB, < 0.5 dB; 7 = 1.172, 1.38 dB, underdamp

DPLL\_CTRL\_0.DPLL\_DECIMATOR\_BW\_MULT

DPLL loop filter decimator bandwidth multiplier.

Table 257: DPLL\_CTRL\_0.DPLL\_DECIMATOR\_BW\_MULT Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_DECIMATOR_BW_MULT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	MULT[7:0]							

DPLL_CTRL_0.DPLL_DECIMATOR_BW_MULT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
MULT[7:0]	R/W	0	Unsigned 8-bit DPLL loop filter decimator bandwidth multiplier. The decimator BW = decimator BW mult * DPLL BW. Value 0 implies maximum decimator bandwidth. This is not the DPLL bandwidth.

DPLL\_CTRL\_0.DPLL\_BW

DPLL loop filter bandwidth.

Table 258: DPLL\_CTRL\_0.DPLL\_BW Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_BW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	DPLL_BW[7:0]							
005h	BW_UNIT[15:14]		DPLL_BW[13:8]					

DPLL_CTRL_0.DPLL_BW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BW_UNIT[15:14]	R/W	0	DPLL loop filter bandwidth unit. 0 = uHz 1 = mHz 2 = Hz 3 = kHz
DPLL_BW[13:0]	R/W	0	Unsigned 14-bit DPLL loop filter bandwidth value.

DPLL\_CTRL\_0.DPLL\_PSL

DPLL loop filter phase slope limit.

Table 259: DPLL\_CTRL\_0.DPLL\_PSL Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_PSL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	DPLL_PSL[7:0]							
007h	DPLL_PSL[15:8]							

DPLL_CTRL_0.DPLL_PSL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_PSL[15:0]	R/W	0	Unsigned 16-bit loop filter phase slope limit in ns/s.

DPLL\_CTRL\_0.DPLL\_PREDO\_DAMPING

Predefined configuration 0 loop filter damping factor.

Table 260: DPLL\_CTRL\_0.DPLL\_PREDO\_DAMPING Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_PREDO_DAMPING Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	RESERVED[7:4]				DAMP_FTR[3:0]			

DPLL_CTRL_0.DPLL_PRED0_DAMPING Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DAMP_FTR[3:0]	R/W	0	DPLL loop filter damping factor. 0 = 1.002, 0.02 dB, overdamp; 1 = 1.006, 0.05 dB, < 0.05 dB; 2 = 1.008, 0.07 dB, < 1%; 3 = 1.012, 0.10 dB, < 0.1 dB; 4 = 1.015, 0.13 dB, < 2%; 5 = 1.022, 0.19 dB, < 0.2 dB; 6 = 1.053, 0.45 dB, < 0.5 dB; 7 = 1.172, 1.38 dB, underdamp

DPLL\_CTRL\_0.DPLL\_PRED0\_DECIMATOR\_BW\_MULT

Predefined configuration 0 loop filter decimator bandwidth multiplier.

Table 261: DPLL\_CTRL\_0.DPLL\_PRED0\_DECIMATOR\_BW\_MULT Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_PRED0_DECIMATOR_BW_MULT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
009h	MULT[7:0]							

DPLL_CTRL_0.DPLL_PRED0_DECIMATOR_BW_MULT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
MULT[7:0]	R/W	0	Unsigned 8-bit DPLL loop filter decimator bandwidth multiplier. The decimator BW = decimator BW mult * DPLL BW. Value 0 implies maximum decimator bandwidth.

DPLL\_CTRL\_0.DPLL\_PRED0\_BW

Predefined configuration 0 loop filter bandwidth.

Table 262: DPLL\_CTRL\_0.DPLL\_PRED0\_BW Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_PRED0_BW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	DPLL_PRED0_BW[7:0]							
00Bh	BW_UNIT[15:14]		DPLL_PRED0_BW[13:8]					

DPLL_CTRL_0.DPLL_PRED0_BW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BW_UNIT[15:14]	R/W	0	DPLL loop filter bandwidth unit. 0 = uHz 1 = mHz 2 = Hz 3 = kHz
DPLL_PRED0_BW[13:0]	R/W	0	Unsigned 14-bit DPLL loop filter bandwidth value.

DPLL\_CTRL\_0.DPLL\_PRED0\_PSL

Predefined configuration 0 loop filter phase slope limit.

Table 263: DPLL\_CTRL\_0.DPLL\_PRED0\_PSL Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_PRED0_PSL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	DPLL_PRED0_PSL[7:0]							
00Dh	DPLL_PRED0_PSL[15:8]							

DPLL_CTRL_0.DPLL_PRED0_PSL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_PRED0_PSL[15:0]	R/W	0	Unsigned 16-bit loop filter phase slope limit in ns/s. Value 0 implies no phase slope limit.

DPLL\_CTRL\_0.DPLL\_PRED1\_DAMPING

Predefined configuration 1 loop filter damping factor.

Table 264: DPLL\_CTRL\_0.DPLL\_PRED1\_DAMPING Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_PRED1_DAMPING Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Eh	RESERVED[7:4]				DAMP_FTR[3:0]			

DPLL_CTRL_0.DPLL_PRED1_DAMPING Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DAMP_FTR[3:0]	R/W	0	DPLL loop filter damping factor. 0 = 1.002, 0.02 dB, overdamp; 1 = 1.006, 0.05 dB, < 0.05 dB; 2 = 1.008, 0.07 dB, < 1%; 3 = 1.012, 0.10 dB, < 0.1 dB; 4 = 1.015, 0.13 dB, < 2%; 5 = 1.022, 0.19 dB, < 0.2 dB; 6 = 1.053, 0.45 dB, < 0.5 dB; 7 = 1.172, 1.38 dB, underdamp

DPLL\_CTRL\_0.DPLL\_PRED1\_DECIMATOR\_BW\_MULT

Predefined configuration 1 loop filter decimator bandwidth multiplier.

Table 265: DPLL\_CTRL\_0.DPLL\_PRED1\_DECIMATOR\_BW\_MULT Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_PRED1_DECIMATOR_BW_MULT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	MULT[7:0]							

DPLL_CTRL_0.DPLL_PRED1_DECIMATOR_BW_MULT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
MULT[7:0]	R/W	0	Unsigned 8-bit DPLL loop filter decimator bandwidth multiplier. The decimator BW = decimator BW mult * DPLL BW. Value 0 implies maximum decimator bandwidth.

DPLL\_CTRL\_0.DPLL\_PRED1\_BW

Predefined configuration 1 loop filter bandwidth.

Table 266: DPLL\_CTRL\_0.DPLL\_PRED1\_BW Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_PRED1_BW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
010h	DPLL_PRED1_BW[7:0]							
011h	BW_UNIT[15:14]		DPLL_PRED1_BW[13:8]					

DPLL_CTRL_0.DPLL_PRED1_BW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BW_UNIT[15:14]	R/W	0	DPLL loop filter bandwidth unit. 0 = uHz 1 = mHz 2 = Hz 3 = kHz
DPLL_PRED1_BW[13:0]	R/W	0	Unsigned 14-bit DPLL loop filter bandwidth value.

DPLL\_CTRL\_0.DPLL\_PRED1\_PSL

Predefined configuration 1 loop filter phase slope limit.

Table 267: DPLL\_CTRL\_0.DPLL\_PRED1\_PSL Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_PRED1_PSL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
012h	DPLL_PRED1_PSL[7:0]							
013h	DPLL_PRED1_PSL[15:8]							

DPLL_CTRL_0.DPLL_PRED1_PSL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_PRED1_PSL[15:0]	R/W	0	Unsigned 16-bit loop filter phase slope limit in ns/s. Value 0 implies no phase slope limit.

DPLL\_CTRL\_0.DPLL\_PHASE\_OFFSET\_CFG

DPLL phase offset configuration.

Table 268: DPLL\_CTRL\_0.DPLL\_PHASE\_OFFSET\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_PHASE_OFFSET_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
014h	DPLL_PHASE_OFFSET_CFG[7:0]							
015h	DPLL_PHASE_OFFSET_CFG[15:8]							
016h	DPLL_PHASE_OFFSET_CFG[23:16]							
017h	DPLL_PHASE_OFFSET_CFG[31:24]							
018h	RESERVED[39:36]				DPLL_PHASE_OFFSET_CFG[35:32]			

DPLL_CTRL_0.DPLL_PHASE_OFFSET_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_PHASE_OFFSET_CFG[35:0]	R/W	0	Signed 36-bit phase offset in ITDC_UIs. ITDC_UI is input TDC unit interval. Please refer to the SCSR_INPUT_TDC module for details on input TDC settings and ITDC_UI value. The default input TDC settings yield 50ps ITDC_UI. A positive value here will cause an output clock phase delay relative to the input clock phase and a negative value will cause an output phase advance relative to the input clock phase. Note that this phase offset configuration applies to both DPLL mode and write phase mode.

DPLL\_CTRL\_0.DPLL\_HO\_HISTORY\_RESET

Reset advanced holdover history.

Table 269: DPLL\_CTRL\_0.DPLL\_HO\_HISTORY\_RESET Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_HO_HISTORY_RESET Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
019h	RESERVED[7:1]							HO_HISTORY_RESET[0]

DPLL_CTRL_0.DPLL_HO_HISTORY_RESET Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
HO_HISTORY_RESET[0]	R/W	0	Reset advanced holdover history. 1 = enable reset, 0 = cancel reset. This bit is a self-clear bit. When the HO history is cleared, this bit will be cleared to 0 by FW.

DPLL\_CTRL\_0.DPLL\_FINE\_PHASE\_ADV\_CFG

Configure the fine phase advance to be applied to the DPLL.

Table 270: DPLL\_CTRL\_0.DPLL\_FINE\_PHASE\_ADV\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_FINE_PHASE_ADV_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Ah	FINE_PHASE_ADVANCE[7:0]							
01Bh	RESERVED[15:13]			FINE_PHASE_ADVANCE[12:8]				

DPLL_CTRL_0.DPLL_FINE_PHASE_ADV_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FINE_PHASE_ADVANCE[12:0]	R/W	0	<p>Unsigned (i.e. positive) 13-bit fine phase advance.</p> <p>Note: This register must be set to 0 if the DPLL feedback clock has a fractional component.</p> <p>Resolution is in units of input TDC period/4096. The default input TDC clock is 625 MHz, so the default input TDC period is 1.6 ns which results in a resolution of approximately 391 fs.</p> <p>Ex. 0x0002 translates to 782 fs (0.782 ps) phase advance applied to the DPLL. Conversely, 0x0000 means no phase advance is applied to the DPLL.</p> <p>Note: Phase advance is defined as the phase of the output that is measured relative to another reference and the output clocks rising edge comes after the rising edge of the reference signal, by some amount X, then a phase advance on the output clock will result in a measurement of X - fine_phase_advance.</p> <p>Note: The DPLL fractional feedback clock frequency correction is lost when a non zero phase advance is applied. To restore previous DPLL configuration, need to set 'fine_phase_advance' to 0 and re-trigger the DPLL configuration.</p>

DPLL\_CTRL\_0.DPLL\_FOD\_FREQ

DPLL FOD frequency is determined by M / N.

Table 271: DPLL\_CTRL\_0.DPLL\_FOD\_FREQ Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_FOD_FREQ Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Ch	M[7:0]							
01Dh	M[15:8]							
01Eh	M[23:16]							
01Fh	M[31:24]							
020h	M[39:32]							
021h	M[47:40]							
022h	N[7:0]							
023h	N[15:8]							

DPLL_CTRL_0.DPLL_FOD_FREQ Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
N[15:0]	R/W	0	Unsigned 16-bit frequency N field. N is unsigned 16-bit. A value of 0 for this field will be interpreted as 1.
M[47:0]	R/W	0	Unsigned 48-bit frequency M field. A setting of 0 will disable the FOD, but not other parts of the DPLL. This will significantly reduce the power consumption of this DPLL. As there is no clock output from the FOD when this field is set to 0, it is suggested to disable the outputs which are associated with this FOD by setting SCSR_OUTPUT_0.PAD_MODE to 0 (high-Z mode).

DPLL\_CTRL\_0.DPLL\_MASTER\_DIV

Master divider value.

Table 272: DPLL\_CTRL\_0.DPLL\_MASTER\_DIV Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_MASTER_DIV Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
024h	DPLL_MASTER_DIV[7:0]							
025h	DPLL_MASTER_DIV[15:8]							
026h	DPLL_MASTER_DIV[23:16]							
027h	DPLL_MASTER_DIV[31:24]							

DPLL_CTRL_0.DPLL_MASTER_DIV Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_MASTER_DIV[31:0]	R/W	0	Unsigned 32-bit master divider value. For each of the 8 output channels, there is a master divider circuit that divides down the FOD clock. The purpose of this divider is to send sync signals to the output channel's important dividers, such as the integer output divider(s), the DPLL feedback divider, the DPLL feedback frame divider and the ToD (for those channels that have a ToD). 0 means the master divider is automatically set to a value that results in an 8 KHz signal coming out of the master divider block. If any of the outputs are lower than 8kHz or any of the outputs/inputs are not a multiple of 8kHz, this needs to be updated to reflect the lowest common multiple (of all outputs/inputs). If ToD[3:0] is being used (i.e. enabled), then the master divider for the associated DPLL[3:0] must be programmed to 1PPS (1Hz) or PPES (0.5Hz) (i.e. to match the ToD internal output).

DPLL\_CTRL\_0.DPLL\_COMBO\_SW\_VALUE\_CNFG

DCO value to be added to the combo bus in SW combo mode.

Table 273: DPLL\_CTRL\_0.DPLL\_COMBO\_SW\_VALUE\_CNFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_COMBO_SW_VALUE_CNFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
028h	DPLL_COMBO_SW_VALUE_CNFG[7:0]							
029h	DPLL_COMBO_SW_VALUE_CNFG[15:8]							
02Ah	DPLL_COMBO_SW_VALUE_CNFG[23:16]							
02Bh	DPLL_COMBO_SW_VALUE_CNFG[31:24]							
02Ch	DPLL_COMBO_SW_VALUE_CNFG[39:32]							
02Dh	DPLL_COMBO_SW_VALUE_CNFG[47:40]							

DPLL_CTRL_0.DPLL_COMBO_SW_VALUE_CNFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_COMBO_SW_VALU E_CNFG[47:0]	R/W	0	DPLL Combo SW value in units of $2^{(-53)}$ .

DPLL\_CTRL\_0.DPLL\_MANUAL\_HOLDOVER\_VALUE

DCO value to be used in manual holdover mode.

Table 274: DPLL\_CTRL\_0.DPLL\_MANUAL\_HOLDOVER\_VALUE Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_MANUAL_HOLDOVER_VALUE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
030h	DPLL_MANUAL_HOLDOVER_VALUE[7:0]							
031h	DPLL_MANUAL_HOLDOVER_VALUE[15:8]							
032h	DPLL_MANUAL_HOLDOVER_VALUE[23:16]							
033h	DPLL_MANUAL_HOLDOVER_VALUE[31:24]							
034h	DPLL_MANUAL_HOLDOVER_VALUE[39:32]							
035h	RESERVED[47:42]						DPLL_MANUAL_HOLDOVE R_VALUE[41:40]	

DPLL_CTRL_0.DPLL_MANUAL_HOLDOVER_VALUE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_MANUAL_HOLDOV ER_VALUE[41:0]	R/W	0	Signed 42-bit FFO in units of $2^{(-53)}$ . The holdover value used when DPLL_n.DPLL_HI_CFG.HOLDOVER_MODE is configured to manual holdover.

DPLL\_CTRL\_0.DPLL\_DCD\_FILTER\_CNFG

DPLL DCD filter configuration.

Table 275: DPLL\_CTRL\_0.DPLL\_DCD\_FILTER\_CNFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_DCD_FILTER_CNFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
036h	DCD_MANU_UPDATE_RATE_CNFG[7:6]		DCD_MANU_GAIN_SHIFT[5:1]					DCD_MANU_EN[0]
037h	RESERVED[15]	DCD_LPF_COE[14:10]					DCD_MANU_UPDATE_RATE_CNFG[9:8]	

DPLL_CTRL_0.DPLL_DCD_FILTER_CNFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DCD_LPF_COE[14:10]	R/W	1010b	DCD low pass filter coefficient.
DCD_MANU_UPDATE_RATE_CNFG[9:6]	R/W	202h	Configure DCD manual calibration mode updating rate. Updating rate = $10000/(2^{dcd\_manu\_update\_rate\_cnfg})$ in Hz.
DCD_MANU_GAIN_SHIFT[5:1]	R/W	10h	DCD manual calibration mode gain down shift bits.
DCD_MANU_EN[0]	R/W	0001b	Enable DCD manual calibration mode. 0 = disabled 1 = enabled

DPLL\_CTRL\_0.DPLL\_COMBO\_MASTER\_BW

DPLL combo filter bandwidth.

Table 276: DPLL\_CTRL\_0.DPLL\_COMBO\_MASTER\_BW Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_COMBO_MASTER_BW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
038h	DPLL_COMBO_MASTER_BW[7:0]							
039h	BW_UNIT[15:14]		DPLL_COMBO_MASTER_BW[13:8]					

DPLL_CTRL_0.DPLL_COMBO_MASTER_BW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BW_UNIT[15:14]	R/W	0	Combo filter bandwidth unit. 0 = uHz 1 = mHz 2 = Hz 3 = kHz
DPLL_COMBO_MASTER_BW[13:0]	R/W	0	Unsigned 14-bit Combo filter bandwidth value.

DPLL\_CTRL\_0.DPLL\_COMBO\_MASTER\_CFG

DPLL combo master configuration.

Table 277: DPLL\_CTRL\_0.DPLL\_COMBO\_MASTER\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_COMBO_MASTER_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
03Ah	RESERVED[7:2]						FILTER_IN_SELECT[1]	HOLD_EN[0]

DPLL_CTRL_0.DPLL_COMBO_MASTER_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FILTER_IN_SELECT[1]	R/W	0	Select filtered DCO value as combo source. 0 = integrator value only 1 = sum of proportional and integrator
HOLD_EN[0]	R/W	0	Combo bus output hold (freeze). 0 = no hold 1 = hold (freeze).

DPLL\_CTRL\_0.DPLL\_FRAME\_PULSE\_SYNC

Frame pulse sync trigger

Table 278: DPLL\_CTRL\_0.DPLL\_FRAME\_PULSE\_SYNC Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_CTRL_0.DPLL_FRAME_PULSE_SYNC Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
03Bh	RESERVED[7:1]							FRAME_PULSE_SYNC[0]

DPLL_CTRL_0.DPLL_FRAME_PULSE_SYNC Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FRAME_PULSE_SYNC[0]	R/W	0	Trigger a frame pulse sync Write 1 to trigger a frame pulse sync procedure. This bit will be self-cleared after the sync finished. Write 0 will have no effect. 0 = no effect 1 = trigger a frame pulse sync

Module: SYS\_DPLL\_CTRL

TRIGGER: Every register in this module is a trigger register. In the case of a multibyte register the highest address register byte is the trigger byte.

Table 279: SYS\_DPLL\_CTRL Register Index

Offset (Hex)	Register Module Base Address: C800h	
	Individual Register Name	Register Description
000h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_MANU_REF_CFG</a>	Manual reference mode configuration.
001h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_DAMPING</a>	System DPLL loop filter damping factor.
002h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_DECIMATOR_BW_MULT</a>	System DPLL loop filter decimator bandwidth multiplier.
004h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_BW</a>	System DPLL loop filter bandwidth.
006h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_PSL</a>	System DPLL loop filter phase slope limit.
008h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_PRED0_DAMPING</a>	Predefined configuration 0 loop filter damping factor.
009h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_PRED0_DECIMATOR_BW_MULT</a>	Predefined configuration 0 loop filter decimator bandwidth multiplier.
00Ah	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_PRED0_BW</a>	Predefined configuration 0 loop filter bandwidth.
00Ch	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_PRED0_PSL</a>	Predefined configuration 0 loop filter phase slope limit.
00Eh	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_PRED1_DAMPING</a>	Predefined configuration 1 loop filter damping factor.
00Fh	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_PRED1_DECIMATOR_BW_MULT</a>	Predefined configuration 1 loop filter decimator bandwidth multiplier.
010h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_PRED1_BW</a>	Predefined configuration 1 loop filter bandwidth.
012h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_PRED1_PSL</a>	Predefined configuration 1 loop filter phase slope limit.
014h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_COMBO_MASTER_BW</a>	System DPLL combo filter bandwidth.
016h	<a href="#">SYS_DPLL_CTRL.SYS_DPLL_COMBO_MASTER_CFG</a>	DPLL combo master configuration.

SYS\_DPLL\_CTRL.SYS\_DPLL\_MANU\_REF\_CFG

Select reference to be used for manual reference selection mode.

Table 280: SYS\_DPLL\_CTRL.SYS\_DPLL\_MANU\_REF\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_MANU_REF_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	RESERVED[7:5]				MANUAL_REFERENCE[4:0]			

SYS_DPLL_CTRL.SYS_DPLL_MANU_REF_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
MANUAL_REFERENCE[4:0]	R/W	0	Index of manually selected reference input when 'manual' reference mode is enabled. 0x00 = CLK0 0x01 = CLK1 0x02 = CLK2 0x03 = CLK3 0x04 = CLK4 0x05 = CLK5 0x06 = CLK6 0x07 = CLK7 0x08 = CLK8 0x09 = CLK9 0x0A = CLK10 0x0B = CLK11 0x0C = CLK12 0x0D = CLK13 0x0E = CLK14 0x0F = CLK15 0x10 = reserved 0x11 = reserved 0x12 = XO_DPLL

SYS\_DPLL\_CTRL.SYS\_DPLL\_DAMPING

System DPLL loop filter damping factor.

Table 281: SYS\_DPLL\_CTRL.SYS\_DPLL\_DAMPING Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_DAMPING Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	RESERVED[7:4]				DAMP_FTR[3:0]			

SYS_DPLL_CTRL.SYS_DPLL_DAMPING Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DAMP_FTR[3:0]	R/W	0	System DPLL loop filter damping factor 0 = 1.002, 0.02 dB, overdamp; 1 = 1.006, 0.05 dB, < 0.05 dB; 2 = 1.008, 0.07 dB, < 1%; 3 = 1.012, 0.10 dB, < 0.1 dB; 4 = 1.015, 0.13 dB, < 2%; 5 = 1.022, 0.19 dB, < 0.2 dB; 6 = 1.053, 0.45 dB, < 0.5 dB; 7 = 1.172, 1.38 dB, underdamp

SYS\_DPLL\_CTRL.SYS\_DPLL\_DECIMATOR\_BW\_MULT

System DPLL loop filter decimator bandwidth multiplier.

Table 282: SYS\_DPLL\_CTRL.SYS\_DPLL\_DECIMATOR\_BW\_MULT Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_DECIMATOR_BW_MULT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	MULT[7:0]							

SYS_DPLL_CTRL.SYS_DPLL_DECIMATOR_BW_MULT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
MULT[7:0]	R/W	0	Unsigned 8-bit system DPLL loop filter decimator bandwidth multiplier. The decimator BW = decimator BW mult * DPLL BW. Value 0 implies maximum decimator bandwidth. This is not the system DPLL bandwidth.

SYS\_DPLL\_CTRL.SYS\_DPLL\_BW

System DPLL loop filter bandwidth.

Table 283: SYS\_DPLL\_CTRL.SYS\_DPLL\_BW Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_BW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	SYS_DPLL_BW[7:0]							
005h	BW_UNIT[15:14]		SYS_DPLL_BW[13:8]					

SYS_DPLL_CTRL.SYS_DPLL_BW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BW_UNIT[15:14]	R/W	0	System DPLL loop filter bandwidth unit. 0 = uHz 1 = mHz 2 = Hz 3 = kHz
SYS_DPLL_BW[13:0]	R/W	0	Unsigned 14-bit system DPLL loop filter bandwidth value.

SYS\_DPLL\_CTRL.SYS\_DPLL\_PSL

System DPLL loop filter phase slope limit.

Table 284: SYS\_DPLL\_CTRL.SYS\_DPLL\_PSL Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_PSL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	SYS_DPLL_PSL[7:0]							
007h	SYS_DPLL_PSL[15:8]							

SYS_DPLL_CTRL.SYS_DPLL_PSL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SYS_DPLL_PSL[15:0]	R/W	0	Unsigned 16-bit loop filter phase slope limit in ns/s.

SYS\_DPLL\_CTRL.SYS\_DPLL\_PREDO\_DAMPING

Predefined configuration 0 loop filter damping factor.

Table 285: SYS\_DPLL\_CTRL.SYS\_DPLL\_PREDO\_DAMPING Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_PREDO_DAMPING Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	RESERVED[7:4]				DAMP_FTR[3:0]			

SYS_DPLL_CTRL.SYS_DPLL_PRED0_DAMPING Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DAMP_FTR[3:0]	R/W	0	System DPLL loop filter damping factor. 0 = 1.002, 0.02 dB, overdamp; 1 = 1.006, 0.05 dB, < 0.05 dB; 2 = 1.008, 0.07 dB, < 1%; 3 = 1.012, 0.10 dB, < 0.1 dB; 4 = 1.015, 0.13 dB, < 2%; 5 = 1.022, 0.19 dB, < 0.2 dB; 6 = 1.053, 0.45 dB, < 0.5 dB; 7 = 1.172, 1.38 dB, underdamp

SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED0\_DECIMATOR\_BW\_MULT

Predefined configuration 0 loop filter decimator bandwidth multiplier.

Table 286: SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED0\_DECIMATOR\_BW\_MULT Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_PRED0_DECIMATOR_BW_MULT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
009h	MULT[7:0]							

SYS_DPLL_CTRL.SYS_DPLL_PRED0_DECIMATOR_BW_MULT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
MULT[7:0]	R/W	0	Unsigned 8-bit system DPLL loop filter decimator bandwidth multiplier. The decimator BW = decimator BW mult * DPLL BW. Value 0 implies maximum decimator bandwidth.

SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED0\_BW

Predefined configuration 0 loop filter bandwidth.

Table 287: SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED0\_BW Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_PRED0_BW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	SYS_DPLL_PRED0_BW[7:0]							
00Bh	BW_UNIT[15:14]		SYS_DPLL_PRED0_BW[13:8]					

SYS_DPLL_CTRL.SYS_DPLL_PRED0_BW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BW_UNIT[15:14]	R/W	0	System DPLL loop filter bandwidth unit. 0 = uHz 1 = mHz 2 = Hz 3 = kHz
SYS_DPLL_PRED0_BW[13:0]	R/W	0	Unsigned 14-bit system DPLL loop filter bandwidth value.

SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED0\_PSL

Predefined configuration 0 loop filter phase slope limit.

Table 288: SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED0\_PSL Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_PRED0_PSL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	SYS_DPLL_PRED0_PSL[7:0]							
00Dh	SYS_DPLL_PRED0_PSL[15:8]							

SYS_DPLL_CTRL.SYS_DPLL_PRED0_PSL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SYS_DPLL_PRED0_PSL[15:0]	R/W	0	Unsigned 16-bit loop filter phase slope limit in ns/s. Value 0 implies no phase slope limit.

SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED1\_DAMPING

Predefined configuration 1 loop filter damping factor.

Table 289: SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED1\_DAMPING Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_PRED1_DAMPING Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Eh	RESERVED[7:4]				DAMP_FTR[3:0]			

SYS_DPLL_CTRL.SYS_DPLL_PRED1_DAMPING Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DAMP_FTR[3:0]	R/W	0	System DPLL loop filter damping factor. 0 = 1.002, 0.02 dB, overdamp; 1 = 1.006, 0.05 dB, < 0.05 dB; 2 = 1.008, 0.07 dB, < 1%; 3 = 1.012, 0.10 dB, < 0.1 dB; 4 = 1.015, 0.13 dB, < 2%; 5 = 1.022, 0.19 dB, < 0.2 dB; 6 = 1.053, 0.45 dB, < 0.5 dB; 7 = 1.172, 1.38 dB, underdamp

SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED1\_DECIMATOR\_BW\_MULT

Predefined configuration 1 loop filter decimator bandwidth multiplier.

Table 290: SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED1\_DECIMATOR\_BW\_MULT Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_PRED1_DECIMATOR_BW_MULT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	MULT[7:0]							

SYS_DPLL_CTRL.SYS_DPLL_PRED1_DECIMATOR_BW_MULT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
MULT[7:0]	R/W	0	Unsigned 8-bit system DPLL loop filter decimator bandwidth multiplier. The decimator BW = decimator BW mult * DPLL BW. Value 0 implies maximum decimator bandwidth.

SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED1\_BW

Predefined configuration 1 loop filter bandwidth.

Table 291: SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED1\_BW Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_PRED1_BW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
010h	SYS_DPLL_PRED1_BW[7:0]							
011h	BW_UNIT[15:14]		SYS_DPLL_PRED1_BW[13:8]					

SYS_DPLL_CTRL.SYS_DPLL_PRED1_BW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BW_UNIT[15:14]	R/W	0	System DPLL loop filter bandwidth unit. 0 = uHz 1 = mHz 2 = Hz 3 = kHz
SYS_DPLL_PRED1_BW[13:0]	R/W	0	Unsigned 14-bit system DPLL loop filter bandwidth value.

SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED1\_PSL

Predefined configuration 1 loop filter phase slope limit.

Table 292: SYS\_DPLL\_CTRL.SYS\_DPLL\_PRED1\_PSL Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_PRED1_PSL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
012h	SYS_DPLL_PRED1_PSL[7:0]							
013h	SYS_DPLL_PRED1_PSL[15:8]							

SYS_DPLL_CTRL.SYS_DPLL_PRED1_PSL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SYS_DPLL_PRED1_PSL[15:0]	R/W	0	Unsigned 16-bit loop filter phase slope limit in ns/s. Value 0 implies no phase slope limit.

SYS\_DPLL\_CTRL.SYS\_DPLL\_COMBO\_MASTER\_BW

System DPLL combo filter bandwidth.

Table 293: SYS\_DPLL\_CTRL.SYS\_DPLL\_COMBO\_MASTER\_BW Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_COMBO_MASTER_BW Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
014h	SYS_DPLL_COMBO_MASTER_BW[7:0]							
015h	BW_UNIT[15:14]		SYS_DPLL_COMBO_MASTER_BW[13:8]					

SYS_DPLL_CTRL.SYS_DPLL_COMBO_MASTER_BW Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BW_UNIT[15:14]	R/W	0	Combo filter bandwidth unit. 0 = uHz 1 = mHz 2 = Hz 3 = kHz
SYS_DPLL_COMBO_MASTER_BW[13:0]	R/W	0	Unsigned 14-bit Combo filter bandwidth value.

SYS\_DPLL\_CTRL.SYS\_DPLL\_COMBO\_MASTER\_CFG

DPLL combo master configuration.

Table 294: SYS\_DPLL\_CTRL.SYS\_DPLL\_COMBO\_MASTER\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	SYS_DPLL_CTRL.SYS_DPLL_COMBO_MASTER_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
016h	RESERVED[7:2]						FILTER_IN_SELECT[1]	HOLD_EN[0]

SYS_DPLL_CTRL.SYS_DPLL_COMBO_MASTER_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FILTER_IN_SELECT[1]	R/W	0	Select filtered DCO value as combo source. 0 = integrator value only 1 = sum of proportional and integrator
HOLD_EN[0]	R/W	0	Combo bus output hold (freeze). 0 = no hold 1 = hold (freeze).

Module: DPLL\_PHASE\_0

Configures the DPLL phase.

Table 295: DPLL\_PHASE\_0 Register Index

Offset (Hex)	Register Module Base Address: C818h <sup>a</sup>	
	Individual Register Name	Register Description
000h	DPLL_PHASE_0.DPLL_WRITE_PH	Set phase offset in write phase mode.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

DPLL\_PHASE\_0.DPLL\_WRITE\_PH

Set phase offset in write phase mode.

Table 296: DPLL\_PHASE\_0.DPLL\_WRITE\_PH Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_PHASE_0.DPLL_WRITE_PH Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	DPLL_WRITE_PH[7:0]							
001h	DPLL_WRITE_PH[15:8]							
002h	DPLL_WRITE_PH[23:16]							
003h	DPLL_WRITE_PH[31:24]							

DPLL_PHASE_0.DPLL_WRITE_PH Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_WRITE_PH[31:0]	R/W	0	Signed 32-bit phase offset in ITDC_UIs. When DPLL_n.DPLL_MODE.PLL_MODE = write phase mode, this value inputs to the loop filter and controls the DPLL phase.

Module: DPLL\_FREQ\_0

Configures the DPLL phase.

Table 297: DPLL\_FREQ\_0 Register Index

Offset (Hex)	Register Module Base Address: C838h <sup>a</sup>	
	Individual Register Name	Register Description
000h	<a href="#">DPLL_FREQ_0.DPLL_WR_FREQ</a>	Set DPLL frequency offset in write frequency mode.
006h	RESERVED	This register must not be modified from the read value
007h	RESERVED	This register must not be modified from the read value

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

DPLL\_FREQ\_0.DPLL\_WR\_FREQ

Set DPLL frequency offset in write frequency mode.

Table 298: DPLL\_FREQ\_0.DPLL\_WR\_FREQ Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_FREQ_0.DPLL_WR_FREQ Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	DPLL_WR_FREQ[7:0]							
001h	DPLL_WR_FREQ[15:8]							
002h	DPLL_WR_FREQ[23:16]							
003h	DPLL_WR_FREQ[31:24]							
004h	DPLL_WR_FREQ[39:32]							
005h	RESERVED[47:42]						DPLL_WR_FREQ[41:40]	

DPLL_FREQ_0.DPLL_WR_FREQ Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_WR_FREQ[41:0]	R/W	0	Signed 42-bit FFO in units of $2^{(-53)}$ . Used when DPLL_n.DPLL_MODE.PLL_MODE = write frequency mode.

Module: DPLL\_PHASE\_PULL\_IN\_0

Configures the DPLL phase pull-in.

Table 299: DPLL\_PHASE\_PULL\_IN\_0 Register Index

Offset (Hex)	Register Module Base Address: C880h <sup>a</sup>	
	Individual Register Name	Register Description
000h	<a href="#">DPLL_PHASE_PULL_IN_0.DPLL_PHASE_PULL_IN_OFFSET</a>	Phase pull-in offset.
004h	<a href="#">DPLL_PHASE_PULL_IN_0.DPLL_PHASE_PULL_IN_SLOPE_LIMIT</a>	Phase pull-in slope limit.
007h	<a href="#">DPLL_PHASE_PULL_IN_0.DPLL_PHASE_PULL_IN_CTRL</a>	Phase pull-in configuration.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

DPLL\_PHASE\_PULL\_IN\_0.DPLL\_PHASE\_PULL\_IN\_OFFSET

Phase pull-in offset.

Table 300: DPLL\_PHASE\_PULL\_IN\_0.DPLL\_PHASE\_PULL\_IN\_OFFSET Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_PHASE_PULL_IN_0.DPLL_PHASE_PULL_IN_OFFSET Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	DPLL_PHASE_PULL_IN_OFFSET[7:0]							
001h	DPLL_PHASE_PULL_IN_OFFSET[15:8]							
002h	DPLL_PHASE_PULL_IN_OFFSET[23:16]							
003h	DPLL_PHASE_PULL_IN_OFFSET[31:24]							

DPLL_PHASE_PULL_IN_0.DPLL_PHASE_PULL_IN_OFFSET Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_PHASE_PULL_IN_OFFSET[31:0]	R/W	0	Signed 32-bit phase pull-in offset in nanoseconds. The phase offset for the phase pull-in operation.

DPLL\_PHASE\_PULL\_IN\_0.DPLL\_PHASE\_PULL\_IN\_SLOPE\_LIMIT

Phase pull-in slope limit.

Table 301: DPLL\_PHASE\_PULL\_IN\_0.DPLL\_PHASE\_PULL\_IN\_SLOPE\_LIMIT Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_PHASE_PULL_IN_0.DPLL_PHASE_PULL_IN_SLOPE_LIMIT Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	DPLL_PHASE_PULL_IN_SLOPE_LIMIT[7:0]							
005h	DPLL_PHASE_PULL_IN_SLOPE_LIMIT[15:8]							
006h	DPLL_PHASE_PULL_IN_SLOPE_LIMIT[23:16]							

DPLL_PHASE_PULL_IN_0.DPLL_PHASE_PULL_IN_SLOPE_LIMIT Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL_PHASE_PULL_IN_SLOPE_LIMIT[23:0]	R/W	0	Unsigned 24-bit max FFO in ppb. The maximum FFO value for calculating phase pull-in time. This value should not exceed 244000 ppb. Value 0 implies that the maximum FFO 244000 ppb will be applied.

DPLL\_PHASE\_PULL\_IN\_0.DPLL\_PHASE\_PULL\_IN\_CTRL

Phase pull-in configuration.

Table 302: DPLL\_PHASE\_PULL\_IN\_0.DPLL\_PHASE\_PULL\_IN\_CTRL Bit Field Locations and Descriptions

Offset Address (Hex)	DPLL_PHASE_PULL_IN_0.DPLL_PHASE_PULL_IN_CTRL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	RESERVED[7:1]							PHASE_PULL_IN_REQUEST[0]

DPLL_PHASE_PULL_IN_0.DPLL_PHASE_PULL_IN_CTRL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
PHASE_PULL_IN_REQUEST[0]	R/W	0	Phase pull-in request. Setting this bit to "1" starts a phase pull-in if there is no one in progress. Otherwise, it will be ignored. Setting this bit to "0" terminates the on-going phase pull-in. This request is only applicable to pll_mode: "write phase mode", "write frequency mode", "GPIO inc/dec mode", and "synthesizer mode". It will be ignored if the DPLL is in other modes. A pll-mode change will trigger a termination of on-going phase pull-in. This bit will be self-cleared after the phase pull-in finished.

Module: GPIO\_CFG

Global GPIO configuration.

Table 303: GPIO\_CFG Register Index

Offset (Hex)	Register Module Base Address: C8C0h	
	Individual Register Name	Register Description
000h	<a href="#">GPIO_CFG.GPIO_CFG_GBL</a>	Global GPIO parameters.

GPIO\_CFG.GPIO\_CFG\_GBL

Enable the GPIO drive supply mode.

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the GPIO\_DC\_CFG module.

Table 304: GPIO\_CFG.GPIO\_CFG\_GBL Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_CFG.GPIO_CFG_GBL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	RESERVED[7:2]						SUPPLY_MODE[1:0]	

GPIO_CFG.GPIO_CFG_GBL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
SUPPLY_MODE[1:0]	R/W	0	Select GPIO supply rail configuration. Select GPIO drive voltage. 0 = 1.8 V 1 = 2.5 V/3.3 V 2 = 1.5 V

Module: GPIO\_0

Configure the GPIO registers.

Table 305: GPIO\_0 Register Index

Offset (Hex)	Register Module Base Address: C8C2h <sup>a</sup>	
	Individual Register Name	Register Description
000h	<a href="#">GPIO_0.GPIO_DCO_INC_DEC</a>	Increment/decrement DCO FFO configuration.
001h	<a href="#">GPIO_0.GPIO_OUT_CTRL_0</a>	GPIO controlled output squelch for outputs 0-7.
002h	<a href="#">GPIO_0.GPIO_OUT_CTRL_1</a>	GPIO controlled output squelch for outputs 8-11.
003h	<a href="#">GPIO_0.GPIO_TOD_TRIG</a>	GPIO controlled TOD trigger input.
004h	<a href="#">GPIO_0.GPIO_DPLL_INDICATOR</a>	GPIO indicator for DPLL lock and holdover states.
005h	<a href="#">GPIO_0.GPIO_LOS_INDICATOR</a>	GPIO loss of signal (LOS) indicator.
006h	<a href="#">GPIO_0.GPIO_REF_INPUT_DSQ_0</a>	GPIO controlled input disqualification for inputs 0-7.
007h	<a href="#">GPIO_0.GPIO_REF_INPUT_DSQ_1</a>	GPIO controlled input disqualification for inputs 8-15.
008h	<a href="#">GPIO_0.GPIO_REF_INPUT_DSQ_2</a>	GPIO controlled input disqualification for DPLLs.
009h	<a href="#">GPIO_0.GPIO_REF_INPUT_DSQ_3</a>	GPIO controlled input disqualification for system DPLL and disqualification level.
00Ah	<a href="#">GPIO_0.GPIO_MAN_CLK_SEL_0</a>	Configure inputs for GPIO manual clock selection.
00Bh	<a href="#">GPIO_0.GPIO_MAN_CLK_SEL_1</a>	Select DPLLs for GPIO manual clock selection.
00Ch	<a href="#">GPIO_0.GPIO_MAN_CLK_SEL_2</a>	Select system DPLL for GPIO manual clock selection.
00Dh	<a href="#">GPIO_0.GPIO_SLAVE</a>	GPIO controlled device slave configuration.
00Eh	<a href="#">GPIO_0.GPIO_ALERT_OUT_CFG</a>	GPIO alert notification.
00Fh	<a href="#">GPIO_0.GPIO_TOD_NOTIFICATION_CFG</a>	GPIO configuration for DPLL TOD read notification.
010h	RESERVED	This register must not be modified from the read value
011h	<a href="#">GPIO_0.GPIO_CTRL</a>	GPIO control.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

GPIO\_0.GPIO\_DCO\_INC\_DEC

Increment/decrement DCO FFO configuration. Applies when GPIO\_FUNCTION is equal to 'inc DCO FFO' or 'dec DCO FFO'. The squelch level is determined by the configuration per output by OUTPUT\_n.OUT\_CTR\_1.SQUELCH\_VALUE.

Table 306: GPIO\_0.GPIO\_DCO\_INC\_DEC Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_DCO_INC_DEC Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	RESERVED[7:3]					DPLL_INDEX[2:0]		

GPIO_0.GPIO_DCO_INC_DEC Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_INDEX[2:0]	R/W	0	DPLL index. Select the DPLL to be controlled by this GPIO in incremental/decremental mode. 0 = DPLL0 1 = DPLL1 2 = DPLL2 3 = DPLL3 4 = DPLL4 5 = DPLL5 6 = DPLL6 7 = DPLL7

GPIO\_0.GPIO\_OUT\_CTRL\_0

Define the set of outputs to be squelched by this GPIO input. Applies when GPIO\_FUNCTION is equal to 'clock output control'. The squelch level is determined by OUTPUT\_n.OUT\_CTRL\_1.SQUELCH\_VALUE. One output cannot be controlled by more than one GPIO.

Table 307: GPIO\_0.GPIO\_OUT\_CTRL\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_OUT_CTRL_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	CTRL_OUT_7[7]	CTRL_OUT_6[6]	CTRL_OUT_5[5]	CTRL_OUT_4[4]	CTRL_OUT_3[3]	CTRL_OUT_2[2]	CTRL_OUT_1[1]	CTRL_OUT_0[0]

GPIO_0.GPIO_OUT_CTRL_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
CTRL_OUT_7[7]	R/W	0	Select output 7 to be controlled by this GPIO. GPIO is used to disable (squelch) output 7. 0 = disabled 1 = enabled
CTRL_OUT_6[6]	R/W	0	Select output 6 to be controlled by this GPIO. GPIO is used to disable (squelch) output 6. 0 = disabled 1 = enabled
CTRL_OUT_5[5]	R/W	0	Select output 5 to be controlled by this GPIO. GPIO is used to disable (squelch) output 5. 0 = disabled 1 = enabled
CTRL_OUT_4[4]	R/W	0	Select output 4 to be controlled by this GPIO. GPIO is used to disable (squelch) output 4. 0 = disabled 1 = enabled
CTRL_OUT_3[3]	R/W	0	Select output 3 to be controlled by this GPIO. GPIO is used to disable (squelch) output 3. 0 = disabled 1 = enabled
CTRL_OUT_2[2]	R/W	0	Select output 2 to be controlled by this GPIO. GPIO is used to disable (squelch) output 2. 0 = disabled 1 = enabled
CTRL_OUT_1[1]	R/W	0	Select output 1 to be controlled by this GPIO. GPIO is used to disable (squelch) output 1. 0 = disabled 1 = enabled
CTRL_OUT_0[0]	R/W	0	Select output 0 to be controlled by this GPIO. GPIO is used to disable (squelch) output 0. 0 = disabled 1 = enabled

GPIO\_0.GPIO\_OUT\_CTRL\_1

Define the set of outputs to be squelched by this GPIO input. Applies when GPIO\_FUNCTION is equal to 'clock output control'. The squelch level is determined by OUTPUT\_n.OUT\_CTRL\_1.SQUELCH\_VALUE. One output cannot be controlled by more than one GPIO.

Table 308: GPIO\_0.GPIO\_OUT\_CTRL\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_OUT_CTRL_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	RESERVED[7:4]				CTRL_OUT_11[3]	CTRL_OUT_10[2]	CTRL_OUT_9[1]	CTRL_OUT_8[0]

GPIO_0.GPIO_OUT_CTRL_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
CTRL_OUT_11[3]	R/W	0	Select output 11 to be controlled by this GPIO. GPIO is used to disable (squelch) output 11. 0 = disabled 1 = enabled
CTRL_OUT_10[2]	R/W	0	Select output 10 to be controlled by this GPIO. GPIO is used to disable (squelch) output 10. 0 = disabled 1 = enabled
CTRL_OUT_9[1]	R/W	0	Select output 9 to be controlled by this GPIO. GPIO is used to disable (squelch) output 9. 0 = disabled 1 = enabled
CTRL_OUT_8[0]	R/W	0	Select output 8 to be controlled by this GPIO. GPIO is used to disable (squelch) output 8. 0 = disabled 1 = enabled

GPIO\_0.GPIO\_TOD\_TRIG

Select which TOD register to be triggered by this GPIO. Applies when GPIO\_FUNCTION is equal to 'TOD trigger'.

Table 309: GPIO\_0.GPIO\_TOD\_TRIG Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_TOD_TRIG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	RESERVED[7:4]				TOD_TRIG_3[3]	TOD_TRIG_2[2]	TOD_TRIG_1[1]	TOD_TRIG_0[0]

GPIO_0.GPIO_TOD_TRIG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
TOD_TRIG_3[3]	R/W	0	Select TOD of DPLL 3 to be triggered by this GPIO. The TOD read/write operation is triggered on the rising edge of this GPIO. The tod_write_selection or tod_read_trigger for TOD 3 has to be equal to 'Selected GPIO'. CAUTION: if more than one GPIO is used to trigger the same TOD, the behaviour is undefined. 0 = disabled 1 = enabled

GPIO_0.GPIO_TOD_TRIG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
TOD_TRIG_2[2]	R/W	0	Select TOD of DPLL 2 to be triggered by this GPIO. The TOD read/write operation is triggered on the rising edge of this GPIO. The tod_write_selection or tod_read_trigger for TOD 2 has to be equal to 'Selected GPIO'. CAUTION: if more than one GPIO is used to trigger the same TOD, the behaviour is undefined. 0 = disabled 1 = enabled
TOD_TRIG_1[1]	R/W	0	Select TOD of DPLL 1 to be triggered by this GPIO. The TOD read/write operation is triggered on the rising edge of this GPIO. The tod_write_selection or tod_read_trigger for TOD 1 has to be equal to 'Selected GPIO'. CAUTION: if more than one GPIO is used to trigger the same TOD, the behaviour is undefined. 0 = disabled 1 = enabled
TOD_TRIG_0[0]	R/W	0	Select TOD of DPLL 0 to be triggered by this GPIO. The TOD read/write operation is triggered on the rising edge of this GPIO. The tod_write_selection or tod_read_trigger for TOD 0 has to be equal to 'Selected GPIO'. CAUTION: if more than one GPIO is used to trigger the same TOD, the behaviour is undefined. 0 = disabled 1 = enabled

GPIO\_0.GPIO\_DPLL\_INDICATOR

Select the DPLL to be used to drive this GPIO. Applies when GPIO\_FUNCTION is equal to 'lock indicator' or 'holdover indicator'. In case of 'lock indicator', if the DPLL is in synthesizer mode, then the GPIO indicates the live status of the System APLL.

Table 310: GPIO\_0.GPIO\_DPLL\_INDICATOR Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_DPLL_INDICATOR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	RESERVED[7:4]				DPLL_INDEX[3:0]			

GPIO_0.GPIO_DPLL_INDICATOR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_INDEX[3:0]	R/W	0	<p>DPLL index used by lock indicator or holdover indicator function. The GPIO level is active when the DPLL is in locked state when GPIO_n.GPIO_FUNCTION = lock indicator. The GPIO level is active when the DPLL is in holdover state when GPIO_n.GPIO_FUNCTION = holdover indicator.</p> <p>0 = DPLL0                      1 = DPLL1                      2 = DPLL2                      3 = DPLL3                      4 = DPLL4                      5 = DPLL5                      6 = DPLL6                      7 = DPLL7                      8 = SYS_DPLL</p>

GPIO\_0.GPIO\_LOS\_INDICATOR

Configure the GPIO LOS indicator. Applies when GPIO\_FUNCTION is equal to 'LOS indicator'.

Table 311: GPIO\_0.GPIO\_LOS\_INDICATOR Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_LOS_INDICATOR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	RESERVED[7:5]			ACTIVE_LEVEL[4]	REFMON_INDEX[3:0]			

GPIO_0.GPIO_LOS_INDICATOR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
ACTIVE_LEVEL[4]	R/W	0	<p>Level of active GPIO LOS indicator.</p> <p>0 = active low                      1 = active high</p>
REFMON_INDEX[3:0]	R/W	0	<p>Reference monitor index. Select the reference monitor which raises the LOS alarm.</p>

GPIO\_0.GPIO\_REF\_INPUT\_DSQ\_0

Select the set of inputs to be disqualified when the GPIO is at the configured level. Applies when GPIO\_FUNCTION is equal to 'input clock disqualify'.

Table 312: GPIO\_0.GPIO\_REF\_INPUT\_DSQ\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_REF_INPUT_DSQ_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	DSQ_INP_7[7]	DSQ_INP_6[6]	DSQ_INP_5[5]	DSQ_INP_4[4]	DSQ_INP_3[3]	DSQ_INP_2[2]	DSQ_INP_1[1]	DSQ_INP_0[0]

GPIO_0.GPIO_REF_INPUT_DSQ_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DSQ_INP_7[7]	R/W	0	Select input 7 to be disqualified by this GPIO. GPIO is used to disqualify input 7. 0 = disabled 1 = enabled
DSQ_INP_6[6]	R/W	0	Select input 6 to be disqualified by this GPIO. GPIO is used to disqualify input 6. 0 = disabled 1 = enabled
DSQ_INP_5[5]	R/W	0	Select input 5 to be disqualified by this GPIO. GPIO is used to disqualify input 5. 0 = disabled 1 = enabled
DSQ_INP_4[4]	R/W	0	Select input 4 to be disqualified by this GPIO. GPIO is used to disqualify input 4. 0 = disabled 1 = enabled
DSQ_INP_3[3]	R/W	0	Select input 3 to be disqualified by this GPIO. GPIO is used to disqualify input 3. 0 = disabled 1 = enabled
DSQ_INP_2[2]	R/W	0	Select input 2 to be disqualified by this GPIO. GPIO is used to disqualify input 2. 0 = disabled 1 = enabled
DSQ_INP_1[1]	R/W	0	Select input 1 to be disqualified by this GPIO. GPIO is used to disqualify input 1. 0 = disabled 1 = enabled
DSQ_INP_0[0]	R/W	0	Select input 0 to be disqualified by this GPIO. GPIO is used to disqualify input 0. 0 = disabled 1 = enabled

GPIO\_0.GPIO\_REF\_INPUT\_DSQ\_1

Select the set of inputs to be disqualified when the GPIO is at the configured level. Applies when GPIO\_FUNCTION is equal to 'input clock disqualify'.

Table 313: GPIO\_0.GPIO\_REF\_INPUT\_DSQ\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_REF_INPUT_DSQ_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	DSQ_INP_15 [7]	DSQ_INP_14 [6]	DSQ_INP_13 [5]	DSQ_INP_12 [4]	DSQ_INP_11 [3]	DSQ_INP_10 [2]	DSQ_INP_9[1]	DSQ_INP_8[0]

GPIO_0.GPIO_REF_INPUT_DSQ_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DSQ_INP_15[7]	R/W	0	Select input 15 to be disqualified by this GPIO. GPIO is used to disqualify input 15. 0 = disabled 1 = enabled
DSQ_INP_14[6]	R/W	0	Select input 14 to be disqualified by this GPIO. GPIO is used to disqualify input 14. 0 = disabled 1 = enabled
DSQ_INP_13[5]	R/W	0	Select input 13 to be disqualified by this GPIO. GPIO is used to disqualify input 13. 0 = disabled 1 = enabled
DSQ_INP_12[4]	R/W	0	Select input 12 to be disqualified by this GPIO. GPIO is used to disqualify input 12. 0 = disabled 1 = enabled
DSQ_INP_11[3]	R/W	0	Select input 11 to be disqualified by this GPIO. GPIO is used to disqualify input 11. 0 = disabled 1 = enabled
DSQ_INP_10[2]	R/W	0	Select input 10 to be disqualified by this GPIO. GPIO is used to disqualify input 10. 0 = disabled 1 = enabled
DSQ_INP_9[1]	R/W	0	Select input 9 to be disqualified by this GPIO. GPIO is used to disqualify input 9. 0 = disabled 1 = enabled
DSQ_INP_8[0]	R/W	0	Select input 8 to be disqualified by this GPIO. GPIO is used to disqualify input 8. 0 = disabled 1 = enabled

GPIO\_0.GPIO\_REF\_INPUT\_DSQ\_2

Select the set of DPLLs to have inputs disqualified when the GPIO is at the configured level. Applies when GPIO\_FUNCTION is equal to 'input clock disqualify'.

Table 314: GPIO\_0.GPIO\_REF\_INPUT\_DSQ\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_REF_INPUT_DSQ_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	DSQ_DPLL_7[7]	DSQ_DPLL_6[6]	DSQ_DPLL_5[5]	DSQ_DPLL_4[4]	DSQ_DPLL_3[3]	DSQ_DPLL_2[2]	DSQ_DPLL_1[1]	DSQ_DPLL_0[0]

GPIO_0.GPIO_REF_INPUT_DSQ_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DSQ_DPLL_7[7]	R/W	0	Select DPLL 7. GPIO is used to disqualify selected inputs for DPLL 7. 0 = disabled 1 = enabled
DSQ_DPLL_6[6]	R/W	0	Select DPLL 6. GPIO is used to disqualify selected inputs for DPLL 6. 0 = disabled 1 = enabled
DSQ_DPLL_5[5]	R/W	0	Select DPLL 5. GPIO is used to disqualify selected inputs for DPLL 5. 0 = disabled 1 = enabled
DSQ_DPLL_4[4]	R/W	0	Select DPLL 4. GPIO is used to disqualify selected inputs for DPLL 4. 0 = disabled 1 = enabled
DSQ_DPLL_3[3]	R/W	0	Select DPLL 3. GPIO is used to disqualify selected inputs for DPLL 3. 0 = disabled 1 = enabled
DSQ_DPLL_2[2]	R/W	0	Select DPLL 2. GPIO is used to disqualify selected inputs for DPLL 2. 0 = disabled 1 = enabled
DSQ_DPLL_1[1]	R/W	0	Select DPLL 1. GPIO is used to disqualify selected inputs for DPLL 1. 0 = disabled 1 = enabled
DSQ_DPLL_0[0]	R/W	0	Select DPLL 0. GPIO is used to disqualify selected inputs for DPLL 0. 0 = disabled 1 = enabled

GPIO\_0.GPIO\_REF\_INPUT\_DSQ\_3

Select the system DPLL to have its input disqualified when the GPIO is at the configured level. Applies when GPIO\_FUNCTION is equal to 'input clock disqualify'.

Table 315: GPIO\_0.GPIO\_REF\_INPUT\_DSQ\_3 Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_REF_INPUT_DSQ_3 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
009h	RESERVED[7:2]						GPIO_DSQ_LEVEL[1]	DSQ_DPLL_SYS[0]

GPIO_0.GPIO_REF_INPUT_DSQ_3 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
GPIO_DSQ_LEVEL[1]	R/W	0	Indicates the GPIO level used to disqualify the selected inputs. 0 = low 1 = high
DSQ_DPLL_SYS[0]	R/W	0	Select system DPLL. GPIO is used to disqualify selected inputs for system DPLL. 0 = disabled 1 = enabled

GPIO\_0.GPIO\_MAN\_CLK\_SEL\_0

Switch between the configured input using this GPIO. Applies when GPIO\_FUNCTION is equal to 'manual clock select'.

Table 316: GPIO\_0.GPIO\_MAN\_CLK\_SEL\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_MAN_CLK_SEL_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	ACTIVE_CLK_INDEX[7:4]				INACTIVE_CLK_INDEX[3:0]			

GPIO_0.GPIO_MAN_CLK_SEL_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
ACTIVE_CLK_INDEX[7:4]	R/W	0	Input index. Select input to be used when GPIO input is one (high).
INACTIVE_CLK_INDEX[3:0]	R/W	0	Input index. Select input to be used when GPIO input is zero (low).

GPIO\_0.GPIO\_MAN\_CLK\_SEL\_1

Applies when GPIO\_FUNCTION is equal to 'manual clock select'.

Table 317: GPIO\_0.GPIO\_MAN\_CLK\_SEL\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_MAN_CLK_SEL_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	DPLL7[7]	DPLL6[6]	DPLL5[5]	DPLL4[4]	DPLL3[3]	DPLL2[2]	DPLL1[1]	DPLL0[0]

GPIO_0.GPIO_MAN_CLK_SEL_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DPLL7[7]	R/W	0	Select DPLL 7. GPIO is used to select the input for DPLL 7. 0 = disabled 1 = enabled
DPLL6[6]	R/W	0	Select DPLL 6. GPIO is used to select the input for DPLL 6. 0 = disabled 1 = enabled
DPLL5[5]	R/W	0	Select DPLL 5. GPIO is used to select the input for DPLL 5. 0 = disabled 1 = enabled
DPLL4[4]	R/W	0	Select DPLL 4. GPIO is used to select the input for DPLL 4. 0 = disabled 1 = enabled
DPLL3[3]	R/W	0	Select DPLL 3. GPIO is used to select the input for DPLL 3. 0 = disabled 1 = enabled
DPLL2[2]	R/W	0	Select DPLL 2. GPIO is used to select the input for DPLL 2. 0 = disabled 1 = enabled
DPLL1[1]	R/W	0	Select DPLL 1. GPIO is used to select the input for DPLL 1. 0 = disabled 1 = enabled
DPLL0[0]	R/W	0	Select DPLL 0. GPIO is used to select the input for DPLL 0. 0 = disabled 1 = enabled

GPIO\_0.GPIO\_MAN\_CLK\_SEL\_2

Applies when GPIO\_FUNCTION is equal to 'manual clock select'.

Table 318: GPIO\_0.GPIO\_MAN\_CLK\_SEL\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_MAN_CLK_SEL_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	RESERVED[7:1]							DPLL_SYS[0]

GPIO_0.GPIO_MAN_CLK_SEL_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_SYS[0]	R/W	0	Select system DPLL. GPIO is used to select the input for system DPLL. 0 = disabled 1 = enabled

GPIO\_0.GPIO\_SLAVE

Configure the GPIO slave active level.

Table 319: GPIO\_0.GPIO\_SLAVE Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_SLAVE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Dh	RESERVED[7:1]							GPIO_SLAVE_LEVEL[0]

GPIO_0.GPIO_SLAVE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
GPIO_SLAVE_LEVEL[0]	R/W	0	Indicates the GPIO level for slave mode. 0 = switch to slave mode when GPIO is low 1 = switch to slave mode when GPIO is high

GPIO\_0.GPIO\_ALERT\_OUT\_CFG

Configure the GPIO alert active level.

Table 320: GPIO\_0.GPIO\_ALERT\_OUT\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_ALERT_OUT_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Eh	RESERVED[7:1]							GPIO_ALERT_OUT_LEVEL[0]

GPIO_0.GPIO_ALERT_OUT_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
GPIO_ALERT_OUT_LEVEL[0]	R/W	0	GPIO alert out active level. 0 = active low 1 = active high

GPIO\_0.GPIO\_TOD\_NOTIFICATION\_CFG

Enable the TOD Read notification for a GPIO.

Table 321: GPIO\_0.GPIO\_TOD\_NOTIFICATION\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_TOD_NOTIFICATION_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	RESERVED[7:4]				GPIO_ASSERT_LEVEL[3]	TOD_READ_SECONDARY[2]	DPLL_TOD[1:0]	

GPIO_0.GPIO_TOD_NOTIFICATION_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
GPIO_ASSERT_LEVEL[3]	R/W	0	Indicates the level to drive the GPIO pin when a TOD read trigger event has occurred. 0 = active low 1 = active high

GPIO_0.GPIO_TOD_NOTIFICATION_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
TOD_READ_SECONDARY[2]	R/W	0	Select the primary or secondary TOD read registers. The GPIO level becomes active after the TOD register is updated. 0 = ToD read primary 1 = ToD read secondary
DPLL_TOD[1:0]	R/W	0	DPLL TOD index. Select the DPLL whose TOD register has been read. 0 = DPLL0 1 = DPLL1 2 = DPLL2 3 = DPLL3

GPIO\_0.GPIO\_CTRL

Enable GPIO and configure GPIO mode and direction.

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the GPIO module.

Table 322: GPIO\_0.GPIO\_CTRL Bit Field Locations and Descriptions

Offset Address (Hex)	GPIO_0.GPIO_CTRL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
011h	GPIO_FUNCTION[7:4]				GPIO_PU_PD_MODE[3]	GPIO_CONTROL_DIR[2]	GPIO_CMOS_OD_MODE[1]	GPIO_FUNCTION_EN[0]

GPIO_0.GPIO_CTRL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GPIO_FUNCTION[7:4]	R/W	0	Select GPIO function. Selects which GPIO function to perform. 0x0 = lock indicator (out) 0x1 = holdover indicator (out) 0x2 = LOS indicator (out) 0x3 = alert out (out) 0x4 = inc DCO FFO (in) 0x5 = dec DCO FFO (in) 0x6 = input clock disqualify (in) 0x7 = manual clock select (in) 0x8 = reserved 0x9 = clock output control (in) 0xA = ToD trigger (in) 0xB = ToD read notification (out) 0xC = master/slave signal (in)
GPIO_PU_PD_MODE[3]	R/W	0	Select pull-up or pull-down. Applies when GPIO direction is Input. 0 = pu 1 = pd
GPIO_CONTROL_DIR[2]	R/W	0	Select GPIO direction. Applies when GPIO function mode is disabled. 0 = input 1 = output
GPIO_CMOS_OD_MODE[1]	R/W	0	Select CMOS or open drain. 0 = cmos 1 = open drain
GPIO_FUNCTION_EN[0]	R/W	0	Enable GPIO function mode. 0 = disabled 1 = enabled

Module: OUT\_DIV\_MUX

TRIGGER: Every register in this module is a trigger register. In the case of a multibyte register the highest address register byte is the trigger byte.

Table 323: OUT\_DIV\_MUX Register Index

Offset (Hex)	Register Module Base Address: CA12h	
	Individual Register Name	Register Description
000h	<a href="#">OUT_DIV_MUX.OUT_DIV0_MUX</a>	Output divider 0 multiplexer.
001h	<a href="#">OUT_DIV_MUX.OUT_DIV1_MUX</a>	Output divider 1 multiplexer.
002h	<a href="#">OUT_DIV_MUX.OUT_DIV2_MUX</a>	Output divider 2 multiplexer.
003h	<a href="#">OUT_DIV_MUX.OUT_DIV3_MUX</a>	Output divider 3 multiplexer.
004h	<a href="#">OUT_DIV_MUX.OUT_DIV4_MUX</a>	Output divider 4 multiplexer.

Table 323: OUT\_DIV\_MUX Register Index

Offset (Hex)	Register Module Base Address: CA12h	
	Individual Register Name	Register Description
005h	<a href="#">OUT_DIV_MUX.OUT_DIV5_MUX</a>	Output divider 5 multiplexer.
006h	<a href="#">OUT_DIV_MUX.OUT_DIV6_MUX</a>	Output divider 6 multiplexer.
007h	<a href="#">OUT_DIV_MUX.OUT_DIV7_MUX</a>	Output divider 7 multiplexer.
008h	<a href="#">OUT_DIV_MUX.OUT_DIV8_MUX</a>	Output divider 8 multiplexer.
009h	<a href="#">OUT_DIV_MUX.OUT_DIV9_MUX</a>	Output divider 9 multiplexer.
00Ah	<a href="#">OUT_DIV_MUX.OUT_DIV10_MUX</a>	Output divider 10 multiplexer.
00Bh	<a href="#">OUT_DIV_MUX.OUT_DIV11_MUX</a>	Output divider 11 multiplexer.

OUT\_DIV\_MUX.OUT\_DIV0\_MUX

Output divider 0 multiplexer configuration.

Table 324: OUT\_DIV\_MUX.OUT\_DIV0\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV0_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV0_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 0. 0=ch0 1=ch4 7=none

OUT\_DIV\_MUX.OUT\_DIV1\_MUX

Output divider 1 multiplexer configuration.

Table 325: OUT\_DIV\_MUX.OUT\_DIV1\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV1_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV1_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 1. 0=ch0 1=ch1 2=ch4 7=none

OUT\_DIV\_MUX.OUT\_DIV2\_MUX

Output divider 2 multiplexer configuration.

Table 326: OUT\_DIV\_MUX.OUT\_DIV2\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV2_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV2_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 2. 0=ch1 1=ch5 2=ch4 7=none

OUT\_DIV\_MUX.OUT\_DIV3\_MUX

Output divider 3 multiplexer configuration.

Table 327: OUT\_DIV\_MUX.OUT\_DIV3\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV3_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV3_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 3. 0=ch1 1=ch3 2=ch2 3=ch6 4=ch5 5=ch0 7=none

OUT\_DIV\_MUX.OUT\_DIV4\_MUX  
Output divider 4 multiplexer configuration.

Table 328: OUT\_DIV\_MUX.OUT\_DIV4\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV4_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV4_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 4. 0=ch2 1=ch3 2=ch6 3=ch5 4=ch1 5=ch0 7=none

OUT\_DIV\_MUX.OUT\_DIV5\_MUX  
Output divider 5 multiplexer configuration.

Table 329: OUT\_DIV\_MUX.OUT\_DIV5\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV5_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV5_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 5. 0=ch2 1=ch3 2=ch6 3=ch5 4=ch1 5=ch0 7=none

OUT\_DIV\_MUX.OUT\_DIV6\_MUX

Output divider 6 multiplexer configuration.

Table 330: OUT\_DIV\_MUX.OUT\_DIV6\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV6_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV6_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 6. 0=ch3 1=ch7 2=ch2 7=none

OUT\_DIV\_MUX.OUT\_DIV7\_MUX

Output divider 7 multiplexer configuration.

Table 331: OUT\_DIV\_MUX.OUT\_DIV7\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV7_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV7_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 7. 0=ch3 1=ch7 7=none

OUT\_DIV\_MUX.OUT\_DIV8\_MUX

Output divider 8 multiplexer configuration.

Table 332: OUT\_DIV\_MUX.OUT\_DIV8\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV8_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV8_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 8. 0=ch4 1=ch5 7=none

OUT\_DIV\_MUX.OUT\_DIV9\_MUX

Output divider 9 multiplexer configuration.

Table 333: OUT\_DIV\_MUX.OUT\_DIV9\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV9_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
009h	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV9_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 9. 0=ch5 1=ch3 2=ch2 3=ch6 4=ch1 5=ch0 7=none

OUT\_DIV\_MUX.OUT\_DIV10\_MUX

Output divider 10 multiplexer configuration.

Table 334: OUT\_DIV\_MUX.OUT\_DIV10\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV10_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV10_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 10. 0=ch6 1=ch3 2=ch2 3=ch5 4=ch1 5=ch0 7=none

OUT\_DIV\_MUX.OUT\_DIV11\_MUX

Output divider 11 multiplexer configuration.

Table 335: OUT\_DIV\_MUX.OUT\_DIV11\_MUX Bit Field Locations and Descriptions

Offset Address (Hex)	OUT_DIV_MUX.OUT_DIV11_MUX Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	RESERVED[7:3]					FOD_SEL[2:0]		

OUT_DIV_MUX.OUT_DIV11_MUX Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FOD_SEL[2:0]	R/W	0	Select which FoD connect to output divider 11. 0=ch7 1=ch6 7=none

Module: OUTPUT\_0

TRIGGER: Every register in this module is a trigger register. In the case of a multibyte register the highest address register byte is the trigger byte.

Table 336: OUTPUT\_0 Register Index

Offset (Hex)	Register Module Base Address: CA20h <sup>a</sup>	
	Individual Register Name	Register Description
000h	OUTPUT_0.OUT_DIV	Output divider value.
004h	OUTPUT_0.OUT_DUTY_CYCLE_HIGH	Output duty cycle.
008h	OUTPUT_0.OUT_CTRL_0	Output electrical characteristics.
009h	OUTPUT_0.OUT_CTRL_1	Output electrical characteristics.
00Ch	OUTPUT_0.OUT_PHASE_ADJ	Output phase adjustment.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

OUTPUT\_0.OUT\_DIV

The output clock frequency is the FOD frequency divided by the output divider value.

Table 337: OUTPUT\_0.OUT\_DIV Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_0.OUT_DIV Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	OUT_DIV[7:0]							
001h	OUT_DIV[15:8]							
002h	OUT_DIV[23:16]							
003h	OUT_DIV[31:24]							

OUTPUT_0.OUT_DIV Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OUT_DIV[31:0]	R/W	0	Unsigned 32-bit output divider value.

OUTPUT\_0.OUT\_DUTY\_CYCLE\_HIGH

Sets the output duty cycle high value

Table 338: OUTPUT\_0.OUT\_DUTY\_CYCLE\_HIGH Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_0.OUT_DUTY_CYCLE_HIGH Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	OUT_DUTY_CYCLE_HIGH[7:0]							
005h	OUT_DUTY_CYCLE_HIGH[15:8]							
006h	OUT_DUTY_CYCLE_HIGH[23:16]							
007h	OUT_DUTY_CYCLE_HIGH[31:24]							

OUTPUT_0.OUT_DUTY_CYCLE_HIGH Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OUT_DUTY_CYCLE_HIGH[31:0]	R/W	0	Unsigned 32-bit divider high value. The divider high value determines the high pulse width. The duty cycle is: $dc\_high / (out\_div - dc\_high)$ . If $dc\_high = 0$ , the duty cycle is 50 / 50.

OUTPUT\_0.OUT\_CTRL\_0

Configure output pad electrical characteristics.

Meet JEDEC compliance with LVDS operation by setting  $OUT\_CTRL\_0.PAD\_VSWING = 0$  and  $OUT\_CTRL\_0.PAD\_VOS = 2$ .

Meet JEDEC compliance with 2.5 LVPECL operation by setting  $OUT\_CTRL\_0.PAD\_VSWING = 2$  and  $OUT\_CTRL\_0.PAD\_VOS = 0$ .

Meet JEDEC compliance with 3.3 LVPECL operation by setting  $OUT\_CTRL\_0.PAD\_VSWING = 2$  and  $OUT\_CTRL\_0.PAD\_VOS = 4$ .

Table 339: OUTPUT\_0.OUT\_CTRL\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_0.OUT_CTRL_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	PAD_VOS[7:5]			PAD_VSWING[4:3]			PAD_MODE[2:0]	

OUTPUT_0.OUT_CTRL_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PAD_VOS[7:5]	R/W	0	Output common mode voltage. 0 = 0.9V 1 = 1.1V 2 = 1.3V 3 = 1.5V 4 = 1.7V 5 = 1.9V 6 = 2.1V 7 = 2.3V
PAD_VSWING[4:3]	R/W	0	Output single-ended voltage swing. 0 = 410mV 1 = 600mV 2 = 750mV 3 = 900mV
PAD_MODE[2:0]	R/W	0	Output mode. 0 = high-Z 1 = differential 2 = LVCMOS, inverted 3 = LVCMOS, in-phase 4 = reserved 5 = reserved 6 = LVCMOS, Q enabled, nQ High-Z 7 = reserved

OUTPUT\_0.OUT\_CTRL\_1

Configure output pad electrical characteristics.

Table 340: OUTPUT\_0.OUT\_CTRL\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_0.OUT_CTRL_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
009h	OUT_SYNC_DISABLE[7]	SQUELCH_VALUE[6]	SQUELCH_DISABLE[5]	PAD_VDDO[4:2]			PAD_CMOSDRV[1:0]	

OUTPUT_0.OUT_CTRL_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OUT_SYNC_DISABLE[7]	R/W	0	Output phase synchronization disable. 0 = enable 1 = disable
SQUELCH_VALUE[6]	R/W	0	Squelch value. 0 = low 1 = high

OUTPUT_0.OUT_CTRL_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SQUELCH_DISABLE[5]	R/W	0	Enable or disable output squelch. 0 = squelch enabled 1 = squelch disabled
PAD_VDDO[4:2]	R/W	0	VDDO level. 0 = 1.8V 1 = 3.3V 2 = 2.5V 3 = 1.5V 4 = 1.2V
PAD_CMOSDRV[1:0]	R/W	0	LVC MOS output impedance enumeration (Ohm). 0 = 38 (3.3V), 44 (2.5V), 60 (1.8V), 85 (1.5V), 140 (1.2V) 1 = 25 (3.3V), 29 (2.5V), 40 (1.8V), 48 (1.5V), 100 (1.2V) 2 = 18 (3.3V), 20 (2.5V), 29 (1.8V), 40 (1.5V), 65 (1.2V) 3 = 15 (3.3V), 16 (2.5V), 23 (1.8V), 29 (1.5V), 50 (1.2V)

OUTPUT\_0.OUT\_PHASE\_ADJ

Output phase adjustment in FOD cycles.

Table 341: OUTPUT\_0.OUT\_PHASE\_ADJ Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_0.OUT_PHASE_ADJ Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	OUT_PHASE_ADJ[7:0]							
00Dh	OUT_PHASE_ADJ[15:8]							
00Eh	OUT_PHASE_ADJ[23:16]							
00Fh	OUT_PHASE_ADJ[31:24]							

OUTPUT_0.OUT_PHASE_ADJ Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OUT_PHASE_ADJ[31:0]	R/W	0	Signed 32-bit value in FOD cycles to apply a phase shift to the output clock.

Module: SERIAL

Configure the serial communication ports.

Table 342: SERIAL Register Index

Offset (Hex)	Register Module Base Address: CAF0h	
	Individual Register Name	Register Description
000h	<a href="#">SERIAL.I2CM</a>	I2C Master configuration.
001h	RESERVED	This register must not be modified from the read value
002h	<a href="#">SERIAL.SER0</a>	Slave serial interface 0 (main serial port) configuration.
003h	<a href="#">SERIAL.SER0_SPI</a>	SPI configuration for serial interface 0 (main serial port).
004h	<a href="#">SERIAL.SER0_I2C</a>	I2C configuration for serial interface 0 (main serial port).
005h	<a href="#">SERIAL.SER1</a>	Slave serial interface 1 (auxiliary serial port) configuration.
006h	<a href="#">SERIAL.SER1_SPI</a>	SPI configuration for serial interface 1 (auxiliary serial port).
007h	<a href="#">SERIAL.SER1_I2C</a>	I2C configuration for serial interface 1 (auxiliary serial port).
008h	RESERVED	This register must not be modified from the read value
009h	RESERVED	This register must not be modified from the read value
00Ah	RESERVED	This register must not be modified from the read value
00Bh	<a href="#">SERIAL.SER_APPLY_CONFIG</a>	Trigger serial configuration changes.

SERIAL.I2CM

I2C Master configuration.

Table 343: SERIAL.I2CM Bit Field Locations and Descriptions

Offset Address (Hex)	SERIAL.I2CM Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	RESERVED[7:2]						I2CM_PORT_SEL[1:0]	

SERIAL.I2CM Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
I2CM_PORT_SEL[1:0]	R/W	0	I2C Master port pin selection. Configure the pins the I2C master block should connect to. 0 = I2C master 1 = serial interface 0 2 = serial interface 1

SERIAL.SER0

Slave serial interface 0 (main serial port) configuration.

Table 344: SERIAL.SER0 Bit Field Locations and Descriptions

Offset Address (Hex)	SERIAL.SER0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	RESERVED[7:3]					ADDRESS_SIZE[2]	MODE[1:0]	

SERIAL.SER0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
ADDRESS_SIZE[2]	R/W	0	Serial interface 0 (main serial port) address size. 0 = 1-byte 1 = 2-byte
MODE[1:0]	R/W	0	Serial interface 0 (main serial port) mode. Set MODE = 0 to maintain current configuration (e.g. mode indicated by SER0_STATUS_MODE field will remain the same). 0 = no change 1 = I2C 2 = SPI 3 = disabled

SERIAL.SER0\_SPI

SPI configuration for serial interface 0 (main serial port).

Table 345: SERIAL.SER0\_SPI Bit Field Locations and Descriptions

Offset Address (Hex)	SERIAL.SER0_SPI Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	RESERVED[7:5]			SPI_SDO_DELAY[4]	SPI_CLOCK_SELECTION[3]	SPI_DUPLEX_MODE[2]	RESERVED[1:0]	

SERIAL.SER0_SPI Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SPI_SDO_DELAY[4]	R/W	0	SPI delay SDO driving edge. 0 = driving edge used for SDO 1 = SDO driving edge delayed half-cycle of SCLK
SPI_CLOCK_SELECTION[3]	R/W	0	SPI Clock Selection for SDI sampling. 0 = rising edge 1 = falling edge

SERIAL.SER0_SPI Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SPI_DUPLEX_MODE[2]	R/W	0	SPI 4-wire or 3-wire. Select either 4-wire full duplex mode or 3-wire half duplex mode. 0 = full duplex 1 = half duplex
RESERVED	N/A	-	This field must not be modified from the read value

SERIAL.SER0\_I2C

I2C configuration for serial interface 0 (main serial port).

Table 346: SERIAL.SER0\_I2C Bit Field Locations and Descriptions

Offset Address (Hex)	SERIAL.SER0_I2C Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	APPLY[7]	DEVICE_ADDRESS[6:0]						

SERIAL.SER0_I2C Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
APPLY[7]	R/W	0	Apply the new I2C address when the confirmation code triggers configuration to serial interface 0 (main serial port). 0 = do not change 1 = apply new address
DEVICE_ADDRESS[6:0]	R/W	0	7-bit I2C address.

SERIAL.SER1

Slave serial interface 1 (auxiliary serial port) configuration.

Table 347: SERIAL.SER1 Bit Field Locations and Descriptions

Offset Address (Hex)	SERIAL.SER1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	RESERVED[7:3]					ADDRESS_SIZE[2]	MODE[1:0]	

SERIAL.SER1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value

SERIAL.SER1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
ADDRESS_SIZE[2]	R/W	0	Serial interface 1 (auxiliary serial port) address size. 0 = 1-byte 1 = 2-byte
MODE[1:0]	R/W	0	Serial interface 1 (auxiliary serial port) mode. Set MODE = 0 to maintain current configuration (e.g. mode indicated by SERIAL_STATUS_MODE field will remain the same). 0 = no change 1 = I2C 2 = SPI 3 = disabled

SERIAL.SER1\_SPI

SPI configuration for serial interface 1 (auxiliary serial port).

Table 348: SERIAL.SER1\_SPI Bit Field Locations and Descriptions

Offset Address (Hex)	SERIAL.SER1_SPI Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	RESERVED[7:5]			SPI_SDO_DELAY[4]	SPI_CLOCK_SELECTION[3]	SPI_DUPLEX_MODE[2]	RESERVED[1:0]	

SERIAL.SER1_SPI Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SPI_SDO_DELAY[4]	R/W	0	SPI delay SDO driving edge. 0 = driving edge used for SDO 1 = SDO driving edge delayed half-cycle of SCLK
SPI_CLOCK_SELECTION[3]	R/W	0	SPI Clock Selection for SDI sampling. 0 = rising edge 1 = falling edge
SPI_DUPLEX_MODE[2]	R/W	0	SPI 4-wire or 3-wire. Select either 4-wire full duplex mode or 3-wire half duplex mode. 0 = full duplex 1 = half duplex
RESERVED	N/A	-	This field must not be modified from the read value

SERIAL.SER1\_I2C

I2C configuration for serial interface 1 (auxiliary serial port).

Table 349: SERIAL.SER1\_I2C Bit Field Locations and Descriptions

Offset Address (Hex)	SERIAL.SER1_I2C Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	APPLY[7]	DEVICE_ADDRESS[6:0]						

SERIAL.SER1_I2C Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
APPLY[7]	R/W	0	Apply the new I2C address when the confirmation code triggers configuration to serial interface 1 (auxiliary serial port). 0 = do not change 1 = apply new address
DEVICE_ADDRESS[6:0]	R/W	0	7-bit I2C address.

SERIAL.SER\_APPLY\_CONFIG

Confirm serial interface update.

TRIGGER: Writing to this byte triggers a read and activation of all the bytes of the SERIAL module.

Table 350: SERIAL.SER\_APPLY\_CONFIG Bit Field Locations and Descriptions

Offset Address (Hex)	SERIAL.SER_APPLY_CONFIG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	SER0_CONFIRM_CODE[7:4]				SER1_CONFIRM_CODE[3:0]			

SERIAL.SER_APPLY_CONFIG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SER0_CONFIRM_CODE[7:4]	R/W	0	Confirmation code for serial interface 0 (main serial port). Confirmation code must be set to 0xA to apply the new configuration to serial interface 0 (main serial port). After this register has been written, wait 500 us before re-accessing the serial interface.
SER1_CONFIRM_CODE[3:0]	R/W	0	Confirmation code for serial interface 1 (auxiliary serial port). Confirmation code must be set to 0xA to apply the new configuration to serial interface 1 (auxiliary serial port). After this register has been written, wait 500 us before re-accessing the serial interface.

Module: PWM\_ENCODER\_0

Configure the PWM encoder.

Table 351: PWM\_ENCODER\_0 Register Index

Offset (Hex)	Register Module Base Address: CB00h <sup>a</sup>	
	Individual Register Name	Register Description
000h	PWM_ENCODER_0.PWM_ENCODER_ID	PWM encoder identifier.
001h	PWM_ENCODER_0.PWM_ENCODER_CNFG	PWM encoder configuration.
002h	PWM_ENCODER_0.PWM_ENCODER_SIGNATURE_0	PWM encoder signature configuration.
003h	PWM_ENCODER_0.PWM_ENCODER_SIGNATURE_1	PWM encoder signature configuration.
004h	RESERVED	This register must not be modified from the read value
005h	RESERVED	This register must not be modified from the read value
006h	RESERVED	This register must not be modified from the read value
007h	PWM_ENCODER_0.PWM_ENCODER_CMD	PWM encoder command.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

PWM\_ENCODER\_0.PWM\_ENCODER\_ID

Unique identifier defined by user.

Table 352: PWM\_ENCODER\_0.PWM\_ENCODER\_ID Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_ENCODER_0.PWM_ENCODER_ID Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	ENCODER_ID[7:0]							

PWM_ENCODER_0.PWM_ENCODER_ID Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
ENCODER_ID[7:0]	R/W	0	Unique PWM encoder ID in the PWM network.

PWM\_ENCODER\_0.PWM\_ENCODER\_CNFG

Configure the outputs to be used for transmission.

Table 353: PWM\_ENCODER\_0.PWM\_ENCODER\_CNFG Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_ENCODER_0.PWM_ENCODER_CNFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	RESERVED[7:4]				PPS_SEL[3]	SECONDARY_OUTPUT[2]	TOD_SEL[1:0]	

PWM_ENCODER_0.PWM_ENCODER_CNFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
PPS_SEL[3]	R/W	0	Select source to trigger transmission of PWM PPS frame. For dual-channel PWM encoders[0:3], a value of 0 means that TOD engine selected in tod_sel field is used as a trigger source, a value of 1 means that the output not used for PWM carrier is used as a trigger source. For single-channel PWM encoders[4:7], a value of 1 indicates that the Q5 output divider is used as the PPS trigger source. Please note that in this case you also need to set secondary_output = 1. 0 = ToD PPS 1 = alternate PPS
SECONDARY_OUTPUT[2]	R/W	0	Select output to be used for PWM carrier. For dual-channel PWM encoders[0:3], a value of 1 indicates that the secondary output is used for PWM carrier. For single-channel PWM encoders[4:7], a value of 1 indicates that the Q5 output divider is used as the PPS source. Please note that in this case you also need to set pps_sel = 1. 0 = primary output 1 = alternate output
TOD_SEL[1:0]	R/W	0	DPLL TOD index. DPLL index from which the TOD PPS is to be used for transmission (when pps_sel field = 0). 0 = ToD index 0 1 = ToD index 1 2 = ToD index 2 3 = ToD index 3

PWM\_ENCODER\_0.PWM\_ENCODER\_SIGNATURE\_0

Select signature symbols to be transmitted in PWM signature mode. Same signature must be applied at both encoder and decoder.

Table 354: PWM\_ENCODER\_0.PWM\_ENCODER\_SIGNATURE\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_ENCODER_0.PWM_ENCODER_SIGNATURE_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	FIFTH_SYMBOL[7:6]		SIXTH_SYMBOL[5:4]		SEVENTH_SYMBOL[3:2]		EIGHTH_SYMBOL[1:0]	

PWM_ENCODER_0.PWM_ENCODER_SIGNATURE_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FIFTH_SYMBOL[7:6]	R/W	0	The fifth symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space
SIXTH_SYMBOL[5:4]	R/W	0	The sixth symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space
SEVENTH_SYMBOL[3:2]	R/W	0	The seventh symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space
EIGHTH_SYMBOL[1:0]	R/W	0	The eighth symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space

PWM\_ENCODER\_0.PWM\_ENCODER\_SIGNATURE\_1

Select signature symbols to be transmitted in PWM signature mode. Same signature must be applied at both encoder and decoder.

Table 355: PWM\_ENCODER\_0.PWM\_ENCODER\_SIGNATURE\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_ENCODER_0.PWM_ENCODER_SIGNATURE_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	RESERVED[7]	FIRST_SYMBOL[6]	SECOND_SYMBOL[5:4]		THIRD_SYMBOL[3:2]		FOURTH_SYMBOL[1:0]	

PWM_ENCODER_0.PWM_ENCODER_SIGNATURE_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FIRST_SYMBOL[6]	R/W	0	The first symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period) 0 = zero 1 = one
SECOND_SYMBOL[5:4]	R/W	0	The second symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space
THIRD_SYMBOL[3:2]	R/W	0	The third symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space
FOURTH_SYMBOL[1:0]	R/W	0	The fourth symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space

PWM\_ENCODER\_0.PWM\_ENCODER\_CMD

Enable PWM encoder, signature mode, TOD transmission and PWM\_SYNC message transmission.

TRIGGER: Writing to this byte triggers a read and activation of all the bytes of the PMW\_ENCODER module.

Table 356: PWM\_ENCODER\_0.PWM\_ENCODER\_CMD Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_ENCODER_0.PWM_ENCODER_CMD Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	RESERVED[7:5]			RESERVED[4]	RESERVED[3]	TOD_TX[2]	SIGNATURE_MODE[1]	ENABLE[0]

PWM_ENCODER_0.PWM_ENCODER_CMD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
TOD_TX[2]	R/W	0	Enable TOD transmission. The TOD transmission can be enabled only if signature mode is disabled. 0 = disabled 1 = enabled
SIGNATURE_MODE[1]	R/W	0	Enable signature mode. 0 = disabled 1 = enabled
ENABLE[0]	R/W	0	Enable PWM encoder. 0 = disabled 1 = enabled

Module: PWM\_DECODER\_0

Configure PWM decoder.

Table 357: PWM\_DECODER\_0 Register Index

Offset (Hex)	Register Module Base Address: CB40h <sup>a</sup>	
	Individual Register Name	Register Description
000h	<a href="#">PWM_DECODER_0.PWM_DECODER_CNFG</a>	PWM_PPS configuration.
002h	<a href="#">PWM_DECODER_0.PWM_DECODER_ID</a>	PWM decoder identifier.
003h	<a href="#">PWM_DECODER_0.PWM_DECODER_SIGNATURE_0</a>	PWM decoder signature configuration.
004h	<a href="#">PWM_DECODER_0.PWM_DECODER_SIGNATURE_1</a>	PWM decoder signature configuration.
005h	RESERVED	This register must not be modified from the read value
006h	RESERVED	This register must not be modified from the read value
007h	RESERVED	This register must not be modified from the read value
008h	RESERVED	This register must not be modified from the read value
009h	<a href="#">PWM_DECODER_0.PWM_DECODER_CMD</a>	PWM decoder command.

- a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

PWM\_DECODER\_0.PWM\_DECODER\_CNFG

Set the rate of the PWM PPS frames and enable the internal PWM PPS signal.

Table 358: PWM\_DECODER\_0.PWM\_DECODER\_CNFG Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_DECODER_0.PWM_DECODER_CNFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	PPS_RATE[7:0]							
001h	GENERATE_PPS[15]	PPS_RATE[14:8]						

PWM_DECODER_0.PWM_DECODER_CNFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
GENERATE_PPS[15]	R/W	0	Generate PPS pulse. 0 = do not generate internal PPS 1 = generate internal PPS
PPS_RATE[14:0]	R/W	0	PWM PPS rate in units of 0.5 Hz.

PWM\_DECODER\_0.PWM\_DECODER\_ID

Unique identifier defined by user.

Table 359: PWM\_DECODER\_0.PWM\_DECODER\_ID Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_DECODER_0.PWM_DECODER_ID Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	DECODER_ID[7:0]							

PWM_DECODER_0.PWM_DECODER_ID Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DECODER_ID[7:0]	R/W	0	Unique PWM decoder ID in the PWM network. 0xFF should not be used because it is reserved for broadcast.

PWM\_DECODER\_0.PWM\_DECODER\_SIGNATURE\_0

Select signature symbols to be received in PWM signature mode. Same signature must be applied at both encoder and decoder.

Table 360: PWM\_DECODER\_0.PWM\_DECODER\_SIGNATURE\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_DECODER_0.PWM_DECODER_SIGNATURE_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	FIFTH_SYMBOL[7:6]		SIXTH_SYMBOL[5:4]		SEVENTH_SYMBOL[3:2]		EIGHTH_SYMBOL[1:0]	

PWM_DECODER_0.PWM_DECODER_SIGNATURE_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FIFTH_SYMBOL[7:6]	R/W	0	The fifth symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space
SIXTH_SYMBOL[5:4]	R/W	0	The sixth symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space
SEVENTH_SYMBOL[3:2]	R/W	0	The seventh symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space
EIGHTH_SYMBOL[1:0]	R/W	0	The eighth symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space

PWM\_DECODER\_0.PWM\_DECODER\_SIGNATURE\_1

Select signature symbols to be received in PWM signature mode. Same signature must be applied at both encoder and decoder.

Table 361: PWM\_DECODER\_0.PWM\_DECODER\_SIGNATURE\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_DECODER_0.PWM_DECODER_SIGNATURE_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	RESERVED[7]	FIRST_SYMBOL[6]	SECOND_SYMBOL[5:4]		THIRD_SYMBOL[3:2]		FOURTH_SYMBOL[1:0]	

PWM_DECODER_0.PWM_DECODER_SIGNATURE_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
FIRST_SYMBOL[6]	R/W	0	The first symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period) 0 = zero 1 = one
SECOND_SYMBOL[5:4]	R/W	0	The second symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space
THIRD_SYMBOL[3:2]	R/W	0	The third symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space
FOURTH_SYMBOL[1:0]	R/W	0	The fourth symbol of the signature. zero (25 on/75 off duty cycle clock period), one (75 on/25 off duty cycle clock period), space (50 on/50 off duty cycle clock period) 0 = zero 1 = one 2 = space

PWM\_DECODER\_0.PWM\_DECODER\_CMD

Enable PWM decoder and PWM modes.

TRIGGER: Writing to this byte triggers a read and activation of all the bytes of the PMW\_DECODER module.

Table 362: PWM\_DECODER\_0.PWM\_DECODER\_CMD Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_DECODER_0.PWM_DECODER_CMD Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
009h	RESERVED[7:4]				RESERVED[3]	TOD_FRAME_ACCESS_EN[2]	SIGNATURE_MODE[1]	ENABLE[0]

PWM_DECODER_0.PWM_DECODER_CMD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
TOD_FRAME_ACCESS_EN[2]	R/W	0	TOD frame external access enable. When this bit of all PWM decoders (decoder 0 to decoder 15) are set to 0, the received TOD frame will be discarded immediately. Otherwise, the TOD frame will be held in the FIFO for 1 second to allow external access. 0 = TOD frame is discarded immediately 1 = TOD frame is held in FIFO for 1 second
SIGNATURE_MODE[1]	R/W	0	Enable signature mode. 0 = disabled 1 = enabled
ENABLE[0]	R/W	0	Enable PWM decoder. 0 = disabled 1 = enabled

Module: PWM\_USER\_DATA

Configures PWM user data.

Table 363: PWM\_USER\_DATA Register Index

Offset (Hex)	Register Module Base Address: CBF0h	
	Individual Register Name	Register Description
000h	<a href="#">PWM_USER_DATA.PWM_SRC_ENCODER_ID</a>	Source PWM encoder.
001h	<a href="#">PWM_USER_DATA.PWM_DST_DECODER_ID</a>	Destination PWM decoder.
002h	<a href="#">PWM_USER_DATA.PWM_USER_DATA_SIZE</a>	The PWM user data length in bytes.
003h	RESERVED	This register must not be modified from the read value
004h	RESERVED	This register must not be modified from the read value
005h	RESERVED	This register must not be modified from the read value
006h	RESERVED	This register must not be modified from the read value
007h	<a href="#">PWM_USER_DATA.PWM_USER_DATA_CMD_STS</a>	PWM user data command and status register.

PWM\_USER\_DATA.PWM\_SRC\_ENCODER\_ID

The ID of the source PWM encoder.

Table 364: PWM\_USER\_DATA.PWM\_SRC\_ENCODER\_ID Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_USER_DATA.PWM_SRC_ENCODER_ID Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	ENCODER_ID[7:0]							

PWM_USER_DATA.PWM_SRC_ENCODER_ID Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
ENCODER_ID[7:0]	R/W	0	PWM encoder identification.

PWM\_USER\_DATA.PWM\_DST\_DECODER\_ID

The ID of the destination PWM decoder.

Table 365: PWM\_USER\_DATA.PWM\_DST\_DECODER\_ID Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_USER_DATA.PWM_DST_DECODER_ID Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	DECODER_ID[7:0]							

PWM_USER_DATA.PWM_DST_DECODER_ID Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DECODER_ID[7:0]	R/W	0	PWM decoder identification. Use 0xFF for broadcast transmission.

PWM\_USER\_DATA.PWM\_USER\_DATA\_SIZE

-

Table 366: PWM\_USER\_DATA.PWM\_USER\_DATA\_SIZE Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_USER_DATA.PWM_USER_DATA_SIZE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	BYTES[7:0]							

PWM_USER_DATA.PWM_USER_DATA_SIZE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BYTES[7:0]	R/W	0	The PWM user data length in bytes, from 1 to 128. Indicates the number of bytes received or to be transmitted through OTP_EEPROM_PWM_BUFF.

PWM\_USER\_DATA.PWM\_USER\_DATA\_CMD\_STS

PWM user data command and status register.

TRIGGER: Writing to this byte triggers a read and activation of all the bytes of the PWM\_USER\_DATA module.

Table 367: PWM\_USER\_DATA.PWM\_USER\_DATA\_CMD\_STS Bit Field Locations and Descriptions

Offset Address (Hex)	PWM_USER_DATA.PWM_USER_DATA_CMD_STS Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	COMMAND_STATUS[7:0]							

PWM_USER_DATA.PWM_USER_DATA_CMD_STS Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
COMMAND_STATUS[7:0]	R/W	0	The user must set this field to 'Idle' whenever it is ready to receive new data. Before transmitting, the user has to set the 'Tx request' command and then wait for the 'Tx ack'. After this, the user can copy the data into OTP_EEPROM_PWM_BUF buffer and initiate a 'Start transmission' command. 0, 1, and 2 are set by the user. All the other status codes are set by the device. 0x00 = idle 0x01 = tx request 0x02 = start transmission 0x03 = tx ack 0x04 = tx in progress 0x05 = tx success 0x06 = tx invalid encoder ID 0x07 = tx wrong data size 0x08 = tx encoder error 0x09 = tx cancelled 0x0A = rx in progress 0x0B = rx success 0x0C = rx wrong data size 0x0D = rx lost frames 0x0E = rx timeout 0x0F = rx decoder error 0x10 = rx cancelled

Module: TOD\_0

Configure the TOD registers.

Table 368: TOD\_0 Register Index

Offset (Hex)	Register Module Base Address: CC00h <sup>a</sup>	
	Individual Register Name	Register Description
000h	RESERVED	This register must not be modified from the read value
001h	TOD_0.TOD_CFG	TOD configuration register.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

TOD\_0.TOD\_CFG

Enable TOD counter, output channel sync and even-PPS mode.

TRIGGER: Writing to this byte triggers a read and activation of all the bytes of the TOD module.

Table 369: TOD\_0.TOD\_CFG Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_0.TOD_CFG Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	RESERVED[7:3]					TOD_EVEN_PPS_MODE[2]	TOD_OUT_SYNC_ENABLE[1]	TOD_ENABLE[0]

TOD_0.TOD_CFG Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
TOD_EVEN_PPS_MODE[2]	R/W	0	Enable even-PPS mode. If enabled, then the pulse is generated every 2 seconds. 0 = disabled 1 = enabled
TOD_OUT_SYNC_ENABLE[1]	R/W	0	Enable the TOD output channel synchronization. Set this flag to 1 to disable the TOD output channel synchronization. 0 = enabled 1 = disabled
TOD_ENABLE[0]	R/W	0	Enable TOD. 0 = disabled 1 = enabled

Module: TOD\_WRITE\_0

Configure the write registers.

Table 370: TOD\_WRITE\_0 Register Index

Offset (Hex)	Register Module Base Address: CC10h <sup>a</sup>	
	Individual Register Name	Register Description
000h	<a href="#">TOD_WRITE_0.TOD_WRITE</a>	TOD write registers.
00Bh	RESERVED	This register must not be modified from the read value
00Ch	<a href="#">TOD_WRITE_0.TOD_WRITE_COUNTER</a>	Indicates when TOD write is completed.
00Dh	<a href="#">TOD_WRITE_0.TOD_WRITE_SELECT_CFG_0</a>	TOD write trigger configuration.
00Eh	RESERVED	This register must not be modified from the read value
00Fh	<a href="#">TOD_WRITE_0.TOD_WRITE_CMD</a>	TOD write trigger selection.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

TOD\_WRITE\_0.TOD\_WRITE

The maximum frequency of the clock driving the TOD accumulator is 1 GHz for DPLL 0 and 1, and 770 MHz for DPLL 2 and 3 .

Table 371: TOD\_WRITE\_0.TOD\_WRITE Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_WRITE_0.TOD_WRITE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	SUBNS[7:0]							
001h	NS[15:8]							
002h	NS[23:16]							
003h	NS[31:24]							
004h	NS[39:32]							
005h	SECONDS[47:40]							
006h	SECONDS[55:48]							
007h	SECONDS[63:56]							
008h	SECONDS[71:64]							
009h	SECONDS[79:72]							
00Ah	SECONDS[87:80]							

TOD_WRITE_0.TOD_WRITE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SECONDS[87:40]	R/W	0	Seconds part of TOD. Unsigned 48-bit value in seconds.
NS[39:8]	R/W	0	Nanoseconds part of TOD. Unsigned 32-bit value in nanoseconds. The maximum value is 0x3b9ac9ff = 999,999,999 ns.
SUBNS[7:0]	R/W	0	Sub-nanoseconds part of TOD. Unsigned 8-bit value in units of 1/256 nanoseconds.

TOD\_WRITE\_0.TOD\_WRITE\_COUNTER

This counter increments to indicate completion.

Table 372: TOD\_WRITE\_0.TOD\_WRITE\_COUNTER Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_WRITE_0.TOD_WRITE_COUNTER Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	WRITE_COUNTER[7:0]							

TOD_WRITE_0.TOD_WRITE_COUNTER Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
WRITE_COUNTER[7:0]	R/O	0	TOD write counter. This counter increments after the TOD is written to.

TOD\_WRITE\_0.TOD\_WRITE\_SELECT\_CFG\_0

Select the PWM decoder or the input index used as a trigger for TOD write.

Table 373: TOD\_WRITE\_0.TOD\_WRITE\_SELECT\_CFG\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_WRITE_0.TOD_WRITE_SELECT_CFG_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Dh	PWM_DECODER_INDEX[7:4]				REF_INDEX[3:0]			

TOD_WRITE_0.TOD_WRITE_SELECT_CFG_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PWM_DECODER_INDEX[7:4]	R/W	0	PWM decoder index used as trigger. Applicable when tod_write_selection = 3
REF_INDEX[3:0]	R/W	0	Input reference index used as trigger. Applicable when tod_write_selection = 2

TOD\_WRITE\_0.TOD\_WRITE\_CMD

Select the TOD mode and trigger source.

TRIGGER: Writing to this byte triggers a read and activation of all the bytes of the TOD\_WRITE module.

Table 374: TOD\_WRITE\_0.TOD\_WRITE\_CMD Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_WRITE_0.TOD_WRITE_CMD Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	RESERVED[7:6]		TOD_WRITE_TYPE[5:4]		TOD_WRITE_SELECTION[3:0]			

TOD_WRITE_0.TOD_WRITE_CMD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
TOD_WRITE_TYPE[5:4]	R/W	0	TOD write type. 0 = absolute TOD 1 = delta TOD plus 2 = delta TOD minus.
TOD_WRITE_SELECTION [3:0]	R/W	0	TOD write trigger selection. Applicable when tod_write_type = 0 (absolute ToD). For options 2, 3, 4 and 6, the trigger is always on the rising edge of the selected signal. This field will be cleared when the command is finished. 0 = disabled, no trigger 1 = immediate 2 = selected reference clock input 3 = selected PWM decoder's 1 PPS output 4 = rising edge of the ToD PPS signal 5 = feedback from FOD 6 = selected GPIO

Module: TOD\_READ\_PRIMARY\_0

Configure the TOD read primary registers

Table 375: TOD\_READ\_PRIMARY\_0 Register Index

Offset (Hex)	Register Module Base Address: CC50h <sup>a</sup>	
	Individual Register Name	Register Description
000h	<a href="#">TOD_READ_PRIMARY_0.TOD_READ_PRIMARY</a>	TOD read primary registers.
00Bh	<a href="#">TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_COUNTER</a>	Indicates when TOD read is completed.

Table 375: TOD\_READ\_PRIMARY\_0 Register Index

Offset (Hex)	Register Module Base Address: CC50h <sup>a</sup>	
	Individual Register Name	Register Description
00Ch	TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_SEL_CFG_0	TOD read trigger configuration.
00Dh	TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_SEL_CFG_1	TOD read trigger configuration.
00Eh	RESERVED	This register must not be modified from the read value
00Fh	TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_CMD	TOD read trigger selection.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

TOD\_READ\_PRIMARY\_0.TOD\_READ\_PRIMARY

The maximum frequency of the clock driving the TOD accumulator is 1 GHz for DPLL 0 and 1, and 770 MHz for DPLL 2 and 3 .

Table 376: TOD\_READ\_PRIMARY\_0.TOD\_READ\_PRIMARY Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_READ_PRIMARY_0.TOD_READ_PRIMARY Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	SUBNS[7:0]							
001h	NS[15:8]							
002h	NS[23:16]							
003h	NS[31:24]							
004h	NS[39:32]							
005h	SECONDS[47:40]							
006h	SECONDS[55:48]							
007h	SECONDS[63:56]							
008h	SECONDS[71:64]							
009h	SECONDS[79:72]							
00Ah	SECONDS[87:80]							

TOD_READ_PRIMARY_0.TOD_READ_PRIMARY Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SECONDS[87:40]	R/O	0	Seconds part of TOD. Unsigned 48-bit value in seconds.

TOD_READ_PRIMARY_0.TOD_READ_PRIMARY Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
NS[39:8]	R/O	0	Nanoseconds part of TOD. Unsigned 32-bit value in nanoseconds. The maximum value is 0x3b9ac9ff = 999,999,999 ns.
SUBNS[7:0]	R/O	0	Sub-nanoseconds part of TOD. Unsigned 8-bit value in units of 1/256 nanoseconds.

TOD\_READ\_PRIMARY\_0.TOD\_READ\_PRIMARY\_COUNTER

This counter increments to indicate completion.

Table 377: TOD\_READ\_PRIMARY\_0.TOD\_READ\_PRIMARY\_COUNTER Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_COUNTER Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	READ_COUNTER[7:0]							

TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_COUNTER Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
READ_COUNTER[7:0]	R/O	0	TOD read counter. This counter increments after the TOD is read from.

TOD\_READ\_PRIMARY\_0.TOD\_READ\_PRIMARY\_SEL\_CFG\_0

Select the PWM decoder or the input index used as a trigger for TOD read.

Table 378: TOD\_READ\_PRIMARY\_0.TOD\_READ\_PRIMARY\_SEL\_CFG\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_SEL_CFG_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	PWM_DECODER_INDEX[7:4]				REF_INDEX[3:0]			

TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_SEL_CFG_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PWM_DECODER_INDEX[7:4]	R/W	0	PWM decoder index used as trigger.
REF_INDEX[3:0]	R/W	0	Input reference index used as trigger.

TOD\_READ\_PRIMARY\_0.TOD\_READ\_PRIMARY\_SEL\_CFG\_1

Select the DPLL for WR\_FREQ event to be used as a trigger for TOD read.

Table 379: TOD\_READ\_PRIMARY\_0.TOD\_READ\_PRIMARY\_SEL\_CFG\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_SEL_CFG_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Dh	RESERVED[7:3]					DPLL_INDEX[2:0]		

TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_SEL_CFG_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_INDEX[2:0]	R/W	0	DPLL index used as trigger

TOD\_READ\_PRIMARY\_0.TOD\_READ\_PRIMARY\_CMD

Read TOD read primary trigger selection.

TRIGGER: Writing to this byte triggers a read and activation of all the bytes of the TOD\_READ\_PRIMARY module.

Table 380: TOD\_READ\_PRIMARY\_0.TOD\_READ\_PRIMARY\_CMD Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_CMD Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	RESERVED[7:5]			TOD_READ_TRIGGER_MODE[4]	TOD_READ_TRIGGER[3:0]			

TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_CMD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value

TOD_READ_PRIMARY_0.TOD_READ_PRIMARY_CMD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
TOD_READ_TRIGGER_MODE[4]	R/W	0	Select single shot TOD read or continuous TOD read. 0 = single shot 1 = continuous
TOD_READ_TRIGGER[3:0]	R/W	0	Read TOD trigger. For options 2, 3, 4 and 7, the trigger is always on the rising edge of the selected signal. This field will be cleared when the command is finished. 0 = disabled, no trigger 1 = immediate 2 = internal TOD PPS signal 3 = selected reference clock input 4 = selected PWM decoder's 1 PPS output 5 = reserved 6 = a write to DPLL_WR_FREQ 7 = selected GPIO

Module: TOD\_READ\_SECONDARY\_0

Configure the TOD read secondary registers

Table 381: TOD\_READ\_SECONDARY\_0 Register Index

Offset (Hex)	Register Module Base Address: CCA0h <sup>a</sup>	
	Individual Register Name	Register Description
000h	<a href="#">TOD_READ_SECONDARY_0.TOD_READ_SECONDARY</a>	TOD read secondary registers.
00Bh	<a href="#">TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_COUNTER</a>	Indicates when TOD read is completed.
00Ch	<a href="#">TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_SEL_CFG_0</a>	TOD read trigger configuration.
00Dh	<a href="#">TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_SEL_CFG_1</a>	TOD read trigger configuration.
00Eh	RESERVED	This register must not be modified from the read value
00Fh	<a href="#">TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_CMD</a>	TOD read trigger selection.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

TOD\_READ\_SECONDARY\_0.TOD\_READ\_SECONDARY

The maximum frequency of the clock driving the TOD accumulator is 1 GHz for DPLL 0 and 1, and 770 MHz for DPLL 2 and 3 .

Table 382: TOD\_READ\_SECONDARY\_0.TOD\_READ\_SECONDARY Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_READ_SECONDARY_0.TOD_READ_SECONDARY Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	SUBNS[7:0]							
001h	NS[15:8]							
002h	NS[23:16]							
003h	NS[31:24]							
004h	NS[39:32]							
005h	SECONDS[47:40]							
006h	SECONDS[55:48]							
007h	SECONDS[63:56]							
008h	SECONDS[71:64]							
009h	SECONDS[79:72]							
00Ah	SECONDS[87:80]							

TOD_READ_SECONDARY_0.TOD_READ_SECONDARY Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SECONDS[87:40]	R/O	0	Seconds part of TOD. Unsigned 48-bit value in seconds.
NS[39:8]	R/O	0	Nanoseconds part of TOD. Unsigned 32-bit value in nanoseconds. The maximum value is 0x3b9ac9ff = 999,999,999 ns.
SUBNS[7:0]	R/O	0	Sub-nanoseconds part of TOD. Unsigned 8-bit value in units of 1/256 nanoseconds.

TOD\_READ\_SECONDARY\_0.TOD\_READ\_SECONDARY\_COUNTER

This counter increments to indicate completion.

Table 383: TOD\_READ\_SECONDARY\_0.TOD\_READ\_SECONDARY\_COUNTER Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_COUNTER Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	READ_COUNTER[7:0]							

TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_COUNTER Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
READ_COUNTER[7:0]	R/O	0	TOD read counter. This counter increments after the TOD is read from.

TOD\_READ\_SECONDARY\_0.TOD\_READ\_SECONDARY\_SEL\_CFG\_0

Select the PWM decoder or the input index used as a trigger for TOD read.

Table 384: TOD\_READ\_SECONDARY\_0.TOD\_READ\_SECONDARY\_SEL\_CFG\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_SEL_CFG_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	PWM_DECODER_INDEX[7:4]				REF_INDEX[3:0]			

TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_SEL_CFG_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
PWM_DECODER_INDEX[7:4]	R/W	0	PWM decoder index used as trigger.
REF_INDEX[3:0]	R/W	0	Input reference index used as trigger.

TOD\_READ\_SECONDARY\_0.TOD\_READ\_SECONDARY\_SEL\_CFG\_1

Select the DPLL for WR\_FREQ event to be used as a trigger for TOD read.

Table 385: TOD\_READ\_SECONDARY\_0.TOD\_READ\_SECONDARY\_SEL\_CFG\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_SEL_CFG_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Dh	RESERVED[7:3]					DPLL_INDEX[2:0]		

TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_SEL_CFG_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
DPLL_INDEX[2:0]	R/W	0	DPLL index used as trigger

TOD\_READ\_SECONDARY\_0.TOD\_READ\_SECONDARY\_CMD

Read TOD read secondary trigger selection.

TRIGGER: Writing to this byte triggers a read and activation of all the bytes of the TOD\_READ\_SECONDARY module.

Table 386: TOD\_READ\_SECONDARY\_0.TOD\_READ\_SECONDARY\_CMD Bit Field Locations and Descriptions

Offset Address (Hex)	TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_CMD Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	RESERVED[7:5]			TOD_READ_TRIGGER_M ODE[4]	TOD_READ_TRIGGER[3:0]			

TOD_READ_SECONDARY_0.TOD_READ_SECONDARY_CMD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
TOD_READ_TRIGGER_M ODE[4]	R/W	0	Select single shot TOD read or continuous TOD read. 0 = single shot 1 = continuous
TOD_READ_TRIGGER[3:0]	R/W	0	Read TOD trigger. For options 2, 3, 4 and 7, the trigger is always on the rising edge of the selected signal. This field will be cleared when the command is finished. 0 = disabled, no trigger 1 = immediate 2 = internal TOD PPS signal 3 = selected reference clock input 4 = selected PWM decoder's 1 PPS output 5 = reserved 6 = a write to DPLL_WR_FREQ 7 = selected GPIO

Module: OUTPUT\_TDC\_CFG

Configure the global parameters of the output TDC.

Table 387: OUTPUT\_TDC\_CFG Register Index

Offset (Hex)	Register Module Base Address: CCE0h	
	Individual Register Name	Register Description
000h	<a href="#">OUTPUT_TDC_CFG.OUTPUT_TDC_CFG_GB_L_0</a>	Fastlock enable delay.
002h	<a href="#">OUTPUT_TDC_CFG.OUTPUT_TDC_CFG_GB_L_1</a>	Fastlock disable delay.

Table 387: OUTPUT\_TDC\_CFG Register Index

Offset (Hex)	Register Module Base Address: CCE0h	
	Individual Register Name	Register Description
004h	RESERVED	This register must not be modified from the read value
005h	RESERVED	This register must not be modified from the read value
006h	RESERVED	This register must not be modified from the read value
007h	<a href="#">OUTPUT_TDC_CFG.OUTPUT_TDC_CFG_GBL_2</a>	Output TDC configuration.

OUTPUT\_TDC\_CFG.OUTPUT\_TDC\_CFG\_GBL\_0

Configure the fast lock enable delay.

Table 388: OUTPUT\_TDC\_CFG.OUTPUT\_TDC\_CFG\_GBL\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_TDC_CFG.OUTPUT_TDC_CFG_GBL_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	FAST_LOCK_ENABLE_DELAY[7:0]							
001h	FAST_LOCK_ENABLE_DELAY[15:8]							

OUTPUT_TDC_CFG.OUTPUT_TDC_CFG_GBL_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FAST_LOCK_ENABLE_DELAY[15:0]	R/W	0	Duration to wait after enabling output TDC fast lock. Unsigned 16-bit value in microseconds. 0 = default 500 microseconds. When output TDC is enabled, it needs time for the reference clock to settle to the correct frequency. Fast lock is used to shorten the settling time to within microseconds compared to milliseconds.

OUTPUT\_TDC\_CFG.OUTPUT\_TDC\_CFG\_GBL\_1

Configure the fast lock disable delay.

Table 389: OUTPUT\_TDC\_CFG.OUTPUT\_TDC\_CFG\_GBL\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_TDC_CFG.OUTPUT_TDC_CFG_GBL_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	FAST_LOCK_DISABLE_DELAY[7:0]							
003h	FAST_LOCK_DISABLE_DELAY[15:8]							

OUTPUT_TDC_CFG.OUTPUT_TDC_CFG_GBL_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FAST_LOCK_DISABLE_DELAY[15:0]	R/W	0	Duration to wait after disabling fast lock to allow the output TDC reference clock time to settle. Unsigned 16-bit value in microseconds. 0 = default 500 microseconds. Fast lock is disabled prior to measurement and needs time to settle afterwards.

OUTPUT\_TDC\_CFG.OUTPUT\_TDC\_CFG\_GBL\_2

Configure the output TDC .

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the OUTPUT\_TDC\_CFG module.

Table 390: OUTPUT\_TDC\_CFG.OUTPUT\_TDC\_CFG\_GBL\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_TDC_CFG.OUTPUT_TDC_CFG_GBL_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	RESERVED[7:2]						REF_SEL[1]	ENABLE[0]

OUTPUT_TDC_CFG.OUTPUT_TDC_CFG_GBL_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
REF_SEL[1]	R/W	0	Select reference clock for output TDC. ref_sel change takes effect when 'enable' transitions from 0 -> 1. If ref_sel is changed when 'enable' = 1, the change is ignored. 0 = XTAL 1 = XO_DPLL
ENABLE[0]	R/W	0	Enable or disable output TDC. Output TDC is disabled by default to save power when not in use. Ready state is indicated by OUTPUT_TDC_CFG_STATUS.state. 0 = disabled 1 = enabled

Module: OUTPUT\_TDC\_0

Configure the output TDC.

Table 391: OUTPUT\_TDC\_0 Register Index

Offset (Hex)	Register Module Base Address: CD00h <sup>a</sup>	
	Individual Register Name	Register Description
000h	OUTPUT_TDC_0.OUTPUT_TDC_CTRL_0	Output TDC control register.
002h	OUTPUT_TDC_0.OUTPUT_TDC_CTRL_1	Output TDC control register.

Table 391: OUTPUT\_TDC\_0 Register Index

Offset (Hex)	Register Module Base Address: CD00h <sup>a</sup>	
	Individual Register Name	Register Description
004h	<a href="#">OUTPUT_TDC_0.OUTPUT_TDC_CTRL_2</a>	Output TDC control register.
005h	<a href="#">OUTPUT_TDC_0.OUTPUT_TDC_CTRL_3</a>	Output TDC control register.
006h	RESERVED	This register must not be modified from the read value
007h	<a href="#">OUTPUT_TDC_0.OUTPUT_TDC_CTRL_4</a>	Output TDC control register.

a. This register module is instantiated multiple times. This is the base address of the first instantiation of this module. For later instantiations, use the appropriate module base address.

OUTPUT\_TDC\_0.OUTPUT\_TDC\_CTRL\_0

Configure output TDC.

Table 392: OUTPUT\_TDC\_0.OUTPUT\_TDC\_CTRL\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_TDC_0.OUTPUT_TDC_CTRL_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	SAMPLES[7:0]							
001h	SAMPLES[15:8]							

OUTPUT_TDC_0.OUTPUT_TDC_CTRL_0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SAMPLES[15:0]	R/W	0	Unsigned 16-bit value indicating the number of samples to use for measurement. 0 = 4096 samples. When using more than one sample, the final measurement is an average.

OUTPUT\_TDC\_0.OUTPUT\_TDC\_CTRL\_1

Configure output TDC.

Table 393: OUTPUT\_TDC\_0.OUTPUT\_TDC\_CTRL\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_TDC_0.OUTPUT_TDC_CTRL_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	TARGET_PHASE_OFFSET[7:0]							
003h	TARGET_PHASE_OFFSET[15:8]							

OUTPUT_TDC_0.OUTPUT_TDC_CTRL_1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
TARGET_PHASE_OFFSET[15:0]	R/W	0	Target phase offset for alignment operation. Signed 16-bit target phase offset in picoseconds. Used in alignment mode, ignored in measurement mode.

OUTPUT\_TDC\_0.OUTPUT\_TDC\_CTRL\_2

Configure output TDC.

Table 394: OUTPUT\_TDC\_0.OUTPUT\_TDC\_CTRL\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_TDC_0.OUTPUT_TDC_CTRL_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	ALIGN_TARGET_MASK[7:0]							

OUTPUT_TDC_0.OUTPUT_TDC_CTRL_2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
ALIGN_TARGET_MASK[7:0]	R/W	0	Used in alignment mode to indicate the target DPLL(s). The outputs of these DPLL(s) will be aligned to the outputs of the source DPLL. DPLL alignment target mask index. Alignment mode: Each set bit represents the DPLLs to be aligned with the 'source_index' DPLL. Bit 0 corresponds to DPLL0, bit 1 DPLL1, etc. 0b00000001 = DPLL0 ... 0b10000000 = DPLL7 ... 0b00000011 = DPLL0 and DPLL1 ...

OUTPUT\_TDC\_0.OUTPUT\_TDC\_CTRL\_3

Configure output TDC.

Table 395: OUTPUT\_TDC\_0.OUTPUT\_TDC\_CTRL\_3 Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_TDC_0.OUTPUT_TDC_CTRL_3 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	TARGET_INDEX[7:4]				SOURCE_INDEX[3:0]			

OUTPUT_TDC_0.OUTPUT_TDC_CTRL_3 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
TARGET_INDEX[7:4]	R/W	0	<p>Used in measurement mode to indicate the target clock. Indicates the target to measure against 'source_index'. If the target is a DPLL index, then the Master Sync signal from that DPLL is used for measurement. The delay between the Master Sync and the output clock is 9 FOD cycles.</p> <p>0x0 = DPLL0                      0x1 = DPLL1                      0x2 = DPLL2                      0x3 = DPLL3                      0x4 = DPLL4                      0x5 = DPLL5                      0x6 = DPLL6                      0x7 = DPLL7                      0x8 = GPIO6                      0x9 = GPIO1                      0xA = GPIO2                      0xB = GPIO7</p>
SOURCE_INDEX[3:0]	R/W	0	<p>Used in measurement and alignment mode to indicate the source clock. In measurement mode, indicates the source to be used as the measurement reference. If the source is a DPLL index, then the Master Sync signal from that DPLL is used for measurement. The delay between the Master Sync and the output clock is 9 FOD cycles. In alignment mode, the source must be a DPLL index.</p> <p>0x0 = DPLL0                      0x1 = DPLL1                      0x2 = DPLL2                      0x3 = DPLL3                      0x4 = DPLL4                      0x5 = DPLL5                      0x6 = DPLL6                      0x7 = DPLL7                      0x8 = GPIO6                      0x9 = GPIO1                      0xA = GPIO2                      0xB = GPIO7</p>

OUTPUT\_TDC\_0.OUTPUT\_TDC\_CTRL\_4

Configure output TDC.

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the OUTPUT\_TDC module.

Table 396: OUTPUT\_TDC\_0.OUTPUT\_TDC\_CTRL\_4 Bit Field Locations and Descriptions

Offset Address (Hex)	OUTPUT_TDC_0.OUTPUT_TDC_CTRL_4 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	DISABLE_MEASUREMENT_FILTER[7]	ALIGN_THRESHOLD_COUNT[6:4]			ALIGN_RESET[3]	TYPE[2]	MODE[1]	GO[0]

OUTPUT_TDC_0.OUTPUT_TDC_CTRL_4 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DISABLE_MEASUREMENT_FILTER[7]	R/W	0	Large measurements are considered outliers and filtered out. If 'source_index' is a DPLL index, measurements larger than 1/2 the master divider frequency are filtered out. To disable this filtering, set 'disable_measurement_filter' = 1. If 'source_index' is a GPIO, the filtering is always disabled. 0 = filter enabled 1 = filter disabled
ALIGN_THRESHOLD_COUNT[6:4]	R/W	0	Threshold count to determine when alignment is done. In single shot alignment mode, this determines the number of sequential measurement readings that match 'target_phase_offset' before declaring alignment is done. Value of 0 means count of 1.
ALIGN_RESET[3]	R/W	0	Reset output TDC accumulated adjustments to zero prior to starting output TDC operation. (i.e. clear accumulated coarse phase delay and fine phase advance adjustments) Measurement mode: Set to '1' to reset the output TDC alignment of the target specified by the 'target_index' field. Alignment mode: Set to '1' to reset the output TDC alignment of the target(s) specified by the 'alignment_target_mask' field. Takes effect when 'go' field is set to '1' at the start the output TDC operation. 0 = keep accumulated 1 = clear accumulated
TYPE[2]	R/W	0	Type of output TDC operation, single shot or continuous. Single shot: Collect the number of samples (average if necessary) and clear 'go' when completed. Continuous: Same as single shot mode, except the operation will be repeated continuously. To stop operation, clear 'go'. 0 = single shot 1 = continuous

OUTPUT_TDC_0.OUTPUT_TDC_CTRL_4 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
MODE[1]	R/W	0	Select mode of output TDC operation. Measurement mode: Take a measurement at approx. 100 us intervals. When 'samples' measurements is reached, the average measurement is stored it in OUTPUT_TDCn_MEASUREMENT. Alignment mode: Aligns the targets in 'align_target_mask' to 'source_index' to match 'target_phase_offset' picoseconds. 0 = measurement 1 = alignment
GO[0]	R/W	0	Start or stop output TDC operation. Write 1 to start output TDC operation and clear OUTPUT_TDCn_STATUS.valid. OUTPUT_TDCn_STATUS.valid will be set when the measurement is valid or when the alignment operation reaches the 'target_phase_offset' picoseconds. OUTPUT_TDCn_STATUS.status can be used to check output TDC operational status. For 'type' = single shot, when the operation is complete, 'go' will be cleared to 0 and OUTPUT_TDC0_STATUS.status will be set to 'Idle' on success and an error status on failure. For 'type' = continuous, on success, 'go' will stay set and the operation continues until user clears 'go' to cancel the alignment operations. On failure, the operation stops and 'go' will be cleared. 0 = stop output TDC operation 1 = start output TDC operation

Module: INPUT\_TDC

-

Table 397: INPUT\_TDC Register Index

Offset (Hex)	Register Module Base Address: CD20h	
	Individual Register Name	Register Description
000h	<a href="#">INPUT_TDC.INPUT_TDC_SDM_FRAC</a>	Input TDC feedback divider fractional value.
002h	<a href="#">INPUT_TDC.INPUT_TDC_SDM_MOD</a>	Input TDC feedback divider modulus value.
004h	<a href="#">INPUT_TDC.INPUT_TDC_FBD_CTRL</a>	Input TDC feedback divider control.
005h	RESERVED	This register must not be modified from the read value
006h	RESERVED	This register must not be modified from the read value
007h	<a href="#">INPUT_TDC.INPUT_TDC_CTRL</a>	Input TDC control

INPUT\_TDC.INPUT\_TDC\_SDM\_FRAC

Input TDC feedback divider fractional value.

Table 398: INPUT\_TDC.INPUT\_TDC\_SDM\_FRAC Bit Field Locations and Descriptions

Offset Address (Hex)	INPUT_TDC.INPUT_TDC_SDM_FRAC Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	SDM_FRAC[7:0]							
001h	SDM_FRAC[15:8]							

INPUT_TDC.INPUT_TDC_SDM_FRAC Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SDM_FRAC[15:0]	R/W	0	Input TDC feedback divider fractional value.

INPUT\_TDC.INPUT\_TDC\_SDM\_MOD

Input TDC feedback divider modulus value.

Table 399: INPUT\_TDC.INPUT\_TDC\_SDM\_MOD Bit Field Locations and Descriptions

Offset Address (Hex)	INPUT_TDC.INPUT_TDC_SDM_MOD Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	SDM_MOD[7:0]							
003h	SDM_MOD[15:8]							

INPUT_TDC.INPUT_TDC_SDM_MOD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SDM_MOD[15:0]	R/W	0	Input TDC feedback divider modulus value.

INPUT\_TDC.INPUT\_TDC\_FBD\_CTRL

Input TDC feedback divider control.

Table 400: INPUT\_TDC.INPUT\_TDC\_FBD\_CTRL Bit Field Locations and Descriptions

Offset Address (Hex)	INPUT_TDC.INPUT_TDC_FBD_CTRL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	FBD_USER_CONFIG_EN [7]	FBD_INTEGER[6:0]						

INPUT_TDC.INPUT_TDC_FBD_CTRL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
FBD_USER_CONFIG_EN[7]	R/W	0	Input TDC feedback divider user config enable. When set to '0', the input TDC feedback divider will be programmed internally and the input TDC frequency will be configured as 625 MHz. When set to '1', all parameters apply (sdm_frac, sdm_mod, fbd_integer, and sdm_order). 0 = disabled 1 = enabled
FBD_INTEGER[6:0]	R/W	0	Input TDC feedback divider integer value. $ITDC\_UI = 1 / (32 * \text{input TDC frequency})$ .

INPUT\_TDC.INPUT\_TDC\_CTRL

Input TDC control

TRIGGER: Writing to this byte triggers a read and activation in hardware of all the bytes of the INPUT\_TDC module.

Table 401: INPUT\_TDC.INPUT\_TDC\_CTRL Bit Field Locations and Descriptions

Offset Address (Hex)	INPUT_TDC.INPUT_TDC_CTRL Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	RESERVED[7:3]					SDM_ORDER[2:1]		REF_SEL[0]

INPUT_TDC.INPUT_TDC_CTRL Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
SDM_ORDER[2:1]	R/W	0	Input TDC SDM order. If sdm_frac = 0, then sdm_order is ignored and treated as zero. 0 = integer 1 = 1st order 2 = 2nd order 3 = 3rd order
REF_SEL[0]	R/W	0	Control mux to forward either a XTAL or XO_DPLL reference towards Input TDC. By default, a XTAL reference is forwarded towards it. 0 = XTAL 1 = XO_DPLL

Module: SCRATCH

These multipurpose registers are not used by FW and are intended to for users to maintain their own data.

Table 402: SCRATCH Register Index

Offset (Hex)	Register Module Base Address: CF4Ch	
	Individual Register Name	Register Description
000h	<a href="#">SCRATCH.SCRATCH0</a>	Multipurpose register
004h	<a href="#">SCRATCH.SCRATCH1</a>	Multipurpose register
008h	<a href="#">SCRATCH.SCRATCH2</a>	Multipurpose register
00Ch	<a href="#">SCRATCH.SCRATCH3</a>	Multipurpose register

SCRATCH.SCRATCH0

User read or write data. The HW reset value will be restored on soft reset.

Table 403: SCRATCH.SCRATCH0 Bit Field Locations and Descriptions

Offset Address (Hex)	SCRATCH.SCRATCH0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	SCRATCH0[7:0]							
001h	SCRATCH0[15:8]							
002h	SCRATCH0[23:16]							
003h	SCRATCH0[31:24]							

SCRATCH.SCRATCH0 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SCRATCH0[31:0]	R/W	0	User data.

SCRATCH.SCRATCH1

User read or write data. The HW reset value will be restored on soft reset.

Table 404: SCRATCH.SCRATCH1 Bit Field Locations and Descriptions

Offset Address (Hex)	SCRATCH.SCRATCH1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	SCRATCH1[7:0]							
005h	SCRATCH1[15:8]							
006h	SCRATCH1[23:16]							
007h	SCRATCH1[31:24]							

SCRATCH.SCRATCH1 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SCRATCH1[31:0]	R/W	0	User data.

SCRATCH.SCRATCH2

User read or write data. The HW reset value will be restored on soft reset.

Table 405: SCRATCH.SCRATCH2 Bit Field Locations and Descriptions

Offset Address (Hex)	SCRATCH.SCRATCH2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	SCRATCH2[7:0]							
009h	SCRATCH2[15:8]							
00Ah	SCRATCH2[23:16]							
00Bh	SCRATCH2[31:24]							

SCRATCH.SCRATCH2 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SCRATCH2[31:0]	R/W	0	User data.

SCRATCH.SCRATCH3

User read or write data. The HW reset value will be restored on soft reset.

Table 406: SCRATCH.SCRATCH3 Bit Field Locations and Descriptions

Offset Address (Hex)	SCRATCH.SCRATCH3 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	SCRATCH3[7:0]							
00Dh	SCRATCH3[15:8]							
00Eh	SCRATCH3[23:16]							
00Fh	SCRATCH3[31:24]							

SCRATCH.SCRATCH3 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
SCRATCH3[31:0]	R/W	0	User data.

Module: EEPROM

Access EEPROM.

Table 407: EEPROM Register Index

Offset (Hex)	Register Module Base Address: CF64h	
	Individual Register Name	Register Description
000h	EEPROM.EEPROM_I2C_ADDR	EEPROM I2C address.
001h	EEPROM.EEPROM_SIZE	EEPROM data transfer size.
002h	EEPROM.EEPROM_OFFSET	EEPROM offset.
004h	RESERVED	This register must not be modified from the read value
005h	RESERVED	This register must not be modified from the read value
006h	EEPROM.EEPROM_CMD	EEPROM command.

EEPROM.EEPROM\_I2C\_ADDR

EEPROM I2C address.

Table 408: EEPROM.EEPROM\_I2C\_ADDR Bit Field Locations and Descriptions

Offset Address (Hex)	EEPROM.EEPROM_I2C_ADDR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	RESERVED[7]	I2C_ADDR[6:0]						

EEPROM.EEPROM_I2C_ADDR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
RESERVED	N/A	-	This field must not be modified from the read value
I2C_ADDR[6:0]	R/W	0	I2C address of the EEPROM.

EEPROM.EEPROM\_SIZE

Configure the number of bytes to read or write.

Table 409: EEPROM.EEPROM\_SIZE Bit Field Locations and Descriptions

Offset Address (Hex)	EEPROM.EEPROM_SIZE Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	BYTES[7:0]							

EEPROM.EEPROM_SIZE Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
BYTES[7:0]	R/W	0	Number of bytes to read or write. These bytes are transferred through OTP_EEPROM_BUFF. Valid range is 0 to 128.

EEPROM.EEPROM\_OFFSET

Address offset inside the EEPROM.

Table 410: EEPROM.EEPROM\_OFFSET Bit Field Locations and Descriptions

Offset Address (Hex)	EEPROM.EEPROM_OFFSET Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	EEPROM_OFFSET[7:0]							
003h	EEPROM_OFFSET[15:8]							

EEPROM.EEPROM_OFFSET Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
EEPROM_OFFSET[15:0]	R/W	0	Unsigned 16-bit value in bytes indicating the offset inside the EEPROM.

EEPROM.EEPROM\_CMD

Initiate EEPROM read or write.

Table 411: EEPROM.EEPROM\_CMD Bit Field Locations and Descriptions

Offset Address (Hex)	EEPROM.EEPROM_CMD Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	EEPROM_CMD[7:0]							
007h	EEPROM_CMD[15:8]							

EEPROM.EEPROM_CMD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
EEPROM_CMD[15:0]	R/W	0	Command. 0xEE01 = Read from EEPROM 0xEE02 = Write to EEPROM 0xEE03 = Write (no verify)

Module: OTP

Configure OTP. Please contact IDT for details.

Table 412: OTP Register Index

Offset (Hex)	Register Module Base Address: CF70h	
	Individual Register Name	Register Description
000h	<a href="#">OTP.OTP_CMD</a>	OTP command.
004h	<a href="#">OTP.OTP_CM_CTR</a>	Device counter.
006h	<a href="#">OTP.OTP_HOST_CTR</a>	Update counter.

OTP.OTP\_CMD

Initiate OTP transaction. Please contact IDT for details.

Table 413: OTP.OTP\_CMD Bit Field Locations and Descriptions

Offset Address (Hex)	OTP.OTP_CMD Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	OTP_CMD[7:0]							
001h	OTP_CMD[15:8]							
002h	OTP_CMD[23:16]							
003h	OTP_CMD[31:24]							

OTP.OTP_CMD Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OTP_CMD[31:0]	R/W	0	-

OTP.OTP\_CM\_CTR

Word counter updated by the device. Please contact IDT for details.

Table 414: OTP.OTP\_CM\_CTR Bit Field Locations and Descriptions

Offset Address (Hex)	OTP.OTP_CM_CTR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	OTP_CM_CTR[7:0]							
005h	OTP_CM_CTR[15:8]							

OTP.OTP_CM_CTR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OTP_CM_CTR[15:0]	R/O	0	Total number of 32-bit words transferred through the OTP buffer during the current command This 16-bit counter is updated by the internal processor, and represents the total number of 32-bit words transferred through the OTP buffer during the current command. Please contact IDT for details.

OTP.OTP\_HOST\_CTR

Word counter updated by the user. Please contact IDT for details.

Table 415: OTP.OTP\_HOST\_CTR Bit Field Locations and Descriptions

Offset Address (Hex)	OTP.OTP_HOST_CTR Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	OTP_HOST_CTR[7:0]							
007h	OTP_HOST_CTR[15:8]							

OTP.OTP_HOST_CTR Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
OTP_HOST_CTR[15:0]	R/W	0	Total number of 32-bit words transferred through the OTP buffer during the current command This 16-bit counter is updated by the external host processor, and represents the total number of 32-bit words transferred through the OTP buffer during the current command. Please contact IDT for details.

Module: BYTE

Configure the OTP registers. Please contact IDT for details.

Table 416: BYTE Register Index

Offset (Hex)	Register Module Base Address: CF80h	
	Individual Register Name	Register Description
000h	<a href="#">BYTE.OTP_EEPROM_PWM_BUFF_0</a>	OTP/EEPROM/PWM buffer.
001h	<a href="#">BYTE.OTP_EEPROM_PWM_BUFF_1</a>	
002h	<a href="#">BYTE.OTP_EEPROM_PWM_BUFF_2</a>	
003h	<a href="#">BYTE.OTP_EEPROM_PWM_BUFF_3</a>	
004h	<a href="#">BYTE.OTP_EEPROM_PWM_BUFF_4</a>	
005h	<a href="#">BYTE.OTP_EEPROM_PWM_BUFF_5</a>	
006h	<a href="#">BYTE.OTP_EEPROM_PWM_BUFF_6</a>	
007h	<a href="#">BYTE.OTP_EEPROM_PWM_BUFF_7</a>	

Table 416: BYTE Register Index

Offset (Hex)	Register Module Base Address: CF80h	
	Individual Register Name	Register Description
008h	BYTE.OTP_EEPROM_PWM_BUFF_8	
009h	BYTE.OTP_EEPROM_PWM_BUFF_9	
00Ah	BYTE.OTP_EEPROM_PWM_BUFF_10	
00Bh	BYTE.OTP_EEPROM_PWM_BUFF_11	
00Ch	BYTE.OTP_EEPROM_PWM_BUFF_12	
00Dh	BYTE.OTP_EEPROM_PWM_BUFF_13	
00Eh	BYTE.OTP_EEPROM_PWM_BUFF_14	
00Fh	BYTE.OTP_EEPROM_PWM_BUFF_15	
010h	BYTE.OTP_EEPROM_PWM_BUFF_16	
011h	BYTE.OTP_EEPROM_PWM_BUFF_17	
012h	BYTE.OTP_EEPROM_PWM_BUFF_18	
013h	BYTE.OTP_EEPROM_PWM_BUFF_19	
014h	BYTE.OTP_EEPROM_PWM_BUFF_20	
015h	BYTE.OTP_EEPROM_PWM_BUFF_21	
016h	BYTE.OTP_EEPROM_PWM_BUFF_22	
017h	BYTE.OTP_EEPROM_PWM_BUFF_23	
018h	BYTE.OTP_EEPROM_PWM_BUFF_24	
019h	BYTE.OTP_EEPROM_PWM_BUFF_25	
01Ah	BYTE.OTP_EEPROM_PWM_BUFF_26	
01Bh	BYTE.OTP_EEPROM_PWM_BUFF_27	
01Ch	BYTE.OTP_EEPROM_PWM_BUFF_28	
01Dh	BYTE.OTP_EEPROM_PWM_BUFF_29	
01Eh	BYTE.OTP_EEPROM_PWM_BUFF_30	
01Fh	BYTE.OTP_EEPROM_PWM_BUFF_31	
020h	BYTE.OTP_EEPROM_PWM_BUFF_32	
021h	BYTE.OTP_EEPROM_PWM_BUFF_33	
022h	BYTE.OTP_EEPROM_PWM_BUFF_34	
023h	BYTE.OTP_EEPROM_PWM_BUFF_35	
024h	BYTE.OTP_EEPROM_PWM_BUFF_36	
025h	BYTE.OTP_EEPROM_PWM_BUFF_37	
026h	BYTE.OTP_EEPROM_PWM_BUFF_38	
027h	BYTE.OTP_EEPROM_PWM_BUFF_39	

Table 416: BYTE Register Index

Offset (Hex)	Register Module Base Address: CF80h	
	Individual Register Name	Register Description
028h	BYTE.OTP_EEPROM_PWM_BUFF_40	
029h	BYTE.OTP_EEPROM_PWM_BUFF_41	
02Ah	BYTE.OTP_EEPROM_PWM_BUFF_42	
02Bh	BYTE.OTP_EEPROM_PWM_BUFF_43	
02Ch	BYTE.OTP_EEPROM_PWM_BUFF_44	
02Dh	BYTE.OTP_EEPROM_PWM_BUFF_45	
02Eh	BYTE.OTP_EEPROM_PWM_BUFF_46	
02Fh	BYTE.OTP_EEPROM_PWM_BUFF_47	
030h	BYTE.OTP_EEPROM_PWM_BUFF_48	
031h	BYTE.OTP_EEPROM_PWM_BUFF_49	
032h	BYTE.OTP_EEPROM_PWM_BUFF_50	
033h	BYTE.OTP_EEPROM_PWM_BUFF_51	
034h	BYTE.OTP_EEPROM_PWM_BUFF_52	
035h	BYTE.OTP_EEPROM_PWM_BUFF_53	
036h	BYTE.OTP_EEPROM_PWM_BUFF_54	
037h	BYTE.OTP_EEPROM_PWM_BUFF_55	
038h	BYTE.OTP_EEPROM_PWM_BUFF_56	
039h	BYTE.OTP_EEPROM_PWM_BUFF_57	
03Ah	BYTE.OTP_EEPROM_PWM_BUFF_58	
03Bh	BYTE.OTP_EEPROM_PWM_BUFF_59	
03Ch	BYTE.OTP_EEPROM_PWM_BUFF_60	
03Dh	BYTE.OTP_EEPROM_PWM_BUFF_61	
03Eh	BYTE.OTP_EEPROM_PWM_BUFF_62	
03Fh	BYTE.OTP_EEPROM_PWM_BUFF_63	
040h	BYTE.OTP_EEPROM_PWM_BUFF_64	
041h	BYTE.OTP_EEPROM_PWM_BUFF_65	
042h	BYTE.OTP_EEPROM_PWM_BUFF_66	
043h	BYTE.OTP_EEPROM_PWM_BUFF_67	
044h	BYTE.OTP_EEPROM_PWM_BUFF_68	
045h	BYTE.OTP_EEPROM_PWM_BUFF_69	
046h	BYTE.OTP_EEPROM_PWM_BUFF_70	
047h	BYTE.OTP_EEPROM_PWM_BUFF_71	

Table 416: BYTE Register Index

Offset (Hex)	Register Module Base Address: CF80h	
	Individual Register Name	Register Description
048h	BYTE.OTP_EEPROM_PWM_BUFF_72	
049h	BYTE.OTP_EEPROM_PWM_BUFF_73	
04Ah	BYTE.OTP_EEPROM_PWM_BUFF_74	
04Bh	BYTE.OTP_EEPROM_PWM_BUFF_75	
04Ch	BYTE.OTP_EEPROM_PWM_BUFF_76	
04Dh	BYTE.OTP_EEPROM_PWM_BUFF_77	
04Eh	BYTE.OTP_EEPROM_PWM_BUFF_78	
04Fh	BYTE.OTP_EEPROM_PWM_BUFF_79	
050h	BYTE.OTP_EEPROM_PWM_BUFF_80	
051h	BYTE.OTP_EEPROM_PWM_BUFF_81	
052h	BYTE.OTP_EEPROM_PWM_BUFF_82	
053h	BYTE.OTP_EEPROM_PWM_BUFF_83	
054h	BYTE.OTP_EEPROM_PWM_BUFF_84	
055h	BYTE.OTP_EEPROM_PWM_BUFF_85	
056h	BYTE.OTP_EEPROM_PWM_BUFF_86	
057h	BYTE.OTP_EEPROM_PWM_BUFF_87	
058h	BYTE.OTP_EEPROM_PWM_BUFF_88	
059h	BYTE.OTP_EEPROM_PWM_BUFF_89	
05Ah	BYTE.OTP_EEPROM_PWM_BUFF_90	
05Bh	BYTE.OTP_EEPROM_PWM_BUFF_91	
05Ch	BYTE.OTP_EEPROM_PWM_BUFF_92	
05Dh	BYTE.OTP_EEPROM_PWM_BUFF_93	
05Eh	BYTE.OTP_EEPROM_PWM_BUFF_94	
05Fh	BYTE.OTP_EEPROM_PWM_BUFF_95	
060h	BYTE.OTP_EEPROM_PWM_BUFF_96	
061h	BYTE.OTP_EEPROM_PWM_BUFF_97	
062h	BYTE.OTP_EEPROM_PWM_BUFF_98	
063h	BYTE.OTP_EEPROM_PWM_BUFF_99	
064h	BYTE.OTP_EEPROM_PWM_BUFF_100	
065h	BYTE.OTP_EEPROM_PWM_BUFF_101	
066h	BYTE.OTP_EEPROM_PWM_BUFF_102	
067h	BYTE.OTP_EEPROM_PWM_BUFF_103	

Table 416: BYTE Register Index

Offset (Hex)	Register Module Base Address: CF80h	
	Individual Register Name	Register Description
068h	BYTE.OTP_EEPROM_PWM_BUFF_104	
069h	BYTE.OTP_EEPROM_PWM_BUFF_105	
06Ah	BYTE.OTP_EEPROM_PWM_BUFF_106	
06Bh	BYTE.OTP_EEPROM_PWM_BUFF_107	
06Ch	BYTE.OTP_EEPROM_PWM_BUFF_108	
06Dh	BYTE.OTP_EEPROM_PWM_BUFF_109	
06Eh	BYTE.OTP_EEPROM_PWM_BUFF_110	
06Fh	BYTE.OTP_EEPROM_PWM_BUFF_111	
070h	BYTE.OTP_EEPROM_PWM_BUFF_112	
071h	BYTE.OTP_EEPROM_PWM_BUFF_113	
072h	BYTE.OTP_EEPROM_PWM_BUFF_114	
073h	BYTE.OTP_EEPROM_PWM_BUFF_115	
074h	BYTE.OTP_EEPROM_PWM_BUFF_116	
075h	BYTE.OTP_EEPROM_PWM_BUFF_117	
076h	BYTE.OTP_EEPROM_PWM_BUFF_118	
077h	BYTE.OTP_EEPROM_PWM_BUFF_119	
078h	BYTE.OTP_EEPROM_PWM_BUFF_120	
079h	BYTE.OTP_EEPROM_PWM_BUFF_121	
07Ah	BYTE.OTP_EEPROM_PWM_BUFF_122	
07Bh	BYTE.OTP_EEPROM_PWM_BUFF_123	
07Ch	BYTE.OTP_EEPROM_PWM_BUFF_124	
07Dh	BYTE.OTP_EEPROM_PWM_BUFF_125	
07Eh	BYTE.OTP_EEPROM_PWM_BUFF_126	
07Fh	BYTE.OTP_EEPROM_PWM_BUFF_127	

BYTE.OTP\_EEPROM\_PWM\_BUFF\_0

Holds data to be used to be transferred into the OTP or EEPROM. Please contact IDT for details.

Table 417: BYTE.OTP\_EEPROM\_PWM\_BUFF\_0 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_0 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
000h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_0 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_1

-

Table 418: BYTE.OTP\_EEPROM\_PWM\_BUFF\_1 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_1 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
001h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_1 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_2

-

Table 419: BYTE.OTP\_EEPROM\_PWM\_BUFF\_2 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_2 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
002h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_2 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_3

-

Table 420: BYTE.OTP\_EEPROM\_PWM\_BUFF\_3 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_3 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
003h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_3 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_4

-

Table 421: BYTE.OTP\_EEPROM\_PWM\_BUFF\_4 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_4 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
004h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_4 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_5

-

Table 422: BYTE.OTP\_EEPROM\_PWM\_BUFF\_5 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_5 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
005h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_5 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_6

-

Table 423: BYTE.OTP\_EEPROM\_PWM\_BUFF\_6 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_6 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
006h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_6 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_7

-

Table 424: BYTE.OTP\_EEPROM\_PWM\_BUFF\_7 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_7 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
007h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_7 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_8

-

Table 425: BYTE.OTP\_EEPROM\_PWM\_BUFF\_8 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_8 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
008h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_8 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_9

-

Table 426: BYTE.OTP\_EEPROM\_PWM\_BUFF\_9 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_9 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
009h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_9 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_10

Table 427: BYTE.OTP\_EEPROM\_PWM\_BUFF\_10 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_10 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ah	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_10 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_11

Table 428: BYTE.OTP\_EEPROM\_PWM\_BUFF\_11 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_11 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Bh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_11 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_12

Table 429: BYTE.OTP\_EEPROM\_PWM\_BUFF\_12 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_12 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Ch	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_12 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_13

Table 430: BYTE.OTP\_EEPROM\_PWM\_BUFF\_13 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_13 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Dh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_13 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_14

Table 431: BYTE.OTP\_EEPROM\_PWM\_BUFF\_14 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_14 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Eh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_14 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_15

Table 432: BYTE.OTP\_EEPROM\_PWM\_BUFF\_15 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_15 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
00Fh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_15 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_16

Table 433: BYTE.OTP\_EEPROM\_PWM\_BUFF\_16 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_16 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
010h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_16 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_17

Table 434: BYTE.OTP\_EEPROM\_PWM\_BUFF\_17 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_17 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
011h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_17 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_18

Table 435: BYTE.OTP\_EEPROM\_PWM\_BUFF\_18 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_18 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
012h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_18 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_19

-

Table 436: BYTE.OTP\_EEPROM\_PWM\_BUFF\_19 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_19 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
013h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_19 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_20

-

Table 437: BYTE.OTP\_EEPROM\_PWM\_BUFF\_20 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_20 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
014h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_20 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_21

-

Table 438: BYTE.OTP\_EEPROM\_PWM\_BUFF\_21 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_21 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
015h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_21 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_22

Table 439: BYTE.OTP\_EEPROM\_PWM\_BUFF\_22 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_22 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
016h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_22 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_23

Table 440: BYTE.OTP\_EEPROM\_PWM\_BUFF\_23 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_23 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
017h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_23 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_24

Table 441: BYTE.OTP\_EEPROM\_PWM\_BUFF\_24 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_24 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
018h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_24 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_25

-

Table 442: BYTE.OTP\_EEPROM\_PWM\_BUFF\_25 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_25 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
019h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_25 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_26

-

Table 443: BYTE.OTP\_EEPROM\_PWM\_BUFF\_26 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_26 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Ah	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_26 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_27

-

Table 444: BYTE.OTP\_EEPROM\_PWM\_BUFF\_27 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_27 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Bh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_27 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_28

-

Table 445: BYTE.OTP\_EEPROM\_PWM\_BUFF\_28 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_28 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Ch	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_28 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_29

-

Table 446: BYTE.OTP\_EEPROM\_PWM\_BUFF\_29 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_29 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Dh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_29 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_30

-

Table 447: BYTE.OTP\_EEPROM\_PWM\_BUFF\_30 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_30 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Eh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_30 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_31

Table 448: BYTE.OTP\_EEPROM\_PWM\_BUFF\_31 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_31 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
01Fh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_31 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_32

Table 449: BYTE.OTP\_EEPROM\_PWM\_BUFF\_32 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_32 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
020h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_32 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_33

Table 450: BYTE.OTP\_EEPROM\_PWM\_BUFF\_33 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_33 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
021h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_33 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_34

-

Table 451: BYTE.OTP\_EEPROM\_PWM\_BUFF\_34 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_34 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
022h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_34 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_35

-

Table 452: BYTE.OTP\_EEPROM\_PWM\_BUFF\_35 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_35 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
023h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_35 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_36

-

Table 453: BYTE.OTP\_EEPROM\_PWM\_BUFF\_36 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_36 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
024h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_36 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_37

Table 454: BYTE.OTP\_EEPROM\_PWM\_BUFF\_37 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_37 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
025h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_37 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_38

Table 455: BYTE.OTP\_EEPROM\_PWM\_BUFF\_38 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_38 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
026h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_38 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_39

Table 456: BYTE.OTP\_EEPROM\_PWM\_BUFF\_39 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_39 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
027h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_39 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_40

-

Table 457: BYTE.OTP\_EEPROM\_PWM\_BUFF\_40 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_40 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
028h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_40 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_41

-

Table 458: BYTE.OTP\_EEPROM\_PWM\_BUFF\_41 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_41 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
029h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_41 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_42

-

Table 459: BYTE.OTP\_EEPROM\_PWM\_BUFF\_42 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_42 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
02Ah	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_42 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_43

Table 460: BYTE.OTP\_EEPROM\_PWM\_BUFF\_43 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_43 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
02Bh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_43 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_44

Table 461: BYTE.OTP\_EEPROM\_PWM\_BUFF\_44 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_44 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
02Ch	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_44 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_45

Table 462: BYTE.OTP\_EEPROM\_PWM\_BUFF\_45 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_45 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
02Dh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_45 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_46**

Table 463: BYTE.OTP\_EEPROM\_PWM\_BUFF\_46 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_46 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
02Eh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_46 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_47**

Table 464: BYTE.OTP\_EEPROM\_PWM\_BUFF\_47 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_47 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
02Fh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_47 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_48**

Table 465: BYTE.OTP\_EEPROM\_PWM\_BUFF\_48 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_48 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
030h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_48 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_49

-

Table 466: BYTE.OTP\_EEPROM\_PWM\_BUFF\_49 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_49 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
031h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_49 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_50

-

Table 467: BYTE.OTP\_EEPROM\_PWM\_BUFF\_50 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_50 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
032h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_50 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_51

-

Table 468: BYTE.OTP\_EEPROM\_PWM\_BUFF\_51 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_51 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
033h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_51 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_52

Table 469: BYTE.OTP\_EEPROM\_PWM\_BUFF\_52 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_52 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
034h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_52 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_53

Table 470: BYTE.OTP\_EEPROM\_PWM\_BUFF\_53 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_53 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
035h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_53 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_54

Table 471: BYTE.OTP\_EEPROM\_PWM\_BUFF\_54 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_54 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
036h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_54 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_55

-

Table 472: BYTE.OTP\_EEPROM\_PWM\_BUFF\_55 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_55 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
037h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_55 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_56

-

Table 473: BYTE.OTP\_EEPROM\_PWM\_BUFF\_56 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_56 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
038h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_56 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_57

-

Table 474: BYTE.OTP\_EEPROM\_PWM\_BUFF\_57 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_57 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
039h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_57 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_58

Table 475: BYTE.OTP\_EEPROM\_PWM\_BUFF\_58 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_58 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
03Ah	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_58 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_59

Table 476: BYTE.OTP\_EEPROM\_PWM\_BUFF\_59 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_59 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
03Bh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_59 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_60

Table 477: BYTE.OTP\_EEPROM\_PWM\_BUFF\_60 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_60 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
03Ch	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_60 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_61

Table 478: BYTE.OTP\_EEPROM\_PWM\_BUFF\_61 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_61 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
03Dh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_61 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_62

Table 479: BYTE.OTP\_EEPROM\_PWM\_BUFF\_62 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_62 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
03Eh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_62 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_63

Table 480: BYTE.OTP\_EEPROM\_PWM\_BUFF\_63 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_63 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
03Fh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_63 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_64

Table 481: BYTE.OTP\_EEPROM\_PWM\_BUFF\_64 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_64 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
040h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_64 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_65

Table 482: BYTE.OTP\_EEPROM\_PWM\_BUFF\_65 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_65 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
041h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_65 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_66

Table 483: BYTE.OTP\_EEPROM\_PWM\_BUFF\_66 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_66 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
042h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_66 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_67

Table 484: BYTE.OTP\_EEPROM\_PWM\_BUFF\_67 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_67 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
043h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_67 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_68

Table 485: BYTE.OTP\_EEPROM\_PWM\_BUFF\_68 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_68 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
044h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_68 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_69

Table 486: BYTE.OTP\_EEPROM\_PWM\_BUFF\_69 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_69 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
045h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_69 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_70

-

Table 487: BYTE.OTP\_EEPROM\_PWM\_BUFF\_70 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_70 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
046h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_70 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_71

-

Table 488: BYTE.OTP\_EEPROM\_PWM\_BUFF\_71 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_71 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
047h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_71 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_72

-

Table 489: BYTE.OTP\_EEPROM\_PWM\_BUFF\_72 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_72 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
048h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_72 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_73

-

Table 490: BYTE.OTP\_EEPROM\_PWM\_BUFF\_73 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_73 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
049h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_73 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_74

-

Table 491: BYTE.OTP\_EEPROM\_PWM\_BUFF\_74 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_74 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
04Ah	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_74 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_75

-

Table 492: BYTE.OTP\_EEPROM\_PWM\_BUFF\_75 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_75 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
04Bh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_75 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_76

-

Table 493: BYTE.OTP\_EEPROM\_PWM\_BUFF\_76 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_76 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
04Ch	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_76 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_77

-

Table 494: BYTE.OTP\_EEPROM\_PWM\_BUFF\_77 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_77 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
04Dh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_77 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_78

-

Table 495: BYTE.OTP\_EEPROM\_PWM\_BUFF\_78 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_78 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
04Eh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_78 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_79

-

Table 496: BYTE.OTP\_EEPROM\_PWM\_BUFF\_79 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_79 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
04Fh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_79 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_80

-

Table 497: BYTE.OTP\_EEPROM\_PWM\_BUFF\_80 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_80 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
050h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_80 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_81

-

Table 498: BYTE.OTP\_EEPROM\_PWM\_BUFF\_81 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_81 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
051h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_81 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_82

-

Table 499: BYTE.OTP\_EEPROM\_PWM\_BUFF\_82 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_82 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
052h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_82 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_83

-

Table 500: BYTE.OTP\_EEPROM\_PWM\_BUFF\_83 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_83 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
053h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_83 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_84

-

Table 501: BYTE.OTP\_EEPROM\_PWM\_BUFF\_84 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_84 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
054h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_84 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_85

-

Table 502: BYTE.OTP\_EEPROM\_PWM\_BUFF\_85 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_85 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
055h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_85 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_86

-

Table 503: BYTE.OTP\_EEPROM\_PWM\_BUFF\_86 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_86 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
056h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_86 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_87

-

Table 504: BYTE.OTP\_EEPROM\_PWM\_BUFF\_87 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_87 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
057h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_87 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_88

-

Table 505: BYTE.OTP\_EEPROM\_PWM\_BUFF\_88 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_88 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
058h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_88 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_89

-

Table 506: BYTE.OTP\_EEPROM\_PWM\_BUFF\_89 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_89 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
059h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_89 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_90

-

Table 507: BYTE.OTP\_EEPROM\_PWM\_BUFF\_90 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_90 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
05Ah	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_90 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_91

Table 508: BYTE.OTP\_EEPROM\_PWM\_BUFF\_91 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_91 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
05Bh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_91 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_92

Table 509: BYTE.OTP\_EEPROM\_PWM\_BUFF\_92 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_92 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
05Ch	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_92 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_93

Table 510: BYTE.OTP\_EEPROM\_PWM\_BUFF\_93 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_93 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
05Dh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_93 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_94

-

Table 511: BYTE.OTP\_EEPROM\_PWM\_BUFF\_94 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_94 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
05Eh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_94 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_95

-

Table 512: BYTE.OTP\_EEPROM\_PWM\_BUFF\_95 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_95 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
05Fh	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_95 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_96

-

Table 513: BYTE.OTP\_EEPROM\_PWM\_BUFF\_96 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_96 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
060h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_96 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_97

Table 514: BYTE.OTP\_EEPROM\_PWM\_BUFF\_97 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_97 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
061h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_97 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_98

Table 515: BYTE.OTP\_EEPROM\_PWM\_BUFF\_98 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_98 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
062h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_98 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_99

Table 516: BYTE.OTP\_EEPROM\_PWM\_BUFF\_99 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_99 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
063h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_99 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_100

-

Table 517: BYTE.OTP\_EEPROM\_PWM\_BUFF\_100 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_100 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
064h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_100 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_101

-

Table 518: BYTE.OTP\_EEPROM\_PWM\_BUFF\_101 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_101 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
065h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_101 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_102

-

Table 519: BYTE.OTP\_EEPROM\_PWM\_BUFF\_102 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_102 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
066h	DATA[7:0]							

BYTE.OTP\_EEPROM\_PWM\_BUFF\_102 Bit Field Descriptions

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_103

-

Table 520: BYTE.OTP\_EEPROM\_PWM\_BUFF\_103 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_103 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
067h	DATA[7:0]							

BYTE.OTP\_EEPROM\_PWM\_BUFF\_103 Bit Field Descriptions

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_104

-

Table 521: BYTE.OTP\_EEPROM\_PWM\_BUFF\_104 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_104 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
068h	DATA[7:0]							

BYTE.OTP\_EEPROM\_PWM\_BUFF\_104 Bit Field Descriptions

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_105

-

Table 522: BYTE.OTP\_EEPROM\_PWM\_BUFF\_105 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_105 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
069h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_105 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_106

Table 523: BYTE.OTP\_EEPROM\_PWM\_BUFF\_106 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_106 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
06Ah	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_106 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_107

Table 524: BYTE.OTP\_EEPROM\_PWM\_BUFF\_107 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_107 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
06Bh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_107 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_108

Table 525: BYTE.OTP\_EEPROM\_PWM\_BUFF\_108 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_108 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
06Ch	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_108 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_109

Table 526: BYTE.OTP\_EEPROM\_PWM\_BUFF\_109 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_109 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
06Dh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_109 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_110

Table 527: BYTE.OTP\_EEPROM\_PWM\_BUFF\_110 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_110 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
06Eh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_110 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_111

Table 528: BYTE.OTP\_EEPROM\_PWM\_BUFF\_111 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_111 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
06Fh	DATA[7:0]							

BYTE.OTP\_EEPROM\_PWM\_BUFF\_111 Bit Field Descriptions

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_112

-

Table 529: BYTE.OTP\_EEPROM\_PWM\_BUFF\_112 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_112 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
070h	DATA[7:0]							

BYTE.OTP\_EEPROM\_PWM\_BUFF\_112 Bit Field Descriptions

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_113

-

Table 530: BYTE.OTP\_EEPROM\_PWM\_BUFF\_113 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_113 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
071h	DATA[7:0]							

BYTE.OTP\_EEPROM\_PWM\_BUFF\_113 Bit Field Descriptions

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_114

-

Table 531: BYTE.OTP\_EEPROM\_PWM\_BUFF\_114 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_114 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
072h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_114 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_115

-

Table 532: BYTE.OTP\_EEPROM\_PWM\_BUFF\_115 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_115 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
073h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_115 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_116

-

Table 533: BYTE.OTP\_EEPROM\_PWM\_BUFF\_116 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_116 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
074h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_116 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_117

-

Table 534: BYTE.OTP\_EEPROM\_PWM\_BUFF\_117 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_117 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
075h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_117 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_118

Table 535: BYTE.OTP\_EEPROM\_PWM\_BUFF\_118 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_118 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
076h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_118 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_119

Table 536: BYTE.OTP\_EEPROM\_PWM\_BUFF\_119 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_119 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
077h	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_119 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_120

Table 537: BYTE.OTP\_EEPROM\_PWM\_BUFF\_120 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_120 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
078h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_120 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_121**

-

Table 538: BYTE.OTP\_EEPROM\_PWM\_BUFF\_121 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_121 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
079h	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_121 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_122**

-

Table 539: BYTE.OTP\_EEPROM\_PWM\_BUFF\_122 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_122 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
07Ah	DATA[7:0]							

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_122 Bit Field Descriptions**

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

**BYTE.OTP\_EEPROM\_PWM\_BUFF\_123**

-

Table 540: BYTE.OTP\_EEPROM\_PWM\_BUFF\_123 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_123 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
07Bh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_123 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_124

Table 541: BYTE.OTP\_EEPROM\_PWM\_BUFF\_124 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_124 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
07Ch	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_124 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_125

Table 542: BYTE.OTP\_EEPROM\_PWM\_BUFF\_125 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_125 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
07Dh	DATA[7:0]							

BYTE.OTP_EEPROM_PWM_BUFF_125 Bit Field Descriptions			
Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_126

Table 543: BYTE.OTP\_EEPROM\_PWM\_BUFF\_126 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_126 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
07Eh	DATA[7:0]							

BYTE.OTP\_EEPROM\_PWM\_BUFF\_126 Bit Field Descriptions

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

BYTE.OTP\_EEPROM\_PWM\_BUFF\_127

-

Table 544: BYTE.OTP\_EEPROM\_PWM\_BUFF\_127 Bit Field Locations and Descriptions

Offset Address (Hex)	BYTE.OTP_EEPROM_PWM_BUFF_127 Bit Field Locations							
	D7	D6	D5	D4	D3	D2	D1	D0
07Fh	DATA[7:0]							

BYTE.OTP\_EEPROM\_PWM\_BUFF\_127 Bit Field Descriptions

Bit Field Name	Field Type	Default Value	Description
DATA[7:0]	R/W	0	Data to be transferred into OTP, EEPROM or PWM.

## Revision History

Revision Date	Description of Change
September 30, 2020	Fix description of tod_out_sync_enable Fix inconsistent use of INPUTn and CLKm Improve the description of GPIO_DPLL_INDICATOR Improve the description of DPLL_MASTER_DIV Fix the options of SCSR_OTP_STATUS Improve the description of phase_lock_max_error Improve the description of "fb_select_ref" in regards to qual/disqual of the input to the DPLL Expanded options of FORCE_LOCK_INPUT[7:3] and MANUAL_REFERENCE[4:0] to include fb_clk Fix description of register SCSR_IN_DIV Improve the description of DPLLx_FILTER_STATUS Improve the description of fbd_integer_mode_en Improve the description of sdm_order
May 4, 2020	Updated trigger register description to include 200 microsecond wait time after writing a trigger register. Add missing text for MUX fod_sel that option 7 = none. Added missing DPLL_TRANS_CTRL. Change GPIO_MAN_CLK_SEL_0 description from "input clock disqualify" to "manual clock select". Change MAJ_REL, MIN_REL and HOTFIX_REL reset values to match the firmware version. Fix DPLL_SYS_STATUS that RESERVED is bits [7:6]. Fix various typos.
December 17, 2019	Updated to match v5.2(.2) register map / descriptions and Timing Commander Personality v8.1
November 29, 2019	Updated to match v5.2 register map / descriptions and Timing Commander Personality v8.0 Updated default value for I2C in page 4.
January 11, 2019	Updated to match v5.1 register map and Timing Commander Personality v7.2
December 21, 2018	Updated to match v5.1 (preliminary) register map and Timing Commander Personality v7.1.1
November 28, 2018	Updated to match v5.0 register map and Timing Commander Personality v7.0
August 27, 2018	Improved and clarified many register descriptions
June 11, 2018	Updated Additional Documents table to match current datasheets
February 21, 2018	Updated introductory text to highlight trigger register functionality. Removed older history associated with Rev A silicon that is not being used any more. Updated the version numbering to match other documentation.
November 2, 2017	First release of this document for the Revision B silicon. Updated to match v4.0.0 / v4.0.1 (Pipeline 7017) and Timing Commander Personality v3.x

## IMPORTANT NOTICE AND DISCLAIMER

RENESAS ELECTRONICS CORPORATION AND ITS SUBSIDIARIES (“RENESAS”) PROVIDES TECHNICAL SPECIFICATIONS AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES “AS IS” AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT OF THIRD-PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for developers who are designing with Renesas products. You are solely responsible for (1) selecting the appropriate products for your application, (2) designing, validating, and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. Renesas grants you permission to use these resources only to develop an application that uses Renesas products. Other reproduction or use of these resources is strictly prohibited. No license is granted to any other Renesas intellectual property or to any third-party intellectual property. Renesas disclaims responsibility for, and you will fully indemnify Renesas and its representatives against, any claims, damages, costs, losses, or liabilities arising from your use of these resources. Renesas' products are provided only subject to Renesas' Terms and Conditions of Sale or other applicable terms agreed to in writing. No use of any Renesas resources expands or otherwise alters any applicable warranties or warranty disclaimers for these products.

(Disclaimer Rev.1.01)

### Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu,  
Koto-ku, Tokyo 135-0061, Japan  
[www.renesas.com](http://www.renesas.com)

### Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

### Contact Information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit [www.renesas.com/contact-us/](http://www.renesas.com/contact-us/).