

### 試驗報告 號碼(No.): KA/2020/51459 日期(Date): 2020/05/25

頁數(Page): 1 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

## 以下測試樣品係由客戶送樣, 且由客戶聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

送樣廠商(Sample Submitted By)	:	SENJU METAL INDUSTRY CO., LTD.
樣品名稱(Sample Description)	:	ECO SOLDER BALL S
樣品型號(Style/Item No.)	:	#7097(Sn/4Ag/0.5Cu)
收件日期(Sample Receiving Date)	:	2020/05/18
測試期間(Testing Period)	:	2020/05/18 to 2020/05/25

#### 測試需求(Test Requested)

- (1) 依據客戶指定,參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價絡、多溴聯苯、多溴 聯苯醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)
- (2) 其他測試項目請見下一頁. (Please refer to next pages for the other item(s).)

测试结果(Test Results) : 請見下一頁 (Please refer to next pages).

#### 結論(Conclusion)

(1) 根據客戶所提供的樣品,其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚,DBP,BBP,DEHP,DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求. (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)







頁數(Page): 2 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

#### 測試結果(Test Results)

測試部位(PART NAME) NO.1 : 銀色金屬球 (SILVER COLORED METAL BALL)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) NO.1	法規 限值 (Limit)
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013,以感應耦合電漿 發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-OES.	2	n. d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013,以感應耦合電漿 發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-OES.	2	179	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4:2013+AMD1:2017,以感應 耦合電漿發射光譜儀檢測. / With reference to IEC 62321- 4:2013+AMD1:2017 and performed by ICP- OES.	2	n. d.	1000
六價鉻 / Hexavalent Chromium Cr(VI)(#2)	µg/cm²	参考IEC 62321-7-1:2015,以UV-VIS檢測. / With reference to IEC 62321-7-1:2015 and performed by by UV-VIS.	0.10	n. d.	-
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.	1000
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.	-
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.	-
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.	-
四溴聯苯 / Tetrabromobiphenyl	mg/kg	參考IEC 62321-6:2015,以氣相層析/質譜	5	n. d.	-
五溴聯苯 / Pentabromobiphenyl	mg/kg	儀檢測. / With reference to IEC 62321-	5	n. d.	-
六溴聯苯 / Hexabromobiphenyl	mg/kg	6:2015 and performed by GC/MS.	5	n. d.	-
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.	-
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.	-
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n. d.	-
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.	-



頁數(Page): 3 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) NO.1	法規 限值 (Limit)
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n. d.	1000
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n. d.	-
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.	-
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg	參考IEC 62321-6:2015,以氣相層析/質譜	5	n. d.	-
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	儀檢測. / With reference to IEC 62321-	5	n. d.	-
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg	6:2015 and performed by GC/MS.	5	n. d.	-
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.	-
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.	-
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.	-
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.	-
绨 / Antimony (Sb)	mg/kg	參考US EPA 3052: 1996,以感應耦合電漿 發射光譜儀檢測. / With reference to US	2	33.2	-
鈹 / Beryllium (Be)	mg/kg	EPA 3052: 1996. Analysis was performed by ICP-OES.	2	n. d.	_
多氯聯苯 / Polychlorinated Biphenyls (PCBs)	mg/kg	參考US EPA 3550C: 2007,以氣相層析/質	0.5	n. d.	-
多氣奈 / Polychlorinated	mg/kg	学US EFA 3550C. 2007,以釈相層初/頁 譜儀檢測. / With reference to US EPA	5	n. d.	_
Naphthalene (PCNs)	ilig/ kg	3550C: 2007. Analysis was performed by	5	n. u.	
多氣三聯苯 / Polychlorinated	mg/kg	GC/MS.	0.5	n. d.	-
Terphenyls (PCTs)					
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.:85535-84-8))	mg/kg	参考US EPA 3550C: 2007,以氣相層析儀/ 電子補捉偵測器檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by GC/ECD.	100	n. d.	_
鹵素 / Halogen					
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	參考BS EN 14582:2016,以離子層析儀檢 測. / With reference to BS EN	50	n. d.	-
鹵素 (氯) / Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg		50	n. d.	_
鹵素(溴) / Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	14582:2016. Analysis was performed by IC.	50	n. d.	-
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n. d.	_



頁數(Page): 4 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) NO.1	法規 限值 (Limit)
有機錫 / Organic-tin compounds					
三丁基錫 / Tributyl Tin (TBT)	mg/kg	參考ISO 17353: 2004,以氣相層析儀/火焰	0.03	n. d.	-
三苯基錫 / Triphenyl Tin (TphT)	mg/kg	光度偵測器檢測. / With reference to	0.03	n. d.	-
ニ丁基錫 / Dibutyl Tin (DBT)	mg/kg	ISO 17353: 2004. Analysis was	0.03	n. d.	-
二辛基錫 / Dioctyl Tin (DOT)	mg/kg	performed by GC/FPD.	0.03	n. d.	-
氧化雙三丁基錫 / Bis(tributyltin)oxide (TBTO) (CAS No.: 56-35-9)	mg/kg	參考ISO 17353: 2004,以氣相層析儀/火焰 光度偵測器檢測;由三丁基錫測試結果計算 得之. / With reference to ISO 17353: 2004. Analysis was performed by GC/FPD. Calculated from the result of Tributyl Tin (TBT).	0.03 (▲)	n. d.	_
全氟辛酸 / PFOA (CAS No.: 335-67- 1)	mg/kg	參考CEN/TS 15968 (2010),以液相層析/串 聯質譜儀檢測. / With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MSMS.	0.01	n. d.	-
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg		0.01	n. d.	_
六溴環十二烷及所有主要被辨別出的異 構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ – HBCDD, $\beta$ – HBCDD, $\gamma$ – HBCDD) (CAS No.: 25637–99–4 and 3194–55–6 (134237–51–7, 134237–50–6, 134237– 52–8))	mg/kg	參考IEC 62321: 2008,以氣相層析/質譜儀 檢測. / With reference to IEC 62321: 2008. Analysis was performed by GC/MS.	5	n. d.	_
聚氯乙烯 / PVC	**	以紅外光譜分析及焰色法檢測. / Analysis was performed by FTIR and FLAME Test.	_	Negative	_
可塑劑定量分析 / Phthalates					
鄰苯二甲酸二丁酯 / DBP(Dibutyl phthalate)(CAS No.: 84-74-2)	mg/kg	參考IEC 62321-8:2017,以氣相層析/質譜 儀檢測. / With reference to IEC 62321- 8:2017. Analysis was performed by GC/MS.	50	n. d.	1000
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n. d.	1000



頁數(Page): 5 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) NO.1	法規 限值 (Limit)
鄰苯二甲酸丁苯甲酯 / BBP(Butyl Benzyl phthalate)(CAS No.: 85-68- 7)	mg/kg		50	n. d.	1000
鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84- 69-5)	mg/kg		50	n. d.	1000
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761-40-0, 68515-49-1)	mg/kg		50	n. d.	_
鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553-12-0, 68515-48-0)	mg/kg		50	n. d.	-
鄰苯二甲酸二正辛酯 / DNOP (Di-n- octyl phthalate) (CAS No.: 117-84- 0)	mg/kg	參考IEC 62321-8:2017,以氣相層析/質譜	50	n. d.	_
鄰苯二甲酸二(C6-8支鏈與直鏈)烷基 酯,富C7 / DIHP (1,2- Benzenedicarboxylic acid, di-C6-8- branched alkyl esters, C7-rich) (CAS No.: 71888-89-6)	mg/kg	儀檢測. / With reference to IEC 62321- 8:2017. Analysis was performed by GC/MS.	50	n. d.	-
鄰苯二甲酸二(C7-11支鏈與直鏈)烷基 酯 / DHNUP (1,2- Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters) (CAS No.: 68515-42-4)	mg/kg		50	n. d.	_
鄰苯二甲酸二(2-甲氧基乙基)酯 / DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	mg/kg		50	n. d.	_
鄰苯二甲酸二異戊酯 / DIPP (Diisopentyl Phthalat) (CAS No.: 605-50-5)	mg/kg		50	n. d.	_



頁數(Page): 6 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	MDL	結果 (Result) NO.1	法規 限值 (Limit)
鄰苯二甲酸二己酯 / DNHP (Di-n- hexyl phthalate) (CAS No.: 84-75- 3)	mg/kg		50	n. d.	-
鄰苯二甲酸二乙酯 / DEP (Di-ethyl phthalate) (CAS No.: 84-66-2)	mg/kg	參考IEC 62321-8:2017,以氣相層析/質譜	50	n. d.	-
鄰苯二甲酸二甲酯 / DMP (Dimethyl phthalate) (CAS No.: 131-11-3)	mg/kg	儀檢測. / With reference to IEC 62321- 8:2017. Analysis was performed by	50	n. d.	-
鄰苯二甲酸二戊酯 / DPP (Di-pentyl phthalate) (CAS No.: 131-18-0)	mg/kg	GC/MS.	50	n. d.	-
鄰苯二甲酸二正戊酯/ DNPP(Di-n- pentyl phthalate) (CAS No.: 131- 18-0)	mg/kg		50	n. d.	-
雙酚 A / Bisphenol A (CAS No.: 80- 05-7)	mg/kg	參考RSTS-CHEM-239-1 (2016),以超高效能 液相層析串聯質譜儀檢測. / With reference to RSTS-CHEM-239-1 (2016). Analysis was performed by UPLC-MSMS.	1	n. d.	-
四溴雙酚-A / Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	mg/kg	參考RSTS-E&E-121,以液相層析/質譜儀檢 測. / With reference to RSTS-E&E-121. Analysis was performed by LC/MS.	10	n. d.	-



### 試驗報告 號碼(No.): KA/2020/51459 日期(Date): 2020/05/25

頁數(Page): 7 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出)
- 4. "-" = Not Regulated (無規格值)
- 5. (#2) =

a. 當六價鉻結果大於0.13 µg/cm<sup>2</sup>,表示樣品表層含有六價鉻. / The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm<sup>2</sup>. The sample coating is considered to contain Cr(VI). b. 當六價鉻結果為n.d. (濃度小於0.10 µg/cm<sup>2</sup>),表示表層不含六價鉻. / The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µg/cm<sup>2</sup>). The coating is considered a non-Cr(VI) based coating

c. 當六價鉻結果介於 0.10 及 0.13 µg/cm<sup>2</sup> 時,無法確定塗層是否含有六價鉻. / The result between 0.10 µg/cm<sup>2</sup> and 0.13 µg/cm<sup>2</sup> is considered to be inconclusive - unavoidable coating variations may influence the determination.

- 6. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 7. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 8. (▲): MDL是針對元素/測試化合物之評估. / The MDL was evaluated for element / tested substance.
- 9. 参數換算表 / Parameter Conversion Table: https://twap.sgs.com/sgsrsts/chn/download-REACH\_tw.asp

換算公式 (Conversion Formula): AX = A × F

AX	Α	F
氧化雙三丁基錫 / Bis(tributyltin)oxide	三丁基錫 / Tributyl Tin (TBT)	1.024

10. 符合性結果之判定係以測試結果與限值做比較。/ The statement of compliance conformity is based on comparison of testing results and limits.

#### PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 2019/1021

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗層材料中不得超過1 $\mu$ g/m<sup>2</sup>。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above  $l\mu g/m^2$ .)

全氟辛烷磺酸指全氟辛烷磺酸和它的衍生物包括全氟辛烷磺酸,全氟辛基磺醯胺,N-甲基全氟辛烷磺酰胺,N-乙基全氟辛烷磺酰胺,N-T基全氟辛基磺酰基氨基乙醇,N-乙基全氟辛基磺酰基氨基乙醇。(PFOS refer to

Perfluoroctanesulfonic acid and its derivatives including Perfluoroctanesulfonic acid, Perfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamide, N-Ethylperfluoroctane sulfonamide, N-

Methylperfluoroctane sulfonamidoethanol and N-Ethylperfluoroctane sulfonamidoethanol.)




頁數(Page): 8 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

#### 重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded)






頁數(Page): 9 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

#### 多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART






頁數(Page): 10 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

#### 元素以 ICP-OES 分析的消化流程圖 (Flow Chart of digestion for the elements analysis performed by ICPOES)

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre conditioning method according to below flow chart.





頁數(Page): 11 of 21


SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈】

\*Apply to: PCBs, PCNs, PCTs, Mirex






頁數(Page): 12 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN




#### 氯化石蠟分析流程圖 / Analytical flow chart - Chlorinated Paraffins



頁數(Page): 13 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN



#### 鹵素分析流程圖 / Analytical flow chart of Halogen

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://twap.sgs.com/Terms-and-Conditions.html. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not excore and the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not excore a parises to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




### 試驗報告 張碼(No.): KA/2020/51459 日期(Date): 2020/05/25

頁數(Page): 14 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

#### 有機錫分析流程圖 / Analytical flow chart of Organic-Tin content






頁數(Page): 15 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

#### 全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS






頁數(Page): 16 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

#### 六溴環十二烷分析流程圖 / HBCDD analytical flow chart






頁數(Page): 17 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN





### 試驗報告 張碼(No.): KA/2020/51459 日期(Date): 2020/05/25


頁數(Page): 18 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

#### 可塑劑分析流程圖 / Analytical flow chart of phthalate content

【测試方法/Test method: IEC 62321-8】






### 試驗報告 張碼(No.): KA/2020/51459 日期(Date): 2020/05/25

頁數(Page): 19 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN




#### 雙酚A分析流程圖 / Bisphenol A analytical flow chart



頁數(Page): 20 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN



### 四溴雙酚-A分析流程圖 / TBBP-A analytical flow chart



頁數(Page): 21 of 21

SENJU METAL INDUSTRY CO., LTD.

23 SENJU HASHIDO-CHO ADACHI-KU TOKYO 120-8555 JAPAN

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

# KA/2020/51459



\*\* 報告結尾(End of Report) \*\*