

Job Ref. C&P/2021-02-23-013

### DYNACRAFT INDUSTRIES SDN. BHD.

NO. 255-A, BLOCK D, PHASE II, BAYAN LEPAS INDUSTRIAL ZONE, 11900 PENANG, MALAYSIA.

**TEST RESULTS** 

The following sample(s) was/were submitted and identified by applicant as:

SAMPLE DESCRIPTION : MEP AG PLATING LEADFRAME C194 (AG PLATING, MEP AG PLATING, MEP NO PLATING,

NO PLATING & COPPER CLIP)

-PLEASE REFER TO NEXT PAGE(S)-

SAMPLE RECEIVED : 23-February-2021

TESTING PERIOD : 23-February-2021 to 02-March-2021

TEST REQUESTED : Selected test(s) as requested by customer

TEST METHOD : -PLEASE REFER TO NEXT PAGE(S)-

CONCLUSION : Based on the performed tests on submitted sample(s), the result(s) of Cadmium (Cd), Lead (Pb),

Mercury (Hg), Hexavalent Chromium (CrVI), Polybrominated biphenyl, PBB, Polybrominated diphenyl ether, PBDE, Dibutyl phthalate (DBP), Benzyl butyl phthalate (BBP), Di(2-ethylhexyl) phthalate (DEHP), Diisobutyl phthalate (DIBP) complies/comply with the limits as set by RoHS

Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 1 of 13

10871-



Job Ref. C&P/2021-02-23-013

**TEST RESULTS:** 

**Test Part Description** 

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5:2013.Analysis performed by ICP-OES.(Decision rule:refer Appendix, category1)	N.D.	2	Max 100
Lead (Pb)	mg/kg	With reference to IEC 62321-5:2013.Analysis performed by ICP-OES.(Decision rule:refer Appendix, category1)	N.D.	2	Max 1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4:2013+A1:2017.Analysis performed by ICP-OES.(Decision rule:refer Appendix, category1)	N.D.	2	Max 1000
Hexavalent Chromium (CrVI)	μg/cm²	With reference to IEC 62321-7-1:2015.Analysis performed by Colorimetric Method using UV-Vis. (Decision rule:Refer Appendix category 2)	N.D.	0.10	-
Sum of PBBs	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	N.D.	5	Max 1000
Monobromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	N.D.	5	-
Dibromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	N.D.	5	-
Tribromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	N.D.	5	-
Tetrabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	N.D.	5	-
Pentabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	N.D.	5	-
Hexabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	N.D.	5	-
Heptabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	N.D.	5	-
Octabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	N.D.	5	-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER

IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 2 of 13



Job Ref. C&P/2021-02-23-013

TEST RESULTS:

**Test Part Description** 

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Nonabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	N.D.	5	-
Decabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015. Analysis performed by GC-MS.(Decision rule: refer to Appendix, category 1)	ned by GC-MS.(Decision rule: refer to		-
Sum of PBDEs	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	Max 1000
Monobromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	-
Dibromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	-
Tribromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	-
Tetrabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	-
Pentabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	-
Hexabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	-
Heptabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	-
Octabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	-
Nonabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	-
Decabromodiphenyl ether	mg/kg	With reference to IEC 62321-6:2015.Analysis performed by GC-MS(Decision rule:refer Appendix category 1)	N.D.	5	-

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE TECHNICAL MANAGER

IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 3 of 13



Job Ref. C&P/2021-02-23-013

Note: (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) - = Not regulated

(e) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(f) IEC 62321 series is equivalent to EN 62321 series.

https://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP\_ORG\_ID.FSP\_LANG\_ID:1258637.25

- (g) a. The sample is positive for CrVI if the CrVI concentration is greater than 0.13 μg/cm². The sample coating is considered to contain CrVI.
  - b. The sample is negative for CrVI if CrVI is N.D. (concentration less than  $0.10~\mu g/cm^2$ ). The coating is considered a non-CrVI based coating.
  - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.

For corrosion protection coatings on metals: Information on storage conditions and production date of the tested sample is unavailable and thus results of Cr(VI) represent status of the sample at the time of testing.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 4 of 13



Job Ref. C&P/2021-02-23-013

**TEST RESULTS:** 

**Test Part Description** 

Sample Description: -PLEASE REFER TO PAGE 1-

Optional: RoHS Directive 2011/65/EU, priority substances

Test Parameter(s):	Unit	Test Method	Result	MDL
Hexabromocyclododecane (HBCDD)(CAS No.: 3194-55-6,25637-99-4	mg/kg	In-house method, SGS-TM-RSTS-O-012, with reference to IEC 62321-6:2015. Analysis was performed by GCMS	N.D.	5

Note: (a) Reference Information: Directive 2011/65/EU recasting RoHS directive 2002/95/EC: Hexabromocyclododecane (HBCDD), Bis (2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) are

considered as a priority for risk evaluation and substance restriction.

(b) N.D. = Not Detected

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

10871-

Page 5 of 13



Job Ref. C&P/2021-02-23-013

**TEST RESULTS:** 

**Test Part Description** 

Sample Description: -PLEASE REFER TO PAGE 1-

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Parameter(s):	Unit	Test Method	Result	MDL	Limit
Dibutyl phthalate (DBP) (CAS No. 84-74-2)	mg/kg	With reference to IEC 62321-8:2017. Analysis performed by GC-MS.(Decision rule:refer Appendix, category 1)	N.D.	50	Max 1000
Benzyl butyl phthalate (BBP) (CAS No. 85-68-7)	mg/kg	With reference to IEC 62321-8:2017. Analysis performed by GC-MS. (Decision rule: refer Appendix, category 1)	N.D.	50	Max 1000
Di(2-ethylhexyl) phthalate (DEHP) (CAS No. 117-81-7)	mg/kg	With reference to IEC 62321-8:2017. Analysis performed by GC-MS. (Decision rule: refer Appendix, category 1)	N.D.	50	Max 1000
Diisobutyl phthalate (DIBP) (CAS No. 84-69-5)	mg/kg	With reference to IEC 62321-8:2017. Analysis performed by GC-MS. (Decision rule: refer Appendix, category 1)	N.D.	50	Max 1000

Note: (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) - = Not regulated

(e) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(f) IEC 62321 series is equivalent to EN 62321 series.

https://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP\_ORG\_ID,FSP\_LANG\_ID:1258637,25

(g)The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 6 of 13



Job Ref. C&P/2021-02-23-013

### TEST RESULTS BY CHEMICAL METHOD:

**Test Part Description** 

Sample Description: -PLEASE REFER TO PAGE 1-

Test Parameter(s):	Unit	Test Method	Result	MDL
Beryllium (Be)	mg/kg	With reference to EPA Method 3051A, and performed by ICP-OES.	N.D.	2
Antimony (Sb)	mg/kg	With reference to EPA Method 3051A, and performed by ICP-OES.	N.D.	2
Halogen	-	-	-	-
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Fluorine content.	N.D.	50
Halogen-Chlorine (CI)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Chlorine content.	N.D.	50
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for Bromine content.	N.D.	50
Halogen-lodine (I)	mg/kg	With reference to BS EN 14582:2016, analysis performed by IC method for lodine content.	N.D.	50

Note: (a) mg/kg = ppm; ug/kg = ppb (0.01 mg/kg = 10 ug/kg); 0.1wt% = 1000ppm

(b) N.D. = Not Detected

(c) MDL = Method Detection Limit

(d) Negative = Undetectable / Positive = Detectable

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 7 of 13

10871-



Job Ref. C&P/2021-02-23-013

**TEST RESULTS:** 

**Test Part Description** 

Sample Description: -PLEASE REFER TO PAGE 1-

Test Method: With reference to CEN/TS 15968:2010. Analysis was performed by LC-MS

Test Parameter(s):	Result (%)	Max. Limit (μg/m²) (Textile/Coated material)	Max.Limit(%) (Plastic)	Max. Limit(%) (Substances/ in mixtures)
Perfluorooctanesulfonic acid (PFOS)	N.D.	1	0.1	0.001
Perfluorooctanoic acid (PFOA) (CAS No. 335-67-1)	N.D.	I	I	1
Conclusion	PASS			

Note: (a) N.D. = Not Detected

- (b) Detection limit = 1 µg/m² for Textile / Coated Material
  - = 0.001% for Plastic, substances or mixtures
- (c) Recommended requirement with reference to Commission Regulation (EU) 2019/1021 on Persistent Organic Pollutant.
- (d) PFOS refers to Perfluoroctanesulfonic acid and its derivatives including Perfluoroctanesulfonic acid, Perfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamide, N-Ethylperfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamidoethanol and N-Ethylperfluoroctane sulfonamidoethanol.

### **Appendix**

Category	Decision Rule Statement
1	Based on binary statement with guard band (equal to the expanded measurement uncertainty with a 95% coverage probability, w=U95) in ILAC-G8:09/2019 Clause 4.2.2.
2	According to IEC 62321-7-1 Edition 1.0 2015-09 Section 7: Table 1- Comparison to standard and interpretation of result.
3	Based on binary statement for simple acceptance rule (w=0) in ILAC-G8:09/2009 Clause 4.2.1.
4	Based on non-binary statement with guard band (equal to the expanded measurement uncertainty with a 95% coverage probability, w=U95) in ILAC-G8:09/2019 Clause 4.2.3.
5	According to IEC 62321-3-1 Edition 1.0 2013-06 Annex A.3 Interpretation of result.
Remark	When decision rule is not feasible to be used and the uncertainty of the result is available to be provided, the uncertainty range of result will be shown in the report. Otherwise, only result will be shown in the report.

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 8 of 13



Job Ref. C&P/2021-02-23-013

**Test Part Description:** 

Sample Description: -PLEASE REFER TO PAGE 1-

# 

SGS authenticate the photo on original report only

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

SGS (MALAYSIA) SDN BHD

SGS

TAY SIAM PINE
TECHNICAL MANAGER

IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 9 of 13



No. CPSA/210357587-CA58939 Job Ref. C&P/2021-02-23-013

### 1. DETERMINATION OF CADMIUM CONTENT BY IEC 62321-5 2013

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.2-0.5g) into digestion vessel

Acid digestion (Hotplate)

"Totally Dissolved"

Filtration

Analyses by ICP

### 2. DETERMINATION OF LEAD CONTENT BY IEC 62321-5 2013

REPORTED DATE: 02-March-2021

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.2-0.5g) into digestion vessel

Acid digestion (Hotplate)

"Totally Dissolved"

Filtration

Analyses by ICP

### 3. DETERMINATION OF MERCURY CONTENT BY IEC 62321-4 2013/AMD1 2017

Sample Receiving and Registration

Sample Preparation

Weigh sample (0.1-0.5g) into digestion vessel

Acid digestion (Hotplate)

"Totally Dissolved"

Filtration

Analyses by ICP

### 4. DETERMINATION OF HEXAVALENT CHROMIUM BY IEC 62321-7-1 2015

Sample Receiving and Registration

Sample Preparation

Boiling-water-extraction

Analyses by UV-Spectrophotometer

Test Report

### 5. DETERMINATION OF PBB/PBDE WITH GC-MS BY IEC 62321-6 2015

Sample Preparation

Weigh sample (0.5-4.0g) into extraction thimble

Soxhlet Extraction with Toluene

Filter through 0.45 um membrane filter

Analyses by GC-MS (with appropriate dilution)

SIGNED FOR AND ON BEHALF OF

SGS (MALAYSIA) SDN BHD SGS 10871-1 TAY SIAM PINE TECHNICAL MANAGER IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 10 of 13



No. CPSA/210357587-CA58939 Job Ref. C&P/2021-02-23-013

### DETERMINATION OF HBCDD CONTENT

Sample preparation

Weigh sample (0.5 - 4.0g) into extraction thimble

Solvent extraction with Toluene

Filter through 0.45 µm membrane filter

Analysis by GC-MS (with appropriate dilution)

# DETERMINATION OF PHTHALATES WITH GC-MS BY IEC 62321-8:2017

Sample Cutting / Preparation

 $\downarrow$ 

Sample Measurement



Solvent Extraction



Concentrate / Dilute extracted solution



GC-MS analysis



DATA

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 11 of 13

REPORTED DATE: 02-March-2021



No. CPSA/210357587-CA58939 Job Ref. C&P/2021-02-23-013

# MICROWAVE ASSISTED ACID DIGESTION OF ORGANICALLY BASED METRICES BY US EPA 3051A Sample Preparation Weight sample (0.2-0.5g) into digestion vessel Acid digestion Totally Dissolved" Filtration Analyses by ICP

# DETERMINATION OF HALOGEN CONTENT Sample pre-treatment Weighting and putting sample in cell Combustion / Absorption Dilution to fixed volume Analyses by IC

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

TAY SIAM PINE
TECHNICAL MANAGER
IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

Page 12 of 13

REPORTED DATE: 02-March-2021

10871-1



No. CPSA/210357587-CA58939 Job Ref. C&P/2021-02-23-013

## **DETERMINATION OF PFOS AND PFOA CONTENTS** Sample pre-treatment / separation Solvent extraction Concentrate / Dilute extracted solution Sample filtration Analysis performed by LC/MS Data

SIGNED FOR AND ON BEHALF OF SGS (MALAYSIA) SDN BHD

10871-1 TAY SIAM PINE TECHNICAL MANAGER IKM No. M/3452/6047/11/12

Test Report Form No.: SGS/TR/CP/013, Ver: 1.0, Effective Date: 04/02/2021

\*\*\* End of test report \*\*\*

Page 13 of 13

REPORTED DATE: 02-March-2021