

Date : 2020/04/22

Page : 1 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

The following samples was/were submitted and identified by/on behalf of the applicant as :

| Sample Submitted By | : | DAI NIPPON PRINTING CO., LTD. |
|-----------------------|---|-------------------------------|
| Sample Description | : | EFTEC-64T |
| Buyer/Order No. | : | 200330001 |
| Sample Receiving Date | : | 2020/04/15 |
| Testing Period | : | 2020/04/15 to 2020/04/22 |

Test Requested

- As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).
- (2) Please refer to next pages for the other item(s).

Test Result(s) : Please refer to following pages.

2

- Conclusion
- : (1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/enterms-and-conditions/terms-e-document. Attention is findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approal of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Date : 2020/04/22

Page : 2 of 19

DAI NIPPON PRINTING CO., LTD.

2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Test Result(s)

PART NAME No.1 : COPPER COLORED METAL

| Test Item(s) | Unit | Method | MDL | Result | Limit |
|--------------------------------|--------|--|------|--------|-------|
| rest tient(s) | Onit | Method | MDL | No.1 | |
| Cadmium (Cd) | mg/kg | With reference to IEC 62321-5 (2013) and performed by ICP-OES. | 2 | n.d. | 100 |
| Lead (Pb) | mg/kg | With reference to IEC 62321-5 (2013) and performed by ICP-OES. | 2 | n.d. | 1000 |
| Mercury (Hg) | mg/kg | With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP-OES. | 2 | n.d. | 1000 |
| Hexavalent Chromium Cr(VI)(#2) | µg/cm² | With reference to IEC 62321-7-1 (2015) and performed by UV-VIS. | 0.10 | n.d. | - |
| Sum of PBBs | mg/kg | | - | n.d. | 1000 |
| Monobromobiphenyl | mg/kg | 1 | 5 | n.d. | - |
| Dibromobiphenyl | mg/kg | 1 | 5 | n.d. | - |
| Tribromobiphenyl | mg/kg | 1 | 5 | n.d. | - |
| Tetrabromobiphenyl | mg/kg | 1 | 5 | n.d. | - |
| Pentabromobiphenyl | mg/kg | 1 | 5 | n.d. | - |
| Hexabromobiphenyl | mg/kg | 1 | 5 | n.d. | - |
| Heptabromobiphenyl | mg/kg | 1 | 5 | n.d. | - |
| Octabromobiphenyl | mg/kg | With reference to IEC 62321-6 (2015) and | 5 | n.d. | - |
| Nonabromobiphenyl | mg/kg | | 5 | n.d. | - |
| Decabromobiphenyl | mg/kg | | 5 | n.d. | - |
| Sum of PBDEs | mg/kg | performed by GC/MS. | - | n.d. | 1000 |
| Monobromodiphenyl ether | mg/kg | 1 | 5 | n.d. | - |
| Dibromodiphenyl ether | mg/kg |] | 5 | n.d. | - |
| Tribromodiphenyl ether | mg/kg |] | 5 | n.d. | - |
| Tetrabromodiphenyl ether | mg/kg |] | 5 | n.d. | - |
| Pentabromodiphenyl ether | mg/kg | | 5 | n.d. | - |
| Hexabromodiphenyl ether | mg/kg |] | 5 | n.d. | - |
| Heptabromodiphenyl ether | mg/kg | 1 | 5 | n.d. | - |
| Octabromodiphenyl ether | mg/kg | 1 | 5 | n.d. | - |
| Nonabromodiphenyl ether | mg/kg | 1 | 5 | n.d. | - |
| Decabromodiphenyl ether | mg/kg | 1 | 5 | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document can be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Date : 2020/04/22

Page : 3 of 19

DAI NIPPON PRINTING CO., LTD.

2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

| Test Item(s) | Unit | Method | MDL | Result No.1 | Limit |
|--|-------|---|-----|----------------|-------|
| BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | 1000 |
| DBP (Dibutyl phthalate) (CAS No.: 84-74-2) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | 1000 |
| DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | 1000 |
| DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | 1000 |
| DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | - |
| DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | - |
| DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | - |
| DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | - |
| DIHP (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (CAS No.: 71888-89-6) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | - |
| DHNUP (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters) (CAS No.: 68515-42-4) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | - |
| DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8) | mg/kg | With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS. | 50 | n.d. | - |
| Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4 and 3194- 55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | mg/kg | With reference to IEC 62321 (2008). Analysis was performed by GC/MS. | 5 | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://twap.sgs.com/Terms-and-Conditions/terms-e-document, at the time of its intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Date : 2020/04/22

Page : 4 of 19

DAI NIPPON PRINTING CO., LTD.

2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

| Test Item(s) | Unit | Method | MDL | Result No.1 | Limit |
|---|-------|---|----------|----------------|-------|
| Halogen | | | | | |
| Halogen-Fluorine (F) (CAS No.: 14762-94-8) | mg/kg | | 50 | n.d. | - |
| Halogen-Chlorine (Cl) (CAS No.: 22537-15-1) | mg/kg | With reference to BS EN 14582 (2016). | 50 | n.d. | - |
| Halogen-Bromine (Br) (CAS No.: 10097-32-2) | mg/kg | Analysis was performed by IC. | 50 | n.d. | - |
| Halogen-Iodine (I) (CAS No.: 14362-44-8) | mg/kg | | 50 | n.d. | - |
| Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide) | mg/kg | With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS. | 0.01 | n.d. | - |
| PFOA (CAS No.: 335-67-1) | mg/kg | With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS. | 0.01 | n.d. | - |
| Polychlorinated Biphenyls (PCBs) (CAS No.: 1336-36-3) | mg/kg | With reference to US EPA 3550C (2007). Analysis was performed by GC/MS. | 0.5 | n.d. | - |
| Polychlorinated Naphthalene (PCNs) | mg/kg | With reference to US EPA 3550C (2007). Analysis was performed by GC/MS. | 5 | n.d. | - |
| Polychlorinated Terphenyls (PCTs) | mg/kg | With reference to US EPA 3550C (2007). Analysis was performed by GC/MS. | 0.5 | n.d. | - |
| Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8) | mg/kg | With reference to US EPA 3550C (2007). Analysis was performed by GC/MS. | 100 | n.d. | - |
| Dimethyl Fumarate (CAS No.: 624-49-7) | mg/kg | With reference to US EPA 3550C (2007). Analysis was performed by GC/MS. | 0.1 | n.d. | - |
| Tributyl Tin (TBT) | mg/kg | | 0.03 | n.d. | - |
| Triphenyl Tin (TphT) | mg/kg | With reference to ISO 17353 (2004). Analysis | 0.03 | n.d. | - |
| Dibutyl Tin (DBT) | mg/kg | was performed by GC/FPD. | 0.03 | n.d. | - |
| Dioctyl Tin (DOT) | mg/kg |] | 0.03 | n.d. | - |
| Bis(tributyltin)oxide (TBTO) (CAS No.: 56-35-9) | mg/kg | With reference to ISO 17353 (2004). Analysis was performed by GC/FPD. Calculated from the result of Tributyl Tin (TBT). | 0.03 (▲) | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document can be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Date : 2020/04/22

Page : 5 of 19

DAI NIPPON PRINTING CO., LTD.

2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

| Test Item(s) | Unit | Method | MDL | Result No.1 | Limit |
|---|-------|---|-----|----------------|-------|
| AZO | | | | | |
| 1): 4-AMINODIPHENYL (CAS No.: 92-67-1) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 2): BENZIDINE (CAS No.: 92-87- 5) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 3): 4-CHLORO-O-TOLUIDINE (CAS No.: 95-69-2) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 4): 2-NAPHTHYLAMINE (CAS No.: 91-59-8) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 5): O-AMINOAZOTOLUENE (CAS No.: 97-56-3) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 6): 2-AMINO-4-NITROTOLUENE (CAS No.: 99-55-8) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 7): P-CHLOROANILINE (CAS No.: 106-47-8) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 8): 2,4-DIAMINOANISOLE (CAS No.: 615-05-4) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 9): 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 101-77-9) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 10): 3,3'-DICHLOROBENZIDINE (CAS No.: 91-94-1) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 11): 3,3'-DIMETHOXYBENZIDINE (CAS No.: 119-90-4) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 12): 3,3'-DIMETHYLBENZIDINE (CAS No.: 119-93-7) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 13): 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 838-88-0) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 14): P-CRESIDINE (2- METHOXY-5-METHYLANILINE) (CAS No.: 120-71-8) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://twap.sgs.com/Terms-and-Conditions/terms-e-document, at the time of its intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Date : 2020/04/22

Page : 6 of 19

DAI NIPPON PRINTING CO., LTD.

2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

| Test Item(s) | Unit | Method | MDL | Result No.1 | Limit |
|---|-------|---|-----|----------------|-------|
| 15): 4,4'-METHYLENE-BIS- (2- CHLOROANILINE) (CAS No.: 101-14-4) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 16): 4,4'-OXYDIANILINE (CAS No.: 101-80-4) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 17): 4,4'-THIODIANILINE (CAS No.: 139-65-1) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 18): O-TOLUIDINE (CAS No.: 95- 53-4) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 19): 2,4-TOLUYLENEDIAMINE (CAS No.: 95-80-7) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 20): 2,4,5-TRIMETHYLANILINE (CAS No.: 137-17-7) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 21): O-ANISIDINE (CAS No.: 90- 04-0) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 22): 4-AMINOAZOBENZENE (CAS No.: 60-09-3) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 23): 2,4-XYLIDINE (CAS No.: 95- 68-1) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| 24): 2,6-XYLIDINE (CAS No.: 87- 62-7) | mg/kg | With reference to LFGB 82.02-2: 2013. Analysis was performed by GC/MS. | 3 | n.d. | - |
| Polyvinyl chloride (PVC) | ** | Analysis was performed by FTIR and FLAME Test. | - | Negative | - |
| Antimony (Sb) | mg/kg | With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES. | 2 | n.d. | - |
| Arsenic (As) | mg/kg | With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES. | 2 | n.d. | - |
| Beryllium (Be) | mg/kg | With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES. | 2 | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://twap.sgs.com/Terms-and-Conditions/terms-e-document, at the time of its intervention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Date : 2020/04/22

Page : 7 of 19

F

1.024

DAI NIPPON PRINTING CO., LTD.

2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Note :

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected = less than MDL
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI)
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μ g/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 μ g/cm² and 0.13 μ g/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 8. (\blacktriangle) : The MDL was evaluated for element / tested substance.

 Conversion Formula : AX = A × F

 AX
 A

 Bis(tributyltin)oxide (TBTO)
 Tributyl Tin (TBT)

Parameter Conversion Table : https://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp

PFOS Reference Information : POPs - (EU) 2019/1021

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µg/m².



Date : 2020/04/22


Page : 8 of 19

DAI NIPPON PRINTING CO., LTD.

2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)






Date : 2020/04/22

Page : 9 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Analytical flow chart – PBB / PBDE






Date : 2020/04/22

Page : 10 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Analytical flow chart - Phthalate

[Test method: IEC 62321-8]






Date : 2020/04/22

Page : 11 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Analytical flow chart - HBCDD






Date : 2020/04/22

Page : 12 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Analytical flow chart - Halogen






Date : 2020/04/22

Page : 13 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Analytical flow chart - PFOA/PFOS



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




Date : 2020/04/22

Page : 14 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins
 DBBT






Date : 2020/04/22

Page : 15 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Analytical flow chart - Dimethyl Fumarate






Date : 2020/04/22

Page : 16 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.




Date : 2020/04/22

Page : 17 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Analysis flow chart - PVC






Date : 2020/04/22

Page : 18 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

Flow Chart of digestion for the elements analysis performed by ICP-OES

These samples were dissolved totally by pre-conditioning method according to below flow chart.



| Steel, copper, aluminum, solder | Aqua regia, HNO ₃ , HCI, HF, H ₂ O ₂ |
|------------------------------------|---|
| Glass | HNO ₃ /HF |
| Gold, platinum, palladium, ceramic | Aqua regia |
| Silver | HNO ₃ |
| Plastic | H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI |
| Others | Added appropriate reagent to total digestion |




Date : 2020/04/22

Page : 19 of 19

DAI NIPPON PRINTING CO., LTD. 2-2-1 FUKUOKA, FUJIMINO-SHI, SAITAMA 356-8507, JAPAN

* The tested sample / part is marked by an arrow if it's shown on the photo. *



** End of Report **