

Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 1 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

樣品名稱(Sample Name) : LEAD FRAME-MATERIAL (導線架-材料)

(1)

樣品型號(Style/Item No.) : R970

amending Annex II to Directive 2011/65/EU.)

收件日(Sample Receiving Date)

: 23-Sep-2022

測試期間(Testing Period)

23-Sep-2022 to 03-Oct-2022

測試需求(Test Requested)

(1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 鎬、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 其他測試項目請見下一頁。 (Please refer to next pages for the other item(s).)

測試結果(Test Results)

結 論(Conclusion) :

請參閱下一頁 (Please refer to following pages.)

根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863

Troy Chang / Department Malager Signed for and on behalf of Alwan SGS TAIWAN LTD. Chemical Laboratory - Taipei



PIN CODE: 3C544599



Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 2 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

測試部位敘述 (Test Part Description)

No.1 : 透明棕色薄膜 (R970) (TRANSPARENT-BROWN FILM (R970))

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鎘 (Cd) (Cadmium (Cd)) (CAS No.: 7440-	參考IEC 62321-5: 2013,以感應耦合電漿	mg/kg	2	n.d.	100
43-9)	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-92-1)		mg/kg	2	n.d.	1000
	發射光譜儀分析。(With reference to IEC				
	62321-5: 2013, analysis was performed				
	by ICP-OES.)				
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-	參考IEC 62321-4: 2013+ AMD1: 2017,	mg/kg	2	n.d.	1000
97-6)	以感應耦合電漿發射光譜儀分析。(With				
	reference to IEC 62321-4: 2013+ AMD1:				
	2017, analysis was performed by ICP-				
) (TTA6 - 2 11 11 11 11 11 11 11 11 11 11 11 11 1	OES.)				
六價鉻 Cr(VI) (Hexavalent Chromium	參考IEC 62321-7-2: 2017 · 以紫外光-可見	mg/kg	8	n.d.	1000
Cr(VI)) (CAS No.: 18540-29-9)	光分光光度計分析。(With reference to				
	IEC 62321-7-2: 2017, analysis was				
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	performed by UV-VIS.)				
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)	 参考IEC 62321-6: 2015・以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯 (Pentabromobiphenyl)	譜儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯 (Hexabromobiphenyl)	6: 2015, analysis was performed by	mg/kg	5	n.d.	=
七溴聯苯 (Heptabromobiphenyl)	GC/MS.)	mg/kg	5	n.d.	-
八溴聯苯 (Octabromobiphenyl)	35,	mg/kg	5	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	-
十溴聯苯 (Decabromobiphenyl)		mg/kg	5	n.d.	-
多溴聯苯總和 (Sum of PBBs)		mg/kg	-	n.d.	1000



Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 3 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
一溴聯苯醚 (Monobromodiphenyl ether)		mg/kg	5	n.d.	=
二溴聯苯醚 (Dibromodiphenyl ether)		mg/kg	5	n.d.	=
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	=
四溴聯苯醚 (Tetrabromodiphenyl ether)] *参考IEC 62321-6: 2015·以氣相層析儀/質	mg/kg	5	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)	参考IEC 02321-0. 2015,以無怕層別議/員 譜儀分析。(With reference to IEC 62321-	mg/kg	5	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	=
七溴聯苯醚 (Heptabromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	=
八溴聯苯醚 (Octabromodiphenyl ether)	GC/1VI3.)	mg/kg	5	n.d.	=
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	=
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	=
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	1	n.d.	1000
六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008·以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537- 15-1)	參考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582:	mg/kg	50	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097- 32-2)	2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
全氟辛烷磺酸及其鹽類 (PFOS and its	參考CEN/TS 15968: 2010,以液相層析串	mg/kg	0.01	n.d.	-
salts) (CAS No.: 1763-23-1 and its salts)	聯質譜儀分析。(With reference to				
全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-



Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 4 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鄰苯二甲酸二丁酯 (DBP) (Dibutyl		mg/kg	50	n.d.	1000
phthalate (DBP)) (CAS No.: 84-74-2)					
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl		mg/kg	50	n.d.	1000
phthalate (BBP)) (CAS No.: 85-68-7)					
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-		mg/kg	50	n.d.	1000
(2-ethylhexyl) phthalate (DEHP)) (CAS					
No.: 117-81-7)					
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl	# */FC C2221 0 2017 N/E-17E-17/E//E	mg/kg	50	n.d.	1000
phthalate (DIBP)) (CAS No.: 84-69-5)	參考IEC 62321-8: 2017 · 以氣相層析儀/質	3 3			
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl	譜儀分析。(With reference to IEC 62321-	mg/kg	50	n.d.	-
phthalate (DINP)) (CAS No.: 28553-12-	8: 2017, analysis was performed by	3 3			
0, 68515-48-0)	GC/MS.)				
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl		mg/kg	50	n.d.	-
phthalate (DNOP)) (CAS No.: 117-84-0)		3 3			
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl		mg/kg	50	n.d.	-
phthalate (DIDP)) (CAS No.: 26761-40-		3 3			
0, 68515-49-1)					
鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl		mg/kg	50	n.d.	-
phthalate (DNHP)) (CAS No.: 84-75-3)					
多氯聯苯 (PCBs) (Polychlorinated	參考US EPA 3550C: 2007,以氣相層析儀/	mg/kg	0.5	n.d.	-
biphenyls (PCBs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				
多氯奈 (PCNs) (Polychlorinated	參考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	5	n.d.	-
naphthalene (PCNs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				
多氯三聯苯 (PCTs) (Polychlorinated	參考US EPA 3550C: 2007 · 以氣相層析儀/	mg/kg	0.5	n.d.	-
terphenyls (PCTs))	質譜儀分析。(With reference to US EPA				
	3550C: 2007, analysis was performed by				
	GC/MS.)				



Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 5 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
短鏈氯化石蠟(C10-C13) (SCCP) (Short	參考ISO 18219: 2015 · 以氣相層析儀/質	mg/kg	50	n.d.	-
Chain Chlorinated Paraffins(C10-C13)	譜儀分析。(With reference to ISO 18219:				
(SCCP)) (CAS No.: 85535-84-8)	2015, analysis was performed by				
	GC/MS.)				
三丁基錫 (TBT) (Tributyl tin (TBT))	參考ISO 17353: 2004 · 以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
氧化雙三丁基錫 (TBTO) (Bis(tributyItin)	由三丁基錫測試結果計算得之。	mg/kg	0.03 ▲	n.d.	-
oxide (TBTO)) (CAS No.: 56-35-9)	(Calculated from the result of Tributyl				
	Tin (TBT).)				
三苯基錫 (TPT) (Triphenyl tin (TPT))	參考ISO 17353: 2004,以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to	3 3			
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
二丁基錫 (DBT) (Dibutyl tin (DBT))	參考ISO 17353: 2004,以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
二辛基錫 (DOT) (Dioctyl tin (DOT))	參考ISO 17353: 2004,以氣相層析儀/火	mg/kg	0.03	n.d.	-
	焰光度偵測器分析。(With reference to				
	ISO 17353: 2004, analysis was				
	performed by GC/FPD.)				
聚氯乙烯 (Polyvinyl chloride) (PVC)	參考ASTM E1252: 2013 · 以傅立葉轉換紅	**	-	Negative	-
	外線光譜儀及焰色法分析。(With				
	reference to ASTM E1252: 2013, analysis				
	was performed by FT-IR and Flame Test.)				
銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-	參考US EPA 3052: 1996 · 以感應耦合電漿	mg/kg	2	n.d.	-
36-0)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				
三氧化二銻 (Sb ₂ O ₃) (Antimony trioxide	由銻結果計算得之。(Calculated from the	mg/kg	2▲	n.d.	-
(Sb ₂ O ₃)) (CAS No.: 1309-64-4)	result of Antimony.)				

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 6 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

測試項目	測試方法	單位	MDL	結果	限值
(Test Items)	(Method)	(Unit)		(Result)	(Limit)
				No.1	
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-	參考US EPA 3052: 1996,以感應耦合電漿	mg/kg	2	n.d.	-
41-7)	發射光譜儀分析。(With reference to US				
	EPA 3052: 1996, analysis was performed				
	by ICP-OES.)				

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 全氟辛烷磺酸及其鹽類包含等物質 (PFOS and its salts including):

CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.

8. 全氟辛酸及其鹽類包含等物質 (PFOA and its salts including):

CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.

9. ▲: MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.)

換算公式 (Conversion Formula): AX = A × F

3001 24 - 0 (00111 0111 0111 0111 011					
AX	Α	F			
氧化雙三丁基錫 (Bis(tributyltin)oxide) (TBTO)	三丁基錫 (Tributyl Tin) (TBT)	1.0276			
三氧化二銻 (Antimony trioxide) (Sb ₂ O ₃)	銻 (Antimony)	1.1971			

參數換算表 (Parameter Conversion Table):

https://eecloud.sgs.com/Region_TW/DocDownload.aspx#otherDoc

10. 除非另有說明,參照ILAC-G8:09/2019,採用簡單二元(w=0)允收規則進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



Test Report


號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 7 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 8 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 9 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 10 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 11 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)





Test Report


號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 12 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

分析流程圖 / Analytical flow chart

【適用於:多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 13 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

有機錫分析流程圖 / Analytical flow chart - Organic-Tin






Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 14 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

聚氯乙烯物質判定分析流程圖 / Analysis flow chart - PVC





Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022

頁數(Page): 15 of 17


復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.




Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 16 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】





Test Report

號碼(No.): ETR22903703 日期(Date): 03-Oct-2022 頁數(Page): 17 of 17

復盛精密工業股份有限公司 (FUSHENG ELECTRONICS CORPORATION) 新竹縣寶山鄉新竹科學工業園區工業東九路17號 (NO. 17, INDUSTRY E. 9TH RD., SCIENCE PARK HSIN-CHU, TAIWAN, R.O.C.)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR22903703



** 報告結尾 (End of Report) **