

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 1 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as) :

送樣廠商(Sample Submitted By) : MITSUI HIGH-TEC INC.

樣品名稱(Sample Name) : C194(A194)+Ag PLATING

收件日(Sample Receiving Date) : 25-Jan-2024

測試期間(Testing Period) : 25-Jan-2024 to 02-Feb-2024

測試需求(Test Requested) : (1) 依據客戶指定·參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(2) 依據客戶要求·參考美國毒管法(TSCA) 第 6(h) 章節·進行5項持久性生物累積毒性物質 (PBTs) 測試·測試項目請參閱測試結果表格。(As specified by client, the sample(s) was/were tested for 5 PBTs with reference to Regulation of Persistent, Bioaccumulative, Toxic (PBT) Chemicals under Toxic Substances Control Act (TSCA) Section 6(h). Please refer to result table for testing item(s).)

(3) 其他測試項目請見下一頁。(Please refer to next pages for the other item(s).)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結論(Conclusion) : (1) 根據客戶所提供的樣品·其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。(Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

(2) 根據客戶所提供的樣品·其測試結果符合美國毒管法(TSCA) 第 6(h) 章節·持久性生物累積毒性物質 (PBTs)之限值要求。(Based on the performed tests on submitted sample(s), the test result(s) comply with the limits as set by Persistent, Bioaccumulative, Toxic (PBT) Chemicals under Toxic Substances Control Act (TSCA) Section 6(h).)


報告簽署人/張伯睿 博士/部經理
Ray Chang, Ph.D./ Department Manager
Signed for and on behalf of
SGS TAIWAN LTD.
化學實驗室-高雄/Chemical Laboratory-Kaohsiung



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 2 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

測試部位敘述 (Test Part Description)

No.1 : 銅色/銀色 C194(A194)+Ag PLATING (COPPER/SILVER COLORED C194(A194)+Ag PLATING)

測試結果 (Test Results)

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|---------------------------------------|--|--------------------|-----|----------------|---------------|
| | | | | No.1 | |
| 鎘 (Cd) (Cadmium (Cd)) | 參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | 100 |
| 鉛 (Pb) (Lead (Pb)) | 參考IEC 62321-5: 2013 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.) | mg/kg | 2 | 13.7 | 1000 |
| 汞 (Hg) (Mercury (Hg)) | 參考IEC 62321-4: 2013+ AMD1: 2017 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | 1000 |
| 六價鉻 (Hexavalent Chromium) Cr(VI) (#2) | 參考IEC 62321-7-1: 2015 · 以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-1: 2015, analysis was performed by UV-VIS.) | µg/cm ² | 0.1 | n.d. | - |
| 一溴聯苯 (Monobromobiphenyl) | 參考IEC 62321-6: 2015 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | - |
| 二溴聯苯 (Dibromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 三溴聯苯 (Tribromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 四溴聯苯 (Tetrabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 五溴聯苯 (Pentabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 六溴聯苯 (Hexabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 七溴聯苯 (Heptabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 八溴聯苯 (Octabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 九溴聯苯 (Nonabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 十溴聯苯 (Decabromobiphenyl) | | mg/kg | 5 | n.d. | - |
| 多溴聯苯總和 (Sum of PBBs) | | mg/kg | - | n.d. | 1000 |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 3 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|--|--|--------------|-----|----------------|---------------|
| | | | | No.1 | |
| 一溴聯苯醚 (Monobromodiphenyl ether) | 參考IEC 62321-6: 2015 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-6: 2015, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | - |
| 二溴聯苯醚 (Dibromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 三溴聯苯醚 (Tribromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 四溴聯苯醚 (Tetrabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 五溴聯苯醚 (Pentabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 六溴聯苯醚 (Hexabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 七溴聯苯醚 (Heptabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 八溴聯苯醚 (Octabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 九溴聯苯醚 (Nonabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 十溴聯苯醚 (Decabromodiphenyl ether) | | mg/kg | 5 | n.d. | - |
| 多溴聯苯醚總和 (Sum of PBDEs) | | mg/kg | - | n.d. | 1000 |
| 鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) | 參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | 1000 |
| 鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) | | mg/kg | 50 | n.d. | 1000 |
| 鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) | | mg/kg | 50 | n.d. | 1000 |
| 鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP)) | | mg/kg | 50 | n.d. | 1000 |
| 鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1) | | mg/kg | 50 | n.d. | - |
| 鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0) | | mg/kg | 50 | n.d. | - |
| 鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0) | | mg/kg | 50 | n.d. | - |
| 鄰苯二甲酸二正戊酯 (DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0) | | mg/kg | 50 | n.d. | - |
| 鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3) | | mg/kg | 50 | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 4 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|--|--|--------------|-----|----------------|---------------|
| | | | | No.1 | |
| 鄰苯二甲酸二(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8) | 參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | - |
| 鄰苯二甲酸二(C7-11支鏈與直鏈)烷基酯 (DHNUP) (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)) (CAS No.: 68515-42-4) | | mg/kg | 50 | n.d. | - |
| 鄰苯二甲酸二(C6-8支鏈)烷基酯 · 富C7 (DIHP) (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)) (CAS No.: 71888-89-6) | | mg/kg | 50 | n.d. | - |
| 氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8) | 參考BS EN 14582: 2016 · 以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.) | mg/kg | 50 | n.d. | - |
| 氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1) | | mg/kg | 50 | n.d. | - |
| 溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2) | | mg/kg | 50 | n.d. | - |
| 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8) | | mg/kg | 50 | n.d. | - |
| 多氯聯苯 (PCBs) (Polychlorinated biphenyls (PCBs)) | 參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 0.5 | n.d. | - |
| 多氯萘 (PCNs) (Polychlorinated naphthalene (PCNs)) | 參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | - |
| 多氯三聯苯 (PCTs) (Polychlorinated terphenyls (PCTs)) | 參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 0.5 | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 5 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|--|---|--------------|-------|----------------|---------------|
| | | | | No.1 | |
| 短鏈氯化石蠟(C10-C13) (SCCP) (Short Chain Chlorinated Paraffins(C10-C13) (SCCP)) (CAS No.: 85535-84-8) | 參考ISO 18219-1: 2021 · 以氣相層析儀/質譜儀分析。(With reference to ISO 18219-1: 2021, analysis was performed by GC/MS.) | mg/kg | 50 | n.d. | - |
| 三丁基錫 (TBT) (Tributyl tin (TBT)) | 參考ISO 17353: 2004 · 以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.) | mg/kg | 0.03 | n.d. | - |
| 三苯基錫 (TPT) (Triphenyl tin (TPT)) | 參考ISO 17353: 2004 · 以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.) | mg/kg | 0.03 | n.d. | - |
| 氧化雙三丁基錫 (TBTO) (Bis(tributyltin) oxide (TBTO)) (CAS No.: 56-35-9) | 由三丁基錫測試結果計算得之。(Calculated from the result of Tributyl Tin (TBT).) | mg/kg | 0.03▲ | n.d. | - |
| 二丁基錫 (DBT) (Dibutyl tin (DBT)) | 參考ISO 17353: 2004 · 以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.) | mg/kg | 0.03 | n.d. | - |
| 二辛基錫 (DOT) (Diocetyl tin (DOT)) | 參考ISO 17353: 2004 · 以氣相層析儀/火焰光度偵測器分析。(With reference to ISO 17353: 2004, analysis was performed by GC/FPD.) | mg/kg | 0.03 | n.d. | - |
| 六溴環十二烷及所有主要被辨別出的異構物(HBCDD) (α- HBCDD, β- HBCDD, γ- HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α- HBCDD, β- HBCDD, γ- HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8)) | 參考IEC 62321: 2008 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 6 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|---|---|--------------|------|----------------|---------------|
| | | | | No.1 | |
| 聚氯乙烯 (Polyvinyl chloride) (PVC) | 參考ASTM E1252: 2021 · 以傅立葉轉換紅外線光譜儀及焰色法分析。(With reference to ASTM E1252: 2021, analysis was performed by FT-IR and Flame Test.) | ** | - | Negative | - |
| 銻 (Sb) (Antimony (Sb)) (CAS No.: 7440-36-0) | 參考US EPA 3052: 1996 · 以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | - |
| 鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7) | 參考US EPA 3052: 1996 · 以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | - |
| 磷 (P) (Phosphorus (P)) (CAS No.: 7723-14-0) | 參考US EPA 3052: 1996 · 以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.) | mg/kg | 2 | 163 | - |
| 砷 (As) (Arsenic (As)) (CAS No.: 7440-38-2) | 參考US EPA 3052: 1996 · 以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.) | mg/kg | 2 | n.d. | - |
| 紅磷 (Red Phosphorus) | 以熱裂解-氣相層析儀/質譜儀分析。(Analysis was performed by Pyrolyzer-GC/MS.) | ** | - | Negative | - |
| 十溴二苯乙烷 (Decabromodiphenylethane) (CAS No.: 84852-53-9) | 參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | - |
| 全氟辛烷磺酸 (PFOS) (Perfluorooctane sulfonate (PFOS)) (CAS No.: 1763-23-1) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 7 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|---|---|--------------|-------|----------------|---------------|
| | | | | No.1 | |
| 全氟辛基磺酸鉀 (PFOS-K) (Potassium Perfluorooctanesulfonate (PFOS-K)) (CAS No.: 2795-39-3) | 由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛基磺酸鋰 (PFOS-Li) (Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)) (CAS No.: 29457-72-5) | 由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛基磺酸銨 (PFOS-NH4) (Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH4)) (CAS No.: 29081-56-9) | 由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛基磺酸二乙醇銨 (PFOS-NH(OH)2) (Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH)2)) (CAS No.: 70225-14-8) | 由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛基磺酸四乙基銨 (PFOS-N(C2H5)4) (Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C2H5)4)) (CAS No.: 56773-42-3) | 由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛基磺酸二癸二甲基銨 (PFOS-DDA) (N-decyl-N,N-dimethyldecyl-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptafluorooctane-1-sulfonate (PFOS-DDA)) (CAS No.: 251099-16-8) | 由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛基磺酰氟 (POSF) (Perfluorooctane sulfonyl fluoride (POSF)) (CAS No.: 307-35-7) | 由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛基磺酸鎂 (PFOS-Mg) (Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)) (CAS No.: 91036-71-4) | 由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛基磺酸鈉 (PFOS-Na) (Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)) (CAS No.: 4021-47-0) | 由全氟辛烷磺酸測試結果計算得之。 (Calculated from the result of PFOS.) | mg/kg | 0.01▲ | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 8 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|--|---|--------------|-------|----------------|---------------|
| | | | | No.1 | |
| N-乙基全氟正辛磺醯胺 (EtFOSA) (N-ethylperfluoro-1-octanesulfonamide (EtFOSA)) (CAS No.: 4151-50-2) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |
| N-甲基全氟正辛磺醯胺 (N-Me-FOSA) (N-Methyl-Perfluorooctanesulfonamide (N-Me-FOSA)) (CAS No.: 31506-32-8) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |
| N-乙基全氟辛基磺醯胺乙醇 (N-Et-FOSE alcohol) (N-Ethyl-Perfluorooctanesulfonamidoethanol (N-Et-FOSE alcohol)) (CAS No.: 1691-99-2) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |
| N-甲基全氟辛基磺醯胺乙醇 (N-Me-FOSE alcohol) (N-Methyl-Perfluorooctanesulfonamidoethanol (N-Me-FOSE alcohol)) (CAS No.: 24448-09-7) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |
| 全氟辛基磺醯胺 (PFOSA) (Perfluorooctanesulfonamide (PFOSA)) (CAS No.: 754-91-6) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |
| 全氟辛酸 (PFOA) (Perfluorooctanoic acid (PFOA)) (CAS No.: 335-67-1) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |
| 全氟辛酸鈉 (PFOA-Na) (Sodium perfluorooctanoate (PFOA-Na)) (CAS No.: 335-95-5) | 由全氟辛酸測試結果計算得之。(Calculated from the result of PFOA.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛酸鉀 (PFOA-K) (Potassium perfluorooctanoate (PFOA-K)) (CAS No.: 2395-00-8) | 由全氟辛酸測試結果計算得之。(Calculated from the result of PFOA.) | mg/kg | 0.01▲ | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 9 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|---|---|--------------|-------|----------------|---------------|
| | | | | No.1 | |
| 全氟辛酸銀 (PFOA-Ag) (Silver perfluorooctanote (PFOA-Ag)) (CAS No.: 335-93-3) | 由全氟辛酸測試結果計算得之。 (Calculated from the result of PFOA.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛氟 (PFOA-F) (Perfluorooctanoyl fluoride (PFOA-F)) (CAS No.: 335-66-0) | 由全氟辛酸測試結果計算得之。 (Calculated from the result of PFOA.) | mg/kg | 0.01▲ | n.d. | - |
| 全氟辛酸銨 (APFO) (Ammonium pentadecafluorooctanoate (APFO)) (CAS No.: 3825-26-1) | 由全氟辛酸測試結果計算得之。 (Calculated from the result of PFOA.) | mg/kg | 0.01▲ | n.d. | - |
| 1H,1H,2H,2H-全氟癸磺酸 (8:2 FTS) (1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)) (CAS No.: 39108-34-4) | 參考CEN/TS 15968: 2010 · 以液相層析串聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.) | mg/kg | 0.01 | n.d. | - |
| 全氟辛酸甲酯 (Me-PFOA) (Methyl perfluorooctanoate (Me-PFOA)) (CAS No.: 376-27-2) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. | - |
| 全氟辛酸乙酯 (Et-PFOA) (Ethyl perfluorooctanoate (Et-PFOA)) (CAS No.: 3108-24-5) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. | - |
| 1H,1H,2H,2H-全氟-1-癸醇 (8:2 FTOH) (1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH)) (CAS No.: 678-39-7) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. | - |
| 1H,1H,2H,2H-全氟癸基丙烯酸酯 (8:2 FTA) (1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)) (CAS No.: 27905-45-9) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. | - |
| 1H,1H,2H,2H-全氟癸基甲基丙烯酸酯 (8:2 FTMA) (1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)) (CAS No.: 1996-88-9) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. | - |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 10 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

| 測試項目 (Test Items) | 測試方法 (Method) | 單位 (Unit) | MDL | 結果 (Result) | 限值 (Limit) |
|--|--|--------------|-----|----------------|----------------------|
| | | | | No.1 | |
| 全氟辛基碘烷 (PFOI) (Perfluoro-1-iodooctane (PFOI)) (CAS No.: 507-63-1) | 參考CEN/TS 15968: 2010 · 以氣相層析儀/質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by GC/MS.) | mg/kg | 0.1 | n.d. | - |
| 十溴聯苯醚 (DecaBDE) (Decabromodiphenyl ether (DecaBDE)) (CAS No.: 1163-19-5) | 參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | Prohibited / N/A(*3) |
| 異丙基化磷酸三苯酯 (PIP 3:1) (Phenol, isopropylated, phosphate (3:1) (PIP 3:1)) (CAS No.: 68937-41-7) | 參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | Prohibited / N/A(*1) |
| 2,4,6-三叔丁基酚 (2,4,6-TTBP) (2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP)) (CAS No.: 732-26-3) | 參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | 3000 / N/A(*2) |
| 五氯苯硫酚 (PCTP) (Pentachlorothiophenol (PCTP)) (CAS No.: 133-49-3) | 參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | 10000 |
| 六氯丁二烯 (HCBd) (Hexachlorobutadiene (HCBd)) (CAS No.: 87-68-3) | 參考US EPA 3550C: 2007 · 以氣相層析儀/質譜儀分析。(With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.) | mg/kg | 5 | n.d. | Prohibited |

備註(Note) :

1. mg/kg = ppm ; 0.1wt% = 0.1% = 1000ppm
2. MDL = Method Detection Limit (方法偵測極限值)
3. n.d. = Not Detected (未檢出) ; 小於MDL / Less than MDL
4. "-" = Not Regulated (無規格值)
5. ** = Qualitative analysis (No Unit) 定性分析(無單位)
6. Negative = Undetectable 陰性(未偵測到/未檢出); Positive = Detectable 陽性(已偵測到/檢出)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 11 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

7. (#2) =

- a. 當六價鉻結果大於0.13 µg/cm²，表示樣品表層含有六價鉻。(The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI).)
- b. 當六價鉻結果為n.d. (濃度小於0.10 µg/cm²)，表示表層不含六價鉻。(The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µg/cm²). The coating is considered a non-Cr(VI) based coating)
- c. 當六價鉻結果介於 0.10 及 0.13 µg/cm² 時，無法確定塗層是否含有六價鉻。(The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.)

8. ▲：MDL是針對元素/測試化合物之評估。(The MDL was evaluated for element / tested substance.)

換算公式 (Conversion Formula) : AX = A × F

| AX | A | F |
|---|---------------------------|--------|
| 氧化雙三丁基錫 (Bis(tributyltin)oxide) (TBTO) | 三丁基錫 (Tributyl Tin) (TBT) | 1.0276 |

參數換算表 (Parameter Conversion Table) :

https://eecloud.sgs.com/Region_TW/DocDownload.aspx?name=Others

- 9. 除非另有說明，參照ILAC-G8:09/2019，採用簡單二元(w=0)允收規則進行符合性判定；根據此規則，符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)
- 10. 詳細法規說明請點以下網址連結。(Detail explanation of the regulation is available at the following link.)
<https://www.epa.gov/assessing-and-managing-chemicals-under-tsca/persistent-bioaccumulative-and-toxic-pbt-chemicals-under>
- 11. N/A(*1)：若產品/成品為以下，則不適用 (The submitted sample is exempted from the regulated scope if it is anyone of the following) :
 - 航空或軍事用液壓油 (Hydraulic fluids for aviation or military)
 - 潤滑劑和油脂 (Lubricants and grease)
 - 汽車和航空航天器的新零件和替換零件 (New and replacement parts for motor and aerospace vehicles)
 - 在封閉系統中製造氰基丙烯酸酯粘合劑 (Manufacture of cyanoacrylate adhesives in closed systems)
 - 火車和船舶應用的專用發動機空氣濾清器 (Specialized engine air filters for locomotive and marine applications)
 - 從含PIP(3:1)的產品或成品中回收的塑料 (Plastic for recycling from PIP (3:1)-containing products or articles)
 - 從包含PIP(3:1)的產品或成品中回收的塑料製成的成品或成品 (Finished products or articles made of plastic recycled from PIP (3:1)-containing products or articles)
 - 於2024/10/31前加工和分銷含PIP(3:1)的成品 (Processing and distribution in commerce of PIP (3:1)-containing articles, before October 31, 2024)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 12 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

12. N/A(*2) : 若產品為非作為潤滑油中添加劑，則不適用。(The submitted sample is exempted from the regulated scope if it is not oil and lubricant additives.)
13. N/A(*3) : 若產品/成品為以下，則不適用 (The submitted sample is exempted from the regulated scope if it is anyone of the following) :
從產品或成品進行加工和分銷含十溴二苯醚回收的塑料或者由這種再生塑料製成的含十溴二苯醚的產品或成品。
(Exempts processing and distribution for recycling of DecaBDE-containing plastic from products or articles and DecaBDE-containing products or articles made from such recycled plastic.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 13 of 25


MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件，樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart.
(Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563


日期(Date): 02-Feb-2024

頁數(Page): 14 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

可塑劑分析流程圖 / Analytical flow chart of phthalate content

【測試方法/Test method: IEC 62321-8】




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

鹵素分析流程圖 / Analytical flow chart of Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 17 of 25


MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

分析流程圖 / Analytical flow chart

【適用於：多氯聯苯、多氯奈、多氯三聯苯、滅蟻靈、氯化石蠟、DBBT】

*Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

有機錫分析流程圖 / Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563


日期(Date): 02-Feb-2024

頁數(Page): 19 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563


日期(Date): 02-Feb-2024

頁數(Page): 20 of 25

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

聚氯乙炔物質判定分析流程圖 / Analysis flow chart - PVC




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

元素(含重金屬)分析流程圖 / Analytical flow chart of Elements (Heavy metal included)

根據以下的流程圖之條件，樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method : US EPA 3051、US EPA 3052】




* US EPA 3051 方法未添加氫氟酸 / US EPA 3051 method does not add HF.

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

紅磷分析流程 / Analytical flow chart - Red phosphorus




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)




This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

持久性生物累積毒性物質 (PBTs) 分析流程圖 /
Analytical flow chart - Persistent, Bioaccumulative, Toxic (PBTs)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

測試報告

Test Report

號碼(No.): EKR24101563

日期(Date): 02-Feb-2024

頁數(Page): 25 of 25


MITSUI HIGH-TEC INC.

10-1, KOMINE 2-CHOME, YAHATANISHI-KU KITAKYUSHU, 807-8588, JAPAN

* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。*

(The tested sample / part is marked by an arrow if it's shown on the photo.)

EKR24101563



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com.tw/terms-of-service> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <https://www.sgs.com.tw/terms-of-service>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.