

Test Report No. : CE/2020/71575 Date : 2020/07/16 Page : 1 of 19

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Submitted By : MK ELECTRON CO., LTD.

Sample Description : GOLD WIRE

Style/Item No. : 4N

Sample Receiving Date : 2020/07/09

Testing Period : 2020/07/09 to 2020/07/16

Test Requested

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Result(s) : Please refer to following pages.

Conclusion : (1) Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by

RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Troy Chang / Manager - Vec SGS
Signed for and behalf of
SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 418AD941



Test Report Page: 2 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Result(s)

PART NAME No.1 : GOLDEN COLORED METAL WIRE

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-OES.	2	n.d.	100
Lead (Pb)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-OES.	2	n.d.	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP-OES.	2	n.d.	1000
Hexavalent Chromium Cr(VI)(#2)	μg/cm²	With reference to IEC 62321-7-1: 2015 and performed by UV-VIS.	0.10	n.d.	-
Sum of PBBs	mg/kg		-	n.d.	1000
Monobromobiphenyl	mg/kg		5	n.d.	-
Dibromobiphenyl	mg/kg		5	n.d.	-
Tribromobiphenyl	mg/kg		5	n.d.	-
Tetrabromobiphenyl	mg/kg		5	n.d.	-
Pentabromobiphenyl	mg/kg		5	n.d.	-
Hexabromobiphenyl	mg/kg		5	n.d.	-
Heptabromobiphenyl	mg/kg		5	n.d.	-
Octabromobiphenyl	mg/kg		5	n.d.	-
Nonabromobiphenyl	mg/kg	With reference to IEC 62321-6: 2015 and	5	n.d.	-
Decabromobiphenyl	mg/kg		5	n.d.	-
Sum of PBDEs	mg/kg	performed by GC/MS.	-	n.d.	1000
Monobromodiphenyl ether	mg/kg		5	n.d.	-
Dibromodiphenyl ether	mg/kg		5	n.d.	-
Tribromodiphenyl ether	mg/kg		5	n.d.	-
Tetrabromodiphenyl ether	mg/kg		5	n.d.	-
Pentabromodiphenyl ether	mg/kg		5	n.d.	-
Hexabromodiphenyl ether	mg/kg		5	n.d.	-
Heptabromodiphenyl ether	mg/kg		5	n.d.	-
Octabromodiphenyl ether	mg/kg		5	n.d.	-
Nonabromodiphenyl ether	mg/kg		5	n.d.	-
Decabromodiphenyl ether	mg/kg		5	n.d.	-



Test Report Page: 3 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Item(s)	Unit	Method	MDL	Result	Limit
				No.1	
Polychlorinated Biphenyls (PCBs)	mg/kg	With reference to US EPA 3550C: 2007.	0.5	n.d.	-
(CAS No.: 1336-36-3)		Analysis was performed by GC/MS.			
Polychlorinated Naphthalene	mg/kg	With reference to US EPA 3550C: 2007.	5	n.d.	-
(PCNs)		Analysis was performed by GC/MS.			
Polychlorinated Terphenyls	mg/kg	With reference to US EPA 3550C: 2007.	0.5	n.d.	-
(PCTs)		Analysis was performed by GC/MS.			
Alkanes, C10-13, chloro (Short	mg/kg	With reference to US EPA 3550C: 2007.	100	n.d.	-
Chain Chlorinated Paraffins)		Analysis was performed by GC/MS.			
(CAS No.: 85535-84-8)					
Tributyl Tin (TBT)	mg/kg	With reference to ISO 17353: 2004. Analysis	0.03	n.d.	-
		was performed by GC/FPD.			
Triphenyl Tin (TphT)	mg/kg	With reference to ISO 17353: 2004. Analysis	0.03	n.d.	-
		was performed by GC/FPD.			
Dibutyl Tin (DBT)	mg/kg	With reference to ISO 17353: 2004. Analysis	0.03	n.d.	-
	0 0	was performed by GC/FPD.			
Dioctyl Tin (DOT)	mg/kg	With reference to ISO 17353: 2004. Analysis	0.03	n.d.	_
, ,	0 0	was performed by GC/FPD.			
Bis(tributyltin)oxide (TBTO) (CAS	mg/kg	With reference to ISO 17353: 2004. Analysis	0.03 (🛦)	n.d.	_
No.: 56-35-9)		was performed by GC/FPD. Calculated from			
,		the result of Tributyl Tin (TBT).			
Halogen					
Halogen-Fluorine (F)	mg/kg	With reference to BS EN 14582: 2016.	50	n.d.	-
(CAS No.: 14762-94-8)	0 0	Analysis was performed by IC.			
Halogen-Chlorine (CI)	mg/kg	With reference to BS EN 14582: 2016.	50	n.d.	-
(CAS No.: 22537-15-1)	3 3	Analysis was performed by IC.			
Halogen-Bromine (Br)	mg/kg	With reference to BS EN 14582: 2016.	50	n.d.	_
(CAS No.: 10097-32-2)	9,9	Analysis was performed by IC.			
Halogen-lodine (I)	mg/kg	With reference to BS EN 14582: 2016.	50	n.d.	
(CAS No.: 14362-44-8)	mg/kg	Analysis was performed by IC.		11.0.	
PFOS and its salts (CAS No.:	ma/ka	With reference to CEN/TS 15968: 2010.	0.01	n.d.	
1763-23-1 and its salts)	mg/kg	Analysis was performed by LC/MS.	0.01	n.u.	-
,			0.04	I	
PFOA and its salts (CAS No.:	mg/kg	With reference to CEN/TS 15968: 2010.	0.01	n.d.	-
335-67-1 and its salts)		Analysis was performed by LC/MS.			
Polyvinyl chloride (PVC)	**	Analysis was performed by FTIR and FLAME	-	Negative	-
		Test.			



Test Report Page: 4 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.		n.d.	1000
BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	1000
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	1000
DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	1000
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	-
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	-
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	-
DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	-
DIHP (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (CAS No.: 71888-89-6)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	-
DHNUP (1,2- Benzenedicarboxylic acid, di-C7- 11-branched and linear alkyl esters) (CAS No.: 68515-42-4)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	-
DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	-
DNPP (Di-n-pentyl phthalate) (CAS No.: 131-18-0)	mg/kg	With reference to IEC 62321-8: 2017. Analysis was performed by GC/MS.	50	n.d.	-
Antimony (Sb)	mg/kg	With reference to US EPA 3052: 1996. Analysis was performed by ICP-OES.		n.d.	-
Beryllium (Be)	mg/kg	With reference to US EPA 3052: 1996. Analysis was performed by ICP-OES.	2	7.30	-
Arsenic (As)	mg/kg	With reference to US EPA 3052: 1996. Analysis was performed by ICP-OES.		n.d.	-



Test Report Page: 5 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Test Item(s)	Unit	Method	MDL	Result No.1	Limit
Phosphorus (P)	mg/kg	With reference to US EPA 3052: 1996. Analysis was performed by ICP-OES.	2	n.d.	-
Cobalt (Co)	mg/kg	With reference to US EPA 3050B: 1996. Analysis was performed by ICP-OES.	2	n.d.	-
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β-HBCDD, γ-HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	With reference to IEC 62321: 2008. Analysis was performed by GC/MS.	5	n.d.	-
Red phosphorus	**	Analysis was performed by Pyrolyzer-GC/MS.	-	Negative	-
Sulfur Hexafluoride (SF6) (CAS No.: 2551-62-4)	mg/kg	With reference to US EPA 5021A: 2014. Analysis was performed by GC/MS.	1	n.d.	-
Medium-Chained Chlorinated Paraffins (C14-C17) (MCCP) (CAS No.: 85535-85-9)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by GC/MS.	100	n.d.	-

Note:

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected = less than MDL
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. Negative = Undetectable / Positive = Detectable
- 7. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI)
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 $\mu g/cm^2$ and 0.13 $\mu g/cm^2$ is considered to be inconclusive unavoidable coating variations may influence the determination.
- 8. PFOS and its salts including CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.



Test Report Page: 6 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

- 9. PFOA and its salts including CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.
- 10. The statement of compliance conformity is based on comparison of testing results and limits.
- 11. (▲): The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.024

https://twap.sgs.com/sgsrsts/chn/download-REACH_tw.asp Parameter Conversion Table:




Test Report Page: 7 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)






Test Report Page: 8 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - PBB / PBDE






Test Report Page: 9 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT






Test Report Page: 10 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Organic-Tin






Test Report No. : CE/2020/71575 Page: 11 of 19 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Halogen






Test Report Page: 12 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Flow Chart of digestion for the elements analysis performed by ICP-OES

These samples were dissolved totally by pre-conditioning method according to below flow chart.



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCI, HF, H ₂ O ₂
Glass	HNO₃/HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO ₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
Others	Added appropriate reagent to total digestion




Test Report Page: 13 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - PFOA/PFOS






Test Report Page: 14 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analysis flow chart - PVC






Test Report Page: 15 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Phthalate

[Test method: IEC 62321-8]






Test Report Page: 16 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - HBCDD






Test Report Page: 17 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - Red phosphorus






Test Report Page: 18 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

Analytical flow chart - volatile organic compounds (VOCs)

[Reference method: US EPA 5021, 5021A]






Test Report Page: 19 of 19 No.: CE/2020/71575 Date: 2020/07/16

MK ELECTRON CO., LTD.

405, GEUMEO-RO, POGOK-EUP, CHEOIN-GU, YONGIN-SI, GYEONGGI-DO, KOREA

* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2020/71575



** End of Report **