

Test Report Page: 1 of 18 No.: KA/2020/80073 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Submitted By : TANAKA ELECTRONICS SINGAPORE PTE LTD.

Sample Description : Au BONDING WIRE Style/Item No. : 4N GOLD WIRE

Color : GOLD

Sample Receiving Date : 2020/08/03

Testing Period : 2020/08/03 to 2020/08/18

(1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending **Test Requested**

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs,

DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Result(s) Please refer to next page(s).

Conclusion (1) Based on the performed tests on submitted sample(s), the test results of Cadmium,

Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Ray Chang Ph.D. / Ma Signed for and on beh **SGS Taiwan Limited**

Chemical Laboratory-K

PIN CODE: 58BB2471



Test Report No.: KA/2020/80073 Page: 2 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Test Result(s)

PART NAME NO.1 : Au BONDING WIRE

Test Item (s)	Unit	Method	MDL	Result	1.224
				No.1	Limit
Cadmium (Cd)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-OES.	2	n.d.	100
Lead (Pb)	mg/kg	With reference to IEC 62321-5: 2013 and performed by ICP-OES.	2	n.d.	1000
Mercury (Hg)	mg/kg	With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP- OES.	2	n.d.	1000
Hexavalent Chromium Cr(VI)(#2)	μg/cm²	With reference to IEC 62321-7-1:2015 and performed by UV-VIS.	0.10	n.d.	-
Sum of PBBs	mg/kg		•	n.d.	1000
Monobromobiphenyl	mg/kg		5	n.d.	
Dibromobiphenyl	mg/kg		5	n.d.	
Tribromobiphenyl	mg/kg		5	n.d.	
Tetrabromobiphenyl	mg/kg		5	n.d.	
Pentabromobiphenyl	mg/kg		5	n.d.	-
Hexabromobiphenyl	mg/kg		5	n.d.	-
Heptabromobiphenyl	mg/kg		5	n.d.	-
Octabromobiphenyl	mg/kg	With reference to IEC 62321-6:2015	5	n.d.	-
Nonabromobiphenyl	mg/kg		5	n.d.	-
Decabromobiphenyl	mg/kg		5	n.d.	-
Sum of PBDEs	mg/kg	and performed by GC/MS.	-	n.d.	1000
Monobromodiphenyl ether	mg/kg]	5	n.d.	-
Dibromodiphenyl ether	mg/kg]	5	n.d.	-
Tribromodiphenyl ether	mg/kg		5	n.d.	-
Tetrabromodiphenyl ether	mg/kg		5	n.d.	-
Pentabromodiphenyl ether	mg/kg		5	n.d.	-
Hexabromodiphenyl ether	mg/kg		5	n.d.	-
Heptabromodiphenyl ether	mg/kg		5	n.d.	-
Octabromodiphenyl ether	mg/kg		5	n.d.	-
Nonabromodiphenyl ether	mg/kg		5	n.d.	-
Decabromodiphenyl ether	mg/kg	1	5	n.d.	-



Test Report No.: KA/2020/80073 Page: 3 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Test Item (s)	Unit	Method	MDL	Result	Limit
	Unit			No.1	
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321-7-2:2017 and performed by UV-VIS.	8	n.d.	-
Hexavalent Chromium Cr(VI)	μg/cm²	With reference to BS EN ISO 3613:2010. Analysis was performed by UV-VIS Spectrometry.	0.02	n.d.	-
Hexavalent Chromium Cr(VI)	mg/kg	With reference to US EPA 3060A & 7196A. Analysis was performed by UV-Vis Spectrometry.	2	n.d.	1
Dimethyl Fumarate (CAS No.: 624-49-7)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by GC/MS.	0.1	n.d.	1
PVC	**	Analysis was performed by FTIR and FLAME Test.	-	Negative	-
Red phosphorus	**	Analysis was performed by Pyrolyzer-GC/MS.	-	Negative	-
Phosphorus (P)	mg/kg	With reference to US EPA 3052: 1996. Analysis was performed by ICP-OES.	2	n.d.	-
Arsenic (As)	mg/kg	With reference to US EPA 3052: 1996. Analysis was performed by ICP-OES.	2	n.d.	-
Antimony (Sb)	mg/kg	With reference to US EPA 3052: 1996. Analysis was performed by ICP-OES.	2	n.d.	-
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MSMS.	0.01	n.d.	1
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MSMS.	0.01	n.d.	-
Halogen					
Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	With reference to BS EN 14582:2016. Analysis was performed by IC.	50	n.d.	-
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)	mg/kg		50	n.d.	-
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg		50	n.d.	-
Halogen-lodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	-



Test Report No.: KA/2020/80073 Page: 4 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Test Item (s)	Unit	Madhad	MDL	Result	Limit
		Method		No.1	
Tetrabromobisphenol A (TBBP-A) (CAS No.: 79-94-7)	mg/kg	With reference to RSTS-E&E-121. Analysis was performed by LC/MS.	10	n.d.	-
Phthalates					
BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	1000
DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	1000
DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	1000
DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	1000
DIDP (Di-isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	-
DINP (Di-isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	-
DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	-
DHNUP (1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters) (CAS No.: 68515-42-4)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	-
DIHP (1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich) (CAS No.: 71888-89-6)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	-
DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	-
DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	-
DNPP(Di-n-pentyl phthalate) (CAS No.: 131-18-0)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	-
DPP (Di-pentyl phthalate) (CAS No.: 131-18-0)	mg/kg	With reference to IEC 62321-8:2017. Analysis was performed by GC/MS.	50	n.d.	-



Test Report Page: 5 of 18 No.: KA/2020/80073 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Test Item (s)	Unit	Method	MDL	Result	Limit
				No.1	
Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α-HBCDD, β- HBCDD, γ- HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	With reference to IEC 62321: 2008. Analysis was performed by GC/MS.	5	n.d.	-
Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	-
PFOA (CAS No.: 335-67-1)	mg/kg	With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	1

Note:

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated
- 5. (#2) =
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI)
 - b. The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µg/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive unavoidable coating variations may influence the determination.
- 6. ** = Qualitative analysis (No Unit)
- 7. Negative = Undetectable / Positive = Detectable
- 8. Method Detection Limit = $0.02 \,\mu \text{g/cm}^2$.
- 9. The statement of compliance conformity is based on comparison of testing results and limits.

PFOS Reference Information: POPs - (EU) 2019/1021

Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above 1µ g/m².

PFOS refer to Perfluoroctanesulfonic acid and its derivatives including Perfluoroctanesulfonic acid, Perfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamide, N-Ethylperfluoroctane sulfonamide, N-Methylperfluoroctane sulfonamidoethanol and N-Ethylperfluoroctane sulfonamidoethanol.




Test Report No.: KA/2020/80073 Page: 6 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)






Test Report No.: KA/2020/80073 Page: 7 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

PBB/PBDE analytical FLOW CHART






Test Report Page: 8 of 18 No.: KA/2020/80073 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Analytical flow chart of phthalate content

[Test method: IEC 62321-8]






Test Report No.: KA/2020/80073 Page: 9 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Analytical flow chart of Halogen






Test Report No.: KA/2020/80073 Page: 10 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

HBCDD analytical flow chart






Test Report No.: KA/2020/80073 Page: 11 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

TBBP-A analytical flow chart






Test Report No.: KA/2020/80073 Page: 12 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Analytical flow chart of Dimethyl Fumarate






Test Report No.: KA/2020/80073 Page: 13 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Analysis flow chart for determination of **PVC** in polymer material






Test Report No.: KA/2020/80073 Page: 14 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Analytical flow chart - Red phosphorus






Test Report No.: KA/2020/80073 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Flow Chart of digestion for the elements analysis performed by ICP-OES

These samples were dissolved totally by pre-conditioning method according to below flow chart.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 15 of 18



Test Report No.: KA/2020/80073 Page: 16 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Analytical flow chart - PFOA/PFOS






Test Report No.: KA/2020/80073 Page: 17 of 18 Date: 2020/08/18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

Analytical flow chart of PFOA/PFOS





Test Report

No.: KA/2020/80073


Date: 2020/08/18

Page: 18 of 18

TANAKA ELECTRONICS SINGAPORE PTE LTD. 29 PANDAN CRESCENT, SINGAPORE 128473

* The tested sample / part is marked by an arrow if it's shown on the photo. *

KA/2020/80073



** End of Report **